

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 10 - Latorre, Florian

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.2553	22.7223	12.8324	9.8899	29.3325	14.2625	15.0700	5.5992	33.9303	15.6926	9.7717	8.4660	22.9486	10.7694	12.1792
	S	50.262	60.613	62.431	58.255	54.136	43.455	64.246	68.435	42.018	44.621	39.283	40.349	46.408	47.356	45.569
2	T	10.7388	38.8870	22.3897	16.4973	29.7877	17.5047	12.2830	3.6250	25.2186	10.6806	7.7018	6.8362	17.4348	8.2452	9.1896
	S	47.999	35.417	35.781	34.923	53.309	35.406	78.823	105.705	56.533	65.561	49.841	49.968	61.085	61.854	60.394
3	T	5.7954	17.5095	10.9024	6.6071	21.9929	12.3868	9.6061	3.3354	24.3327	10.3165	7.2609	6.7553	17.2798	8.1017	9.1781
	S	88.942	78.659	73.483	87.200	72.203	50.035	100.788	114.883	58.591	67.874	52.867	50.566	61.633	62.950	60.470
4	T	7.8093	17.2830	10.8578	6.4252	22.0682	12.4331	9.6351	3.3170	24.4583	10.4320	7.2090	6.8173	17.4329	8.2354	9.1975
	S	66.005	79.689	73.784	89.668	71.957	49.849	100.485	115.521	58.290	67.123	53.248	50.106	61.091	61.928	60.342
5	T	5.8022	17.6446	11.1909	6.4537	21.8439	12.3984	9.4455	3.3247	23.9569	10.1343	7.2128	6.6098	17.1093	7.9238	9.1855
	S	88.838	78.056	71.588	89.272	72.696	49.988	102.502	115.253	59.510	69.095	53.220	51.679	62.247	64.363	60.421
6	T	6.0211	17.5825	11.0708	6.5117	29.3020	12.8343	16.4677	7.0574	36.6680	17.3503	9.9845	9.3332	23.4185	11.7254	11.6931
	S	85.608	78.332	72.365	88.477	54.193	48.290	58.793	54.295	38.881	40.358	38.446	36.600	45.477	43.495	47.464
7	T	10.8417	23.7374	14.3919	9.3455	31.7068	16.7238	14.9830	6.8853	33.0401	15.2902	9.4498	8.3001	20.7015	9.5455	11.1560
	S	47.544	58.021	55.666	61.649	50.082	37.059	64.619	55.652	43.150	45.796	40.621	41.155	51.446	53.428	49.749
8	T	9.1406	24.2513	15.3952	8.8561	30.4817	14.4582	16.0235	6.9385	35.5034	17.3564	9.6628	8.4842	21.8883	9.9178	11.9705
	S	56.392	56.792	52.038	65.055	52.095	42.867	60.423	55.225	40.156	40.344	39.726	40.262	48.656	51.423	46.364
9	T	6.0934	17.5743	11.1935	6.3808	22.0179	12.3569	9.6610	3.2634	24.4206	10.5350	7.1839	6.7017	17.2161	7.9961	9.2200
	S	84.592	78.369	71.572	90.292	72.121	50.156	100.215	117.418	58.380	66.467	53.434	50.971	61.861	63.781	60.195
10	T	5.6502	16.6841	10.5746	6.1095	21.5258	12.1000	9.4258	3.2470	23.9773	10.1228	7.1398	6.7147	17.5884	8.0402	9.5482
	S	91.228	82.550	75.760	94.302	73.770	51.221	102.716	118.011	59.460	69.173	53.764	50.872	60.551	63.431	58.126
11	T	5.8934	19.5103	12.0228	7.4875	30.9369	13.7128	17.2241	8.8202	35.3816	16.8633	9.9221	8.5962	23.5135	11.3683	12.1452
	S	87.463	70.592	66.635	76.946	51.329	45.197	56.211	43.444	40.294	41.524	38.688	39.737	45.293	44.862	45.697
12	T	10.7678	24.4388	15.9866	8.4522	28.7358	13.8859	14.8499	6.0968	32.4551	14.8266	8.9369	8.6916	22.5634	10.2652	12.2982
	S	47.870	56.356	50.113	68.164	55.260	44.633	65.198	62.850	43.928	47.228	42.953	39.301	47.200	49.682	45.129
13	T	5.6463	16.8580	10.5759	6.2821	22.0407	12.2722	9.7685	3.2976	25.1188	10.3638	8.1190	6.6360	16.8719	7.8824	8.9895
	S	91.291	81.698	75.751	91.711	72.046	50.502	99.113	116.200	56.758	67.565	47.280	51.475	63.123	64.701	61.739
14	T	6.0640	18.1304	11.7284	6.4020	22.4296	12.4511	9.9785	3.5149							
	S	85.002	75.965	68.307	89.993	70.797	49.777	97.027	109.016							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 10 - Latorre, Florian

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	16.3483	5.2624	11.0859	10.2563	9.8024	161.1952	155.0691
	S	55.969	72.297	48.218	40.286	45.559	50.428	49.100
2	T	12.8095	4.2524	8.5571	8.3905	6.6330	153.5249	
	S	71.431	89.468	62.468	49.244	67.329	52.948	
3	T	12.1391	4.0353	8.1038	8.3478	10.0119	120.7445	
	S	75.376	94.282	65.962	49.496	44.606	67.322	
4	T	12.5960	4.2596	8.3364	8.6920	6.8344	120.4911	
	S	72.642	89.317	64.122	47.536	65.345	67.464	
5	T	12.8888	4.2588	8.6300	9.1050	7.1288	118.8042	
	S	70.992	89.334	61.940	45.380	62.646	68.422	
6	T	21.7500	7.5991	14.1509	9.8645	8.0066	159.6706	
	S	42.069	50.066	37.775	41.886	55.778	50.910	
7	T	19.7990	6.3053	13.4937	10.3328	7.7255	164.7701	
	S	46.214	60.339	39.614	39.987	57.807	49.334	
8	T	18.6191	6.3654	12.2537	9.8278	7.7377	164.3884	
	S	49.143	59.769	43.623	42.042	57.716	49.449	
9	T	12.4918	4.1890	8.3028	8.2822	6.6671	118.0268	
	S	73.248	90.822	64.381	49.888	66.984	68.872	
10	T	13.2205	4.5465	8.6740	8.6274	6.7814	117.3021	
	S	69.211	83.681	61.626	47.892	65.855	69.298	
11	T	19.9922	7.8194	12.1728	10.7595	7.7799	162.5875	
	S	45.768	48.655	43.913	38.402	57.403	49.996	
12	T	20.5869	7.5432	13.0437	10.1507	6.8723	162.6676	
	S	44.446	50.437	40.981	40.705	64.984	49.972	
13	T	12.5145	4.2030	8.3115	8.2637	6.7435	117.3550	
	S	73.115	90.520	64.314	50.000	66.225	69.267	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 13 - Maldonado, Juan (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	6.3205	19.8056	12.2938	7.5118	25.3167	13.4836	11.8331	4.1574	27.8898	12.4447	7.7815	7.6636	19.5315	9.1040	10.4275
	S	81.553	69.540	65.166	76.698	62.724	45.965	81.820	92.169	51.118	56.267	49.330	44.573	54.527	56.019	53.225
2	T	6.0451	38.1320	30.4256	7.7064	25.4470	14.0287	11.4183	3.9363	28.3539	12.7753	7.7305	7.8481	18.5395	8.5288	10.0107
	S	85.268	36.119	26.331	74.761	62.402	44.179	84.792	97.346	50.282	54.811	49.656	43.525	57.445	59.797	55.441
3	T	6.3944	18.3894	11.7286	6.6608	23.6579	13.1601	10.4978	3.8200	27.3322	12.0268	7.7171	7.5883	19.1908	9.1763	10.0145
	S	80.610	74.895	68.306	86.497	67.122	47.095	92.227	100.309	52.161	58.222	49.742	45.015	55.495	55.578	55.420
4	T	6.3406	18.9714	11.9480	7.0234	23.7206	13.3345	10.3861	4.0198	27.2699	12.1393	7.6375	7.4931	21.1240	11.1239	10.0001
	S	81.294	72.597	67.052	82.031	66.944	46.479	93.219	95.324	52.280	57.683	50.260	45.587	50.417	45.847	55.499
5	T	6.6825	19.7892	12.4613	7.3279	26.7615	13.7926	12.9689	6.1852	37.9718	18.8260	9.9655	9.1803	25.0798	12.2838	12.7960
	S	77.135	69.597	64.290	78.622	59.337	44.935	74.654	61.951	37.546	37.195	38.519	37.209	42.464	41.518	43.373
6	T	8.1767	30.0444	18.4865	11.5579	28.8714	15.0598	13.8116	4.9976	33.5052	15.9578	9.1734	8.3740	22.4375	10.7382	11.6993
	S	63.039	45.841	43.336	49.848	55.001	41.154	70.099	76.673	42.551	43.880	41.845	40.792	47.465	47.494	47.439
7	T	8.7898	25.8482	14.5681	11.2801	26.9161	13.7331	13.1830	6.8946	35.8412	16.4904	10.4620	8.8888	21.9607	10.4689	11.4918
	S	58.642	53.283	54.993	51.075	58.996	45.130	73.442	55.577	39.778	42.463	36.691	38.429	48.496	48.716	48.295
8	T	6.9700	20.6165	13.2595	7.3570	23.4709	13.0517	10.4192	4.0264	27.3246	12.3779	7.7509	7.1958	19.6408	9.3271	10.3137
	S	73.953	66.804	60.420	78.311	67.656	47.486	92.923	95.167	52.176	56.571	49.525	47.471	54.224	54.679	53.812
9	T	6.2294	19.7011	11.9853	7.7158	23.6149	12.9569	10.6580	4.2102	27.4085	12.5494	7.6038	7.2553	19.2848	9.1337	10.1511
	S	82.745	69.908	66.843	74.670	67.244	47.833	90.841	91.013	52.016	55.798	50.483	47.082	55.225	55.837	54.674
10	T	6.8476	20.6140	13.5086	7.1054	23.0231	13.0274	9.9957	3.7006	27.1998	11.3670	7.7243	8.1085	19.7817	9.6866	10.0951
	S	75.275	66.812	59.306	81.084	68.972	47.575	96.860	103.546	52.415	61.602	49.696	42.128	53.838	52.650	54.977
11	T	6.4640	25.8197	17.5400	8.2797	25.6850	12.8451	12.8399	5.5605	32.1607	14.4062	8.9335	8.8210	22.7248	10.6130	12.1118
	S	79.742	53.342	45.675	69.584	61.824	48.250	75.404	68.911	44.330	48.606	42.969	38.725	46.865	48.054	45.823
12	T	6.9971	20.1224	12.9580	7.1644	23.1897	13.0271	10.1626	3.7894	27.6820	12.3380	8.2520	7.0920	19.1943	9.2310	9.9633
	S	73.667	68.445	61.826	80.417	68.477	47.576	95.269	101.119	51.502	56.754	46.518	48.166	55.485	55.249	55.704
13	T	6.8081	20.9939	13.3523	7.6416											
	S	75.712	65.603	60.000	75.395											

Event: Allied Building Products GP of Mid-Ohio

Round 10/11/12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

August 2, 2014

Section Data for Car 13 - Maldonado, Juan (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	13.7272	4.5238	9.2034	8.6006	7.1962	132.5455	252.5611
	S	66.656	84.101	58.081	48.041	62.059	61.328	30.147
2	T	13.2602	4.3609	8.8993	8.5331	7.4792	149.7263	
	S	69.003	87.242	60.066	48.421	59.711	54.291	
3	T	14.1216	4.4531	9.6685	8.5917	7.5217	129.0197	
	S	64.794	85.436	55.287	48.091	59.374	63.004	
4	T	14.0669	4.5322	9.5347	25.5448	8.6246	149.6826	
	S	65.046	83.945	56.063	16.175	51.781	54.307	
5	T	24.8282	6.8723	17.9559	10.9221	8.4338	166.6541	
	S	36.853	55.361	29.770	37.830	52.953	48.776	
6	T	20.9259	5.4676	15.4583	9.3319	7.9764	166.2670	
	S	43.726	69.583	34.580	44.276	55.989	48.890	
7	T	17.6662	6.3095	11.3567	9.5006	7.5504	160.9678	
	S	51.794	60.299	47.069	43.490	59.148	50.500	
8	T	14.3366	4.5721	9.7645	19.4219	7.4749	143.2826	
	S	63.823	83.212	54.744	21.274	59.745	56.733	
9	T	14.6527	4.6909	9.9618	8.8101	7.5507	131.4624	
	S	62.446	81.105	53.660	46.899	59.146	61.834	
10	T	13.9401	4.3522	9.5879	8.9934	7.3907	131.4910	
	S	65.638	87.417	55.752	45.943	60.426	61.820	
11	T	19.2648	6.6784	12.5864	10.3138	7.5531	155.5464	
	S	47.496	56.968	42.470	40.061	59.127	52.260	
12	T	14.0855	4.4759	9.6096	8.8487	7.3065	131.2156	
	S	64.960	85.001	55.626	46.694	61.122	61.950	
13	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 15 - Myasava, Gustavo (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	11.4157	26.5817	16.0753	10.5064	24.6939	12.7144	11.9795	6.6695	32.5963	14.9521	7.9133	9.7309	22.4077	10.9128	11.4949
	S	45.153	51.813	49.836	54.837	64.306	48.746	80.820	57.453	43.738	46.831	48.509	35.104	47.528	46.734	48.282
2	T	9.1550	35.3859	19.1203	16.2656	28.0946	14.5665	13.5281	5.5688	29.6693	14.5930	7.7911	7.2852	19.0845	8.7236	10.3609
	S	56.303	38.922	41.900	35.421	56.522	42.548	71.568	68.809	48.052	47.984	49.270	46.888	55.804	58.462	53.567
3	T	6.5662	19.3625	12.2601	7.1024	26.2191	13.1761	13.0430	4.0179	26.5318	11.9709	7.5031	7.0578	17.8781	8.4710	9.4071
	S	78.501	71.131	65.345	81.119	60.565	47.038	74.230	95.369	53.735	58.494	51.161	48.399	59.570	60.205	58.998
4	T	6.3522	17.9333	11.3818	6.5515	23.3061	12.9390	10.3671	3.8830	24.8580	10.9842	7.0212	6.8526	17.5770	8.2030	9.3740
	S	81.146	76.800	70.387	87.940	68.135	47.900	93.390	98.682	57.353	63.749	54.672	49.848	60.591	62.172	59.206
5	T	6.0673	18.2724	11.6786	6.5938	22.1045	12.3175	9.7870	3.7072	26.0712	11.7128	7.4196	6.9388	18.3519	8.5734	9.7785
	S	84.956	75.374	68.599	87.375	71.839	50.316	98.925	103.362	54.684	59.783	51.736	49.229	58.032	59.486	56.757
6	T	6.7548	20.0875	12.1403	7.9472	22.8441	12.5737	10.2704	3.4351	25.3448	10.9602	7.3886	6.9960	18.7920	8.3254	10.4666
	S	76.309	68.564	65.990	72.496	69.513	49.291	94.269	111.549	56.251	63.888	51.954	48.827	56.673	61.258	53.026
7	T	8.6273	27.9325	17.6735	10.2590	27.0310	13.3075	13.7235	7.2824	33.3931	16.7642	8.4773	8.1516	21.3800	10.4940	10.8860
	S	59.747	49.307	45.330	56.159	58.746	46.573	70.549	52.618	42.694	41.769	45.281	41.905	49.813	48.599	50.983
8	T	7.2015	26.8602	16.2939	10.5663	27.9803	12.7357	15.2446	6.1671	36.4863	18.0774	9.7146	8.6943	21.7558	10.6160	11.1398
	S	71.576	51.276	49.168	54.526	56.753	48.664	63.510	62.133	39.074	38.735	39.514	39.289	48.952	48.041	49.821
9	T	6.2473	19.8346	12.2952	7.5394	23.9465	13.5459	10.4006	3.6408	25.9090	11.5952	7.2790	7.0348	38.6423	29.1442	9.4981
	S	82.508	69.438	65.158	76.417	66.313	45.754	93.089	105.247	55.027	60.389	52.736	48.557	27.560	17.499	58.433
10	T	6.0776	18.3280	11.8239	6.5041	23.3375	13.0198	10.3177	3.9213	26.8232	12.3108	7.4162	7.0962	19.2673	9.1336	10.1337
	S	84.812	75.146	67.756	88.580	68.043	47.602	93.837	97.718	53.151	56.879	51.760	48.137	55.275	55.838	54.768
11	T	7.1508	18.5365	12.0084	6.5281	23.2083	12.8871	10.3212	3.6549	26.7543	12.0112	7.7792	6.9639	18.3981	8.5517	9.8464
	S	72.083	74.301	66.715	88.255	68.422	48.092	93.805	104.841	53.288	58.298	49.345	49.052	57.886	59.637	56.366
12	T	7.7850	26.5913	16.3579	10.2334	25.7180	13.4458	12.2722	5.9682	32.6571	15.4729	9.0270	8.1572	22.2901	10.8927	11.3974
	S	66.211	51.794	48.976	56.300	61.745	46.094	78.892	64.204	43.656	45.255	42.524	41.876	47.779	46.820	48.695
13	T	6.5681	17.7308	11.3628	6.3680	21.9728	12.0565	9.9163	3.5235	25.0247	10.8955	7.2537	6.8755	17.6434	8.3287	9.3147
	S	78.478	77.677	70.505	90.474	72.269	51.406	97.635	108.750	56.971	64.268	52.920	49.682	60.363	61.234	59.583
14	T	6.5491	19.0219	11.2691	7.7528			16.7825								
	S	78.706	72.405	71.091	74.313			36.930								

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 15 - Myasava, Gustavo (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	17.7151	6.0770	11.6381	9.9619	7.4628	159.5046	153.6486
	S	51.651	62.606	45.931	41.476	59.842	50.963	49.554
2	T	13.7477	4.8426	8.9051	8.8968	7.3913	156.9939	
	S	66.557	78.564	60.027	46.442	60.421	51.778	
3	T	13.1282	4.3612	8.7670	8.5445	7.1447	129.3930	
	S	69.697	87.236	60.972	48.356	62.507	62.823	
4	T	12.1852	4.3120	7.8732	8.6818	6.9220	121.6986	
	S	75.091	88.232	67.894	47.592	64.518	66.795	
5	T	13.8062	4.6908	9.1154	8.7465	7.1956	124.3228	
	S	66.275	81.107	58.642	47.240	62.064	65.385	
6	T	22.6356	6.5652	16.0704	9.3494	8.1101	137.3534	
	S	40.423	57.950	33.263	44.193	55.066	59.182	
7	T	21.9843	6.1630	15.8213	9.5509	7.2825	164.4640	
	S	41.621	61.732	33.786	43.261	61.324	49.426	
8	T	18.0849	6.3537	11.7312	10.1649	7.5121	162.2131	
	S	50.595	59.879	45.566	40.648	59.450	50.112	
9	T	12.2444	4.2665	7.9779	8.6284	7.0249	146.1182	
	S	74.728	89.173	67.003	47.886	63.573	55.632	
10	T	14.4698	5.1242	9.3456	9.2570	7.7462	129.2279	
	S	63.235	74.247	57.198	44.635	57.653	62.903	
11	T	14.1324	4.7855	9.3469	9.2445	7.6991	128.7789	
	S	64.745	79.502	57.190	44.695	58.006	63.122	
12	T	20.0797	7.3398	12.7399	10.1519	7.3163	158.5576	
	S	45.568	51.834	41.958	40.700	61.041	51.267	
13	T	12.0906	4.1401	7.9505	8.5668	7.5538	120.6745	
	S	75.679	91.895	67.234	48.231	59.121	67.361	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 16 - Dayson, James

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	9.6460	27.2617	16.3506	10.9111	27.7814	13.9330	13.8484	4.8416	31.7901	15.3289	8.4444	8.0168	22.1300	10.8007	11.3293
	S	53.437	50.520	48.997	52.803	57.159	44.482	69.913	79.144	44.847	45.680	45.458	42.609	48.125	47.219	48.988
2	T	8.3625	34.2469	18.0620	16.1849	29.9175	14.9198	14.9977	5.8864	31.4440	15.7627	8.0261	7.6552	20.6775	9.6269	11.0506
	S	61.639	40.216	44.355	35.597	53.078	41.540	64.555	65.096	45.340	44.423	47.827	44.622	51.505	52.977	50.224
3	T	6.8368	21.0841	13.2906	7.7935	24.5315	13.2858	11.2457	4.2902	29.0699	13.3070	8.0730	7.6899	20.2832	9.2294	11.0538
	S	75.394	65.323	60.278	73.925	64.731	46.649	86.094	89.316	49.043	52.621	47.549	44.421	52.507	55.258	50.209
4	T	6.5982	26.6836	19.1363	7.5473	24.1194	13.3501	10.7693	3.9713	26.9562	11.9015	7.7371	7.3176	28.0683	9.3303	18.7380
	S	78.120	51.615	41.865	76.337	65.837	46.425	89.902	96.488	52.889	58.835	49.613	46.681	37.943	54.661	29.619
5	T	7.0657	21.3479	14.0507	7.2972	24.7550	13.4452	11.3098	4.2081	27.4447	12.3412	7.7177	7.3858	20.2077	9.3698	10.8379
	S	72.952	64.516	57.018	78.953	64.147	46.096	85.606	91.058	51.947	56.739	49.738	46.250	52.703	54.430	51.209
6	T	6.7510	19.7774	12.9997	6.7777	24.7488	13.7235	11.0253	4.0047	27.7325	12.4349	7.7671	7.5305	19.8686	9.7916	10.0770
	S	76.352	69.639	61.627	85.005	64.163	45.161	87.815	95.683	51.408	56.311	49.422	45.361	53.602	52.085	55.076
7	T	6.4376	18.9764	12.0638	6.9126	24.5607	13.2669	11.2938	3.9800	27.2199	12.2229	7.6212	7.3758	19.3859	9.5084	9.8775
	S	80.069	72.578	66.408	83.346	64.654	46.716	85.727	96.277	52.376	57.288	50.368	46.312	54.937	53.637	56.188
8	T	6.3573	18.1700	11.6345	6.5355	24.2017	13.0183	11.1834	4.0026	31.1401	12.8074	9.0682	9.2645	22.0406	10.6404	11.4002
	S	81.081	75.799	68.859	88.155	65.613	47.608	86.573	95.733	45.783	54.674	42.331	36.871	48.320	47.931	48.683
9	T	6.8584	19.9278	12.5044	7.4234	24.1283	13.1768	10.9515	4.4458	28.6353	13.2829	7.6581	7.6943	19.2226	9.3133	9.9093
	S	75.157	69.113	64.068	77.611	65.813	47.035	88.406	86.190	49.788	52.716	50.125	44.395	55.404	54.760	56.008
10	T	6.5002	23.8769	16.7215	7.1554	23.6599	12.9744	10.6855	3.8940	26.5695	11.8667	7.4599	7.2429	19.7835	9.4903	10.2932
	S	79.298	57.682	47.911	80.518	67.116	47.769	90.607	98.403	53.659	59.008	51.457	47.162	53.833	53.739	53.919
11	T	6.9264	18.7617	12.3056	6.4561	23.2209	12.8251	10.3958	3.6968	26.2521	11.6375	7.4692	7.1454	18.9537	9.0201	9.9336
	S	74.419	73.409	65.103	89.239	68.385	48.325	93.132	103.652	54.307	60.170	51.393	47.806	56.190	56.540	55.871
12	T	7.3146	26.6321	16.2218	10.4103	26.0654	13.8119	12.2535	6.1473	32.7396	15.1718	9.0752	8.4926	22.0124	10.4962	11.5162
	S	70.469	51.715	49.386	55.343	60.922	44.872	79.013	62.333	43.546	46.153	42.298	40.222	48.382	48.589	48.193
13	T	6.8594	18.9236	12.0859	6.8377	23.0572	12.8586	10.1986	3.8031	26.5087	11.7292	7.6735	7.1060	18.7121	9.2305	9.4816
	S	75.146	72.781	66.287	84.259	68.870	48.199	94.933	100.755	53.782	59.699	50.025	48.071	56.915	55.252	58.534
14	T	6.7410	19.5528	12.6267	6.9261		13.0795									
	S	76.466	70.439	63.448	83.183		47.385									

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 16 - Dayson, James

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	17.2715	5.7352	11.5363	9.9464	8.1347	158.8034	154.4061
	S	52.977	66.337	46.336	41.541	54.899	51.188	49.311
2	T	14.9705	5.3716	9.5989	9.1762	7.9330	162.6145	
	S	61.120	70.827	55.688	45.028	56.295	49.988	
3	T	15.1719	5.4493	9.7226	8.9533	7.6873	137.9082	
	S	60.309	69.817	54.980	46.149	58.095	58.944	
4	T	15.1079	5.0888	10.0191	9.2264	7.9002	148.6315	
	S	60.564	74.763	53.353	44.783	56.529	54.691	
5	T	16.0829	5.4513	10.6316	10.9027	8.4122	140.4269	
	S	56.893	69.792	50.279	37.897	53.088	57.886	
6	T	15.8562	5.1271	10.7291	9.5490	7.6624	135.9506	
	S	57.706	74.205	49.822	43.270	58.283	59.792	
7	T	14.8801	5.0014	9.8787	8.8205	7.5311	131.7922	
	S	61.492	76.070	54.111	46.843	59.300	61.679	
8	T	17.3715	6.4592	10.9123	10.1605	7.8824	141.3267	
	S	52.672	58.901	48.986	40.666	56.657	57.518	
9	T	14.0039	4.8430	9.1609	9.0980	8.0530	134.3731	
	S	65.339	78.558	58.351	45.415	55.456	60.494	
10	T	14.4513	5.1138	9.3375	9.1844	7.6670	135.5867	
	S	63.316	74.398	57.247	44.987	58.248	59.953	
11	T	14.0326	4.6831	9.3495	9.2414	7.9009	128.9865	
	S	65.205	81.240	57.174	44.710	56.524	63.021	
12	T	19.9180	7.2525	12.6655	10.8022	8.2132	159.8448	
	S	45.938	52.458	42.205	38.250	54.375	50.854	
13	T	13.6834	4.4943	9.1891	9.0742	7.5489	128.1706	
	S	66.869	84.653	58.172	45.534	59.160	63.422	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 17 - Franzoni, Victor (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	11.0998	22.8847	13.8350	9.0497	27.8424	13.2838	14.5586	6.2219	33.7107	15.5287	9.0188	9.1632	22.9482	11.1235	11.8247
	S	46.438	60.183	57.906	63.664	57.034	46.656	66.502	61.586	42.292	45.092	42.563	37.279	46.409	45.849	46.936
2	T	11.0780	37.6647	21.4327	16.2320	28.4427	16.2808	12.1619	3.5547	26.9703	12.2427	7.3106	7.4170	18.0676	8.6902	9.3774
	S	46.530	36.567	37.379	35.494	55.830	38.068	79.608	107.796	52.861	57.195	52.508	46.055	58.945	58.687	59.185
3	T	5.7161	17.4063	11.1667	6.2396	21.4078	11.7772	9.6306	3.2718	24.5773	10.7801	7.1136	6.6836	16.8693	7.9040	8.9653
	S	90.176	79.125	71.743	92.335	74.176	52.625	100.532	117.117	58.008	64.956	53.962	51.109	63.132	64.524	61.905
4	T	5.6727	17.4131	11.0701	6.3430	21.3887	11.5521	9.8366	3.3356	23.8988	10.3123	6.8874	6.6991	17.0020	7.9468	9.0552
	S	90.866	79.094	72.369	90.830	74.243	53.650	98.426	114.876	59.655	67.902	55.734	50.991	62.640	64.177	61.291
5	T	5.6295	16.9536	10.8741	6.0795	21.2124	11.5821	9.6303	3.3362	24.5345	10.5230	7.1450	6.8665	17.1623	7.8038	9.3585
	S	91.563	81.238	73.674	94.767	74.860	53.511	100.535	114.856	58.109	66.543	53.725	49.747	62.055	65.353	59.304
6	T	5.9672	19.1240	11.6750	7.4490	34.2608	16.5821	17.6787	7.3887	36.4822	17.2706	9.9472	9.2644	23.4361	11.6833	11.7528
	S	86.381	72.018	68.620	77.344	46.349	37.376	54.765	51.861	39.079	40.544	38.590	36.871	45.443	43.652	47.223
7	T	10.5122	24.0158	14.7017	9.3141	31.8949	16.4220	15.4729	6.6631	32.9079	14.8680	9.4386	8.6013	20.6778	9.5359	11.1419
	S	49.034	57.349	54.493	61.856	49.787	37.740	62.573	57.508	43.323	47.096	40.670	39.714	51.505	53.482	49.812
8	T	9.1931	23.9925	14.9148	9.0777	30.6916	14.6229	16.0687	6.6679	35.2412	17.4391	9.5624	8.2397	22.5025	10.4883	12.0142
	S	56.070	57.404	53.714	63.467	51.739	42.384	60.253	57.467	40.455	40.153	40.143	41.457	47.328	48.626	46.195
9	T	5.6646	16.7750	10.7976	5.9774	21.8651	12.2972	9.5679	3.2589	24.1066	10.2041	7.1245	6.7780	16.3783	7.5861	8.7922
	S	90.996	82.103	74.196	96.386	72.625	50.399	101.191	117.580	59.141	68.622	53.879	50.397	65.025	67.228	63.124
10	T	5.5102	16.6106	10.6212	5.9894	21.1945	11.6071	9.5874	3.1663	23.4920	9.9078	6.9726	6.6116	18.1157	8.5348	9.5809
	S	93.546	82.915	75.428	96.193	74.923	53.396	100.985	121.019	60.688	70.674	55.053	51.665	58.789	59.755	57.928
11	T	6.2126	21.6163	13.4163	8.2000	31.7533	13.9581	17.7952	8.1624	35.6057	16.8600	9.8781	8.8676	23.2290	11.1567	12.0723
	S	82.969	63.715	59.714	70.261	50.009	44.402	54.407	46.945	40.041	41.532	38.860	38.521	45.848	45.712	45.973
12	T	10.6767	24.0645	15.4649	8.5996	29.4712	14.8910	14.5802	5.7632	32.3574	14.7807	8.9495	8.6272	22.8474	10.2593	12.5881
	S	48.278	57.233	51.804	66.996	53.882	41.621	66.404	66.488	44.060	47.374	42.892	39.595	46.614	49.711	44.089
13	T	5.4603	16.5628	10.7446	5.8182	21.0786	11.6541	9.4245	3.1127	29.6154	9.7083	12.3741	7.5330	18.0947	8.6325	9.4622
	S	94.400	83.155	74.562	99.023	75.335	53.181	102.730	123.103	48.140	72.127	31.022	45.346	58.857	59.079	58.654
14	T	6.8021	22.9899	14.2471	8.7428	24.9481	13.4477	11.5004								
	S	75.779	59.908	56.232	65.898	63.650	46.088	84.187								

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 17 - Franzoni, Victor (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	16.2658	6.1521	10.1137	10.3640	8.5041	159.8416	148.7481
	S	56.253	61.841	52.854	39.867	52.515	50.855	51.186
2	T	12.7693	4.3499	8.4194	8.8765	6.8943	154.3181	
	S	71.656	87.463	63.490	46.548	64.777	52.676	
3	T	12.1932	4.1090	8.0842	8.2469	6.5665	116.2552	
	S	75.042	92.591	66.122	50.101	68.010	69.922	
4	T	12.1720	4.2379	7.9341	8.2842	6.3577	115.5248	109.8575
	S	75.173	89.774	67.373	49.876	70.244	70.364	69.307
5	T	12.6906	4.2760	8.4146	8.9282	6.5329	116.9802	
	S	72.101	88.974	63.526	46.278	68.360	69.489	
6	T	21.0999	7.7674	13.3325	10.4233	8.2413	166.4235	
	S	43.365	48.981	40.093	39.640	54.189	48.844	
7	T	19.3693	6.5282	12.8411	10.3809	8.3288	164.7507	
	S	47.240	58.279	41.628	39.802	53.620	49.340	
8	T	18.6706	6.5222	12.1484	9.9429	7.7187	164.6210	
	S	49.008	58.332	44.001	41.555	57.858	49.379	
9	T	12.0014	4.0711	7.9303	8.2600	6.5097	114.8196	
	S	76.241	93.453	67.405	50.022	68.604	70.796	
10	T	12.9592	4.2589	8.7003	8.4235	6.7676	116.2396	
	S	70.606	89.332	61.440	49.051	65.990	69.931	
11	T	19.9089	8.0896	11.8193	10.5208	8.5671	165.5761	
	S	45.959	47.030	45.226	39.273	52.129	49.094	
12	T	20.5517	7.6118	12.9399	10.4964	6.6578	162.8863	
	S	44.522	49.982	41.310	39.364	67.078	49.905	
13	T	12.8982	4.0961	8.8021	8.5282	6.7936	122.1445	
	S	70.940	92.882	60.729	48.449	65.737	66.551	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 2 - Eidson, Jake

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.8491	23.0511	13.5727	9.4784	27.9835	13.4751	14.5084	5.9867	33.8361	15.3245	9.0726	9.4390	23.0261	11.0723	11.9538
	S	47.511	59.749	59.026	60.784	56.746	45.994	66.733	64.006	42.135	45.693	42.310	36.189	46.252	46.061	46.429
2	T	11.3643	37.3240	21.0866	16.2374	28.8302	16.7253	12.1049	3.6731	27.2253	12.0966	7.6577	7.4710	17.6209	8.3818	9.2391
	S	45.357	36.900	37.993	35.482	55.080	37.056	79.983	104.321	52.366	57.886	50.128	45.722	60.440	60.846	60.071
3	T	5.6760	16.9256	10.7477	6.1779	21.6720	12.0567	9.6153	3.3801	24.9283	10.8710	7.3192	6.7381	16.8145	7.6394	9.1751
	S	90.813	81.372	74.540	93.258	73.272	51.405	100.692	113.364	57.191	64.412	52.446	50.695	63.338	66.759	60.490
4	T	5.8083	16.2396	10.1651	6.0745	21.8774	12.0512	9.8262	3.2377	24.5220	10.7779	7.2151	6.5290	16.9410	7.7993	9.1417
	S	88.744	84.810	78.812	94.845	72.584	51.428	98.531	118.350	58.139	64.969	53.203	52.319	62.865	65.390	60.711
5	T	5.7430	16.4649	10.5577	5.9072	21.9083	12.2329	9.6754	3.2304	24.3274	10.6029	7.1158	6.6087	16.5320	7.5375	8.9945
	S	89.754	83.649	75.882	97.531	72.482	50.664	100.066	118.617	58.604	66.041	53.945	51.688	64.421	67.662	61.704
6	T	6.1241	19.8965	11.2631	8.6334	34.2935	16.1650	18.1285	7.3690	36.2672	17.3016	10.0180	8.9476	23.3722	11.5257	11.8465
	S	84.168	69.222	71.129	66.733	46.305	38.340	53.407	51.999	39.311	40.472	38.317	38.177	45.567	44.249	46.849
7	T	10.3029	24.3918	14.9572	9.4346	32.5071	16.9044	15.6027	6.4248	33.0740	15.0208	9.5595	8.4937	20.6374	9.3870	11.2504
	S	50.030	56.465	53.562	61.066	48.849	36.663	62.052	59.641	43.106	46.617	40.155	40.217	51.605	54.330	49.332
8	T	9.3522	23.9228	13.9971	9.9257	30.9002	14.6278	16.2724	6.7650	35.0693	17.5073	9.1380	8.4240	22.4873	10.4670	12.0203
	S	55.116	57.572	57.236	58.045	51.390	42.370	59.498	56.642	40.653	39.996	42.007	40.550	47.360	48.725	46.172
9	T	5.7548	17.1702	11.1402	6.0300	22.2657	12.4905	9.7752	3.1962	24.3832	10.6678	7.1602	6.5552	16.7545	7.6093	9.1452
	S	89.569	80.213	71.914	95.545	71.318	49.620	99.045	119.887	58.470	65.639	53.611	52.110	63.565	67.023	60.688
10	T	5.6073	16.1146	10.2137	5.9009	21.5368	11.9911	9.5457	3.1529	24.1662	10.4456	7.0429	6.6777	17.4890	8.2436	9.2454
	S	91.926	85.467	78.437	97.635	73.732	51.686	101.426	121.533	58.995	67.036	54.504	51.154	60.895	61.866	60.030
11	T	5.9554	21.3942	13.2352	8.1590	31.6223	13.8688	17.7535	8.4923	35.3005	16.6103	10.0055	8.6847	23.1911	11.2883	11.9028
	S	86.552	64.376	60.531	70.614	50.216	44.688	54.535	45.121	40.387	42.156	38.365	39.332	45.923	45.180	46.628
12	T	10.9721	23.7754	15.4488	8.3266	29.3821	14.9078	14.4743	5.8297	32.6284	14.9206	8.9431	8.7647	22.8214	10.1244	12.6970
	S	46.979	57.928	51.858	69.192	54.045	41.574	66.890	65.729	43.695	46.930	42.923	38.973	46.667	50.373	43.711
13	T	5.5940	16.7855	10.8635	5.9220	21.5190	11.9440	9.5750	3.0997	23.8116	10.2839	7.1299	6.3978	16.3991	7.5172	8.8819
	S	92.144	82.051	73.746	97.287	73.793	51.890	101.116	123.619	59.873	68.090	53.839	53.392	64.943	67.844	62.487
14	T	5.7653	17.3341	11.3548	5.9793	22.0897	12.2344	9.8553	3.4400		10.7166					
	S	89.406	79.455	70.555	96.355	71.887	50.658	98.240	111.390		65.340					

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 2 - Eidson, Jake

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	16.2215	6.1972	10.0243	10.1152	8.8533	159.9226	154.2137
	S	56.407	61.391	53.325	40.848	50.443	50.830	49.372
2	T	12.4419	4.1249	8.3170	8.6361	6.6279	153.7437	
	S	73.542	92.234	64.271	47.844	67.380	52.872	
3	T	12.1519	4.0615	8.0904	8.1979	7.1060	116.8523	
	S	75.297	93.673	66.072	50.401	62.847	69.565	
4	T	12.1106	4.0373	8.0733	8.2156	6.5105	115.4627	
	S	75.554	94.235	66.212	50.292	68.595	70.402	
5	T	12.3894	4.0853	8.3041	8.5606	6.9675	116.1235	
	S	73.853	93.128	64.371	48.266	64.096	70.001	
6	T	20.9106	7.9841	12.9265	10.5590	7.8903	166.6824	
	S	43.758	47.652	41.353	39.131	56.600	48.768	
7	T	19.3211	6.7456	12.5755	10.1001	8.3498	165.1090	
	S	47.358	56.400	42.507	40.909	53.485	49.233	
8	T	18.9762	6.7399	12.2363	10.0526	7.8893	165.4149	
	S	48.218	56.448	43.685	41.102	56.607	49.142	
9	T	11.7960	4.0256	7.7704	8.1657	6.6063	116.0926	
	S	77.569	94.509	68.793	50.600	67.601	70.020	
10	T	13.0446	4.1992	8.8454	8.5300	6.4662	116.1076	
	S	70.144	90.602	60.432	48.439	69.065	70.011	
11	T	20.2486	8.2663	11.9823	10.3698	8.3369	164.9111	
	S	45.188	46.025	44.611	39.845	53.568	49.292	
12	T	20.4050	7.4622	12.9428	10.5106	6.5730	162.8977	
	S	44.842	50.984	41.301	39.311	67.943	49.901	
13	T	11.5530	4.0229	7.5301	7.7651	6.6077	113.1347	
	S	79.200	94.572	70.988	53.210	67.586	71.851	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 21 - Jamin, Nico (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.9394	24.1283	14.4155	9.7128	27.0486	12.4517	14.5969	5.8133	33.4161	15.7865	8.5708	9.0588	23.0998	11.0958	12.0040
	S	47.119	57.081	55.575	59.317	58.707	49.774	66.328	65.915	42.665	44.356	44.787	37.708	46.104	45.963	46.235
2	T	10.7709	37.1735	21.0014	16.1721	28.4154	15.8445	12.5709	4.1912	26.2625	11.9548	7.1781	7.1296	18.0123	8.3168	9.6955
	S	47.856	37.050	38.147	35.625	55.884	39.116	77.018	91.425	54.286	58.573	53.477	47.912	59.126	61.322	57.243
3	T	6.5928	18.2969	11.7508	6.5461	23.7368	13.1214	10.6154	3.4142	25.0052	10.6949	7.2419	7.0684	17.6299	8.3985	9.2314
	S	78.184	75.274	68.177	88.012	66.898	47.234	91.205	112.232	57.015	65.473	53.006	48.326	60.409	60.725	60.121
4	T	6.1514	18.3288	11.6950	6.6338	21.8006	12.0458	9.7548	3.4477	24.8944	10.9095	7.0453	6.9396	17.7809	8.3070	9.4739
	S	83.795	75.143	68.502	86.849	72.840	51.451	99.252	111.141	57.269	64.185	54.485	49.223	59.896	61.394	58.582
5	T	6.2903	17.3841	10.9610	6.4231	22.5076	12.3976	10.1100	3.4393	25.0289	10.8296	7.1738	7.0255	17.5986	8.1289	9.4697
	S	81.944	79.226	73.090	89.698	70.552	49.991	95.765	111.413	56.961	64.659	53.509	48.622	60.516	62.739	58.608
6	T	6.3755	18.3692	11.5308	6.8384	22.5034	12.3508	10.1526	5.3912	35.3920	16.2822	9.8557	9.2541	23.5390	11.8161	11.7229
	S	80.849	74.977	69.478	84.250	70.565	50.181	95.363	71.075	40.283	43.006	38.948	36.912	45.244	43.161	47.343
7	T	11.0331	24.4634	14.6587	9.8047	30.4428	15.3169	15.1259	7.0473	33.3026	15.6773	9.0120	8.6133	20.7234	9.3241	11.3993
	S	46.719	56.299	54.653	58.761	52.162	40.463	64.008	54.373	42.810	44.665	42.595	39.659	51.391	54.697	48.687
8	T	9.2793	24.4656	15.5795	8.8861	30.5706	13.9451	16.6255	6.7929	35.2067	17.1820	9.7974	8.2273	21.6868	9.9686	11.7182
	S	55.549	56.294	51.422	64.836	51.944	44.444	58.235	56.409	40.495	40.754	39.180	41.519	49.108	51.161	47.362
9	T	6.3609	18.3245	11.9921	6.3324	23.3557	13.1931	10.1626	3.2449	24.0357	10.3483	6.9115	6.7759	17.3235	7.8295	9.4940
	S	81.035	75.160	66.805	90.982	67.990	46.977	95.269	118.087	59.315	67.666	55.540	50.413	61.477	65.138	58.458
10	T	5.8187	17.3033	11.1047	6.1986	21.9556	12.0528	9.9028	3.1614	23.4289	9.7299	6.9443	6.7547	17.5606	8.1222	9.4384
	S	88.586	79.596	72.144	92.946	72.326	51.421	97.768	121.206	60.851	71.967	55.278	50.571	60.647	62.791	58.802
11	T	5.9660	18.9084	11.8016	7.1068	30.2698	12.7599	17.5099	8.2998	35.3095	16.9116	9.9936	8.4043	23.5925	11.4767	12.1158
	S	86.399	72.839	67.884	81.068	52.460	48.572	55.293	46.168	40.377	41.405	38.411	40.645	45.141	44.438	45.808
12	T	10.3778	24.7921	16.1608	8.6313	28.5819	13.4819	15.1000	5.5998	32.6085	14.9122	9.0961	8.6002	22.8265	10.3595	12.4670
	S	49.669	55.553	49.573	66.750	55.558	45.971	64.118	68.428	43.721	46.957	42.201	39.719	46.656	49.230	44.518
13	T	5.9043	17.2619	11.0538	6.2081	21.2739	11.8824	9.3915	3.2141	25.9699	10.2102	8.3719	7.3878	18.1395	8.5989	9.5406
	S	87.302	79.787	72.476	92.804	74.643	52.159	103.091	119.219	54.897	68.581	45.851	46.237	58.712	59.310	58.172
14	T	6.7736	21.9976	13.6153	8.3823	23.4344	12.7984	10.6360								
	S	76.098	62.610	58.841	68.732	67.762	48.426	91.029								

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 21 - Jamin, Nico (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	16.3578	6.2933	10.0645	10.1646	8.6339	159.6018	154.2785
	S	55.937	60.454	53.112	40.649	51.725	50.932	49.351
2	T	12.8898	4.4402	8.4496	8.7536	7.8634	154.3326	
	S	70.986	85.684	63.263	47.201	56.794	52.671	
3	T	12.2698	4.1763	8.0935	8.6476	7.1144	122.7076	
	S	74.573	91.098	66.046	47.780	62.773	66.245	
4	T	12.1762	4.1466	8.0296	8.5711	7.4310	120.5821	
	S	75.147	91.751	66.572	48.206	60.098	67.413	
5	T	13.3543	4.2227	9.1316	8.6826	7.0156	121.3013	
	S	68.517	90.097	58.538	47.587	63.657	67.013	
6	T	22.2968	7.5480	14.7488	9.4697	7.7168	151.0536	
	S	41.037	50.405	36.243	43.632	57.873	53.814	
7	T	19.9493	6.1343	13.8150	10.0848	7.4844	164.5311	
	S	45.866	62.021	38.693	40.971	59.670	49.406	
8	T	18.8779	6.3250	12.5529	9.8880	7.1280	163.8958	
	S	48.469	60.151	42.583	41.786	62.653	49.597	
9	T	12.1820	4.1239	8.0581	8.4954	6.7712	120.0938	
	S	75.111	92.256	66.336	48.636	65.954	67.687	
10	T	12.3970	4.0897	8.3073	8.7129	6.5441	116.8825	
	S	73.808	93.027	64.346	47.422	68.243	69.547	
11	T	19.9383	7.6104	12.3279	10.6633	8.4627	161.4103	
	S	45.892	49.991	43.361	38.748	52.772	50.361	
12	T	20.1306	7.2813	12.8493	10.0118	7.1235	162.0525	
	S	45.453	52.251	41.601	41.269	62.693	50.162	
13	T	12.2614	4.1888	8.0726	9.6209	7.1463	120.7922	
	S	74.624	90.827	66.217	42.946	62.493	67.296	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 23 - Owen, Will (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	11.3170	25.3194	14.2054	11.1140	26.1161	12.6692	13.4469	6.1986	32.6125	14.7731	8.6104	9.2290	22.2772	10.9945	11.2827
	S	45.547	54.396	56.397	51.839	60.804	48.920	72.000	61.817	43.716	47.399	44.581	37.013	47.807	46.387	49.190
2	T	10.7559	35.2652	19.1189	16.1463	28.4881	15.1313	13.3568	4.4564	28.4352	13.2271	7.6768	7.5313	18.9719	9.0332	9.9387
	S	47.923	39.055	41.903	35.682	55.741	40.960	72.486	85.985	50.138	52.939	50.003	45.356	56.136	56.458	55.842
3	T	6.4406	18.5804	11.9998	6.5806	23.9725	12.9202	11.0523	3.6724	26.3123	11.6485	7.5996	7.0642	17.6127	8.3888	9.2239
	S	80.032	74.125	66.762	87.551	66.241	47.969	87.600	104.341	54.183	60.113	50.511	48.355	60.468	60.795	60.170
4	T	5.9731	18.3269	11.8646	6.4623	22.1812	12.0795	10.1017	3.6441	25.7312	11.3352	7.2930	7.1030	18.5725	8.9797	9.5928
	S	86.296	75.150	67.523	89.153	71.590	51.308	95.843	105.151	55.407	61.775	52.635	48.091	57.343	56.795	57.856
5	T	6.4395	18.6618	12.0672	6.5946	23.5178	12.7354	10.7824	3.7021	26.5694	11.4383	7.7864	7.3447	18.9151	9.0902	9.8249
	S	80.046	73.802	66.390	87.365	67.521	48.665	89.793	103.504	53.659	61.218	49.299	46.508	56.304	56.104	56.489
6	T	6.4272	18.8500	12.0245	6.8255	22.6006	12.3950	10.2056	3.6347	25.8652	11.3460	7.3193	7.1999	19.9109	9.2546	10.6563
	S	80.199	73.065	66.625	84.409	70.262	50.002	94.868	105.423	55.120	61.716	52.445	47.444	53.488	55.108	52.082
7	T	9.3339	26.6036	16.9023	9.7013	27.5871	14.2029	13.3842	7.6311	33.7866	16.2842	9.0320	8.4704	20.8336	9.8419	10.9917
	S	55.224	51.770	47.398	59.388	57.561	43.637	72.338	50.213	42.197	43.000	42.500	40.328	51.119	51.819	50.493
8	T	7.5177	26.2702	15.8203	10.4499	28.4207	13.0121	15.4086	6.4722	36.4992	18.1242	9.5800	8.7950	21.2481	10.0888	11.1593
	S	68.565	52.427	50.640	55.133	55.873	47.630	62.834	59.204	39.061	38.635	40.069	38.839	50.122	50.551	49.734
9	T	6.2926	19.4635	12.3070	7.1565	22.0999	12.1698	9.9301	3.7221	25.6482	11.4262	7.2682	6.9538	19.2776	9.0518	10.2258
	S	81.914	70.762	65.096	80.505	71.853	50.927	97.500	102.948	55.586	61.283	52.814	49.123	55.245	56.342	54.274
10	T	5.9693	22.9284	16.5072	6.4212	22.6883	12.4339	10.2544	3.4901	24.2157	10.5078	7.1146	6.5933	17.9259	8.5887	9.3372
	S	86.351	60.068	48.533	89.724	69.990	49.845	94.416	109.791	58.874	66.639	53.954	51.809	59.411	59.380	59.440
11	T	6.4870	19.5051	12.5144	6.9907	22.6678	12.1968	10.4710	3.9421	34.8869	16.8634	9.1321	8.8914	22.6805	10.9524	11.7281
	S	79.460	70.611	64.017	82.415	70.053	50.814	92.463	97.202	40.866	41.523	42.035	38.418	46.957	46.565	47.322
12	T	9.8618	27.0967	16.8272	10.2695	26.2728	12.2384	14.0344	6.1641	32.4828	14.6312	9.0809	8.7707	21.9067	10.4183	11.4884
	S	52.268	50.828	47.610	56.102	60.441	50.642	68.986	62.163	43.890	47.858	42.272	38.947	48.615	48.952	48.310
13	T	6.6140	18.6537	12.1307	6.5230	21.3248	11.6937	9.6311	3.4005	25.3964	11.2429	7.2430	6.9105	18.2059	8.8461	9.3598
	S	77.934	73.834	66.042	88.324	74.465	53.001	100.527	112.684	56.137	62.282	52.998	49.431	58.498	57.653	59.296
14	T	6.7800	20.6200	12.1133	8.5067											
	S	76.026	66.793	66.137	67.727											

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 23 - Owen, Will (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	17.5545	6.4909	11.0636	9.6600	7.3636	158.4189	153.9296
	S	52.123	58.614	48.316	42.772	60.648	51.312	49.463
2	T	14.3352	4.9908	9.3444	8.2997	7.6248	156.6324	
	S	63.829	76.231	57.205	49.783	58.571	51.897	
3	T	13.2267	4.5575	8.6692	8.3207	7.2522	125.3905	
	S	69.178	83.479	61.660	49.657	61.580	64.828	
4	T	13.3817	4.4285	8.9532	8.5831	7.3227	123.7165	
	S	68.377	85.910	59.704	48.139	60.987	65.705	
5	T	14.1738	4.4918	9.6820	8.5636	7.3548	127.8979	
	S	64.556	84.700	55.210	48.249	60.721	63.557	
6	T	21.3457	6.4932	14.8525	10.3016	7.9865	136.9224	
	S	42.866	58.593	35.990	40.109	55.918	59.368	
7	T	21.8380	6.5073	15.3307	9.5037	7.5703	164.6879	
	S	41.899	58.466	34.868	43.476	58.992	49.359	
8	T	18.0309	5.8257	12.2052	9.9391	6.9934	161.3915	
	S	50.746	65.306	43.797	41.571	63.859	50.367	
9	T	12.8671	4.3021	8.5650	8.5625	7.1060	125.0395	
	S	71.112	88.435	62.410	48.255	62.847	65.010	
10	T	12.9501	4.4341	8.5160	8.2985	7.1784	125.6447	
	S	70.656	85.802	62.770	49.790	62.213	64.697	
11	T	21.6022	7.2595	14.3427	10.6324	7.4304	149.8344	
	S	42.357	52.408	37.270	38.861	60.103	54.252	
12	T	20.5302	8.0416	12.4886	9.7849	7.2971	161.3971	
	S	44.568	47.311	42.803	42.226	61.201	50.365	
13	T	12.7149	4.2785	8.4364	8.5637	7.1335	122.0074	
	S	71.963	88.922	63.362	48.248	62.605	66.625	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 24 - Portante, Peter

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.9280	23.1094	12.9500	10.1594	28.4877	12.9490	15.5387	5.9889	33.5791	15.2027	9.2988	9.0776	22.7586	10.6524	12.1062
	S	47.168	59.598	61.864	56.710	55.742	47.863	62.308	63.982	42.457	46.059	41.281	37.630	46.795	47.877	45.844
2	T	11.3411	37.8817	21.5536	16.3281	29.0742	16.8929	12.1813	3.5921	25.8443	11.4075	7.4948	6.9420	17.8884	8.4807	9.4077
	S	45.450	36.357	37.169	35.285	54.617	36.688	79.481	106.673	55.164	61.383	51.217	49.206	59.536	60.137	58.994
3	T	6.2837	36.0778	28.5448	7.5330	22.5847	12.8380	9.7467	3.5578	26.1582	11.9490	7.4236	6.7856	17.3975	8.1888	9.2087
	S	82.030	38.175	28.066	76.482	70.311	48.276	99.334	107.702	54.502	58.601	51.709	50.341	61.216	62.280	60.269
4	T	5.9935	18.7261	11.5744	7.1517	22.2830	12.3860	9.8970	3.5857	25.7991	11.6594	7.3810	6.7587	17.6065	8.3158	9.2907
	S	86.002	73.548	69.216	80.559	71.263	50.038	97.826	106.864	55.261	60.057	52.007	50.541	60.489	61.329	59.737
5	T	6.0104	17.4562	10.8277	6.6285	22.2431	12.5734	9.6697	3.5566	26.8162	12.0405	7.5896	7.1861	19.1812	9.3195	9.8617
	S	85.760	78.899	73.990	86.918	71.391	49.292	100.125	107.738	53.165	58.156	50.578	47.535	55.523	54.724	56.278
6	T	6.8234	20.0836	11.6820	8.4016	23.4163	12.5785	10.8378	3.8970	26.5244	11.6562	7.4567	7.4115	18.3361	8.7149	9.6212
	S	75.542	68.577	68.579	68.575	67.814	49.272	89.334	98.327	53.750	60.073	51.479	46.089	58.082	58.520	57.685
7	T	8.8211	28.4259	17.9292	10.4967	26.3933	13.0983	13.2950	7.3184	34.1718	17.2824	8.3718	8.5176	21.4475	10.7641	10.6834
	S	58.434	48.451	44.683	54.887	60.165	47.317	72.823	52.359	41.721	40.517	45.852	40.104	49.656	47.380	51.950
8	T	6.9678	26.7859	15.9686	10.8173	27.5218	13.0859	14.4359	6.5541	36.6098	18.2009	9.8275	8.5814	21.3594	10.7345	10.6249
	S	73.977	51.418	50.169	53.261	57.698	47.362	67.068	58.464	38.943	38.472	39.060	39.806	49.861	47.510	52.236
9	T	5.9850	18.7313	11.7010	7.0303	22.2324	12.5614	9.6710	3.4010	26.2863	11.9519	7.5076	6.8268	18.5135	8.5431	9.9704
	S	86.124	73.528	68.467	81.950	71.425	49.339	100.112	112.667	54.237	58.587	51.130	50.037	57.526	59.697	55.665
10	T	5.9084	17.5072	10.8929	6.6143	21.4561	12.0658	9.3903	3.1892	24.6174	10.4274	7.4256	6.7644	18.3630	8.6599	9.7031
	S	87.241	78.669	73.547	87.105	74.009	51.366	103.104	120.150	57.914	67.153	51.695	50.498	57.997	58.892	57.198
11	T	6.3479	19.9739	12.3110	7.6629	22.2517	12.1776	10.0741	5.0652	35.1155	17.1969	9.6690	8.2496	22.9461	11.1169	11.8292
	S	81.201	68.954	65.075	75.185	71.363	50.894	96.106	75.650	40.600	40.718	39.700	41.407	46.413	45.876	46.918
12	T	10.2100	26.8009	17.0309	9.7700	26.8525	12.4544	14.3981	5.4717	32.8886	14.8830	9.1128	8.8928	22.4718	10.5498	11.9220
	S	50.485	51.389	47.040	58.970	59.136	49.763	67.244	70.030	43.349	47.049	42.124	38.412	47.393	48.342	46.553
13	T	6.1915	18.9511	11.8329	7.1182	21.9697	12.3732	9.5965	3.4621	45.2900			8.6073	22.4727	10.5007	11.9720
	S	83.252	72.675	67.704	80.938	72.279	50.090	100.889	110.679	31.479			39.686	47.391	48.568	46.358

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 24 - Portante, Peter

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	SF to PI
1	T	16.0893	5.3510	10.7383	10.1835	9.2045	160.3290	154.3461	
	S	56.870	71.100	49.779	40.574	48.519	50.701	49.330	
2	T	12.4046	4.2679	8.1367	11.4807	7.3131	156.8202		
	S	73.763	89.143	65.696	35.989	61.067	51.835		
3	T	13.0465	4.3572	8.6893	8.3121	6.9999	140.4182		
	S	70.134	87.316	61.518	49.708	63.800	57.890		
4	T	12.8687	4.4000	8.4687	8.2857	7.0132	122.1615		
	S	71.103	86.467	63.120	49.867	63.679	66.541		
5	T	13.2847	4.5948	8.6899	8.3505	7.3307	124.2296		
	S	68.876	82.801	61.513	49.480	60.921	65.434		
6	T	17.8805	4.6680	13.2125	10.7225	8.4582	136.1420		
	S	51.173	81.503	40.458	38.534	52.800	59.708		
7	T	21.5777	5.6413	15.9364	9.6815	7.5301	165.3673		
	S	42.405	67.441	33.542	42.677	59.307	49.156		
8	T	18.2337	6.5706	11.6631	10.0598	7.2853	161.3776		
	S	50.182	57.903	45.832	41.073	61.300	50.371		
9	T	13.2030	4.4601	8.7429	8.6134	7.6440	124.6099		
	S	69.302	85.302	61.141	47.970	58.424	65.234		
10	T	13.3203	4.4881	8.8322	8.5155	7.3241	120.2012		
	S	68.692	84.770	60.522	48.521	60.976	67.627		
11	T	21.2612	7.4814	13.7798	10.6069	7.3826	150.9510		
	S	43.036	50.853	38.792	38.954	60.492	53.851		
12	T	19.8640	7.5127	12.3513	9.8212	7.0652	161.4459		
	S	46.063	50.642	43.278	42.070	63.210	50.350		
13	T	16.8218	5.8193	11.0025			161.5808		146.8332
	S	54.394	65.378	48.584			50.308		52.323

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 3 - Andres Soori, Keyvan (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	11.1913	25.0287	15.0788	9.9499	27.1022	12.4054	14.6968	5.6377	33.2877	15.1659	8.7074	9.4144	21.8226	10.6776	11.1450
	S	46.059	55.028	53.130	57.904	58.591	49.960	65.877	67.968	42.829	46.171	44.085	36.284	48.803	47.764	49.798
2	T	11.3897	35.7921	19.5944	16.1977	28.3298	15.3139	13.0159	3.9734	26.7727	12.2770	7.2676	7.2281	17.9478	8.3756	9.5722
	S	45.256	38.480	40.886	35.569	56.052	40.471	74.385	96.437	53.251	57.036	52.818	47.259	59.339	60.891	57.980
3	T	6.5609	17.9838	11.7038	6.2800	22.0431	12.4293	9.6138	3.3792	24.8692	10.5500	7.1755	7.1437	18.0335	8.4343	9.5992
	S	78.565	76.584	68.451	91.741	72.039	49.864	100.708	113.394	57.327	66.372	53.496	47.817	59.057	60.467	57.817
4	T	6.1150	18.1133	11.7300	6.3833	21.8317	12.2689	9.5628	3.4557	24.9127	10.9214	7.1493	6.8420	17.9072	8.4111	9.4961
	S	84.293	76.037	68.298	90.257	72.736	50.516	101.245	110.884	57.227	64.115	53.692	49.926	59.473	60.634	58.445
5	T	6.3636	17.5991	11.4084	6.1907	21.7204	12.2077	9.5127	3.3253	25.4797	10.9223	7.2765	7.2809	18.2371	8.7802	9.4569
	S	81.000	78.258	70.223	93.065	73.109	50.769	101.778	115.232	55.954	64.110	52.754	46.916	58.397	58.085	58.687
6	T	6.2946	17.8839	11.6671	6.2168	22.8125	12.4412	10.3713	5.1979	35.9358	16.6764	10.0025	9.2569	23.2333	11.7470	11.4863
	S	81.888	77.012	68.666	92.674	69.609	49.816	93.352	73.719	39.673	41.989	38.377	36.901	45.839	43.415	48.318
7	T	10.8526	23.7859	14.1855	9.6004	31.2050	16.2490	14.9560	6.8049	33.3222	15.6943	9.2514	8.3765	20.7258	9.7758	10.9500
	S	47.496	57.903	56.476	60.012	50.888	38.142	64.735	56.310	42.785	44.617	41.492	40.780	51.385	52.170	50.685
8	T	9.0295	24.4951	15.6607	8.8344	30.2382	14.2117	16.0265	6.8686	35.6908	17.5943	9.6937	8.4028	21.6493	10.1525	11.4968
	S	57.086	56.226	51.156	65.215	52.515	43.610	60.411	55.787	39.945	39.799	39.599	40.652	49.193	50.234	48.274
9	T	6.4078	24.0480	16.3887	7.6593	22.5909	12.6472	9.9437	3.3930	26.6169	12.1330	7.4014	7.0825	18.2037	8.7871	9.4166
	S	80.442	57.272	48.883	75.220	70.292	49.005	97.366	112.933	53.563	57.713	51.864	48.230	58.505	58.040	58.938
10	T	6.2731	18.1544	11.5277	6.6267	21.2178	11.9333	9.2845	3.1418	25.4973	10.7440	7.5192	7.2341	18.0366	8.5734	9.4632
	S	82.169	75.864	69.497	86.942	74.841	51.936	104.279	121.963	55.915	65.174	51.051	47.220	59.047	59.486	58.648
11	T	7.0640	19.4040	11.8425	7.5615	22.2643	12.2366	10.0277	4.6145	35.4222	17.8161	9.3543	8.2518	23.0165	11.4403	11.5762
	S	72.969	70.979	67.649	76.193	71.323	50.649	96.551	83.039	40.248	39.303	41.036	41.396	46.271	44.579	47.943
12	T	10.2572	26.8167	16.6612	10.1555	26.7165	12.1451	14.5714	5.9810	32.3951	14.6437	8.8787	8.8727	22.1681	10.5378	11.6303
	S	50.253	51.359	48.084	56.731	59.437	51.031	66.444	64.067	44.009	47.818	43.234	38.499	48.042	48.397	47.720
13	T	6.8185	18.2849	12.1805	6.1044	21.8403	12.1923	9.6480	3.3006	25.8841	11.4266	7.1887	7.2688	18.0735	8.5252	9.5483
	S	75.596	75.323	65.772	94.381	72.708	50.833	100.351	116.095	55.079	61.280	53.398	46.994	58.926	59.823	58.126
14	T	6.7389	20.9034	11.9696	8.9338		13.1736									
	S	76.489	65.887	66.931	64.490		47.047									

Event: Allied Building Products GP of Mid-Ohio

Round 10/11/12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

August 2, 2014

Section Data for Car 3 - Andres Soori, Keyvan (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	17.3339	6.9544	10.3795	9.9835	7.7676	159.1552	153.5257
	S	52.787	54.707	51.500	41.386	57.494	51.075	49.593
2	T	12.8898	4.4484	8.4414	8.6178	6.9412	152.6543	
	S	70.986	85.526	63.324	47.945	64.339	53.250	
3	T	12.4198	4.2272	8.1926	8.6313	7.1579	121.0787	
	S	73.673	90.002	65.247	47.870	62.391	67.136	
4	T	12.3947	4.1406	8.2541	8.5315	7.0730	120.3348	
	S	73.822	91.884	64.761	48.430	63.140	67.552	
5	T	13.4990	4.3268	9.1722	8.4482	7.1113	121.7837	
	S	67.783	87.930	58.279	48.908	62.800	66.748	
6	T	22.2671	8.0527	14.2144	9.7622	7.9460	151.3333	
	S	41.092	47.246	37.606	42.325	56.203	53.715	
7	T	19.9489	6.4429	13.5060	10.0435	7.9068	164.5956	
	S	45.867	59.050	39.578	41.139	56.482	49.386	
8	T	18.8031	6.4562	12.3469	9.8781	7.6017	164.2544	
	S	48.662	58.929	43.294	41.828	58.749	49.489	
9	T	13.7238	4.5707	9.1531	8.4375	6.8129	130.2345	
	S	66.672	83.238	58.400	48.970	65.551	62.417	
10	T	13.0828	4.4080	8.6748	8.4088	6.8583	120.6709	
	S	69.939	86.310	61.620	49.137	65.117	67.363	
11	T	21.6749	7.4207	14.2542	10.4725	7.1840	151.1169	
	S	42.215	51.269	37.501	39.454	62.165	53.791	
12	T	20.4534	7.9844	12.4690	9.5514	6.9229	161.2623	
	S	44.736	47.650	42.870	43.259	64.509	50.407	
13	T	12.6460	4.1818	8.4642	8.4770	6.8138	122.1387	
	S	72.355	90.979	63.154	48.742	65.542	66.554	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 4 - Burkett, Daniel

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.7985	23.3162	13.5988	9.7174	28.4345	13.1852	15.2493	5.9468	33.3627	15.8021	8.7982	8.7624	23.1269	11.0504	12.0765
	S	47.734	59.069	58.912	59.289	55.846	47.005	63.490	64.435	42.733	44.312	43.630	38.984	46.050	46.152	45.957
2	T	11.1398	37.8626	21.2846	16.5780	28.7685	16.7695	11.9990	3.5395	26.5301	11.7755	7.6796	7.0750	17.9013	8.5162	9.3851
	S	46.271	36.376	37.639	34.753	55.198	36.958	80.689	108.259	53.738	59.465	49.985	48.281	59.493	59.886	59.136
3	T	6.1015	34.1348	25.9770	8.1578	23.1697	12.7615	10.4082	3.6061	25.7550	11.5410	7.5931	6.6209	18.0289	8.6327	9.3962
	S	84.480	40.348	30.840	70.624	68.536	48.566	93.021	106.259	55.356	60.673	50.554	51.593	59.072	59.078	59.066
4	T	6.3902	17.9383	11.5366	6.4017	22.6042	12.4869	10.1173	3.3334	25.1740	10.8051	7.3751	6.9938	18.0325	8.3851	9.6474
	S	80.663	76.778	69.443	89.997	70.250	49.634	95.696	114.952	56.633	64.805	52.049	48.842	59.060	60.822	57.528

Event: Allied Building Products GP of Mid-Ohio

Round 10/11/12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

August 2, 2014

Section Data for Car 4 - Burkett, Daniel

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	SF to PI
1	T	16.1916	6.0611	10.1305	10.1019	8.9586	160.2377	154.5472	
	S	56.511	62.770	52.766	40.901	49.851	50.730	49.266	
2	T	12.8928	4.2406	8.6522	8.5154	7.3664	154.5164		
	S	70.970	89.717	61.781	48.522	60.625	52.608		
3	T	13.5501	4.5594	8.9907	8.2363	7.0224	139.6048		
	S	67.527	83.444	59.455	50.166	63.595	58.227		
4	T	12.6193	4.4761	8.1432			151.4219		134.4323
	S	72.508	84.997	65.643			53.683		57.149

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 44 - Slaghekke, Jeroen

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.7958	23.9627	14.6612	9.3015	27.7316	12.9435	14.7881	5.3973	34.0945	15.7441	8.6437	9.7067	22.5202	10.6930	11.8272
	S	47.746	57.476	54.643	61.940	57.262	47.883	65.470	70.995	41.816	44.476	44.410	35.191	47.291	47.695	46.926
2	T	11.1395	36.1425	19.8738	16.2687	31.1953	16.2728	14.9225	5.2376	28.1937	12.8349	7.6833	7.6755	19.3594	9.0681	10.2913
	S	46.273	38.107	40.311	35.414	50.904	38.086	64.881	73.160	50.567	54.557	49.961	44.504	55.012	56.241	53.929
3	T	7.0900	19.3112	12.6880	6.6232	22.5744	12.1909	10.3835	4.4746	25.8655	12.2725	7.0235	6.5695	18.1005	8.4366	9.6639
	S	72.702	71.320	63.141	86.988	70.343	50.839	93.242	85.635	55.119	57.057	54.654	51.996	58.838	60.451	57.430
4	T	6.2163	18.6233	12.0053	6.6180	22.2904	12.6374	9.6530	3.7529	25.5089	11.6058	7.1792	6.7239	18.1543	8.5243	9.6300
	S	82.920	73.954	66.732	87.056	71.239	49.043	100.299	102.103	55.890	60.334	53.469	50.802	58.664	59.829	57.632
5	T	6.4863	18.4908	11.7101	6.7807	23.8074	12.8703	10.9371	4.0274	26.4385	12.3187	7.4702	6.6496	18.3856	8.7436	9.6420
	S	79.468	74.484	68.414	84.967	66.700	48.155	88.523	95.144	53.924	56.843	51.386	51.370	57.926	58.328	57.561
6	T	6.8042	18.9440	12.1133	6.8307	22.1333	12.2243	9.9090	3.5306	25.7883	11.5555	7.2741	6.9587	20.4034	9.4224	10.9810
	S	75.755	72.702	66.137	84.345	71.745	50.700	97.707	108.532	55.284	60.597	52.771	49.088	52.197	54.126	50.542
7	T	9.2965	27.1011	16.9992	10.1019	27.2084	13.9948	13.2136	7.4668	33.8597	16.8146	8.7278	8.3173	20.9334	10.1375	10.7959
	S	55.446	50.820	47.128	57.032	58.363	44.286	73.272	51.318	42.106	41.644	43.982	41.070	50.876	50.308	51.408
8	T	7.4667	26.2735	16.0148	10.2587	28.5346	12.9899	15.5447	5.9786	36.8756	18.1565	9.8779	8.8412	21.3354	10.3642	10.9712
	S	69.034	52.421	50.025	56.161	55.650	47.712	62.284	64.092	38.662	38.566	38.861	38.636	49.917	49.208	50.587
9	T	6.5425	19.2851	12.3387	6.9464	22.2237	12.2898	9.9339	3.8581	26.0790	12.3016	7.1610	6.6164	19.2178	8.4798	10.7380
	S	78.786	71.416	64.929	82.940	71.453	50.430	97.462	99.319	54.668	56.922	53.605	51.628	55.417	60.143	51.686
10	T	5.7128	267.3011	260.9122	6.3889	22.2731	12.5102	9.7629	3.3714	23.9686	10.5108	7.0220	6.4358	17.9972	8.3524	9.6448
	S	90.228	5.153	3.071	90.178	71.295	49.541	99.169	113.657	59.481	66.620	54.666	53.077	59.176	61.060	57.544
11	T	6.0078	17.1141	10.9663	6.1478	21.1465	11.7624	9.3841	3.1167	23.1065	9.9772	6.7945	6.3348	17.5107	8.2202	9.2905
	S	85.798	80.476	73.054	93.714	75.093	52.691	103.173	122.945	61.700	70.183	56.496	53.923	60.820	62.042	59.738

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 44 - Slaghekke, Jeroen

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	SF to PI
1	T	16.2414	6.3464	9.8950	10.1030	8.5243	159.3708	154.4290	
	S	56.338	59.948	54.022	40.897	52.390	51.006	49.303	
2	T	14.5748	4.5140	10.0608	8.8601	7.0915	161.7944		
	S	62.780	84.283	53.132	46.634	62.976	50.242		
3	T	12.3559	4.1625	8.1934	8.3122	6.7536	124.8379		
	S	74.054	91.400	65.241	49.708	66.126	65.115		
4	T	13.2193	4.3412	8.8781	8.6385	7.0369	123.4408		
	S	69.217	87.638	60.209	47.830	63.464	65.852		
5	T	13.8965	4.4300	9.4665	8.9540	7.1864	127.6729		
	S	65.844	85.881	56.467	46.145	62.144	63.669		
6	T	20.3997	5.7568	14.6429	10.7769	8.0273	136.8077		
	S	44.854	66.088	36.505	38.340	55.634	59.418		
7	T	22.2244	6.6376	15.5868	9.0982	7.5254	164.7139		
	S	41.171	57.318	34.295	45.414	59.344	49.351		
8	T	18.2139	5.9948	12.2191	9.8327	6.6089	161.1199		
	S	50.236	63.464	43.747	42.021	67.574	50.452		
9	T	12.9191	4.4066	8.5125	8.8818	7.7390	126.7461		
	S	70.825	86.337	62.795	46.520	57.707	64.135		
10	T	12.1113	4.0878	8.0235	7.9231	6.9633	367.6219		
	S	75.549	93.071	66.622	52.149	64.135	22.112		
11	T	12.0238	4.1190	7.9048			123.5953		108.9920
	S	76.099	92.366	67.623			65.769		70.489

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 5 - Telitz, Aaron (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.6065	23.1463	12.9640	10.1823	29.1342	13.4546	15.6796	5.8675	33.1906	14.9257	9.5205	8.7444	22.8283	10.5309	12.2974
	S	48.598	59.503	61.797	56.582	54.505	46.064	61.748	65.306	42.954	46.914	40.320	39.064	46.653	48.429	45.131
2	T	10.7036	38.8509	22.2770	16.5739	29.5566	17.1775	12.3791	3.6944	32.9327	11.8302	7.6915	13.4110	19.3553	9.3951	9.9602
	S	48.157	35.450	35.962	34.762	53.726	36.080	78.211	103.720	43.291	59.190	49.908	25.471	55.024	54.284	55.722
3	T	5.9294	18.7420	12.0712	6.6708	22.2660	12.4387	9.8273	3.4563	25.7903	11.3424	7.3507	7.0972	17.8762	8.3155	9.5607
	S	86.932	73.486	66.368	86.367	71.317	49.826	98.520	110.865	55.280	61.735	52.221	48.130	59.576	61.331	58.050
4	T	6.0730	18.1040	11.5905	6.5135	21.9597	12.1296	9.8301	3.4731	25.9153	11.3554	7.5363	7.0236	17.2915	8.0777	9.2138
	S	84.876	76.076	69.120	88.453	72.312	51.096	98.492	110.328	55.013	61.665	50.935	48.635	61.591	63.137	60.236
5	T	5.6654	18.0016	11.6688	6.3328	21.1610	11.5683	9.5927	3.3391	24.4900	10.5916	7.1610	6.7374	17.2747	8.1562	9.1185
	S	90.983	76.508	68.656	90.977	75.042	53.575	100.929	114.756	58.215	66.112	53.605	50.701	61.651	62.529	60.865
6	T	6.2762	18.2438	11.7947	6.4491	22.1239	12.3559	9.7680	3.7709	34.1421	15.0662	9.5818	9.4941	23.3106	11.5653	11.7453
	S	82.128	75.493	67.923	89.336	71.776	50.160	99.118	101.615	41.757	46.477	40.062	35.979	45.687	44.097	47.253
7	T	10.8488	24.4066	14.5472	9.8594	30.3701	15.4197	14.9504	7.1459	33.4226	16.0108	8.6062	8.8056	20.6289	9.3583	11.2706
	S	47.513	56.430	55.072	58.435	52.287	40.194	64.760	53.623	42.656	43.735	44.603	38.792	51.627	54.497	49.243
8	T	9.1434	24.6267	15.4685	9.1582	30.1010	13.7408	16.3602	6.8718	35.4085	17.2460	9.9113	8.2512	21.5543	9.8420	11.7123
	S	56.374	55.926	51.791	62.909	52.754	45.105	59.179	55.761	40.264	40.602	38.730	41.399	49.410	51.819	47.386
9	T	6.1862	20.2673	13.4691	6.7982	21.6110	12.0458	9.5652	3.3850	24.8647	10.8707	7.1783	6.8157	22.2469	8.0685	14.1784
	S	83.323	67.955	59.480	84.748	73.479	51.451	101.219	113.200	57.338	64.414	53.476	50.118	47.872	63.209	39.144
10	T	5.6782	17.1661	11.0068	6.1593	21.0204	11.8057	9.2147	3.1457	23.9130	10.4982	6.8665	6.5483	17.7995	8.3929	9.4066
	S	90.778	80.232	72.786	93.539	75.543	52.498	105.069	121.811	59.620	66.700	55.904	52.165	59.833	60.766	59.001
11	T	6.2696	18.2740	11.9798	6.2942	24.7768	12.3961	12.3807	7.3740	35.0485	16.7231	10.0807	8.2447	23.6009	11.4064	12.1945
	S	82.215	75.368	66.874	91.534	64.090	49.997	78.201	51.964	40.677	41.872	38.079	41.432	45.125	44.712	45.512
12	T	10.5049	25.6604	16.3043	9.3561	27.8376	12.6556	15.1820	5.4964	32.7663	14.9489	9.1102	8.7072	22.7137	10.2338	12.4799
	S	49.068	53.673	49.137	61.579	57.044	48.972	63.772	69.715	43.511	46.841	42.136	39.231	46.888	49.835	44.472
13	T	5.6483	17.0260	10.7138	6.3122	21.1168	11.8945	9.2223	3.1276	24.4261	10.4452	7.3774	6.6035	17.0061	8.0060	9.0001
	S	91.258	80.892	74.776	91.273	75.199	52.106	104.983	122.516	58.367	67.038	52.032	51.729	62.625	63.702	61.666
14	T	5.8422	17.7278	11.6152	6.1126	22.0864	12.4216	9.6648	3.6928							
	S	88.230	77.690	68.973	94.254	71.897	49.895	100.176	103.765							

Event: Allied Building Products GP of Mid-Ohio

Round 10/11/12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

August 2, 2014

Section Data for Car 5 - Telitz, Aaron (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	16.1644	5.2472	10.9172	10.1688	9.3532	160.4598	154.5999
	S	56.606	72.506	48.964	40.632	47.747	50.659	49.249
2	T	14.8632	4.8798	9.9834	8.6108	6.8152	165.3827	
	S	61.561	77.965	53.543	47.984	65.529	49.151	
3	T	12.9370	4.3982	8.5388	8.4827	7.2065	122.6864	
	S	70.727	86.502	62.602	48.709	61.971	66.257	
4	T	12.3204	4.0701	8.2503	8.2270	6.7314	120.0954	
	S	74.267	93.475	64.791	50.223	66.344	67.686	
5	T	13.3436	4.2432	9.1004	8.7325	7.0959	119.1038	
	S	68.572	89.662	58.739	47.315	62.936	68.250	
6	T	22.8727	7.4830	15.3897	9.3684	7.4019	147.5105	
	S	40.004	50.843	34.734	44.104	60.335	55.107	
7	T	20.1133	6.1508	13.9625	9.9484	7.6754	164.5600	
	S	45.492	61.854	38.284	41.532	58.185	49.397	
8	T	18.7639	6.1295	12.6344	9.9341	6.9983	163.4020	
	S	48.764	62.069	42.309	41.592	63.814	49.747	
9	T	13.3408	4.3236	9.0172	8.4028	6.9282	127.2329	
	S	68.587	87.995	59.281	49.172	64.460	63.889	
10	T	12.9858	4.3233	8.6625	8.4411	6.8504	117.0002	
	S	70.462	88.001	61.708	48.949	65.192	69.477	
11	T	20.1679	7.5917	12.5762	10.8786	7.7850	154.1753	
	S	45.369	50.115	42.505	37.981	57.366	52.724	
12	T	20.0990	7.1486	12.9504	9.9758	6.7033	161.7574	
	S	45.525	53.221	41.276	41.418	66.623	50.253	
13	T	12.1985	4.0184	8.1801	8.3445	6.8477	115.7416	
	S	75.009	94.678	65.347	49.515	65.218	70.232	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 61 - List, Andrew (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.9471	26.6414	16.2552	10.3862	26.4227	13.3365	13.0862	5.4527	31.6161	15.2727	7.9174	8.4260	22.5868	11.2521	11.3347
	S	47.086	51.697	49.285	55.471	60.098	46.472	73.985	70.274	45.094	45.848	48.484	40.540	47.151	45.325	48.965
2	T	9.2774	35.5421	19.0346	16.5075	29.7088	14.2241	15.4847	5.9049	29.8125	14.5078	7.8164	7.4883	19.0853	8.7739	10.3114
	S	55.560	38.750	42.088	34.901	53.451	43.572	62.525	64.892	47.822	48.266	49.110	45.617	55.802	58.127	53.824
3	T	7.3177	20.0230	12.7857	7.2373	24.8506	13.2674	11.5832	4.6178	28.8642	13.6933	7.6563	7.5146	19.0484	8.6564	10.3920
	S	70.439	68.785	62.659	79.607	63.900	46.714	83.585	82.979	49.393	51.136	50.137	45.457	55.910	58.916	53.406
4	T	6.1680	18.5580	11.5730	6.9850	24.7536	13.3427	11.4109	4.0455	28.1433	12.7467	7.8450	7.5516	19.6665	8.8390	10.8275
	S	83.569	74.215	69.225	82.482	64.150	46.450	84.847	94.718	50.658	54.934	48.931	45.234	54.153	57.699	51.258
5	T	6.4901	18.2672	11.4633	6.8039	26.1400	13.6680	12.4720	4.6788	28.3434	12.9960	7.9083	7.4391	18.7602	8.5917	10.1685
	S	79.422	75.396	69.887	84.677	60.748	45.345	77.628	81.897	50.300	53.880	48.539	45.918	56.769	59.360	54.580
6	T	6.6652	18.8591	11.8527	7.0064	24.0678	13.1786	10.8892	4.2661	27.7581	12.8518	7.5330	7.3733	19.7821	8.9725	10.8096
	S	77.335	73.030	67.591	82.230	65.978	47.029	88.912	89.820	51.361	54.485	50.958	46.328	53.837	56.840	51.343
7	T	6.3929	18.5236	11.7001	6.8235	23.6877	12.9316	10.7561	4.2371	27.9768	12.7426	7.6173	7.6169	21.0303	9.6446	11.3857
	S	80.629	74.352	68.473	84.434	67.037	47.927	90.012	90.435	50.959	54.952	50.394	44.846	50.641	52.879	48.745
8	T	8.7976	26.1224	14.5834	11.5390	26.7929	13.5877	13.2052	6.7077	35.9579	16.6926	10.1815	9.0838	22.0234	10.4752	11.5482
	S	58.590	52.724	54.935	49.929	59.268	45.613	73.318	57.126	39.649	41.948	37.702	37.604	48.358	48.686	48.059
9	T	6.8804	19.9949	12.4437	7.5512	24.4889	13.3243	11.1646	4.5937	28.3820	13.2430	7.5364	7.6026	18.6932	8.5871	10.1061
	S	74.916	68.881	64.381	76.297	64.844	46.514	86.719	83.415	50.232	52.875	50.935	44.931	56.973	59.391	54.917
10	T	6.2623	17.5629	11.1446	6.4183	24.6331	13.1750	11.4581	4.3337	27.1102	12.4664	7.3475	7.2963	19.1716	8.8814	10.2902
	S	82.311	78.419	71.886	89.765	64.464	47.042	84.498	88.419	52.588	56.169	52.244	46.817	55.551	57.423	53.935
11	T	6.4555	18.1418	11.6818	6.4600	23.2831	13.1748	10.1083	3.4473	26.7080	12.0168	7.4545	7.2367	19.2085	9.1713	10.0372
	S	79.847	75.917	68.580	89.185	68.202	47.042	95.781	111.154	53.380	58.271	51.494	47.203	55.444	55.608	55.294
12	T	9.5296	27.0198	16.4404	10.5794	26.3359	12.4598	13.8761	6.2334	32.4319	14.3121	9.4351	8.6847	22.0575	10.3679	11.6896
	S	54.090	50.973	48.730	54.458	60.296	49.742	69.773	61.472	43.959	48.926	40.685	39.332	48.283	49.190	47.478
13	T	6.7645	18.7306	12.0725	6.6581	23.4072	12.9489	10.4583	3.7048	25.9789	11.4405	7.3566	7.1818	18.3502	8.5184	9.8318
	S	76.200	73.531	66.360	86.532	67.840	47.863	92.575	103.428	54.878	61.206	52.179	47.563	58.038	59.870	56.449
14	T	7.5129	20.5300	13.1837	7.3463											
	S	68.609	67.086	60.767	78.425											

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 61 - List, Andrew (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	17.8149	6.2260	11.5889	9.7405	7.6543	158.8765	153.8777
	S	51.362	61.107	46.126	42.419	58.345	51.164	49.480
2	T	14.8352	5.1912	9.6440	8.8440	7.7828	160.7930	
	S	61.678	73.288	55.428	46.719	57.382	50.554	
3	T	14.6554	4.9650	9.6904	8.9549	6.7984	135.1304	
	S	62.434	76.627	55.162	46.140	65.691	60.155	
4	T	15.2676	5.6604	9.6072	8.8449	7.4000	132.8474	
	S	59.931	67.213	55.640	46.714	60.350	61.189	
5	T	14.6568	5.1410	9.5158	9.4946	7.8359	134.6670	
	S	62.428	74.004	56.175	43.518	56.993	60.362	
6	T	16.0135	5.4498	10.5637	9.6228	7.2924	134.3271	
	S	57.139	69.811	50.602	42.938	61.241	60.515	
7	T	20.9866	5.9287	15.0579	9.5347	7.6817	140.0514	
	S	43.599	64.172	35.499	43.335	58.137	58.042	
8	T	17.6433	6.4179	11.2254	9.7277	7.5491	161.3220	
	S	51.861	59.280	47.619	42.475	59.158	50.389	
9	T	13.7214	4.5676	9.1538	9.4852	7.3150	133.5547	
	S	66.684	83.294	58.396	43.561	61.051	60.865	
10	T	14.2014	4.8108	9.3906	8.8058	7.2525	129.3335	
	S	64.430	79.083	56.923	46.922	61.578	62.851	
11	T	17.9283	5.2398	12.6885	10.4712	7.3853	133.0290	
	S	51.037	72.609	42.128	39.459	60.470	61.105	
12	T	20.2773	7.6700	12.6073	9.6797	6.8870	160.4521	
	S	45.124	49.603	42.400	42.685	64.845	50.662	
13	T	19.7709	4.3865	15.3844	9.1627	7.0709	132.9407	
	S	46.280	86.733	34.746	45.094	63.159	61.146	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 7 - Enerson, RC

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.4796	22.8107	12.8849	9.9258	29.5782	13.9341	15.6441	5.2986	33.8221	15.4789	9.6507	8.6925	22.8164	10.7455	12.0709
	S	49.186	60.378	62.176	58.044	53.687	44.479	61.888	72.318	42.152	45.238	39.776	39.297	46.677	47.462	45.978
2	T	10.8229	38.7187	22.2675	16.4512	29.3430	17.2613	12.0817	3.3974	24.5542	10.7559	7.1458	6.6525	17.0551	8.0002	9.0549
	S	47.626	35.571	35.978	35.021	54.117	35.905	80.136	112.787	58.063	65.102	53.719	51.348	62.445	63.748	61.293
3	T	5.8948	16.6605	10.6086	6.0519	21.5911	12.1832	9.4079	3.3590	24.1206	10.3834	7.0765	6.6607	17.1448	8.0132	9.1316
	S	87.442	82.667	75.518	95.199	73.547	50.871	102.912	114.076	59.106	67.437	54.245	51.285	62.118	63.645	60.778
4	T	5.7767	17.4592	11.1153	6.3439	22.0150	12.4991	9.5159	3.5276	24.7209	10.7443	7.1406	6.8360	17.1448	7.9318	9.2130
	S	89.230	78.885	72.075	90.817	72.131	49.585	101.744	108.624	57.671	65.172	53.758	49.969	62.118	64.298	60.241
5	T	5.9591	17.0266	10.9847	6.0419	21.4359	12.1209	9.3150	3.4002	24.2064	10.4148	7.0967	6.6949	17.0266	7.9810	9.0456
	S	86.499	80.889	72.932	95.357	74.079	51.133	103.938	112.694	58.897	67.234	54.090	51.023	62.549	63.902	61.356
6	T	6.0487	23.1441	11.9150	11.2291	34.0075	15.9983	18.0092	7.3938	36.6454	17.2410	9.9741	9.4303	22.9971	11.0122	11.9849
	S	85.217	59.509	67.238	51.307	46.694	38.740	53.760	51.825	38.905	40.614	38.486	36.223	46.310	46.312	46.308
7	T	9.7127	24.5488	15.0687	9.4801	32.3954	16.8219	15.5735	6.5788	32.6508	14.9499	10.2331	7.4678	21.0887	9.7544	11.3343
	S	53.070	56.103	53.166	60.773	49.018	36.843	62.169	58.245	43.665	46.838	37.512	45.742	50.501	52.284	48.966
8	T	9.3335	24.0618	14.2144	9.8474	30.7732	14.2731	16.5001	7.0004	34.7479	17.2337	9.2429	8.2713	22.5694	10.5522	12.0172
	S	55.226	57.239	56.361	58.506	51.602	43.422	58.677	54.737	41.029	40.631	41.531	41.298	47.188	48.331	46.184
9	T	5.7712	16.5946	10.7396	5.8550	21.1475	11.9863	9.1612	3.1997	24.1358	10.2426	7.0992	6.7940	16.6988	7.6693	9.0295
	S	89.315	82.995	74.596	98.401	75.089	51.707	105.683	119.756	59.069	68.364	54.071	50.278	63.777	66.499	61.465
10	T	5.5916	16.4256	10.5916	5.8340	21.3980	12.2074	9.1906	3.1023	24.0004	10.2305	6.9806	6.7893	17.3685	7.9665	9.4020
	S	92.184	83.849	75.639	98.755	74.210	50.770	105.345	123.515	59.402	68.445	54.990	50.313	61.318	64.018	59.030
11	T	6.4207	21.1496	12.3294	8.8202	32.3667	14.1278	18.2389	8.0463	35.7523	16.8958	9.8220	9.0345	22.9821	10.8902	12.0919
	S	80.280	65.121	64.978	65.320	49.061	43.869	53.083	47.622	39.877	41.444	39.082	37.810	46.340	46.831	45.898
12	T	10.9039	24.0740	15.6530	8.4210	29.6161	14.8457	14.7704	5.7240	32.6231	15.0383	8.9221	8.6627	22.7321	10.2691	12.4630
	S	47.272	57.210	51.181	68.417	53.618	41.748	65.549	66.943	43.702	46.563	43.024	39.432	46.850	49.664	44.532
13	T	5.7821	16.4958	10.7465	5.7493	20.5726	11.6143	8.9583	3.0253	34.5678	9.9587	16.9145	7.6946	17.4801	8.3368	9.1433
	S	89.147	83.492	74.549	100.210	77.188	53.363	108.077	126.659	41.243	70.313	22.694	44.394	60.926	61.175	60.700
14	T	6.1899	20.6475	12.4751	8.1724	23.7451	13.2342	10.5109								
	S	83.273	66.704	64.219	70.498	66.875	46.831	92.112								

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 7 - Enerson, RC

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	16.2115	5.3755	10.8360	10.1142	9.7166	160.8479	154.7974
	S	56.441	70.776	49.331	40.852	45.962	50.537	49.186
2	T	12.1877	4.0763	8.1114	8.2103	6.5943	150.8836	
	S	75.076	93.333	65.901	50.325	67.724	53.875	
3	T	12.0400	4.0467	7.9933	8.3235	6.4718	115.6061	
	S	75.997	94.016	66.874	49.640	69.006	70.315	
4	T	12.2240	4.0016	8.2224	8.4608	6.6550	117.9840	
	S	74.853	95.076	65.011	48.835	67.106	68.897	
5	T	12.4126	4.0832	8.3294	8.5770	6.5446	116.5890	
	S	73.715	93.176	64.176	48.173	68.238	69.722	
6	T	20.7669	7.8323	12.9346	10.4360	8.5013	169.9408	
	S	44.061	48.575	41.327	39.592	52.532	47.833	
7	T	19.0296	6.5113	12.5183	10.1925	8.4680	164.6653	
	S	48.083	58.430	42.701	40.538	52.739	49.366	
8	T	19.0212	6.8753	12.1459	10.1107	8.0436	165.6617	
	S	48.104	55.336	44.010	40.866	55.521	49.069	
9	T	12.0072	4.0479	7.9593	8.2762	6.2647	114.0957	
	S	76.204	93.988	67.160	49.924	71.287	71.245	
10	T	12.9531	4.3316	8.6215	8.6096	6.9626	116.4117	
	S	70.639	87.832	62.001	47.991	64.141	69.828	
11	T	19.9154	8.0721	11.8433	10.4390	8.2191	165.2912	
	S	45.944	47.132	45.135	39.581	54.336	49.179	
12	T	20.7742	7.8709	12.9033	10.5794	6.9292	163.9560	
	S	44.045	48.337	41.427	39.055	64.451	49.579	
13	T	12.4145	4.0791	8.3354	8.7257	6.6413	125.7052	
	S	73.704	93.269	64.130	47.352	67.245	64.666	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 77 - Cindric, Austin

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.8036	24.7379	14.7823	9.9556	27.1710	12.9983	14.1727	5.4431	33.7517	15.6257	8.7068	9.4192	22.1933	10.4420	11.7513
	S	47.711	55.675	54.196	57.871	58.443	47.681	68.313	70.398	42.240	44.813	44.088	36.265	47.987	48.841	47.229
2	T	11.5571	36.1982	20.1103	16.0879	28.5829	15.6799	12.9030	4.0330	28.8083	14.0953	7.4492	7.2638	19.0463	9.0896	9.9567
	S	44.601	38.048	39.837	35.812	55.556	39.527	75.035	95.012	49.489	49.678	51.531	47.026	55.916	56.108	55.741
3	T	6.2157	18.6731	12.0246	6.6485	22.6334	12.6582	9.9752	3.4806	26.7498	12.0617	7.5111	7.1770	18.5268	9.0267	9.5001
	S	82.928	73.757	66.625	86.657	70.160	48.962	97.059	110.091	53.297	58.054	51.106	47.595	57.484	56.499	58.420
4	T	6.1020	18.0427	11.6132	6.4295	22.2709	12.6524	9.6185	3.4473	28.7314	11.6954	8.8087	8.2273	18.4756	8.9097	9.5659
	S	84.473	76.334	68.985	89.608	71.302	48.985	100.658	111.154	49.621	59.872	43.578	41.519	57.644	57.241	58.019
5	T	6.0357	18.0095	11.8380	6.1715	25.7560	15.1495	10.6065	3.4259	26.3151	11.2205	7.7490	7.3456	18.4956	8.9493	9.5463
	S	85.401	76.475	67.675	93.354	61.654	40.910	91.282	111.849	54.177	62.406	49.537	46.503	57.581	56.988	58.138
6	T	6.0150	18.5102	11.7166	6.7936	22.8443	13.0168	9.8275	3.7700	26.8829	11.8183	7.6985	7.3661	19.8168	9.1587	10.6581
	S	85.695	74.406	68.376	84.806	69.512	47.613	98.518	101.640	53.033	59.249	49.862	46.373	53.742	55.685	52.073
7	T	9.5940	26.6964	17.0913	9.6051	27.5271	14.1742	13.3529	7.7568	33.7878	16.2847	8.8935	8.6096	20.6810	9.6209	11.0601
	S	53.727	51.590	46.874	59.982	57.687	43.725	72.507	49.399	42.195	42.999	43.162	39.676	51.497	53.010	50.180
8	T	7.7538	26.4012	16.2142	10.1870	28.6721	12.8568	15.8153	6.4154	36.2783	18.0339	9.6965	8.5479	21.4401	10.0902	11.3499
	S	66.478	52.167	49.410	56.556	55.383	48.206	61.218	59.728	39.298	38.828	39.588	39.962	49.673	50.544	48.899
9	T	6.1828	19.5196	12.3415	7.1781	21.6732	12.1965	9.4767	3.5345	26.1382	11.6544	7.2902	7.1936	18.7822	8.7768	10.0054
	S	83.369	70.558	64.914	80.263	73.268	50.816	102.164	108.412	54.544	60.083	52.655	47.485	56.703	58.108	55.470
10	T	5.9989	17.5422	11.4561	6.0861	21.6783	12.2617	9.4166	3.1483	25.5874	10.9735	7.4001	7.2138	19.0516	9.3638	9.6878
	S	85.925	78.512	69.931	94.664	73.251	50.545	102.816	121.711	55.718	63.811	51.873	47.352	55.901	54.465	57.289
11	T	6.3916	18.9313	12.1564	6.7749	22.8366	12.5489	10.2877	5.9340	34.5967	16.4159	9.7879	8.3929	23.2010	11.0556	12.1454
	S	80.646	72.751	65.902	85.040	69.536	49.389	94.111	64.574	41.209	42.655	39.218	40.700	45.903	46.130	45.696
12	T	10.2625	26.9404	17.2087	9.7317	26.9174	12.5562	14.3612	5.6178	32.6672	14.7802	9.2529	8.6341	22.6544	10.2506	12.4038
	S	50.227	51.123	46.554	59.202	58.994	49.360	67.416	68.209	43.643	47.376	41.486	39.563	47.011	49.753	44.744
13	T	6.3511	18.4066	11.6856	6.7210	21.4856	12.2605	9.2251	3.0892	25.0688	10.8856	7.2851	6.8981	18.1382	8.7086	9.4296
	S	81.160	74.825	68.558	85.722	73.908	50.550	104.951	124.039	56.871	64.326	52.692	49.520	58.716	58.563	58.857
14	T	6.4290	23.6490	13.9859	9.6631		13.6716									
	S	80.176	58.238	57.282	59.622		45.333									

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 77 - Cindric, Austin

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	16.7986	6.5325	10.2661	9.6576	8.1232	158.6800	154.2283
	S	54.469	58.240	52.069	42.783	54.977	51.228	49.367
2	T	13.4509	4.2519	9.1990	8.6478	6.9972	157.3217	
	S	68.025	89.479	58.109	47.779	63.824	51.670	
3	T	13.3129	4.2253	9.0876	8.3768	6.7756	124.7447	
	S	68.730	90.042	58.821	49.325	65.912	65.163	
4	T	13.2167	4.1872	9.0295	8.2775	7.1568	125.7209	
	S	69.231	90.861	59.200	49.916	62.401	64.658	
5	T	14.2984	4.5143	9.7841	8.4150	7.1624	127.9136	
	S	63.993	84.278	54.634	49.101	62.352	63.549	
6	T	21.3698	6.4165	14.9533	10.1890	7.7769	137.1749	
	S	42.817	59.293	35.748	40.552	57.425	59.259	
7	T	21.7930	6.5427	15.2503	9.4267	7.3698	164.6326	
	S	41.986	58.149	35.051	43.831	60.597	49.375	
8	T	18.0373	5.8790	12.1583	9.7223	7.1811	161.9016	
	S	50.728	64.714	43.965	42.498	62.190	50.208	
9	T	13.1155	4.2390	8.8765	8.2640	6.9490	124.1590	
	S	69.765	89.751	60.220	49.998	64.267	65.471	
10	T	13.8304	4.3201	9.5103	8.6604	7.3993	122.8968	
	S	66.159	88.066	56.207	47.709	60.356	66.143	
11	T	21.1076	7.3592	13.7484	10.3359	7.4390	150.7737	
	S	43.349	51.698	38.881	39.975	60.034	53.914	
12	T	19.9190	7.4043	12.5147	9.7308	6.9305	161.6400	
	S	45.936	51.383	42.713	42.461	64.438	50.290	
13	T	12.8646	4.2034	8.6612	8.3008	7.3126	121.0175	
	S	71.125	90.511	61.717	49.776	61.071	67.170	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 2

Round 10/11/12
 2.258 mile(s)
 USF2000
 August 2, 2014



Section Data for Car 79 - Lozano, Santiago (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	11.0622	25.4652	14.3493	11.1159	25.9509	12.7484	13.2025	6.5838	32.4135	14.4582	8.5024	9.4529	22.2793	11.0288	11.2505
	S	46.596	54.085	55.831	51.830	61.191	48.616	73.333	58.201	43.984	48.431	45.148	36.136	47.802	46.243	49.331
2	T	10.4957	35.5130	19.3841	16.1289	29.8597	14.8411	15.0186	5.6086	39.1003	14.0628	15.7662	9.2713	17.8914	8.1008	9.7906
	S	49.111	38.782	41.330	35.721	53.181	41.761	64.466	68.320	36.462	49.793	24.347	36.844	59.526	62.957	56.687
3	T	6.1543	24.3825	17.3337	7.0488	22.8614	12.3801	10.4813	3.8122	27.6989	12.9418	7.5919	7.1652	18.7605	8.7400	10.0205
	S	83.755	56.486	46.218	81.735	69.460	50.062	92.372	100.515	51.471	54.106	50.562	47.674	56.768	58.352	55.386
4	T	6.3025	18.3451	12.0035	6.3416	22.7966	12.4570	10.3396	3.8499	26.9618	12.1051	7.7080	7.1487	18.0923	8.3849	9.7074
	S	81.786	75.076	66.742	90.850	69.658	49.753	93.638	99.530	52.878	57.846	49.801	47.784	58.865	60.824	57.173

Event: Allied Building Products GP of Mid-Ohio

Round 10/11/12

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 2

August 2, 2014

Section Data for Car 79 - Lozano, Santiago (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	17.5407	6.3090	11.2317	9.5686	7.2944	158.1586	153.8272
	S	52.164	60.303	47.593	43.181	61.224	51.397	49.496
2	T	14.1152	5.1071	9.0081	8.6745	7.4279	168.6863	
	S	64.824	74.495	59.341	47.632	60.123	48.189	
3	T	14.5157	5.1739	9.3418	8.3865	7.4183	133.9903	
	S	63.035	73.533	57.221	49.267	60.201	60.667	
4	T		4.6817					
	S		81.264					

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 91 - Starrantino, Adrian (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	10.9763	24.5024	14.7603	9.7421	27.4701	13.1821	14.2880	5.5626	33.5579	15.2715	8.8120	9.4744	21.8386	10.3129	11.5257
	S	46.961	56.210	54.276	59.139	57.807	47.016	67.762	68.885	42.484	45.852	43.561	36.054	48.767	49.453	48.153
2	T	11.5491	35.6741	19.3753	16.2988	30.6793	15.7313	14.9480	5.9774	28.7027	13.6723	7.4489	7.5815	18.7638	8.6120	10.1518
	S	44.632	38.607	41.348	35.348	51.760	39.397	64.770	64.105	49.671	51.215	51.533	45.056	56.758	59.220	54.670
3	T	6.5315	18.2638	11.9273	6.3365	22.3019	12.2126	10.0893	3.6848	25.3508	11.3235	7.1382	6.8891	17.5059	8.2562	9.2497
	S	78.918	75.410	67.168	90.923	71.203	50.749	95.961	103.990	56.238	61.838	53.776	49.584	60.837	61.772	60.002
4	T	5.7482	45.5183	37.8593	7.6590	21.9373	12.1427	9.7946	3.3653	24.5575	10.9003	6.9590	6.6982	18.1050	8.5141	9.5909
	S	89.672	30.258	21.161	75.223	72.386	51.041	98.849	113.863	58.055	64.239	55.161	50.997	58.824	59.901	57.867
5	T	6.1288	17.0364	10.7110	6.3254	22.0269	12.1396	9.8873	3.5101	24.8183	11.0753	7.0174	6.7256	17.7787	8.4314	9.3473
	S	84.104	80.843	74.796	91.083	72.092	51.054	97.922	109.165	57.445	63.224	54.702	50.790	59.903	60.488	59.375
6	T	6.3453	17.5227	10.9410	6.5817	22.1744	12.1832	9.9912	3.4593	24.5949	10.9716	6.9700	6.6533	17.8431	8.4162	9.4269
	S	81.234	78.599	73.223	87.536	71.612	50.871	96.903	110.769	57.967	63.822	55.074	51.342	59.687	60.597	58.874
7	T	8.2131	30.3463	18.7732	11.5731	24.8210	13.3605	11.4605	6.0959	34.0454	17.1524	8.4517	8.4413	21.7477	10.8176	10.9301
	S	62.760	45.385	42.674	49.782	63.976	46.388	84.480	62.859	41.876	40.824	45.419	40.467	48.971	47.145	50.777
8	T	7.2517	26.6487	15.4626	11.1861	27.4198	12.7993	14.6205	6.2525	37.4029	18.4227	10.4372	8.5430	21.2182	10.2925	10.9257
	S	71.081	51.683	51.811	51.505	57.913	48.422	66.221	61.285	38.117	38.009	36.778	39.985	50.193	49.551	50.798
9	T	6.3923	18.4482	11.6562	6.7920	22.0343	12.4254	9.6089	3.2742	26.7903	12.0550	7.9098	6.8255	18.3367	8.4403	9.8964
	S	80.637	74.656	68.730	84.826	72.067	49.879	100.759	117.031	53.216	58.086	48.530	50.046	58.080	60.424	56.081
10	T	6.2325	17.6756	11.1771	6.4985	21.5074	12.0154	9.4920	3.1828	24.5835	10.6922	7.1429	6.7484	18.1786	8.5947	9.5839
	S	82.704	77.919	71.677	88.657	73.833	51.582	102.000	120.391	57.993	65.490	53.741	50.618	58.585	59.339	57.910
11	T	6.5469	19.8531	12.0835	7.7696	22.5258	12.4468	10.0790	4.7506	35.3161	17.7638	9.1374	8.4149	23.2127	11.1869	12.0258
	S	78.733	69.373	66.300	74.153	70.495	49.794	96.059	80.660	40.369	39.419	42.010	40.594	45.880	45.589	46.151
12	T	10.3043	26.6559	16.6039	10.0520	27.0405	12.4592	14.5813	5.8393	32.4647	14.3781	9.0759	9.0107	22.1431	10.2942	11.8489
	S	50.023	51.669	48.250	57.316	58.725	49.744	66.399	65.621	43.915	48.701	42.295	37.909	48.096	49.542	46.840
13	T	6.0882	17.9357	11.5774	6.3583	21.6952	12.4568	9.2384	3.2658	25.0711	10.9986	7.3013	6.7712	17.6310	8.4149	9.2161
	S	84.665	76.789	69.198	90.612	73.194	49.754	104.800	117.332	56.866	63.665	52.575	50.448	60.405	60.607	60.221
14	T	8.0699	20.8113	11.5904	9.2209	24.4877	13.6600	10.8277								
	S	63.874	66.179	69.121	62.482	64.847	45.371	89.417								

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 91 - Starrantino, Adrian (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	17.0515	6.7805	10.2710	9.7361	8.0117	158.7072	153.7455
	S	53.661	56.110	52.044	42.438	55.742	51.219	49.523
2	T	13.6854	4.4780	9.2074	8.9946	7.3443	161.3707	
	S	66.860	84.961	58.056	45.937	60.808	50.373	
3	T	12.5735	4.3625	8.2110	8.5447	7.2323	121.9892	
	S	72.772	87.210	65.101	48.355	61.750	66.635	
4	T	13.7353	4.6746	9.0607	8.7040	7.1247	148.7956	
	S	66.617	81.388	58.996	47.470	62.682	54.631	
5	T	13.0661	4.5961	8.4700	8.4904	7.1673	120.0230	
	S	70.029	82.778	63.110	48.665	62.310	67.727	
6	T	15.7290	4.9756	10.7534	9.1386	8.1318	124.9391	
	S	58.173	76.464	49.709	45.213	54.919	65.062	
7	T	21.8063	5.5764	16.2299	9.4311	7.4206	163.9274	
	S	41.960	68.226	32.936	43.811	60.183	49.588	
8	T	17.7159	6.3203	11.3956	10.1608	6.9784	161.0489	
	S	51.649	60.196	46.908	40.664	63.996	50.474	
9	T	13.5603	4.5860	8.9743	8.3482	7.0700	124.2545	
	S	67.476	82.960	59.564	49.494	63.167	65.421	
10	T	13.4670	4.6689	8.7981	8.4878	7.2042	120.5194	
	S	67.944	81.487	60.757	48.679	61.990	67.448	
11	T	21.1764	7.1889	13.9875	10.7591	7.1796	151.3203	
	S	43.208	52.922	38.216	38.403	62.203	53.719	
12	T	20.2266	7.8323	12.3943	9.5690	6.8031	161.0465	
	S	45.237	48.575	43.128	43.179	65.645	50.475	
13	T	13.0416	4.3262	8.7154	8.4099	7.0568	120.1953	
	S	70.160	87.942	61.333	49.130	63.285	67.630	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 96 - Furuseh, Henrik

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	11.6727	25.2359	14.3416	10.8943	26.4416	12.3968	14.0448	5.9059	32.7793	14.7475	8.7689	9.2629	21.7395	10.9682	10.7713
	S	44.159	54.576	55.861	52.884	60.055	49.995	68.935	64.881	43.493	47.481	43.776	36.877	48.989	46.498	51.526
2	T	11.3956	35.2139	18.9347	16.2792	29.3481	15.3375	14.0106	4.6002	28.5041	12.8698	8.0430	7.5913	19.3681	8.8936	10.4745
	S	45.233	39.112	42.310	35.391	54.108	40.409	69.104	83.297	50.017	54.409	47.726	44.998	54.987	57.345	52.986
3	T	5.9020	16.9714	10.9013	6.0701	23.7258	12.2504	11.4754	3.5988	26.2695	11.5574	7.5264	7.1857	17.4157	8.3415	9.0742
	S	87.336	81.153	73.490	94.914	66.929	50.592	84.370	106.475	54.271	60.587	51.002	47.538	61.152	61.140	61.162
4	T	5.8511	17.2567	11.2821	5.9746	22.0407	11.8968	10.1439	3.2964	24.3171	10.4284	7.1319	6.7568	16.7360	7.8967	8.8393
	S	88.095	79.811	71.010	96.431	72.046	52.096	95.445	116.243	58.629	67.146	53.823	50.555	63.635	64.584	62.788
5	T	5.5638	27.9240	21.1384	6.7856	23.2992	12.8405	10.4587	3.3495	24.7022	10.5276	7.4063	6.7683	17.2403	8.1644	9.0759
	S	92.644	49.322	37.900	84.906	68.155	48.267	92.572	114.400	57.715	66.513	51.829	50.469	61.774	62.466	61.151
6	T	6.3427	18.0568	11.4282	6.6286	22.7335	12.2066	10.5269	3.8425	27.4818	11.4265	8.0523	8.0030	23.7789	11.6345	12.1444
	S	81.267	76.274	70.102	86.917	69.851	50.774	91.972	99.722	51.877	61.281	47.671	42.683	44.788	43.835	45.700
7	T	9.9598	24.9135	15.9093	9.0042	29.6449	14.9463	14.6986	7.5644	33.2330	16.0487	8.5176	8.6667	20.7105	9.6833	11.0272
	S	51.754	55.282	50.356	63.985	53.566	41.467	65.869	50.656	42.900	43.631	45.067	39.414	51.423	52.668	50.330
8	T	9.4159	24.6729	15.6909	8.9820	30.3727	13.5276	16.8451	6.3050	35.2241	17.2854	9.7978	8.1409	22.0958	10.1671	11.9287
	S	54.743	55.821	51.057	64.143	52.282	45.815	57.476	60.774	40.475	40.510	39.179	41.960	48.199	50.162	46.526
9	T	6.4094	17.5656	11.3953	6.1703	21.4641	11.8256	9.6385	3.2817	24.4802	10.7747	7.1605	6.5450	16.9511	7.8516	9.0995
	S	80.422	78.407	70.304	93.373	73.982	52.409	100.449	116.763	58.238	64.988	53.608	52.191	62.828	64.955	60.992
10	T	5.7573	16.1028	10.3596	5.7432	20.9992	11.4010	9.5982	3.1780	23.3617	9.7460	7.0071	6.6086	17.4515	8.1387	9.3128
	S	89.531	85.530	77.333	100.316	75.620	54.361	100.871	120.573	61.026	71.848	54.782	51.689	61.026	62.664	59.595
11	T	6.2614	20.7669	12.8136	7.9533	31.4827	13.9836	17.4991	8.7765	35.2960	16.6953	9.8421	8.7586	23.2605	11.1926	12.0679
	S	82.323	66.321	62.522	72.440	50.439	44.321	55.328	43.660	40.392	41.942	39.002	39.001	45.786	45.566	45.990
12	T	10.9527	24.1958	15.7656	8.4302	29.0625	14.2796	14.7829	5.8742	32.6957	14.8853	9.0293	8.7811	22.5418	10.0446	12.4972
	S	47.062	56.922	50.815	68.342	54.639	43.403	65.493	65.231	43.605	47.042	42.513	38.901	47.246	50.774	44.410
13	T	5.6810	19.7303	12.8197	6.9106	21.1848	11.6368	9.5480	3.1569	24.3839	10.2833	7.3815	6.7191	17.0747	7.9007	9.1740
	S	90.733	69.805	62.493	83.370	74.957	53.260	101.402	121.379	58.468	68.094	52.003	50.839	62.373	64.551	60.497
14	T	6.9089	19.0353	12.0211	7.0142	22.1421	11.6462	10.4959	3.7970							
	S	74.607	72.354	66.644	82.139	71.717	53.217	92.244	100.917							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 96 - Furuseth, Henrik

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	17.9452	7.3329	10.6123	9.6550	7.4747	158.8498	153.7353
	S	50.989	51.883	50.370	42.795	59.747	51.173	49.526
2	T	13.8630	4.6738	9.1892	8.2135	6.4700	156.9765	
	S	66.003	81.402	58.171	50.305	69.025	51.784	
3	T	12.0273	4.2315	7.7958	11.0279	6.9285	123.8669	
	S	76.077	89.910	68.568	37.467	64.457	65.625	
4	T	12.0437	4.1208	7.9229	8.0220	6.2944	115.8581	
	S	75.973	92.325	67.468	51.506	70.951	70.162	
5	T	13.5142	4.7225	8.7917	8.4028	6.8659	130.8619	
	S	67.707	80.562	60.801	49.172	65.045	62.117	
6	T	22.3242	6.5661	15.7581	9.5697	7.9636	142.0937	
	S	40.987	57.942	33.922	43.176	56.079	57.207	
7	T	20.7555	6.3221	14.4334	9.3839	7.4359	163.6014	
	S	44.085	60.179	37.035	44.031	60.059	49.687	
8	T	18.4341	5.7257	12.7084	9.8265	6.4444	162.7914	
	S	49.636	66.447	42.062	42.048	69.299	49.934	
9	T	12.5799	4.2461	8.3338	8.1019	6.2851	117.1190	
	S	72.735	89.601	64.142	50.998	71.055	69.406	
10	T	12.7759	4.3674	8.4085	8.3138	6.4565	114.3967	
	S	71.619	87.112	63.572	49.698	69.169	71.058	
11	T	20.1360	8.0223	12.1137	10.3371	8.1952	164.5123	
	S	45.441	47.425	44.127	39.971	54.494	49.412	
12	T	20.5642	7.3919	13.1723	10.2909	6.4243	162.6021	
	S	44.495	51.469	40.581	40.150	69.516	49.992	
13	T	12.4069	4.2148	8.1921	8.2738	6.2885	118.1808	
	S	73.749	90.266	65.251	49.939	71.017	68.783	
14	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 97 - Toppe, Clark

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	11.1163	23.2968	14.1732	9.1236	27.3571	12.8826	14.4745	6.0849	33.7753	16.0229	8.7847	8.9677	22.9517	11.0462	11.9055
	S	46.369	59.119	56.525	63.148	58.045	48.109	66.889	62.973	42.211	43.702	43.697	38.091	46.402	46.170	46.617
2	T	10.7623	37.0394	20.7698	16.2696	31.0607	16.5033	14.5574	4.9232	27.9588	12.7792	7.7847	7.3949	19.0356	8.7756	10.2600
	S	47.894	37.184	38.572	35.412	51.124	37.554	66.508	77.832	50.992	54.794	49.310	46.193	55.948	58.116	54.094
3	T	7.5653	20.6118	12.5229	8.0889	28.6079	13.7398	14.8681	4.7114	27.5532	12.7092	7.7003	7.1437	18.0380	8.4213	9.6167
	S	68.134	66.820	63.974	71.226	55.508	45.108	65.118	81.331	51.743	55.096	49.850	47.817	59.042	60.561	57.712
4	T	7.3915	20.3177	12.6104	7.7073	24.6440	12.3598	12.2842	4.0920	25.1035	11.1207	7.2230	6.7598	17.7964	8.2837	9.5127
	S	69.736	67.787	63.530	74.752	64.436	50.144	78.815	93.642	56.792	62.966	53.145	50.533	59.844	61.567	58.343
5	T	6.7434	211.8581	203.7510	8.1071	25.6123	13.3668	12.2455	4.1349	26.4466	11.9576	7.2851	7.2039	19.1864	9.0076	10.1788
	S	76.438	6.501	3.932	71.066	62.000	46.367	79.064	92.670	53.908	58.559	52.692	47.417	55.508	56.619	54.525
6	T				6.7315	22.5968	12.7614	9.8354	3.4774	25.5246	11.3167	7.4186	6.7893	19.5097	9.5075	10.0022
	S				85.588	70.273	48.566	98.438	110.192	55.855	61.876	51.743	50.313	54.588	53.642	55.488
7	T	6.0281	17.9480	11.2031	6.7449	22.0543	12.4095	9.6448	3.4543	25.0828	10.9386	7.3278	6.8164	17.8980	8.6587	9.2393
	S	85.509	76.737	71.510	85.418	72.002	49.943	100.384	110.929	56.839	64.014	52.385	50.113	59.504	58.900	60.069
8	T	5.6820	18.0700	11.4718	6.5982	23.1669	12.5959	10.5710	3.4489	24.6950	10.7709	7.2666	6.6575	17.6378	8.3226	9.3152
	S	90.717	76.219	69.835	87.317	68.544	49.204	91.588	111.103	57.732	65.011	52.826	51.309	60.382	61.279	59.580
9	T	5.9649	18.5279	12.0611	6.4668	21.9261	12.2572	9.6689	3.3830	24.2541	10.4798	7.1115	6.6628	17.7058	8.5174	9.1884
	S	86.415	74.335	66.423	89.091	72.423	50.564	100.134	113.267	58.781	66.817	53.978	51.268	60.150	59.877	60.402
10	T	6.2327	18.7768	12.3369	6.4399	22.3205	12.4265	9.8940	3.3457	24.3174	10.4655	7.2568	6.5951	17.9844	8.4762	9.5082
	S	82.702	73.350	64.938	89.464	71.143	49.875	97.855	114.530	58.628	66.908	52.897	51.795	59.218	60.168	58.371
11	T	5.9866	17.5678	11.2623	6.3055	23.3703	12.3841	10.9862	4.7093	30.5106	12.8949	9.1866	8.4291	23.1046	11.0351	12.0695
	S	86.101	78.398	71.134	91.370	67.948	50.046	88.127	81.367	46.727	54.303	41.785	40.525	46.095	46.216	45.984
12	T	6.7706	19.4573	12.4422	7.0151	22.6083	12.5060	10.1023	3.9219	25.8369	11.7080	7.3948	6.7341	17.9444	8.6039	9.3405
	S	76.131	70.784	64.389	82.128	70.238	49.558	95.838	97.703	55.180	59.808	51.910	50.726	59.350	59.275	59.419
13	T	6.8896	20.0696	13.0224	7.0472											
	S	74.816	68.625	61.520	81.754											

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 97 - Toppe, Clark

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	16.5723	6.3284	10.2439	9.9681	8.6485	159.7710		154.4647	
	S	55.213	60.119	52.182	41.450	51.638	50.878		49.292	
2	T	15.5150	5.7334	9.7816	8.5561	7.1842	162.0353			
	S	58.975	66.358	54.648	48.291	62.163	50.167			
3	T	14.5179	5.6530	8.8649	8.2387	7.0548	136.8990			
	S	63.026	67.301	60.299	50.151	63.303	59.378			
4	T	15.8314	5.1842	10.6472	13.7015	7.2453	147.7089			
	S	57.797	73.387	50.205	30.156	61.639	55.033			
5	T	15.7859	5.0763	10.7096			333.7126	59.3460		318.9416
	S	57.963	74.947	49.913			24.359	15.131		24.088
6	T	13.3148	4.4640	8.8508	8.6466	7.1151	163.1607		118.5857	
	S	68.721	85.227	60.395	47.785	62.767	49.821		64.206	
7	T	12.8338	4.1225	8.7113	8.0425	6.8319	120.1737			
	S	71.296	92.287	61.362	51.375	65.368	67.642			
8	T	12.5174	4.1753	8.3421	9.0806	6.9519	121.2505			
	S	73.098	91.120	64.078	45.502	64.240	67.041			
9	T	12.5530	4.1155	8.4375	8.4858	7.1933	119.9939			
	S	72.891	92.444	63.354	48.691	62.084	67.743			
10	T	13.2196	4.4060	8.8136	8.3545	6.9557	121.5073			
	S	69.215	86.349	60.650	49.456	64.205	66.900			
11	T	19.2345	6.3600	12.8745	10.6340	8.1276	143.2453			
	S	47.571	59.820	41.520	38.855	54.947	56.747			
12	T	13.6896	4.1870	9.5026	8.7957	7.2171	126.2418			
	S	66.839	90.866	56.253	46.975	61.880	64.391			
13	T									
	S									

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 98 - Herta, Colton (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	11.7472	25.1886	14.4541	10.7345	26.2050	12.5889	13.6161	6.2633	32.5754	14.5874	8.8704	9.1176	22.1379	10.9422	11.1957
	S	43.879	54.678	55.426	53.671	60.597	49.232	71.106	61.179	43.766	48.002	43.275	37.465	48.108	46.609	49.573
2	T	11.1583	35.6677	19.6334	16.0343	29.2226	15.1163	14.1063	5.4352	44.7506	30.4980	7.5112	6.7414	16.4705	7.7655	8.7050
	S	46.195	38.614	40.805	35.931	54.340	41.000	68.635	70.500	31.858	22.960	51.106	50.671	64.661	65.675	63.756
3	T	6.1173	17.9936	11.6627	6.3309	21.3969	11.8926	9.5043	3.5146	26.1528	12.0320	7.2769	6.8439	17.4639	8.2676	9.1963
	S	84.262	76.542	68.692	91.004	74.214	52.114	101.868	109.026	54.514	58.197	52.751	49.912	60.983	61.687	60.350
4	T	6.0975	16.7966	10.5346	6.2620	21.5203	12.1425	9.3778	3.3319	25.3107	11.0395	7.3437	6.9275	18.0736	8.4088	9.6648
	S	84.535	81.997	76.048	92.005	73.789	51.042	103.242	115.004	56.327	63.429	52.271	49.309	58.926	60.651	57.425
5	T				7.0631	22.0120	12.1455	9.8665	3.6799	26.2732	11.6737	7.5006	7.0989	18.8994	8.5401	10.3593
	S				81.570	72.140	51.029	98.128	104.128	54.264	59.983	51.178	48.119	56.351	59.718	53.575
6	T	6.0753	16.9093	10.6751	6.2342	21.9364	12.1525	9.7839	3.2459	24.0024	10.4987	6.9243	6.5794	16.6243	7.7239	8.9004
	S	84.844	81.451	75.047	92.415	72.389	51.000	98.957	118.051	59.397	66.697	55.437	51.918	64.063	66.029	62.357
7	T	5.9728	16.6893	10.4675	6.2218	21.9333	12.4805	9.4528	3.2425	25.5652	11.5197	7.2845	6.7610	21.4087	9.8160	11.5927
	S	86.300	82.524	76.536	92.600	72.399	49.659	102.423	118.175	55.767	60.785	52.696	50.524	49.746	51.956	47.875
8	T	5.7529	24.6837	17.0049	7.6788	21.1919	11.9744	9.2175	3.1452	24.1248	10.6783	6.9878	6.4587	16.5454	7.7727	8.7727
	S	89.599	55.797	47.112	75.029	74.932	51.758	105.037	121.831	59.096	65.575	54.933	52.888	64.368	65.614	63.264
9	T	5.9299	17.6136	11.4626	6.1510	21.0150	11.8167	9.1983	4.6649	27.2366	12.7026	7.4652	7.0688	18.7405	8.9186	9.8219
	S	86.925	78.194	69.891	93.665	75.563	52.449	105.257	82.141	52.344	55.125	51.420	48.324	56.829	57.184	56.506
10	T	6.3106	17.8655	11.5812	6.2843	22.7543	12.1880	10.5663	3.9313	26.4528	11.9638	7.6426	6.8464	19.6127	9.2262	10.3865
	S	81.681	77.091	69.176	91.679	69.787	50.851	91.629	97.469	53.895	58.529	50.227	49.894	54.302	55.277	53.435
11	T	9.4086	27.5635	17.1148	10.4487	25.7301	13.1171	12.6130	6.5113	32.2504	14.4537	9.5916	8.2051	22.3177	10.2559	12.0618
	S	54.785	49.967	46.810	55.140	61.716	47.249	76.761	58.849	44.207	48.446	40.021	41.632	47.720	49.727	46.013
12	T	6.2591	17.7204	11.2379	6.4825	21.2045	11.8838	9.3207	3.6511	25.8178	11.8964	7.1168	6.8046	17.5905	8.3142	9.2763
	S	82.353	77.722	71.289	88.876	74.888	52.153	103.874	104.950	55.221	58.860	53.938	50.200	60.544	61.341	59.830
13	T	6.3591	20.5063	12.0390	8.4673		13.6830									
	S	81.058	67.163	66.545	68.043		45.295									

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 2

Round 10/11/12
2.258 mile(s)
USF2000
August 2, 2014



Section Data for Car 98 - Herta, Colton (R)






Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	17.7142	6.9761	10.7381	9.7334	7.1066	158.6716		153.4363	
	S	51.653	54.537	49.780	42.450	62.842	51.230		49.622	
2	T	12.0311	4.1003	7.9308	8.4963	7.0582	170.2905			
	S	76.053	92.787	67.401	48.631	63.273	47.735			
3	T	13.0387	4.2940	8.7447	8.3894	6.6902	120.7574			
	S	70.176	88.601	61.128	49.250	66.753	67.315			
4	T	12.1723	3.9898	8.1825			314.5661	58.4763		301.8125
	S	75.171	95.357	65.328			25.841	15.356		25.455
5	T	14.3701	4.5360	9.8341	8.6133	7.1972	167.9035		122.1808	
	S	63.674	83.874	54.356	47.970	62.051	48.414		62.316	
6	T	12.4762	4.0924	8.3838	8.7217	7.6144	117.6059			
	S	73.340	92.966	63.759	47.374	58.651	69.119			
7	T	17.3654	7.6031	9.7623	8.1487	6.7105	127.0364			
	S	52.691	50.039	54.756	50.705	66.551	63.988			
8	T	12.2189	4.0956	8.1233	8.5632	6.6450	122.8710			
	S	74.884	92.893	65.804	48.251	67.207	66.157			
9	T	14.0179	4.8213	9.1966	9.9060	7.4853	126.6097			
	S	65.274	78.911	58.124	41.710	59.662	64.204			
10	T	17.6951	5.7289	11.9662	10.4692	7.2894	132.3809			
	S	51.709	66.410	44.671	39.466	61.266	61.405			
11	T	19.9682	7.4668	12.5014	10.4582	6.9156	161.1236			
	S	45.823	50.953	42.759	39.508	64.577	50.451			
12	T	12.8877	4.1685	8.7192	8.4791	6.5920	120.2022			
	S	70.998	91.269	61.307	48.729	67.747	67.626			
13	T									
	S									


Event:
Track:
Report: Section Data Report
Session:

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2	0.382576 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3	0.441098 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5	0.396023 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6	0.295833 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7	0.254167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles
SF to PI	2.134091 miles
I7 to PI	0.114773 miles
PO to I2	0.382576 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data



PO to PI	2.008712 miles
----------	----------------