

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 12 - Lerch, Augie (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.4273	2.3166	12.3139	10.7832	19.8835	12.1465	6.9922	15.5782	9.0552	8.2134	20.4168	124.1268		139.3654	
	S	110.643	52.094	88.813	62.977	75.508	66.068	82.690	84.778	104.209	102.853	62.148	79.467		70.782	
2	T	6.2488	2.1108	12.1801	9.9005	19.3853	11.8052	6.8289	15.3282	9.8698	8.6201	19.1855	121.4632			
	S	113.804	57.173	89.789	68.592	77.449	67.979	84.667	86.160	95.608	98.000	66.137	81.210			
3	T	6.2535	2.0660	11.9878	9.4951	18.8382	11.2772	6.6161	15.3074	9.1904	8.2954	19.5544	118.8815			108.9226
	S	113.718	58.413	91.229	71.520	79.698	71.161	87.390	86.277	102.676	101.836	64.889	82.973			81.275
4	T				10.3606	19.1827	11.5347	6.6435	15.1613	8.8599	8.1661	19.0221	426.2357	313.3205	121.5006	
	S				65.546	78.267	69.573	87.030	87.109	106.506	103.449	66.705	23.142	3.788	81.189	
5	T	6.2842	1.9288	11.8457	9.4619	18.2976	11.0646	6.3858	14.6464	8.2495	7.8049	18.4602	114.4296			
	S	113.163	62.568	92.323	71.771	82.052	72.529	90.542	90.171	114.387	108.236	68.735	86.201			
6	T	6.2271	1.9350	11.5785	8.9663	18.1198	10.8815	6.3562	14.6734	8.2862	7.7233	18.1977	112.9450			
	S	114.200	62.368	94.454	75.738	82.858	73.749	90.963	90.005	113.880	109.380	69.727	87.335			
7	T	6.2053	1.8773	11.4867	8.8871	17.5664	10.8060	6.0803	14.4644	7.9963	7.7483	17.8336	110.9517			
	S	114.601	64.285	95.209	76.413	85.468	74.264	95.091	91.306	118.009	109.027	71.150	88.904			
8	T	6.2001	1.8083	11.4149	8.7487	17.5397	10.6004	5.9674	14.4429	8.0106	7.6560	17.6972	110.0862			
	S	114.698	66.738	95.808	77.622	85.598	75.705	96.890	91.442	117.798	110.341	71.699	89.603			
9	T	6.1593	1.8389	11.3137	8.5495	17.5591	10.6165	6.0148	14.1034	7.8402	7.5603	17.3351	108.8908			
	S	115.457	65.627	96.665	79.430	85.503	75.590	96.127	93.643	120.359	111.738	73.196	90.586			
10	T	6.2086	1.6956	11.4052	8.3235	17.1475	10.5795	5.8860	14.0941	7.7092	7.2868	16.9012	107.2372			
	S	114.541	71.174	95.889	81.587	87.556	75.854	98.230	93.705	122.404	115.932	75.075	91.983			
11	T	6.1696	1.7053	11.2200	8.1203	17.0174	10.3500	5.8478	14.0893	7.5669	7.1434	17.4689	106.6989			
	S	115.265	70.769	97.472	83.629	88.225	77.536	98.872	93.737	124.706	118.259	72.636	92.447			
12	T	6.1592	1.6933	11.1590	8.0814	16.7414	10.4856	5.6691	14.1446	7.5234	7.0581	16.6301	105.3452			
	S	115.459	71.270	98.005	84.031	89.680	76.534	101.988	93.370	125.427	119.688	76.299	93.635			
13	T	6.1505	1.7002	11.0654	8.1817	16.8423	10.4331	5.9264	14.0570	7.4794	7.0469	16.3781	105.2610			106.8289
	S	115.623	70.981	98.834	83.001	89.142	76.919	97.560	93.952	126.165	119.879	77.473	93.710			82.868
14	T											26.3556				
	S											48.144				

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 16 - Dayson, James

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.7969	2.2724	13.8130	9.7477	20.4315	12.4629	7.2159	16.5730	9.5090	8.6819	20.7108	128.2150		137.8817	
	S	104.627	53.108	79.174	69.667	73.483	64.391	80.126	79.689	99.236	97.303	61.266	76.933		71.544	
2	T	6.4247	2.1647	12.8075	9.5167	21.7846	12.8261	7.5674	16.6413	9.0546	8.4996	19.3634	126.6506			
	S	110.688	55.750	85.390	71.358	68.919	62.568	76.404	79.362	104.216	99.390	65.529	77.884			
3	T	6.3780	2.0509	12.6001	10.3238	20.0458	12.1750	6.9635	16.1326	9.5770	8.5867	19.7103	124.5437			114.8613
	S	111.498	58.843	86.796	65.779	74.897	65.914	83.030	81.864	98.532	98.382	64.376	79.201			77.073
4	T				10.3657	19.7162	12.1518	6.8958	15.9664	9.0764	8.2817	20.0579	422.8772	304.0505	127.4216	
	S				65.513	76.149	66.040	83.846	82.716	103.966	102.005	63.260	23.326	3.903	77.417	
5	T	6.3158	2.0206	12.3938	9.2466	18.5312	11.4608	6.6940	15.4464	9.6296	8.5646	18.8594	119.1628			
	S	112.596	59.726	88.241	73.442	81.018	70.021	86.373	85.501	97.993	98.635	67.280	82.778			
6	T	6.3038	1.8751	12.3027	8.9348	18.2959	11.3540	6.6856	15.4211	8.2864	8.0109	18.4777	115.9480			
	S	112.811	64.360	88.894	76.005	82.060	70.680	86.482	85.641	113.878	105.453	68.670	85.073			
7	T	6.3858	2.1308	12.2804	9.1402	18.2663	11.1235	6.3720	14.9522	8.1394	7.6410	18.0504	114.4820			
	S	111.362	56.637	89.055	74.297	82.193	72.145	90.738	88.327	115.934	110.558	70.296	86.162			
8	T	6.3116	1.9238	11.7680	8.8287	18.0215	11.0846	6.2495	14.8110	8.5119	7.7553	17.5931	112.8590			
	S	112.671	62.731	92.933	76.919	83.310	72.398	92.516	89.169	110.861	108.928	72.123	87.401			
9	T	6.2675	2.1242	11.8888	8.8257	17.8376	10.9269	6.2164	14.7570	7.9374	7.9718	18.0710	112.8243			
	S	113.464	56.813	91.989	76.945	84.168	73.443	93.009	89.495	118.885	105.970	70.215	87.428			
10	T	6.2554	1.9783	11.7215	8.6261	17.6073	10.8221	6.0835	14.4184	7.8463	7.4372	17.3608	110.1569			
	S	113.684	61.003	93.302	78.725	85.269	74.154	95.041	91.597	120.265	113.587	73.088	89.545			
11	T	6.2429	1.9479	11.8099	8.5063	17.4441	10.6093	5.9669	14.1247	7.6245	7.3178	17.3682	108.9625			
	S	113.911	61.955	92.603	79.834	86.067	75.641	96.898	93.502	123.764	115.441	73.057	90.527			
12	T	6.2203	2.0747	11.7423	8.1731	17.1145	10.5051	5.9184	14.1887	7.5220	7.0462	17.2156	107.7209			
	S	114.325	58.168	93.136	83.089	87.725	76.391	97.692	93.080	125.450	119.891	73.704	91.570			
13	T	6.3026	1.9855	12.2076	8.4300	17.5566	10.7160	6.0617	14.2272	7.7024	7.3098	17.8246				100.5953
	S	112.832	60.782	89.587	80.556	85.516	74.888	95.383	92.828	122.512	115.567	71.186				88.003

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 17 - Franzoni, Victor

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.2776	2.0572	11.9406	9.2768	18.4907	10.9668	6.2697	15.0429	7.9862	7.7351	18.6193	114.6629		125.4820	
	S	113.282	58.663	91.590	73.203	81.196	73.175	92.218	87.794	118.158	109.213	68.148	86.026		78.613	
2	T	6.1515	1.9062	11.5615	8.8788	18.1478	10.8789	6.0601	14.8870	7.9005	7.5784	17.8985	111.8492			
	S	115.604	63.310	94.593	76.485	82.730	73.767	95.408	88.714	119.440	111.471	70.892	88.190			
3	T	6.1661	1.8666	11.4847	8.7992	17.5720	10.5838	5.9158	14.6812	8.0708	7.5367	17.6636	110.3405			102.1938
	S	115.330	64.653	95.226	77.176	85.441	75.823	97.735	89.957	116.920	112.088	71.835	89.396			86.627
4	T				9.0682	17.8757	11.0890	6.3008	14.5124	7.7035	7.3856	17.9503	460.5081	354.1893	113.7698	
	S				74.887	83.989	72.369	91.763	91.004	122.494	114.381	70.688	21.420	3.353	86.706	
5	T	6.1472	1.8231	11.2178	8.6995	17.3623	10.6953	5.9219	14.3509	7.6134	7.2541	17.2783	108.3638			
	S	115.685	66.196	97.491	78.061	86.473	75.033	97.635	92.028	123.944	116.455	73.437	91.027			
6	T	6.1844	1.7195	11.2251	8.5160	16.8691	10.1923	5.5181	13.8157	7.5651	7.1682	17.1087	105.8822			
	S	114.989	70.184	97.428	79.743	89.001	78.736	104.779	95.593	124.735	117.850	74.165	93.160			
7	T	6.1153	1.6995	11.0211	8.0357	16.6231	10.1264	5.5645	13.8785	7.4881	7.1195	16.7092	104.3809			
	S	116.288	71.010	99.231	84.509	90.318	79.248	103.905	95.160	126.018	118.656	75.938	94.500			
8	T	5.9775	1.7577	10.9328	8.5990	17.0052	10.0650	5.5204	13.6706	7.5099	7.1471	16.5568	104.7420			
	S	118.969	68.659	100.033	78.973	88.289	79.732	104.735	96.607	125.652	118.198	76.637	94.174			
9	T	6.1112	1.7039	10.9228	8.1076	16.4343	9.9327	5.4060	13.4812	7.4549	7.0215	16.5864	103.1625			
	S	116.366	70.827	100.124	83.760	91.355	80.794	106.952	97.965	126.579	120.312	76.500	95.616			
10	T	6.0889	1.6471	10.9340	7.6941	16.3390	9.9060	5.3951	13.5155	7.4505	7.0353	16.1062	102.1117			
	S	116.792	73.269	100.022	88.261	91.888	81.012	107.168	97.716	126.654	120.076	78.781	96.600			
11	T	6.0831	1.6323	10.9180	7.5115	16.3484	9.9096	5.3804	13.5227	7.4422	7.0103	15.8422	101.6007			
	S	116.904	73.934	100.168	90.407	91.836	80.982	107.461	97.664	126.795	120.505	80.094	97.086			
12	T	6.0908	1.6441	10.9962	7.4287	16.2819	10.0880	5.5444	13.6867	7.4521	6.9922	15.8622	102.0673			
	S	116.756	73.403	99.456	91.415	92.211	79.550	104.282	96.494	126.627	120.816	79.993	96.642			
13	T	6.1025	1.6484	10.8964	7.3355	16.2715	9.8514	5.3652	13.4387	7.4266	6.9746	15.7076	101.0184			
	S	116.532	73.211	100.367	92.576	92.270	81.461	107.765	98.275	127.062	121.121	80.780	97.646			
14	T	6.0714	1.6421	10.8812	7.5229	16.5386	10.0224	5.5087	13.4863	7.3937	6.9715	16.1624				94.5069
	S	117.129	73.492	100.507	90.270	90.779	80.071	104.958	97.928	127.627	121.175	78.507				93.673

Event: Cooper Tires GP of Louisiana  
 Track: NOLA Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 3 / 4  
 2.74 mile(s)  
 USF2000  
 April 10, 2015



Section Data for Car 2 - Jamin, Nico

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.0830	1.9144	11.3532	9.1292	17.6520	10.6766	5.9364	14.1645	7.6826	7.3077	18.3570	110.2566		117.5735	
	S	116.906	63.039	96.328	74.387	85.053	75.164	97.396	93.239	122.828	115.600	69.122	89.464		83.901	
2	T	6.0355	1.8072	11.0913	8.5739	16.9733	10.2887	5.7595	14.0089	7.4992	7.1043	18.2826	107.4244			
	S	117.826	66.778	98.603	79.204	88.454	77.998	100.388	94.274	125.832	118.910	69.403	91.823			
3	T	6.0636	1.7477	11.2007	8.3142	16.9215	10.2369	5.5887	14.2215	7.5534	7.1547	17.1077	106.1106			96.6735
	S	117.280	69.052	97.640	81.678	88.725	78.393	103.456	92.865	124.929	118.072	74.169	92.960			91.573
4	T				8.7459	16.8279	10.2503	5.6595	13.8242	7.4385	7.0456	16.8351	197.0574	96.8168	109.1623	
	S				77.647	89.219	78.290	102.161	95.534	126.858	119.901	75.370	50.056	12.257	90.366	
5	T	6.0692	1.6901	11.1802	8.2878	16.7554	10.0603	5.5417	13.7758	7.3661	6.9261	16.6704	104.3231			
	S	117.171	71.405	97.819	81.939	89.605	79.769	104.333	95.870	128.105	121.969	76.115	94.552			
6	T	6.0669	1.5939	11.0681	8.1888	16.5295	10.0123	5.5220	13.6198	7.3501	6.9121	16.6322	103.4957			
	S	117.216	75.715	98.810	82.929	90.829	80.151	104.705	96.968	128.384	122.217	76.290	95.308			
7	T	6.0793	1.5653	11.2142	8.0184	16.4986	10.1267	5.6365	13.5689	7.2993	6.8345	16.3821	103.2238			
	S	116.977	77.098	97.522	84.692	90.999	79.246	102.578	97.332	129.278	123.604	77.454	95.559			
8	T	6.0268	1.6257	10.9843	7.8173	16.3271	9.9373	5.3957	13.4811	7.3198	6.8644	16.1457	101.9252			
	S	117.996	74.234	99.564	86.870	91.955	80.756	107.156	97.965	128.916	123.066	78.588	96.777			
9	T	6.0576	1.5664	11.0032	7.8670	16.4676	9.8907	5.5120	13.5458	7.3259	6.8679	16.3823				94.6309
	S	117.396	77.044	99.393	86.321	91.171	81.137	104.895	97.498	128.808	123.003	77.453				93.550

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 22 - Eidson, Jake

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.1522	1.9434	11.9627	8.8059	18.7333	10.9749	6.2401	15.9462	8.2061	7.7982	18.1846	114.9476		121.0646	
	S	115.591	62.098	91.421	77.118	80.144	73.121	92.656	82.821	114.992	108.329	69.777	85.813		81.482	
2	T	6.1029	1.8434	11.7161	8.7896	17.8733	10.7447	6.0914	15.1083	8.0370	7.6335	17.9933	111.9335			
	S	116.524	65.467	93.345	77.261	84.000	74.688	94.918	87.414	117.412	110.666	70.519	88.124			
3	T	6.0811	1.7991	11.6183	8.5742	17.3592	10.6652	5.7898	14.7472	8.0686	7.7323	17.6324	110.0674			
	S	116.942	67.079	94.130	79.202	86.488	75.245	99.862	89.555	116.952	109.252	71.962	89.618			
4	T	6.6501	1.8641	11.4425	9.6594	17.7215	11.2548	6.1731	14.5605	7.9326	7.5313	17.6751	112.4650			105.6706
	S	106.936	64.740	95.577	70.304	84.720	71.303	93.662	90.703	118.957	112.168	71.788	87.707			83.777
5	T				10.2004	17.7485	10.8146	6.2117	14.8427	7.8973	7.4131	18.5075	354.3005	245.6605	115.3329	
	S				66.575	84.591	74.205	93.079	88.979	119.488	113.957	68.559	27.841	4.831	85.531	
6	T	5.9872	1.8207	11.3325	8.2075	17.5119	10.4066	5.6218	14.1319	7.5761	7.2296	17.7270	107.5528			
	S	118.776	66.283	96.504	82.740	85.734	77.115	102.846	93.454	124.554	116.849	71.578	91.713			
7	T	6.0340	1.7582	11.1715	8.3336	16.9779	10.3254	5.5313	13.9758	7.4361	7.0545	16.9443	105.5426			
	S	117.855	68.639	97.895	81.488	88.430	77.721	104.529	94.498	126.899	119.749	74.884	93.460			
8	T	6.0181	1.7094	11.0706	8.1918	16.6613	10.2513	5.4857	13.7053	7.3286	6.9174	16.7321	104.0716			
	S	118.166	70.599	98.787	82.899	90.111	78.283	105.398	96.363	128.761	122.123	75.834	94.781			
9	T	6.0177	1.6626	11.0395	7.9913	16.6919	10.0827	5.3979	13.6048	7.3060	6.8831	16.5998	103.2773			
	S	118.174	72.586	99.066	84.979	89.946	79.592	107.112	97.075	129.159	122.731	76.438	95.510			
10	T	6.0225	1.6696	11.0308	7.8953	16.6668	10.0956	5.4169	13.4519	7.2906	6.8596	16.4289	102.8285			
	S	118.080	72.282	99.144	86.012	90.081	79.490	106.737	98.178	129.432	123.152	77.234	95.927			
11	T	5.9952	1.6420	10.9551	7.6211	16.4645	10.1336	5.4099	13.5550	7.2604	6.7988	16.1947	102.0303			
	S	118.618	73.497	99.829	89.107	91.188	79.192	106.875	97.431	129.970	124.253	78.351	96.677			
12	T	5.9015	1.7646	10.8118	8.5244	17.1695	10.0022	5.3982	13.4631	7.2708	6.8164	16.7698	103.8923			
	S	120.501	68.390	101.152	79.664	87.444	80.232	107.106	98.096	129.784	123.932	75.664	94.944			
13	T	5.8976	1.6071	10.9342	7.5984	16.4902	10.4008	5.3878	13.4066	7.2755	6.8374	16.2494	102.0850			
	S	120.581	75.093	100.020	89.373	91.046	77.158	107.313	98.510	129.701	123.552	78.087	96.625			
14	T	5.9895	1.6094	10.8289	7.4498	16.2094	9.9733	5.3918	13.3817	7.2608	6.8196	15.8833	100.7975			93.8367
	S	118.731	74.986	100.992	91.156	92.623	80.465	107.234	98.693	129.963	123.874	79.887	97.860			94.342
15	T											16.6506				
	S											76.205				

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 23 - Luo, Yufeng (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.2148	2.2251	12.0766	9.3975	19.5979	11.6363	6.4150	15.3684	8.2221	7.8962	20.1801	119.2300		126.5901	
	S	114.426	54.237	90.558	72.263	76.608	68.965	90.130	85.935	114.768	106.985	62.877	82.731		77.925	
2	T	6.0909	2.0795	11.9150	9.2443	18.6093	11.2745	6.2381	14.8971	7.9898	7.6326	18.6884	114.6595			
	S	116.754	58.034	91.787	73.461	80.678	71.178	92.686	88.654	118.105	110.680	67.896	86.029			
3	T	6.0780	1.9684	11.9136	9.5478	18.3014	11.2509	6.2813	14.9925	7.9581	7.5835	18.2004	114.0759			
	S	117.002	61.310	91.797	71.125	82.035	71.328	92.048	88.089	118.576	111.396	69.716	86.469			
4	T	8.6753	2.1039	14.9300	12.4669	21.4344	12.4763	7.8147	16.1242	9.2004	8.1101	18.5122	131.8484			121.9739
	S	81.973	57.361	73.251	54.472	70.045	64.322	73.988	81.907	102.565	104.163	68.542	74.813			72.579
5	T				10.0549	18.9030	11.1813	6.1948	14.9301	8.0093	7.5260	19.9730	324.3288	211.2681	119.4794	
	S				67.538	79.425	71.772	93.333	88.458	117.818	112.247	63.529	30.414	5.617	82.563	
6	T	6.0329	2.0816	11.5456	8.9987	18.0913	10.9027	5.9658	14.4262	7.7074	7.2886	18.4631	111.5039			
	S	117.876	57.976	94.723	75.465	82.988	73.606	96.916	91.547	122.433	115.903	68.724	88.463			
7	T	6.0504	1.9743	11.4096	8.8697	17.3026	10.5418	5.7705	14.2678	7.5521	7.1692	17.9814	108.8894			
	S	117.535	61.126	95.852	76.563	86.771	76.126	100.196	92.564	124.950	117.834	70.565	90.587			
8	T	6.0161	1.8524	11.1729	8.7186	17.1718	10.3798	5.6353	14.0352	7.3896	7.0561	17.4030	106.8308			
	S	118.206	65.149	97.883	77.890	87.432	77.314	102.600	94.098	127.698	119.722	72.911	92.333			
9	T	5.9927	1.7811	11.0862	8.2554	16.9708	10.2224	5.5658	13.7726	7.3199	6.9210	17.0617	104.9496			
	S	118.667	67.757	98.648	82.260	88.467	78.504	103.881	95.892	128.914	122.059	74.369	93.988			
10	T	5.9896	1.8038	11.0650	8.1653	16.7290	10.1923	5.5812	13.7419	7.3057	6.8803	16.8589	104.3130			
	S	118.729	66.904	98.837	83.168	89.746	78.736	103.595	96.106	129.164	122.781	75.264	94.562			
11	T	5.9777	1.7461	10.9824	8.9602	18.0801	10.1895	5.5290	13.7136	7.2909	6.8779	16.7651	106.1125			
	S	118.965	69.115	99.581	75.790	83.040	78.758	104.573	96.305	129.427	122.824	75.685	92.958			
12	T	5.9791	1.7303	10.8893	8.4158	16.7861	10.2375	5.6891	13.9600	7.3113	6.8865	16.7113	104.5963			
	S	118.937	69.746	100.432	80.692	89.441	78.388	101.630	94.605	129.065	122.671	75.928	94.305			
13	T	5.9906	1.7226	10.8677	8.1358	16.6777	10.0988	5.5046	13.5605	7.2796	6.8566	16.8460	103.5405			
	S	118.709	70.058	100.632	83.469	90.022	79.465	105.036	97.392	129.628	123.206	75.321	95.267			
14	T	5.9966	1.6566	10.8654	8.2309	16.5812	9.9995	5.4693	13.5358	7.2667	6.8599	16.5853	103.0472			96.5899
	S	118.590	72.849	100.653	82.505	90.546	80.254	105.714	97.570	129.858	123.147	76.505	95.723			91.653
15	T											17.8555				
	S											71.063				

Event: Cooper Tires GP of Louisiana  
 Track: NOLA Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 3 / 4  
 2.74 mile(s)  
 USF2000  
 April 10, 2015



Section Data for Car 3 - Telitz, Aaron

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.1963	1.9575	11.6091	9.2136	17.3329	10.4904	5.8754	14.1486	7.7539	7.4163	17.9707	109.9647		118.0026	
	S	114.768	61.651	94.205	73.705	86.619	76.499	98.407	93.344	121.698	113.908	70.607	89.702		83.596	
2	T	6.1177	1.7301	11.4142	8.4378	16.8383	10.2988	5.7891	14.1993	7.5290	7.1390	16.9796	106.4729			
	S	116.242	69.754	95.814	80.482	89.164	77.922	99.874	93.010	125.334	118.332	74.729	92.643			
3	T	6.0814	1.7054	11.1376	8.1427	16.6745	10.2096	5.7070	13.8115	7.5117	7.1223	16.6597	104.7634			
	S	116.936	70.765	98.193	83.399	90.039	78.602	101.311	95.622	125.622	118.610	76.164	94.155			
4	T	6.0671	1.7256	11.0929	8.4924	16.5758	10.0138	5.5541	13.6539	7.4152	6.9830	16.5636	104.1374			123.8965
	S	117.212	69.936	98.589	79.965	90.576	80.139	104.100	96.726	127.257	120.976	76.606	94.721			71.453
5	T				8.4545	16.7157	10.1458	5.6593	13.6522	7.4461	7.0682	45.1883	187.8392	59.7850	108.3000	
	S				80.323	89.818	79.097	102.165	96.738	126.729	119.517	28.079	52.513	19.850	91.085	
6	T	6.0866	1.6962	11.0164	7.9523	16.3947	9.9466	5.5651	13.6237	7.3775	6.9350	16.6744	103.2685			
	S	116.836	71.148	99.273	85.396	91.576	80.681	103.894	96.940	127.907	121.813	76.097	95.518			
7	T	6.0581	1.6369	10.9465	7.6654	16.2758	9.9018	5.5427	13.5335	7.3397	6.8668	16.2569	102.0241			
	S	117.386	73.726	99.907	88.592	92.245	81.046	104.314	97.586	128.566	123.023	78.051	96.683			
8	T	6.0891	1.6883	11.2793	7.5679	16.3082	9.8829	5.4645	13.3786	7.3356	6.8962	16.4341	102.3247			94.8545
	S	116.788	71.481	96.960	89.733	92.062	81.201	105.807	98.716	128.638	122.498	77.209	96.399			93.330
9	T											17.0567				
	S											74.391				

Event: Cooper Tires GP of Louisiana  
 Track: NOLA Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 3 / 4  
 2.74 mile(s)  
 USF2000  
 April 10, 2015



Section Data for Car 33 - Martin, Anthony (R)

Lap	T/S	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI
1	T	6.3118	2.1403	12.2041	9.2510	18.4742	11.3672	6.4680	15.1420	7.9291	7.9152	18.6542	115.8571		125.5243	
	S	112.668	56.385	89.612	73.407	81.268	70.598	89.391	87.220	119.009	106.728	68.020	85.139		78.587	
2	T	6.6375	2.2159	12.1390	9.0373	18.8701	11.3853	6.3960	15.0044	7.8699	7.6584	18.5410	115.7548			
	S	107.139	54.462	90.093	75.143	79.563	70.486	90.397	88.020	119.904	110.307	68.436	85.215			
3	T	6.2035	2.0688	11.8455	8.8044	17.8360	11.0165	6.1665	14.8643	7.8916	7.8910	18.2095	112.7976			103.0285
	S	114.635	58.334	92.325	77.131	84.176	72.845	93.762	88.849	119.575	107.055	69.681	87.449			85.925
4	T				9.5654	18.4338	11.2747	6.6836	14.8985	7.9040	7.5287	18.4407	457.8001	349.2240	117.3786	
	S				70.995	81.446	71.177	86.508	88.645	119.387	112.207	68.808	21.547	3.398	84.040	
5	T	6.1747	1.9788	11.5761	8.5211	17.3415	10.6767	6.0372	14.3128	7.6758	7.2656	17.6023	109.1626			
	S	115.169	60.987	94.474	79.695	86.576	75.164	95.770	92.273	122.937	116.270	72.085	90.361			
6	T	6.1322	1.9323	11.2569	8.2791	17.0939	10.4530	5.7405	14.1698	7.5705	7.2255	17.4322	107.2859			
	S	115.968	62.455	97.153	82.025	87.830	76.772	100.720	93.204	124.647	116.915	72.788	91.941			
7	T	6.2017	2.3105	12.2920	8.5471	17.1147	11.1194	6.3245	14.3355	7.5515	7.2309	17.5704	110.5982			
	S	114.668	52.232	88.971	79.453	87.724	72.171	91.419	92.127	124.960	116.828	72.216	89.188			
8	T	6.1422	1.8288	11.2412	8.5505	16.8474	10.2791	5.7173	14.0058	7.5331	7.1698	17.2567	106.5719			
	S	115.779	65.990	97.288	79.421	89.115	78.071	101.128	94.295	125.265	117.824	73.529	92.557			
9	T	6.1393	1.7918	11.1367	7.9135	16.5559	10.1873	5.6825	13.7816	7.4533	7.0521	16.7451	104.4391			
	S	115.833	67.352	98.201	85.814	90.685	78.775	101.748	95.829	126.607	119.790	75.775	94.447			
10	T	6.1335	1.8369	11.1607	7.8236	16.4678	10.2905	5.6505	13.6815	7.4452	7.0259	16.6558	104.1719			
	S	115.943	65.699	97.990	86.800	91.170	77.985	102.324	96.530	126.744	120.237	76.181	94.690			
11	T	6.1388	1.7308	11.1220	7.7390	16.4213	10.1453	5.6346	13.7151	7.4324	7.0033	16.3679	103.4505			
	S	115.843	69.726	98.331	87.749	91.428	79.101	102.613	96.294	126.963	120.625	77.521	95.350			
12	T	6.1269	1.6594	11.0238	7.8342	16.4305	10.0526	5.5890	13.6407	7.4289	6.9834	15.9260	102.6954			
	S	116.068	72.726	99.207	86.683	91.377	79.830	103.450	96.819	127.022	120.969	79.672	96.051			
13	T	6.1363	1.6236	11.0504	7.6449	16.3091	9.9202	5.5092	13.6260	7.4120	6.9616	15.8570	102.0503			94.1551
	S	115.890	74.330	98.968	88.829	92.057	80.896	104.948	96.924	127.312	121.347	80.019	96.658			94.023
14	T												16.0263			
	S												79.174			



Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 5 - Andres Soori, Keyvan

Lap	T/SF	I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	SF to PI
1	T	6.2274	2.3431	12.2249	9.4958	19.5903	11.6387	6.9926	15.8050	9.3262	8.1678	19.8244	121.6362	128.7410	
	S	114.195	51.505	89.460	71.515	76.638	68.951	82.685	83.561	101.181	103.427	64.005	81.094	76.623	
2	T	6.1865	2.2944	11.8813	9.2602	18.7727	11.3988	6.8226	15.2928	8.9478	8.0773	19.3093	118.2437		
	S	114.950	52.598	92.047	73.334	79.976	70.402	84.745	86.360	105.460	104.586	65.713	83.421		
3	T	6.1668	2.1688	11.7643	9.6083	18.8903	11.2754	6.9132	15.1831	8.8303	7.9682	18.7541	589.0653	120.9723	
	S	115.317	55.645	92.962	70.678	79.478	71.173	83.634	86.984	106.863	106.018	67.658	16.745	81.544	
4	T	6.1636	2.0806	11.5288	9.2366	18.0629	10.8763	6.4017	14.6113	8.3364	7.7735	18.6860	113.7577		
	S	115.377	58.003	94.861	73.522	83.119	73.784	90.317	90.388	113.195	108.673	67.905	86.711		
5	T	6.1299	2.0222	11.2971	8.9433	17.6973	10.7124	6.1135	14.2735	8.1911	7.7009	17.5993	110.6805		
	S	116.011	59.678	96.807	75.933	84.836	74.913	94.575	92.527	115.203	109.698	72.097	89.121		
6	T	6.1014	1.8808	11.1853	9.1243	17.7472	10.4949	6.0409	14.4090	7.9872	7.5012	17.3936	109.8658		
	S	116.553	64.165	97.774	74.427	84.597	76.466	95.711	91.657	118.144	112.618	72.950	89.782		
7	T	6.0756	1.8769	11.0973	8.7958	17.2184	10.5033	6.0107	14.1725	8.0282	7.4706	17.0693	108.3186		
	S	117.048	64.298	98.550	77.206	87.195	76.405	96.192	93.186	117.540	113.080	74.336	91.065		
8	T	6.0897	1.8818	11.1023	8.2381	16.7562	10.3470	5.8560	14.0713	7.6443	7.2731	17.1031	106.3629		
	S	116.777	64.131	98.505	82.433	89.600	77.559	98.733	93.856	123.443	116.150	74.189	92.739		
9	T	6.0962	1.8548	11.1147	8.1799	16.8110	10.2313	5.7331	13.8404	7.6347	7.2427	17.0419	105.7807		
	S	116.652	65.065	98.395	83.019	89.308	78.436	100.850	95.422	123.598	116.638	74.456	93.250		
10	T	6.0913	1.8687	11.0309	8.1227	16.6346	10.1204	5.7342	13.7929	7.5087	7.1193	16.9169	104.9406		
	S	116.746	64.581	99.143	83.604	90.255	79.295	100.830	95.751	125.672	118.660	75.006	93.996		
11	T	6.0845	1.7376	11.0053	8.0262	16.6618	10.2362	5.8493	13.7603	7.5322	7.1577	16.3249	104.3760		96.3334
	S	116.877	69.453	99.374	84.609	90.108	78.398	98.846	95.978	125.280	118.023	77.726	94.504		91.897
12	T											16.4111			
	S											77.317			

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 6 - Hanratty, Max (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.7690	2.3511	12.8715	11.2403	21.3912	12.5685	7.0024	16.5310	9.5942	8.4076	20.0692	128.7960		140.0719	
	S	105.058	51.330	84.966	60.416	70.186	63.850	82.569	79.891	98.355	100.477	63.224	76.586		70.425	
2	T	6.3080	2.2401	12.3111	9.7457	19.5687	11.6036	6.6672	15.6596	9.0039	8.1940	20.0505	121.3524			
	S	112.736	53.873	88.833	69.681	76.723	69.160	86.720	84.337	104.803	103.097	63.283	81.284			
3	T	6.2374	2.1080	12.2348	9.8348	19.4541	11.1198	6.4943	15.8666	9.1647	8.2564	19.7166	120.4875			111.3246
	S	114.012	57.249	89.387	69.050	77.175	72.169	89.029	83.237	102.964	102.317	64.355	81.867			79.522
4	T				9.8674	19.1697	11.1548	6.5146	15.2762	8.8479	8.0175	19.2725	418.8037	305.6828	120.4555	
	S				68.822	78.320	71.942	88.752	86.454	106.651	105.366	65.838	23.553	3.883	81.894	
5	T	6.2122	1.8906	11.7847	9.2405	18.5414	10.9357	6.3053	14.9389	8.5689	7.9399	18.5558	114.9139			
	S	114.474	63.833	92.801	73.491	80.974	73.384	91.698	88.406	110.123	106.396	68.381	85.838			
6	T	6.2225	1.9667	11.7999	8.9645	18.0952	11.0202	6.1750	14.8223	8.2454	7.6950	18.2826	113.2893			
	S	114.285	61.363	92.682	75.753	82.970	72.821	93.633	89.101	114.444	109.782	69.403	87.069			
7	T	6.1857	1.9938	11.4880	8.8278	17.6772	10.7243	6.0638	14.5144	8.2202	7.6968	17.7697	111.1617			
	S	114.965	60.529	95.198	76.926	84.932	74.830	95.350	90.991	114.795	109.756	71.406	88.736			
8	T	6.2122	1.8263	11.3879	8.7074	17.7058	10.6087	5.9991	14.3833	8.2363	7.6427	17.4483	110.1580			
	S	114.474	66.080	96.035	77.990	84.795	75.645	96.378	91.821	114.570	110.533	72.721	89.544			
9	T	6.2371	1.8303	11.3680	8.4580	17.3363	10.5033	5.9662	14.1740	7.9316	7.4131	17.4241	108.6420			
	S	114.017	65.936	96.203	80.290	86.602	76.405	96.910	93.176	118.972	113.957	72.822	90.794			
10	T	6.1786	1.7502	11.2395	8.4106	17.1606	10.3838	5.9248	14.1746	7.7119	7.2507	16.8668	107.0521			
	S	115.097	68.953	97.303	80.742	87.489	77.284	97.587	93.172	122.361	116.509	75.228	92.142			
11	T	6.1477	1.7399	11.1059	8.1896	17.0710	10.9091	6.0172	14.0464	7.6487	7.2405	16.9051	107.0211			
	S	115.675	69.361	98.473	82.921	87.948	73.562	96.088	94.023	123.372	116.673	75.058	92.169			
12	T	6.1116	1.7163	11.1710	7.9790	17.0545	10.3085	5.8630	13.9257	7.5113	7.0626	16.4741	105.1776			
	S	116.358	70.315	97.900	85.110	88.033	77.848	98.615	94.838	125.629	119.612	77.022	93.784			
13	T	6.1574	1.6214	11.1800	8.1050	17.0265	10.2650	5.8615	13.9415	7.4248	7.0037	16.7703	105.3571			96.6850
	S	115.493	74.431	97.821	83.787	88.178	78.178	98.641	94.730	127.092	120.618	75.661	93.624			91.563
14	T											16.6462				
	S											76.225				

Event: Cooper Tires GP of Louisiana  
 Track: NOLA Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 3 / 4  
 2.74 mile(s)  
 USF2000  
 April 10, 2015



Section Data for Car 80 - Thompson, Parker (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.1874	2.0124	11.9539	8.7978	18.2327	11.2535	6.4291	15.1102	7.9386	7.7160	18.1177	113.7493		123.2463	
	S	114.933	59.969	91.488	77.189	82.345	71.311	89.932	87.403	118.867	109.483	70.034	86.717		80.039	
2	T	6.2024	1.9934	11.9650	8.5909	18.0152	11.1118	6.2388	15.0459	7.7175	7.3733	17.8908	112.1450			
	S	114.655	60.541	91.403	79.048	83.339	72.221	92.675	87.777	122.272	114.572	70.923	87.958			
3	T	6.1889	1.9094	11.9297	8.5248	17.8357	11.0883	6.2004	15.0856	7.7530	7.4812	17.5199	111.5169			
	S	114.905	63.204	91.673	79.661	84.177	72.374	93.249	87.546	121.712	112.919	72.424	88.453			
4	T	8.0880	1.8392	11.8690	11.4025	21.6698	11.7230	6.7257	15.3627	8.4719	7.8053	17.3694	122.3265			113.0581
	S	87.925	65.616	92.142	59.556	69.284	68.455	85.968	85.967	111.384	108.231	73.052	80.637			78.302
5	T				9.6869	18.6057	10.8461	6.2392	14.7058	8.0179	7.7021	17.9030	340.9963	233.8811	116.5157	
	S				70.104	80.694	73.990	92.669	89.807	117.691	109.681	70.874	28.927	5.074	84.663	
6	T	6.1291	1.8771	11.5904	8.4420	17.7928	10.5349	5.9217	14.6306	7.7588	7.4469	17.7422	109.8665			
	S	116.026	64.292	94.357	80.442	84.380	76.175	97.638	90.268	121.621	113.440	71.517	89.782			
7	T	6.1163	1.9115	11.3861	8.3030	17.4154	10.3166	5.6550	14.1525	7.6174	7.2794	17.2435	107.3967			
	S	116.269	63.135	96.050	81.789	86.209	77.787	102.243	93.318	123.879	116.050	73.585	91.846			
8	T	6.0409	1.9513	11.2152	8.2233	17.3164	10.2901	5.6008	14.1181	7.5505	7.2116	17.0443	106.5625			
	S	117.720	61.847	97.514	82.581	86.702	77.988	103.232	93.545	124.977	117.141	74.445	92.565			
9	T	6.0899	1.8272	11.1233	8.3012	17.0206	10.1211	5.5706	14.0867	7.4615	7.0646	16.7402	105.4069			
	S	116.773	66.047	98.319	81.806	88.209	79.290	103.792	93.754	126.467	119.578	75.797	93.580			
10	T	6.1409	1.7857	11.1301	8.0740	16.9072	10.0790	5.4880	13.9989	7.5104	7.0854	16.6758	104.8754			
	S	115.803	67.582	98.259	84.108	88.800	79.621	105.354	94.342	125.644	119.227	76.090	94.054			
11	T	6.1545	1.7885	11.0932	7.9972	16.6685	10.0575	5.4892	13.7123	7.4959	7.0517	16.3141	103.8226			
	S	115.547	67.477	98.586	84.916	90.072	79.791	105.331	96.314	125.887	119.797	77.777	95.008			
12	T	6.1294	1.6954	11.0101	7.7686	16.6994	10.0078	5.4387	13.9435	7.5372	7.0570	16.2147	103.5018			
	S	116.021	71.182	99.330	87.415	89.905	80.187	106.309	94.717	125.197	119.707	78.254	95.303			
13	T	6.1497	1.7267	11.0606	7.6349	16.6430	10.0237	5.4403	13.7607	7.4937	7.0380	16.0990	103.0703			
	S	115.638	69.892	98.877	88.946	90.210	80.060	106.278	95.975	125.924	120.030	78.816	95.702			
14	T	6.1730	1.7415	11.0265	7.7397	16.6642	9.9775	5.4117	13.9885	7.5340	7.0478	15.9068	103.2112			95.6297
	S	115.201	69.298	99.183	87.741	90.095	80.431	106.839	94.412	125.250	119.863	79.769	95.571			92.573
15	T											16.6032				
	S											76.423				

Event: Cooper Tires GP of Louisiana  
 Track: NOLA Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 3 / 4  
 2.74 mile(s)  
 USF2000  
 April 10, 2015



Section Data for Car 81 - Agren, Ayla (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.3073	2.2223	12.4953	9.7146	19.7633	11.7965	6.6489	15.5268	8.7430	8.1994	20.3496	121.7670		131.8729	
	S	112.748	54.305	87.524	69.904	75.967	68.029	86.959	85.058	107.931	103.029	62.353	81.007		74.803	
2	T	6.2614	2.0999	12.3785	9.5130	19.5308	11.5694	6.4588	15.6314	8.8375	8.1456	19.7667	120.1930			
	S	113.575	57.470	88.350	71.386	76.872	69.364	89.518	84.489	106.776	103.709	64.192	82.068			
3	T	9.3452	2.0211	12.9817	12.6938	23.5393	11.4255	6.4935	15.3852	9.1214	8.2625	19.5448	130.8140			119.7486
	S	76.096	59.711	84.244	53.498	63.781	70.238	89.049	85.841	103.453	102.242	64.921	75.405			73.928
4	T				9.7842	19.3819	11.3224	6.4061	15.0061	8.6232	8.1859	19.2258	425.8187	314.1774	120.7584	
	S				69.407	77.462	70.877	90.255	88.010	109.430	103.199	65.998	23.165	3.777	81.688	
5	T	6.2203	1.8871	11.8607	9.2947	18.1125	10.9356	6.1366	14.5798	8.4327	7.9582	18.8515	114.2697			
	S	114.325	63.951	92.207	73.062	82.891	73.384	94.219	90.583	111.902	106.151	67.308	86.322			
6	T	6.1707	1.8471	11.7635	8.8910	17.5782	10.4739	5.9313	14.4468	8.0365	7.6922	18.3580	111.1892			
	S	115.244	65.336	92.969	76.380	85.411	76.619	97.480	91.417	117.419	109.822	69.118	88.714			
7	T	6.1664	1.9558	11.8004	8.4245	17.3806	10.3967	5.8188	14.3573	7.9182	7.5295	17.9857	109.7339			
	S	115.324	61.705	92.678	80.609	86.382	77.188	99.364	91.987	119.173	112.195	70.548	89.890			
8	T	6.1336	1.7910	11.2435	8.3415	17.1787	10.4242	5.8018	14.0013	8.2135	7.7230	17.6543	108.5064			
	S	115.941	67.382	97.268	81.411	87.397	76.984	99.656	94.326	114.888	109.384	71.873	90.907			
9	T	6.1113	1.7443	11.2466	8.1738	17.2960	10.2522	5.7990	14.0862	7.5844	7.3133	17.4684	107.0755			
	S	116.364	69.186	97.242	83.081	86.804	78.276	99.704	93.757	124.418	115.512	72.638	92.122			
10	T	6.1345	1.7238	11.2312	7.9449	16.7644	10.1687	5.7281	13.9148	7.5447	7.1945	17.3837	105.7333			
	S	115.924	70.009	97.375	85.475	89.557	78.919	100.938	94.912	125.073	117.419	72.992	93.291			
11	T	6.0892	1.6459	11.0206	7.9551	16.7695	10.0765	5.6099	13.9027	7.4264	7.0552	17.0883	104.6393			
	S	116.787	73.323	99.236	85.365	89.529	79.641	103.065	94.995	127.065	119.738	74.253	94.267			
12	T	6.0931	1.6386	11.0779	7.8610	16.6991	10.0690	5.5945	13.6904	7.4689	7.1153	16.9449	104.2527			95.1705
	S	116.712	73.649	98.722	86.387	89.907	79.700	103.348	96.468	126.342	118.726	74.882	94.616			93.020
13	T											16.9425				
	S											74.892				

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 82 - Gabin, Luke (R)

Lap	T/S	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI
1	T	6.9353	2.3229	12.4241	10.0634	20.2956	11.6692	6.7585	15.6462	9.0348	8.1484	20.9979	124.2963		134.2027	
	S	102.539	51.953	88.025	67.481	73.975	68.771	85.549	84.409	104.445	103.673	60.428	79.359		73.505	
2	T	6.6143	2.1641	12.1315	9.5513	19.3329	11.5574	6.4913	15.4238	9.1171	8.2447	19.2821	119.9105			
	S	107.515	55.765	90.148	71.099	77.658	69.436	89.070	85.626	103.502	102.463	65.805	82.261			
3	T	6.1799	2.0836	11.7213	9.2733	18.4131	11.1176	6.4360	14.9493	8.8797	8.3856	18.8888	116.3282			107.5075
	S	115.072	57.920	93.303	73.231	81.538	72.183	89.836	88.344	106.269	100.741	67.175	84.795			82.345
4	T				10.7084	18.8098	11.1078	6.5500	14.8105	8.4950	7.8267	19.3046	440.2300	327.0515	120.4881	
	S				63.417	79.818	72.247	88.272	89.172	111.081	107.935	65.729	22.406	3.628	81.872	
5	T	6.2091	1.8405	11.4786	8.9222	17.8244	10.7538	6.1555	14.8688	8.8252	7.8840	17.8635	112.6256			
	S	114.531	65.570	95.276	76.112	84.231	74.625	93.929	88.822	106.925	107.150	71.031	87.582			
6	T	6.1829	1.7818	11.4342	8.5308	17.3167	10.4035	6.0455	14.2500	8.1336	7.7043	17.3339	109.1172			
	S	115.017	67.730	95.646	79.605	86.700	77.138	95.638	92.679	116.017	109.650	73.201	90.398			
7	T	6.1623	1.7374	11.2973	8.1317	17.1888	10.2470	5.8532	13.9851	7.7150	7.3998	17.0888	106.8064			
	S	115.401	69.461	96.805	83.512	87.345	78.316	98.780	94.435	122.312	114.162	74.251	92.354			
8	T	6.0728	1.6758	11.1131	9.0462	17.3997	10.3537	6.1728	18.0008	9.9140	8.9521	16.9562	115.6572			
	S	117.102	72.014	98.410	75.069	86.287	77.509	93.666	73.368	95.182	94.366	74.832	85.287			
9	T	6.1543	1.6475	11.0547	7.9549	16.7973	10.0653	5.7359	13.7942	7.7092	7.3549	17.0087	105.2769			
	S	115.551	73.251	98.930	85.368	89.381	79.729	100.801	95.742	122.404	114.858	74.601	93.696			
10	T	6.1350	1.5977	11.0514	7.7409	16.6412	10.1352	5.7554	13.8558	7.5368	7.0972	16.2796	103.8262			
	S	115.915	75.535	98.959	87.728	90.220	79.179	100.459	95.316	125.204	119.029	77.942	95.005			
11	T	6.1207	1.6262	11.0861	7.8208	16.6939	10.2832	5.7318	13.7357	7.5139	7.1414	16.9639	104.7176			
	S	116.185	74.211	98.649	86.831	89.935	78.040	100.873	96.150	125.585	118.292	74.798	94.196			
12	T	6.1485	1.6427	11.0356	7.6015	16.4732	9.9436	5.6010	13.5391	7.4765	7.0635	16.2764	102.8016			
	S	115.660	73.466	99.101	89.336	91.140	80.705	103.228	97.546	126.214	119.597	77.957	95.952			
13	T	6.1415	1.6490	10.9069	7.6380	16.4215	9.9655	5.5545	13.5258	7.4264	6.9836	16.0644	102.2771			95.0871
	S	115.792	73.185	100.270	88.910	91.427	80.528	104.093	97.642	127.065	120.965	78.986	96.444			93.101
14	T												17.0035			
	S												74.624			

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 83 - Rickards, Garth (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.5436	2.3514	12.2553	10.5157	19.6470	12.0195	7.0038	16.0463	9.0964	8.0661	21.2904	124.8355		129.9558	
	S	108.677	51.323	89.238	64.579	76.417	66.767	82.553	82.304	103.737	104.731	59.598	79.016		75.907	
2	T	6.1385	2.2307	11.8723	9.5494	19.0858	11.6699	6.7125	15.3413	8.5323	8.0350	19.4293	118.5970			
	S	115.849	54.100	92.117	71.113	78.664	68.767	86.135	86.087	110.596	105.137	65.307	83.172			
3	T	6.0545	2.0455	11.6350	9.9724	18.8370	11.1071	6.4959	15.4278	9.1143	8.8597	19.6814	119.2306			110.2270
	S	117.456	58.999	93.995	68.097	79.703	72.251	89.007	85.604	103.534	95.350	64.470	82.730			80.314
4	T				9.6974	18.9623	11.1386	6.1706	14.6390	8.3186	8.0697	19.2673	420.4915	309.5747	118.1814	
	S				70.028	79.176	72.047	93.699	90.217	113.437	104.685	65.858	23.458	3.833	83.470	
5	T	6.1174	2.0193	11.4041	8.9106	18.2582	10.7539	5.9609	14.2576	7.8904	7.6051	18.1995	111.3770			
	S	116.248	59.764	95.899	76.212	82.230	74.624	96.996	92.630	119.593	111.080	69.720	88.564			
6	T	6.0584	1.9326	11.1201	8.5931	17.7958	10.5588	5.8412	14.2213	7.8273	7.5614	17.5904	109.1004			
	S	117.380	62.445	98.348	79.027	84.366	76.003	98.983	92.866	120.557	111.722	72.134	90.412			
7	T	6.0440	1.8214	11.0954	8.4277	17.3416	10.4293	5.9458	14.0503	7.7359	7.4167	17.4617	107.7698			
	S	117.660	66.258	98.567	80.578	86.576	76.947	97.242	93.997	121.981	113.901	72.666	91.528			
8	T	6.0961	1.7899	11.0485	8.2097	17.1828	10.3162	5.7833	14.5069	7.7518	7.3725	17.2114	107.2691			
	S	116.654	67.424	98.985	82.718	87.376	77.790	99.974	91.038	121.731	114.584	73.722	91.956			
9	T	6.1014	1.8672	11.1132	7.9624	16.9491	10.1060	5.6977	13.8735	7.6496	7.3367	17.3552	106.0120			
	S	116.553	64.633	98.409	85.287	88.581	79.408	101.476	95.195	123.358	115.143	73.111	93.046			
10	T	6.0951	1.7759	10.9871	7.8061	16.9348	10.1770	5.5968	13.6404	7.5805	7.2276	16.7126	104.5339			
	S	116.673	67.955	99.538	86.995	88.656	78.854	103.306	96.821	124.482	116.881	75.923	94.362			
11	T	6.1015	1.6240	11.1134	7.6974	16.9519	10.1506	5.6683	13.6781	7.5407	7.2301	16.3647	104.1207			
	S	116.551	74.311	98.407	88.223	88.566	79.059	102.003	96.554	125.139	116.841	77.537	94.736			
12	T	6.1049	1.5736	11.0088	7.7395	16.6922	10.0262	5.5918	13.5741	7.3955	7.0039	16.5680	103.2785			
	S	116.486	76.692	99.342	87.744	89.944	80.040	103.398	97.294	127.596	120.615	76.585	95.509			
13	T	6.0840	1.7063	10.9736	7.4764	16.6722	10.1009	5.5580	13.6545	7.4523	7.0684	16.2176	102.9642			
	S	116.886	70.727	99.661	90.831	90.052	79.448	104.027	96.721	126.624	119.514	78.240	95.800			
14	T	6.1190	1.8243	11.2693	7.7282	17.1608	10.1521	5.6398	13.6740	7.4459	7.0829	16.8323				95.5620
	S	116.218	66.152	97.046	87.872	87.488	79.048	102.518	96.583	126.732	119.269	75.383				92.639

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 84 - Lastochkin, Nikita (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.2747	2.4478	12.2422	10.8260	19.5646	12.0227	7.1425	15.3897	9.2322	8.1631	20.3043	123.6098		129.1587	
	S	113.334	49.302	89.333	62.728	76.739	66.749	80.950	85.816	102.211	103.487	62.492	79.799		76.375	
2	T	6.2642	2.2120	12.1332	9.6848	19.8970	11.5087	6.7264	15.0771	9.3250	8.2528	19.2462	120.3274			
	S	113.524	54.558	90.136	70.119	75.457	69.730	85.957	87.595	101.194	102.362	65.928	81.976			
3	T	6.2353	2.1826	11.8077	9.0592	18.4647	11.1391	6.4350	14.9544	8.9496	8.1721	18.8872	116.2869			106.8563
	S	114.050	55.293	92.621	74.961	81.310	72.044	89.850	88.314	105.439	103.373	67.181	84.825			82.847
4	T				9.4407	18.3757	11.0315	6.3478	14.7654	8.7674	8.0853	19.0437	422.7299	313.0732	118.0537	
	S				71.932	81.704	72.746	91.084	89.444	107.630	104.483	66.629	23.334	3.791	83.560	
5	T	6.2114	2.1557	11.5950	8.8976	17.9655	10.7899	6.0880	14.2524	8.1084	7.6846	18.0932	111.8417			
	S	114.489	55.983	94.320	76.323	83.569	74.375	94.971	92.664	116.378	109.931	70.129	88.196			
6	T	6.2009	1.9082	11.4935	8.4622	17.3897	10.4704	6.1479	14.2342	8.0077	7.6417	17.8340	109.7904			
	S	114.683	63.244	95.153	80.250	86.336	76.645	94.045	92.782	117.841	110.548	71.149	89.844			
7	T	6.1401	1.8424	11.3433	8.3541	17.4706	11.5525	6.5412	14.1233	7.9084	7.6178	17.2094	110.1031			
	S	115.818	65.503	96.413	81.288	85.937	69.465	88.391	93.511	119.321	110.895	73.731	89.589			
8	T	6.1228	1.8679	11.3316	8.0805	17.1203	10.3927	5.9992	13.9245	7.7538	7.4367	17.3225	107.3525			
	S	116.146	64.608	96.512	84.041	87.695	77.218	96.376	94.846	121.700	113.595	73.249	91.884			
9	T	6.1272	1.9037	11.2101	8.0417	17.0677	10.4027	5.8987	13.7662	7.7468	7.4387	17.2763	106.8798			
	S	116.062	63.393	97.558	84.446	87.965	77.143	98.019	95.937	121.810	113.565	73.445	92.291			
10	T	6.1056	1.7994	11.0099	7.8632	16.8326	10.1548	5.7783	13.7776	7.6251	7.3504	17.0268	105.3237			
	S	116.473	67.068	99.332	86.363	89.194	79.027	100.061	95.857	123.754	114.929	74.522	93.654			
11	T	6.1228	1.8148	11.0012	7.7748	16.8911	10.1254	5.7845	13.6376	7.6042	7.2714	16.8053	104.8331			
	S	116.146	66.499	99.411	87.345	88.885	79.256	99.954	96.841	124.094	116.177	75.504	94.092			
12	T	6.1141	1.7847	10.9898	7.7141	16.6259	10.1060	5.6987	13.6228	7.6201	7.2691	16.4228	103.9681			
	S	116.311	67.620	99.514	88.032	90.303	79.408	101.459	96.946	123.835	116.214	77.262	94.875			
13	T	6.1141	1.7471	11.1094	7.6723	16.6292	10.0642	5.6643	13.6362	7.7126	7.3753	16.2526	103.9773			96.0562
	S	116.311	69.076	98.442	88.512	90.285	79.738	102.075	96.851	122.350	114.541	78.071	94.867			92.162
14	T											17.1624				
	S											73.933				

Event: Cooper Tires GP of Louisiana  
Track: NOLA Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 3 / 4  
2.74 mile(s)  
USF2000  
April 10, 2015



Section Data for Car 94 - Lloyd, Jordan (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	6.2691	2.0371	12.3376	9.5656	18.9567	11.5247	6.6298	15.2829	8.1653	8.0339	19.4077	118.2104		127.4958	
	S	113.435	59.242	88.643	70.993	79.200	69.633	87.210	86.416	115.567	105.151	65.379	83.444		77.372	
2	T	6.1562	2.0335	11.9154	9.2378	18.3670	11.1353	6.4191	15.3264	8.1026	7.7207	18.7175	115.1315			
	S	115.515	59.347	91.783	73.512	81.742	72.068	90.072	86.170	116.461	109.417	67.790	85.676			
3	T	6.1404	1.9675	11.7329	8.9431	17.8719	11.0508	6.4614	14.9541	8.1949	7.7346	18.0583	113.1099			104.4912
	S	115.813	61.338	93.211	75.935	84.007	72.619	89.482	88.316	115.149	109.220	70.265	87.207			84.722
4	T				9.4168	18.4007	11.0325	6.6509	14.8009	7.9702	7.4464	18.7437	452.2694	343.7541	116.7162	
	S				72.115	81.593	72.740	86.933	89.230	118.396	113.447	67.695	21.810		3.453	84.517
5	T	6.0776	1.9416	11.4308	8.7959	17.4926	10.5075	6.0506	14.4071	7.6229	7.2577	17.9685	109.5528			
	S	117.009	62.156	95.675	77.205	85.829	76.374	95.558	91.669	123.790	116.397	70.616	90.039			
6	T	6.0508	1.9107	11.1198	8.4801	17.1862	10.3331	5.7969	13.9984	7.6049	7.2534	17.4331	107.1674			
	S	117.528	63.161	98.350	80.081	87.359	77.663	99.740	94.345	124.083	116.466	72.785	92.043			
7	T	6.1010	1.8561	11.4006	8.4626	16.8604	10.1501	5.7150	13.8560	7.5214	7.1737	17.2326	106.3295			
	S	116.561	65.019	95.928	80.246	89.047	79.063	101.169	95.315	125.460	117.760	73.632	92.768			
8	T	6.1148	1.7106	11.0727	8.2701	16.7846	10.1514	5.6938	14.0384	7.5588	7.1506	16.9359	105.4817			
	S	116.298	70.549	98.769	82.114	89.449	79.053	101.546	94.076	124.839	118.140	74.922	93.514			
9	T	6.1044	1.6846	11.0646	8.0091	16.6546	10.1561	5.5311	13.7359	7.4030	6.9795	16.7538	104.0767			
	S	116.496	71.638	98.841	84.790	90.147	79.017	104.533	96.148	127.467	121.036	75.736	94.776			
10	T	6.0798	1.6552	10.9237	8.5519	17.0520	10.3392	5.6422	13.8352	7.4196	6.9921	16.4346	104.9255			
	S	116.967	72.911	100.116	79.408	88.046	77.617	102.475	95.458	127.182	120.818	77.207	94.010			
11	T	6.0759	1.6507	10.9309	7.9237	16.5983	10.1025	5.5593	13.6568	7.3991	6.9724	16.3310	103.2006			
	S	117.042	73.109	100.050	85.704	90.453	79.436	104.003	96.705	127.534	121.160	77.697	95.581			
12	T	6.0687	1.6448	10.8555	7.6216	16.4633	10.0225	5.5440	13.5319	7.3784	6.9463	16.2057	102.2827			
	S	117.181	73.372	100.745	89.101	91.195	80.070	104.290	97.598	127.892	121.615	78.297	96.439			
13	T	6.0853	1.6476	10.8646	7.5530	16.3276	9.9464	5.4828	13.4865	7.3603	6.9342	15.8698	101.5581			94.3176
	S	116.861	73.247	100.661	89.910	91.952	80.682	105.454	97.926	128.206	121.827	79.955	97.127			93.861
14	T											16.7302				
	S											75.843				



## Report Support Information

Section Legend	
Name	Length
SF to I1	0.197538 miles
I9 to I10	0.033523 miles
I10 to SF	0.303788 miles
I1 to I2	0.188636 miles
I2 to I3	0.417045 miles
I3 to I4	0.222917 miles
I4 to I5	0.160606 miles
I5 to I6	0.366856 miles
I6 to I7	0.262121 miles
I7 to I8	0.234659 miles
I8 to I9	0.352462 miles
Lap	2.740000 miles
PI to SFP	0.329640 miles
SFP to SF	2.740152 miles
SF to PI	2.459091 miles
I9 to PI	0.056250 miles
SFP to I1	0.197538 miles
SFP to PI	2.459091 miles

Color Legend	
<span style="display: inline-block; width: 15px; height: 15px; background-color: purple; border: 1px solid black;"></span>	Fastest Lap
<span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; border: 1px solid black;"></span>	Section Under Caution
<span style="display: inline-block; width: 15px; height: 15px; background-color: lightgreen; border: 1px solid black;"></span>	Section Under Green
<span style="border: 1px solid black; padding: 2px;">T</span>	Section Time Data
<span style="border: 1px solid black; padding: 2px;">S</span>	Section Speed Data

