

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7276	7.8198	5.0178	8.9839	8.5118	2.8906	7.4122	5.4957	4.7824	5.4910	6.7059	3.6697	5.9156	6.0227	5.0586
	S	109.031	102.450	114.819	68.987	113.746	132.561	94.470	69.848	71.427	92.879	82.763	103.675	90.362	68.604	88.283
2	T	4.6809	7.5868	4.9165	8.7028	8.4709	2.8793	7.3399	5.3908	4.7053	5.4585	6.5918	3.5845	5.5845	5.9475	4.9699
	S	110.119	105.596	117.184	71.215	114.295	133.082	95.400	71.207	72.597	93.432	84.196	106.139	95.719	69.472	89.859
3	T	4.6882	7.6469	4.8665	8.5768	8.4680	2.8877	7.3490	5.3524	4.6139	5.3805	6.5968	3.5777	5.4890	5.8534	4.9465
	S	109.947	104.766	118.388	72.262	114.334	132.694	95.282	71.718	74.035	94.787	84.132	106.341	97.385	70.588	90.284
4	T	4.6559	7.5050	4.8614	8.5791	8.4596	2.8797	7.2481	5.3858	4.6355	5.3863	6.5807	3.5610	5.3498	5.7649	4.9185
	S	110.710	106.747	118.512	72.242	114.448	133.063	96.608	71.273	73.690	94.685	84.338	106.839	99.919	71.672	90.798
5	T	4.6421	7.3216	4.7943	8.4758	8.4498	2.8735	7.1878	5.2667	4.5762	5.3353	6.5958	3.5753	5.3565	5.7115	4.9163
	S	111.039	109.421	120.171	73.123	114.580	133.350	97.419	72.885	74.645	95.590	84.144	106.412	99.794	72.342	90.839
6	T	4.6118	7.2857	4.8043	8.5117	8.4229	2.8643	7.1968	5.2496	4.5284	5.3184	6.4668	3.5515	5.2899	5.6135	4.8351
	S	111.769	109.960	119.921	72.814	114.946	133.779	97.297	73.122	75.433	95.894	85.823	107.125	101.050	73.605	92.364
7	T	4.6220	7.3732	4.8004	8.3982	8.4392	2.8760	7.1967	5.2744	4.5030	5.3339	6.4760	3.5388	5.3293	5.5724	4.8716
	S	111.522	108.655	120.018	73.798	114.724	133.234	97.298	72.779	75.859	95.615	85.701	107.509	100.303	74.148	91.672
8	T	4.6202	7.2744	4.7849	8.5675	8.3464	2.8221	7.4968	5.3829	4.6481	5.3612	6.5660	3.5340	5.2965	5.6077	4.8699
	S	111.565	110.131	120.407	72.340	116.000	135.779	93.403	71.312	73.490	95.128	84.526	107.656	100.924	73.681	91.704
9	T			5.1244	8.6313	8.4840	3.9445	8.9864	5.4914	4.7832	5.3656	6.5583	3.5315	5.6273		
	S			112.430	71.805	114.119	97.143	77.921	69.903	71.415	95.050	84.626	107.732	94.991		
10	T	4.6186	7.2502	4.7551	8.2800	8.4412	2.8865	7.1401	5.1952	4.4729	5.2576	6.3719	3.5434	5.4814	5.7540	4.7950
	S	111.604	110.499	121.162	74.852	114.697	132.750	98.070	73.888	76.369	97.002	87.101	107.370	97.520	71.808	93.137
11	T	4.6436	7.1709	4.7367	8.1838	8.4102	2.8739	7.1152	5.1399	4.4688	5.2712	6.3056	3.5209	5.2376	5.4837	4.8544
	S	111.003	111.720	121.632	75.732	115.120	133.332	98.413	74.683	76.439	96.752	88.017	108.056	102.059	75.347	91.997
12	T			7.6896	8.9654	8.5558	2.9006	7.3514	5.2753	5.5913	5.5297	6.5091	3.5087	5.2608		
	S			74.924	69.129	113.161	132.104	95.251	72.766	61.093	92.229	85.265	108.432	101.609		
13	T	4.6435	7.1748	4.7449	8.2342	8.4021	2.8719	6.9699	5.1207	4.4347	5.2455	6.2897	3.5366	5.2728	5.4576	4.8618
	S	111.006	111.660	121.422	75.268	115.231	133.424	100.464	74.963	77.027	97.226	88.240	107.576	101.378	75.708	91.857
14	T	4.6469	7.0844	4.7367	8.1927	8.3590	2.8652	7.0530	5.1276	4.4165	5.2254	6.3158	3.5089	5.1496	5.3903	4.9038
	S	110.924	113.085	121.632	75.649	115.825	133.736	99.281	74.862	77.344	97.600	87.875	108.426	103.803	76.653	91.070
15	T												3.5179	5.2024		
	S												108.148	102.750		

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 10 - Gutierrez, Andres (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.8376	17.4957	17.6903	12.1969	9.5853	88.5053		90.9689	
	S	107.284	90.763	80.591	87.317	95.459	91.845		83.697	
2	T	12.5033	17.1737	17.4360	12.0503	9.1690	86.8099			
	S	110.153	92.464	81.767	88.380	99.793	93.639			
3	T	12.5134	17.0448	17.3153	11.9773	9.0667	86.2933			
	S	110.064	93.164	82.337	88.918	100.919	94.200			
4	T	12.3664	17.0387	17.2694	11.9670	8.9108	85.7713			
	S	111.372	93.197	82.555	88.995	102.684	94.773			
5	T	12.1159	16.9256	17.0307	11.9311	8.9318	85.0785			
	S	113.675	93.820	83.712	89.263	102.443	95.545			
6	T	12.0900	16.9346	16.9748	11.7852	8.8414	84.5507			
	S	113.918	93.770	83.988	90.368	103.490	96.141			
7	T	12.1736	16.8374	16.9741	11.8099	8.8681	84.6051			
	S	113.136	94.311	83.992	90.179	103.179	96.079			
8	T	12.0593	16.9139	17.5278	11.9272	8.8305	85.1786			83.0541
	S	114.208	93.885	81.338	89.292	103.618	95.432			92.503
9	T		17.1153	19.2610	11.9239	9.1588	317.6366	233.1134	86.9134	
	S		92.780	74.019	89.316	99.904	25.592	3.852	87.603	
10	T	12.0053	16.7212	16.8082	11.6295	9.0248	84.2431			
	S	114.722	94.967	84.821	91.577	101.387	96.492			
11	T	11.9076	16.5940	16.7239	11.5768	8.7585	83.4164			79.9243
	S	115.663	95.695	85.248	91.994	104.470	97.448			96.125
12	T		17.5212	18.2180	12.0388	8.7695	188.6325	104.2045	87.9523	
	S		90.630	78.257	88.464	104.339	43.093	8.617	86.568	
13	T	11.9197	16.6363	16.5253	11.5352	8.8094	83.2607			
	S	115.546	95.451	86.273	92.326	103.866	97.631			
14	T	11.8211	16.5517	16.5971	11.5412	8.6585	82.9758			81.4278
	S	116.510	95.939	85.899	92.278	105.677	97.966			94.350
15	T					8.7203				
	S					104.928				

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 11 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.8769	8.0731	5.0608	9.0487	8.4642	2.8405	7.6913	5.6156	4.8579	5.5071	6.7582	3.6481	6.2183	6.1118	5.1580
	S	105.693	99.235	113.843	68.493	114.386	134.899	91.041	68.357	70.317	92.608	82.122	104.288	85.963	67.604	86.582
2	T	4.6918	7.6037	4.8930	8.7713	8.4149	2.8440	7.4345	5.4313	4.6602	5.3464	6.5727	3.6084	5.6016	5.8073	4.9966
	S	109.863	105.361	117.747	70.659	115.056	134.733	94.186	70.676	73.300	95.391	84.440	105.436	95.427	71.149	89.379
3	T	4.6586	7.5436	4.8348	8.5676	8.4043	2.8343	7.2212	5.4173	4.5897	5.3069	6.5569	3.5602	5.4767	5.9381	4.9455
	S	110.646	106.201	119.164	72.339	115.201	135.195	96.968	70.859	74.426	96.101	84.644	106.863	97.604	69.581	90.302
4	T	4.6642	7.5045	4.8196	8.7043	8.4232	2.8436	7.3112	5.3031	4.6724	5.3117	6.6272	3.5453	5.4983	5.6413	4.9266
	S	110.513	106.754	119.540	71.203	114.942	134.752	95.775	72.385	73.108	96.014	83.746	107.312	97.220	73.242	90.649
5	T	4.6348	7.4011	4.7781	8.4787	8.3819	2.8360	7.1375	5.2969	4.5662	5.2851	6.4884	3.5566	5.4056	5.7143	4.8333
	S	111.214	108.246	120.579	73.098	115.509	135.113	98.105	72.469	74.809	96.498	85.537	106.971	98.887	72.307	92.399
6	T	4.6155	7.4382	4.8091	8.4183	8.3546	2.8272	7.2075	5.2427	4.5586	5.2807	6.5263	3.5589	5.3470	5.5772	4.9181
	S	111.679	107.706	119.801	73.622	115.886	135.534	97.153	73.219	74.933	96.578	85.041	106.902	99.971	74.084	90.806
7	T	4.6207	7.2486	4.7644	8.4476	8.3514	2.8279	7.1632	5.1699	4.5453	5.2471	6.4468	3.5767	5.3680	5.6234	4.8879
	S	111.553	110.523	120.925	73.367	115.930	135.500	97.753	74.250	75.153	97.197	86.089	106.370	99.580	73.475	91.367
8	T	4.6102	7.2784	4.7268	8.3159	8.3403	2.8279	7.1542	5.1589	4.4538	5.2163	6.4981	3.5361	5.2934	5.5266	4.8466
	S	111.807	110.070	121.887	74.529	116.085	135.500	97.876	74.408	76.697	97.770	85.410	107.592	100.983	74.762	92.145
9	T	4.6107	7.1870	4.7308	8.3568	8.3235	2.8226	7.0645	5.1723	4.4172	5.2165	6.3660	3.5236	5.2502	5.5332	4.8534
	S	111.795	111.470	121.784	74.164	116.319	135.755	99.119	74.215	77.332	97.767	87.182	107.973	101.814	74.673	92.016
10	T			5.0080	8.7028	8.3651	2.8250	7.1841	5.2185	4.5064	5.2143	6.4223	3.5273	5.3060		
	S			115.043	71.215	115.741	135.640	97.469	73.558	75.801	97.808	86.418	107.860	100.744		
11	T	4.5946	7.1509	4.7066	8.3563	8.3646	2.8235	7.1451	5.1269	4.4906	5.2719	6.2929	3.5212	5.2661	5.4474	4.8632
	S	112.187	112.033	122.410	74.168	115.748	135.712	98.001	74.872	76.068	96.739	88.195	108.047	101.507	75.849	91.831
12	T	5.5382	8.9745	4.9969	8.4897	8.4582	2.8390	7.2002	5.0771	4.5787	5.2092	6.5087	3.4960	5.2230	5.3679	4.8516
	S	93.073	89.268	115.299	73.003	114.467	134.971	97.251	75.607	74.604	97.904	85.270	108.826	102.345	76.973	92.050
13	T	4.6056	7.2233	4.7254	8.3083	8.3311	2.8216	7.1284	5.1792	4.4352	5.2087	6.2972	3.5358	5.4615	5.4856	4.8737
	S	111.919	110.910	121.923	74.597	116.213	135.803	98.231	74.116	77.018	97.913	88.134	107.601	97.875	75.321	91.633
14	T	4.5858	7.2018	4.7375	8.2937	8.2938	2.7987	7.2615	5.1396	4.6166	5.2737	6.4141	3.4889	5.2619	5.4177	4.7833
	S	112.402	111.241	121.612	74.728	116.736	136.914	96.430	74.687	73.992	96.706	86.528	109.047	101.588	76.265	93.365
15	T	4.5815	7.4128	4.8552	8.4789	8.2483	2.8132	7.1265	5.0974	4.5064	5.2055	6.3595	3.4983	5.3823	5.5136	4.8441
	S	112.508	108.075	118.664	73.096	117.380	136.209	98.257	75.306	75.801	97.973	87.271	108.754	99.315	74.939	92.193
16	T	4.6107	7.1321	4.7073	8.3438	8.2085	2.7678	7.6148	5.0986	4.5621	5.3213	6.4279	3.5079	5.1859	5.3888	4.8076
	S	111.795	112.328	122.392	74.279	117.949	138.443	91.956	75.288	74.876	95.841	86.342	108.456	103.077	76.674	92.893
17	T	4.5834	7.1690	4.6855	8.2850	8.2820	2.8029	7.0475	5.1052	4.4354	5.2175	6.4324	3.4971	5.2669	5.4309	4.8046
	S	112.461	111.750	122.962	74.807	116.902	136.709	99.358	75.191	77.015	97.748	86.282	108.791	101.491	76.080	92.951
18	T	4.5557	7.2163	4.7053	8.2996	8.2666	2.7893	7.2991	5.3640	4.8568	5.9026	7.2803	3.5228	5.2546	5.4782	4.7536
	S	113.145	111.018	122.444	74.675	117.120	137.376	95.933	71.563	70.333	86.403	76.233	107.998	101.729	75.423	93.948
19	T												4.4044	5.8040		
	S												86.381	92.099		

Event: Cooper Tires USF2000 GP of Mid-Ohio  
 Track: Mid-Ohio Sports Car Course  
 Report: Section Data Report  
 Session: Practice 1

Round 12 / 13  
 2.258 mile(s)  
 USF2000  
 July 27, 2017



Section Data for Car 11 - Enders, Kory (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	13.1339	17.5129	18.1648	12.2653	9.8664	89.9305		91.3215	
	S	104.864	90.673	78.486	86.830	92.739	90.390		83.374	
2	T	12.4967	17.1862	17.5260	11.9191	9.2100	86.6777			
	S	110.211	92.397	81.347	89.352	99.349	93.782			
3	T	12.3784	16.9719	17.2282	11.8638	9.0369	85.8557			
	S	111.264	93.564	82.753	89.769	101.252	94.680			
4	T	12.3241	17.1275	17.2867	11.9389	9.0436	85.7965			
	S	111.754	92.714	82.473	89.204	101.177	94.745			
5	T	12.1792	16.8606	17.0006	11.7735	8.9622	84.7945			
	S	113.084	94.181	83.861	90.457	102.095	95.865			
6	T	12.2473	16.7729	17.0088	11.8070	8.9059	84.6799			
	S	112.455	94.674	83.820	90.201	102.741	95.994			
7	T	12.0130	16.7990	16.8784	11.6939	8.9447	84.2889			
	S	114.649	94.527	84.468	91.073	102.295	96.440			
8	T	12.0052	16.6562	16.7669	11.7144	8.8295	83.7835			
	S	114.723	95.337	85.030	90.914	103.630	97.021			
9	T	11.9178	16.6803	16.6540	11.5825	8.7738	83.4283			79.3008
	S	115.564	95.199	85.606	91.949	104.288	97.435			96.881
10	T		17.0679	16.9090	11.6366	8.8333	192.6599	114.4279	82.2970	
	S		93.037	84.315	91.522	103.585	42.192	7.847	92.517	
11	T	11.8575	16.7209	16.7626	11.5648	8.7873	83.4218			
	S	116.152	94.968	85.051	92.090	104.128	97.442			
12	T	13.9714	16.9479	16.8560	11.7179	8.7190	86.8089			
	S	98.578	93.696	84.580	90.887	104.943	93.640			
13	T	11.9487	16.6394	16.7428	11.5059	8.9973	83.6206			
	S	115.265	95.433	85.152	92.561	101.697	97.210			
14	T	11.9393	16.5875	17.0177	11.6878	8.7508	83.5686			
	S	115.356	95.732	83.776	91.121	104.562	97.271			
15	T	12.2680	16.7272	16.7303	11.5650	8.8806	83.9235			
	S	112.265	94.932	85.216	92.088	103.034	96.860			
16	T	11.8394	16.5523	17.2755	11.7492	8.6938	83.6851			
	S	116.330	95.936	82.526	90.644	105.247	97.136			
17	T	11.8545	16.5670	16.5881	11.6499	8.7640	83.0453			
	S	116.181	95.850	85.946	91.417	104.404	97.884			
18	T	11.9216	16.5662	17.5199	13.1829	8.7774	85.5448			83.8870
	S	115.528	95.855	81.375	80.786	104.245	95.024			91.584
19	T					10.2084				
	S					89.632				

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 12 - de la Vara, Moises (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.8311	7.9460	5.0089	9.1214	8.4292	2.8215	7.6736	5.5609	4.8834	5.5604	6.8407	3.7060	6.0047	6.1828	5.0868
	S	106.695	100.823	115.023	67.947	114.860	135.808	91.251	69.029	69.949	91.720	81.132	102.659	89.021	66.828	87.794
2	T	4.7259	7.5365	4.8055	8.9289	8.5901	2.8599	7.3041	5.3602	4.7267	5.4335	6.6601	3.5861	5.7408	5.9297	4.9480
	S	109.070	106.301	119.891	69.412	112.709	133.984	95.868	71.614	72.268	93.862	83.332	106.091	93.113	69.680	90.257
3	T	4.6792	7.5127	4.8189	8.6486	8.4265	2.8404	7.8001	5.5864	4.6711	5.5158	7.4721	3.5819	5.4609	5.9717	4.9078
	S	110.159	106.638	119.558	71.662	114.897	134.904	89.772	68.714	73.129	92.462	74.276	106.216	97.886	69.190	90.996
4	T	4.7086	7.4712	4.8027	8.5444	8.4763	2.8604	7.1964	5.2771	4.6435	5.3334	6.5462	3.7221	5.6374	5.9438	4.9245
	S	109.471	107.230	119.961	72.536	114.222	133.961	97.302	72.741	73.563	95.624	84.782	102.215	94.821	69.515	90.688
5	T	4.6782	7.2936	4.7694	8.4515	8.3999	2.8480	7.1572	5.2838	4.5259	5.3253	6.5793	3.5575	5.4402	5.7638	4.8957
	S	110.182	109.841	120.798	73.333	115.261	134.544	97.835	72.649	75.475	95.769	84.355	106.944	98.258	71.686	91.221
6	T	4.6722	7.3730	4.7902	8.5015	8.4162	2.8540	7.1351	5.2843	4.4728	5.2707	6.5432	3.5592	5.4122	5.6945	4.8913
	S	110.324	108.658	120.274	72.902	115.038	134.261	98.138	72.642	76.371	96.761	84.821	106.893	98.767	72.558	91.303
7	T	4.6969	7.2958	4.7504	8.5349	8.3842	2.8411	7.1275	5.1583	4.5254	5.2945	6.5726	3.5533	5.2927	5.5834	4.9031
	S	109.744	109.808	121.282	72.616	115.477	134.871	98.243	74.417	75.483	96.326	84.441	107.071	100.997	74.002	91.083
8	T	4.6623	7.1947	4.7441	8.3751	8.4067	2.8459	7.1344	5.2451	4.4593	5.2939	6.3860	3.5614	5.2658	5.5865	4.8877
	S	110.558	111.351	121.443	74.002	115.168	134.643	98.148	73.185	76.602	96.337	86.909	106.827	101.513	73.961	91.370
9	T	4.6413	7.1594	4.7230	8.3960	8.4016	2.8467	7.0289	5.1912	4.4819	5.2563	6.4035	3.5100	5.1869	5.5081	4.8594
	S	111.058	111.900	121.985	73.818	115.238	134.606	99.621	73.945	76.216	97.026	86.671	108.392	103.057	75.013	91.902
10	T			5.1807	8.6915	8.4981	2.8686	7.2920	5.2940	4.5289	5.3102	6.3614	3.5152	5.2257		
	S			111.208	71.308	113.929	133.578	96.027	72.509	75.425	96.042	87.245	108.231	102.292		
11	T	4.6554	7.2760	4.7722	8.3450	8.4064	2.8556	7.0067	5.1424	4.4284	5.2916	6.4320	3.5172	5.4730	5.5920	4.8584
	S	110.722	110.107	120.728	74.269	115.172	134.186	99.937	74.647	77.136	96.379	86.287	108.170	97.670	73.888	91.921
12	T	4.6666	7.1689	4.7036	8.2657	8.4055	2.8504	7.0555	5.1908	4.4550	5.2496	6.3384	3.5346	5.1856	5.5341	4.8500
	S	110.456	111.752	122.488	74.981	115.184	134.431	99.246	73.951	76.676	97.150	87.562	107.637	103.083	74.661	92.081
13	T	4.6649	7.1655	4.6938	8.3301	8.3962	2.8483	7.0862	5.1728	4.4596	5.2431	6.4376	3.4918	5.1638	5.4142	4.8544
	S	110.496	111.805	122.744	74.402	115.312	134.530	98.816	74.208	76.597	97.271	86.212	108.957	103.518	76.314	91.997
14	T	4.6452	7.0591	4.7006	8.4081	8.3910	2.8496	7.0403	5.1476	4.3885	5.2035	6.3876	3.5168	5.1252	5.4709	4.8481
	S	110.965	113.490	122.567	73.711	115.383	134.469	99.460	74.571	77.838	98.011	86.887	108.182	104.297	75.524	92.117
15	T	4.6738	7.1933	4.7965	8.3409	8.3868	2.8469	6.9656	5.2557	4.4749	5.2561	6.4941	3.5244	5.0726	5.4462	4.8511
	S	110.286	111.373	120.116	74.305	115.441	134.596	100.526	73.038	76.335	97.030	85.462	107.949	105.379	75.866	92.060
16	T	4.6936	7.1181	4.7063	8.5082	8.4117	2.8487	7.0613	5.1125	4.4479	5.2495	6.5372	3.5140	5.3063	5.5802	4.9160
	S	109.821	112.549	122.418	72.844	115.099	134.511	99.164	75.083	76.798	97.152	84.899	108.268	100.738	74.044	90.844
17	T	4.6978	7.2481	4.7417	8.2700	8.3867	2.8520	7.1375	5.2091	4.4840	5.2417	6.6265	3.5352	5.4534	5.7214	4.8866
	S	109.723	110.531	121.504	74.942	115.443	134.355	98.105	73.691	76.180	97.297	83.755	107.619	98.021	72.217	91.391
18	T												3.5758	5.6104		
	S												106.397	95.278		

Event: Cooper Tires USF2000 GP of Mid-Ohio  
 Track: Mid-Ohio Sports Car Course  
 Report: Section Data Report  
 Session: Practice 1

Round 12 / 13  
 2.258 mile(s)  
 USF2000  
 July 27, 2017



Section Data for Car 12 - de la Vara, Moises (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.9549	17.5506	18.1179	12.4011	9.7107	89.6574		91.1935	
	S	106.313	90.479	78.689	85.879	94.226	90.665		83.491	
2	T	12.3420	17.5190	17.3910	12.0936	9.3269	87.1360			
	S	111.592	90.642	81.978	88.063	98.103	93.289			
3	T	12.3316	17.0751	18.0576	12.9879	9.0428	87.8941			
	S	111.686	92.998	78.952	81.999	101.185	92.484			
4	T	12.2739	17.0207	17.1170	11.8796	9.3595	86.0880			
	S	112.211	93.295	83.290	89.649	97.762	94.424			
5	T	12.0630	16.8514	16.9669	11.9046	8.9977	84.9693			
	S	114.173	94.233	84.027	89.461	101.693	95.667			
6	T	12.1632	16.9177	16.8922	11.8139	8.9714	84.8704			
	S	113.233	93.864	84.399	90.148	101.991	95.779			
7	T	12.0462	16.9191	16.8112	11.8671	8.8460	84.5141			
	S	114.333	93.856	84.805	89.744	103.437	96.183			
8	T	11.9388	16.7818	16.8388	11.6799	8.8272	84.0489			
	S	115.361	94.624	84.666	91.182	103.657	96.715			
9	T	11.8824	16.7976	16.7020	11.6598	8.6969	83.5942			80.7837
	S	115.909	94.535	85.360	91.339	105.210	97.241			95.102
10	T		17.1896	17.1149	11.6716	8.7409	249.9498	170.1365	83.0000	
	S		92.379	83.301	91.247	104.680	32.522	5.278	91.733	
11	T	12.0482	16.7514	16.5775	11.7236	8.9902	84.0523			
	S	114.314	94.795	86.001	90.842	101.777	96.711			
12	T	11.8725	16.6712	16.7013	11.5880	8.7202	83.4543			
	S	116.005	95.251	85.364	91.905	104.929	97.404			
13	T	11.8593	16.7263	16.7186	11.6807	8.6556	83.4223			
	S	116.134	94.938	85.275	91.176	105.712	97.442			
14	T	11.7597	16.7991	16.5764	11.5911	8.6420	83.1821			
	S	117.118	94.526	86.007	91.881	105.878	97.723			
15	T	11.9898	16.7277	16.6962	11.7502	8.5970	83.5789			
	S	114.870	94.930	85.390	90.637	106.432	97.259			
16	T	11.8244	16.9199	16.6217	11.7867	8.8203	84.0115			
	S	116.477	93.851	85.772	90.356	103.738	96.758			
17	T	11.9898	16.6567	16.8306	11.8682	8.9886	84.4917			81.7825
	S	114.870	95.334	84.708	89.736	101.796	96.208			93.941
18	T					9.1862				
	S					99.606				

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7314	7.7112	4.9437	8.7181	8.4456	2.8678	7.3530	5.4191	4.6707	5.3602	6.6440	3.5908	5.7700	5.6179	4.9791
	S	108.943	103.893	116.540	71.090	114.637	133.615	95.230	70.835	73.135	95.146	83.534	105.953	92.642	73.547	89.693
2	T	4.6661	7.6997	4.8699	8.7026	8.3861	2.8487	7.2670	5.3009	4.5734	5.3513	6.5472	3.5670	5.5300	5.6857	4.8674
	S	110.468	104.048	118.306	71.217	115.451	134.511	96.357	72.415	74.691	95.304	84.769	106.660	96.663	72.670	91.751
3	T	4.6787	7.5227	4.8171	8.4375	8.3560	2.8415	7.1820	5.2308	4.5020	5.3015	6.5039	3.5546	5.5094	5.7671	4.8591
	S	110.170	106.496	119.602	73.455	115.867	134.852	97.498	73.385	75.875	96.199	85.333	107.032	97.024	71.645	91.908
4	T	4.6425	7.3872	4.8145	8.5431	8.3956	2.8463	7.1492	5.2170	4.5328	5.3154	6.4009	3.5485	5.3815	5.4538	4.8932
	S	111.030	108.449	119.667	72.547	115.320	134.625	97.945	73.579	75.360	95.948	86.707	107.216	99.330	75.760	91.268
5	T	4.6151	7.3133	4.7686	8.4688	8.3567	2.8438	7.1513	5.2345	4.5031	5.2804	6.3497	3.5409	5.2864	5.5793	4.8136
	S	111.689	109.545	120.819	73.183	115.857	134.743	97.916	73.333	75.857	96.584	87.406	107.446	101.117	74.056	92.777
6	T	4.6166	7.4429	4.7951	8.3948	8.3580	2.8389	7.1002	5.1422	4.4413	5.3188	6.3326	3.5072	5.2479	5.4036	4.8826
	S	111.652	107.638	120.151	73.828	115.839	134.975	98.621	74.650	76.912	95.886	87.642	108.478	101.859	76.464	91.466
7	T	4.6240	7.3021	4.7747	8.3691	8.3359	2.8324	7.0079	5.2137	4.4393	5.2588	6.4452	3.5103	5.3953	5.3580	4.8705
	S	111.474	109.713	120.664	74.055	116.146	135.285	99.920	73.626	76.947	96.980	86.111	108.382	99.076	77.115	91.693
8	T			5.1640	8.8498	8.3782	2.8325	7.6780	5.3507	4.8984	6.3665	7.6101	3.5221	5.4033		
	S			111.568	70.032	115.560	135.280	91.199	71.741	69.735	80.107	72.929	108.019	98.929		
9	T	4.6519	7.3715	4.7888	8.2946	8.3307	2.8366	7.1204	5.2126	4.4097	5.2093	6.3519	3.9035	5.5666	5.5297	4.8864
	S	110.805	108.680	120.309	74.720	116.219	135.085	98.341	73.641	77.464	97.902	87.375	97.465	96.027	74.720	91.395
10	T	4.6107	7.3236	4.7442	8.2546	8.3362	2.8370	7.0847	5.1538	4.3895	5.2119	6.2551	3.4901	5.3576	5.6158	4.8459
	S	111.795	109.391	121.440	75.082	116.142	135.066	98.837	74.482	77.820	97.853	88.728	109.010	99.773	73.575	92.159
11	T	4.6009	7.3655	4.7513	8.3387	8.2851	2.7998	7.1730	5.1380	4.3992	5.2172	6.3176	3.4779	5.1891	5.2476	4.8734
	S	112.033	108.769	121.259	74.325	116.858	136.860	97.620	74.711	77.648	97.754	87.850	109.392	103.013	78.737	91.638
12	T	4.6115	7.1846	4.7415	8.2595	8.3310	2.8314	7.0260	5.1375	4.3721	5.2025	6.2426	3.5008	5.1795	5.3120	4.8392
	S	111.776	111.507	121.509	75.038	116.214	135.333	99.662	74.718	78.130	98.030	88.905	108.676	103.204	77.783	92.286
13	T			5.1107	9.0201	9.6628	3.9347	8.5913	5.3956	4.5077	5.2356	6.2456	3.4956	5.2024		
	S			112.731	68.710	100.197	97.385	81.504	71.144	75.779	97.410	88.863	108.838	102.750		
14	T	4.6215	7.2295	4.7528	8.2363	8.3285	2.8380	7.0314	5.0934	4.4387	5.2502	6.3251	3.4788	5.2469	5.2643	4.8199
	S	111.534	110.815	121.220	75.249	116.249	135.018	99.586	75.365	76.957	97.139	87.746	109.364	101.878	78.488	92.656
15	T	4.6400	7.1817	4.7474	8.2250	8.3340	2.8425	7.0369	5.1060	4.3615	5.2276	6.2686	3.9629	6.3210	5.7785	4.8731
	S	111.089	111.552	121.358	75.352	116.173	134.805	99.508	75.179	78.320	97.559	88.537	96.004	84.567	71.503	91.644
16	T	4.5991	7.1272	4.7056	8.1513	8.3153	2.8285	6.9484	5.0324	4.3546	5.1790	6.2329	3.4991	5.1207	5.1781	4.8533
	S	112.077	112.405	122.436	76.034	116.434	135.472	100.775	76.278	78.444	98.475	89.044	108.729	104.389	79.794	92.018
17	T	4.6763	7.3970	4.7940	8.4938	8.3282	2.8364	7.5867	5.2784	4.5720	5.6792	8.4911	3.4872	5.1406	5.9098	4.8840
	S	110.227	108.306	120.179	72.968	116.253	135.094	92.297	72.723	74.714	89.801	65.363	109.100	103.985	69.915	91.440
18	T												4.8349	6.8966		
	S												78.689	77.509		



Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.6549	17.1637	17.4428	12.0042	9.3608	86.8226		86.7080	
	S	108.833	92.518	81.735	88.719	97.748	93.625		87.810	
2	T	12.5696	17.0887	17.1413	11.8985	9.0970	85.8630			
	S	109.572	92.924	83.172	89.507	100.583	94.672			
3	T	12.3398	16.7935	16.9148	11.8054	9.0640	85.0639			
	S	111.612	94.558	84.286	90.213	100.949	95.561			
4	T	12.2017	16.9387	16.8990	11.7163	8.9300	84.5215			
	S	112.875	93.747	84.365	90.899	102.464	96.174			
5	T	12.0819	16.8255	16.8889	11.6301	8.8273	84.1055			
	S	113.995	94.378	84.415	91.573	103.656	96.650			
6	T	12.2380	16.7528	16.6837	11.6514	8.7551	83.8227			
	S	112.541	94.787	85.454	91.405	104.511	96.976			
7	T	12.0768	16.7050	16.6609	11.7040	8.9056	83.7372			80.2360
	S	114.043	95.059	85.571	90.995	102.744	97.075			95.752
8	T		17.2280	17.9271	13.9766	8.9254	211.4114	128.8288	86.8359	
	S		92.173	79.527	76.199	102.516	38.450	6.970	87.681	
9	T	12.1603	16.6253	16.7427	11.5612	9.4701	84.4642			
	S	113.260	95.514	85.152	92.118	96.620	96.240			
10	T	12.0678	16.5908	16.6280	11.4670	8.8477	83.5107			
	S	114.128	95.713	85.740	92.875	103.417	97.338			
11	T	12.1168	16.6238	16.7102	11.5348	8.6670	83.1743			
	S	113.666	95.523	85.318	92.329	105.573	97.732			
12	T	11.9261	16.5905	16.5356	11.4451	8.6803	82.7717			79.3755
	S	115.484	95.715	86.219	93.053	105.411	98.207			96.790
13	T		18.6829	18.4946	11.4812	8.6980	184.4914	101.5134	86.3526	
	S		84.995	77.086	92.760	105.197	44.061	8.846	88.172	
14	T	11.9823	16.5648	16.5635	11.5753	8.7257	82.9553			
	S	114.942	95.863	86.074	92.006	104.863	97.990			
15	T	11.9291	16.5590	16.5044	11.4962	10.2839	84.9067			
	S	115.455	95.897	86.382	92.639	88.974	95.738			
16	T	11.8328	16.4666	16.3354	11.4119	8.6198	82.1255			
	S	116.394	96.435	87.276	93.324	106.151	98.980			
17	T	12.1910	16.8220	17.4371	14.1703	8.6278	87.5547			90.5190
	S	112.975	94.397	81.761	75.157	106.053	92.843			84.874
18	T					11.7315				
	S					77.995				



Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 22 - Ming, Calvin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7516	7.7734	4.8975	8.9114	8.4470	2.8721	7.4943	5.5026	4.6360	5.3851	6.6586	3.6513	5.8686	5.9743	4.9559
	S	108.480	103.061	117.639	69.548	114.618	133.415	93.435	69.760	73.682	94.706	83.351	104.197	91.086	69.160	90.113
2	T	4.6597	7.6109	4.8724	8.6098	8.3615	2.8470	7.3894	5.4164	4.5245	5.3331	6.4601	3.5809	5.5760	5.7013	4.8699
	S	110.620	105.262	118.245	71.985	115.790	134.591	94.761	70.871	75.498	95.629	85.912	106.246	95.865	72.472	91.704
3	T	4.6512	7.5063	4.8194	8.5854	8.3520	2.8466	7.2420	5.3914	4.4969	5.3165	6.4315	3.5349	5.4402	5.6914	4.8610
	S	110.822	106.729	119.545	72.189	115.922	134.610	96.690	71.199	75.961	95.928	86.294	107.628	98.258	72.598	91.872
4	T	4.6456	7.5539	4.8141	8.6212	8.3593	2.8458	7.2300	5.3706	4.5061	5.3066	6.4122	3.5269	5.4112	5.6623	4.8439
	S	110.955	106.056	119.677	71.889	115.821	134.648	96.850	71.475	75.806	96.107	86.554	107.872	98.785	72.971	92.197
5	T	4.6425	7.4969	4.7897	8.5773	8.3339	2.8443	7.1506	5.3078	4.4900	5.2886	6.3862	3.5200	5.3594	5.6111	4.8532
	S	111.030	106.862	120.287	72.257	116.174	134.719	97.926	72.321	76.078	96.434	86.906	108.084	99.740	73.637	92.020
6	T	4.6702	7.4813	4.7836	8.5802	8.3156	2.8434	7.2288	5.2528	4.5534	5.3510	6.4416	3.5069	5.3885	5.6071	4.8735
	S	110.371	107.085	120.440	72.233	116.430	134.762	96.866	73.078	75.019	95.309	86.159	108.487	99.201	73.689	91.637
7	T	4.6491	7.4255	4.7912	8.4612	8.3372	2.8392	7.1605	5.2322	4.4300	5.2474	6.3734	3.5098	5.4207	5.5283	4.8348
	S	110.872	107.890	120.249	73.249	116.128	134.961	97.790	73.366	77.109	97.191	87.081	108.398	98.612	74.739	92.370
8	T	4.6373	7.3679	4.7752	8.3809	8.3747	2.8519	7.2362	5.2469	4.4932	5.3045	6.4205	3.5129	5.3594	5.5506	4.8376
	S	111.154	108.733	120.652	73.951	115.608	134.360	96.767	73.160	76.024	96.145	86.442	108.302	99.740	74.439	92.317
9	T			5.1045	8.8036	8.3985	2.8693	7.3214	5.3174	4.4771	5.3170	6.3767	3.5257	5.4185		
	S			112.868	70.400	115.280	133.545	95.641	72.190	76.297	95.919	87.036	107.909	98.652		
10	T	4.6323	7.3094	4.7603	8.3981	8.3512	2.8468	6.9900	5.2423	4.4098	5.2450	6.2787	3.5112	5.3697	5.4472	4.8169
	S	111.274	109.604	121.029	73.799	115.933	134.601	100.176	73.224	77.462	97.235	88.394	108.355	99.548	75.852	92.713
11	T	4.6252	7.3838	4.7447	8.2171	8.3339	2.8483	7.0035	5.2173	4.4828	5.2413	6.3105	3.4865	5.2425	5.3953	4.8001
	S	111.445	108.499	121.427	75.425	116.174	134.530	99.982	73.575	76.200	97.304	87.949	109.122	101.964	76.582	93.038
12	T	4.6081	7.2864	4.7441	8.2881	8.3351	2.8464	7.0172	5.1799	4.3632	5.2552	6.2858	3.4920	5.2923	5.4113	4.7984
	S	111.858	109.950	121.443	74.779	116.157	134.620	99.787	74.106	78.289	97.047	88.294	108.950	101.004	76.355	93.071
13	T	4.6187	7.2587	4.7118	8.5050	8.3255	2.8452	7.0047	5.1168	4.4656	5.2794	6.2514	3.5069	5.2557	5.4313	4.8223
	S	111.602	110.369	122.275	72.872	116.291	134.677	99.965	75.020	76.494	96.602	88.780	108.487	101.708	76.074	92.610
14	T	4.6386	7.2816	4.7205	8.3878	8.3118	2.8352	6.9917	5.1491	4.3479	5.2712	6.4270	3.4834	5.2340	5.3802	4.8333
	S	111.123	110.022	122.050	73.890	116.483	135.152	100.151	74.550	78.565	96.752	86.354	109.219	102.129	76.797	92.399
15	T			5.0832	8.6224	8.3983	2.8603	7.1267	5.2269	4.4246	5.2760	6.3107	3.5083	5.5521		
	S			113.341	71.879	115.283	133.966	98.254	73.440	77.203	96.664	87.946	108.444	96.278		
16	T	4.6234	7.2322	4.7354	8.2573	8.3107	2.8390	7.0482	5.1301	4.3696	5.2486	6.3749	3.5075	5.2560	5.3946	4.8115
	S	111.488	110.774	121.666	75.058	116.498	134.971	99.348	74.826	78.174	97.169	87.060	108.469	101.702	76.592	92.817
17	T	4.5943	8.0292	4.8816	8.3375	8.3351	2.8399	7.3281	5.7883	5.7351	6.3819	8.4642	3.5108	5.4132	5.5296	4.7773
	S	112.194	99.778	118.022	74.336	116.157	134.928	95.554	66.317	59.561	79.914	65.570	108.367	98.749	74.722	93.482
18	T												4.7573	6.5451		
	S												79.973	81.671		

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 22 - Ming, Calvin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.6709	17.3584	17.6329	12.0437	9.5199	87.7797		88.7567	
	S	108.696	91.480	80.854	88.428	96.114	92.605		85.784	
2	T	12.4833	16.9713	17.3303	11.7932	9.1569	85.8129			
	S	110.329	93.567	82.265	90.306	99.925	94.727			
3	T	12.3257	16.9374	17.1303	11.7480	8.9751	85.1667			
	S	111.740	93.754	83.226	90.654	101.949	95.446			
4	T	12.3680	16.9805	17.1067	11.7188	8.9381	85.1097			
	S	111.358	93.516	83.341	90.880	102.371	95.510			
5	T	12.2866	16.9112	16.9484	11.6748	8.8794	84.6515			
	S	112.096	93.900	84.119	91.222	103.048	96.027			
6	T	12.2649	16.8958	17.0350	11.7926	8.8954	84.8779			
	S	112.294	93.985	83.691	90.311	102.862	95.771			
7	T	12.2167	16.7984	16.8227	11.6208	8.9305	84.2405			
	S	112.737	94.530	84.748	91.646	102.458	96.495			
8	T	12.1431	16.7556	16.9763	11.7250	8.8723	84.3497			80.8046
	S	113.420	94.772	83.981	90.832	103.130	96.370			95.078
9	T		17.2021	17.1159	11.6937	8.9442	191.7238	112.3374	82.8160	
	S		92.312	83.296	91.075	102.301	42.398	7.993	91.937	
10	T	12.0697	16.7493	16.6421	11.5237	8.8809	83.6089			
	S	114.110	94.807	85.667	92.418	103.030	97.224			
11	T	12.1285	16.5510	16.7036	11.5518	8.7290	83.3328			
	S	113.557	95.943	85.352	92.193	104.823	97.546			
12	T	12.0305	16.6232	16.5603	11.5410	8.7843	83.2035			
	S	114.482	95.526	86.090	92.280	104.163	97.698			
13	T	11.9705	16.8305	16.5871	11.5308	8.7626	83.3990			
	S	115.056	94.350	85.951	92.361	104.421	97.469			
14	T	12.0021	16.6996	16.4887	11.6982	8.7174	83.2933			80.1191
	S	114.753	95.089	86.464	91.040	104.962	97.592			95.891
15	T		17.0207	16.7782	11.5867	9.0604	171.3970	92.6017	82.0082	
	S		93.295	84.972	91.916	100.989	47.427	9.697	92.843	
16	T	11.9676	16.5680	16.5479	11.6235	8.7635	83.1390			
	S	115.083	95.845	86.155	91.625	104.410	97.774			
17	T	12.9108	16.6726	18.8515	14.8461	8.9240	89.9461			90.1963
	S	106.676	95.243	75.627	71.736	102.532	90.374			85.178
18	T					11.3024				
	S					80.956				

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 23 - Kohl, Lucas

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7838	7.8747	4.9399	8.8330	8.4289	2.8594	7.5716	5.4451	4.6480	5.3966	6.7406	3.6545	6.0564	5.9573	4.9555
	S	107.750	101.735	116.629	70.166	114.865	134.008	92.481	70.497	73.492	94.504	82.337	104.106	88.261	69.357	90.120
2	T	4.7317	7.7019	4.8762	8.5815	8.3640	2.8429	7.3919	5.3952	4.6791	5.3305	6.6179	3.5792	5.6476	5.8021	4.9125
	S	108.936	104.018	118.153	72.222	115.756	134.786	94.729	71.149	73.004	95.676	83.863	106.296	94.650	71.212	90.909
3	T	4.7127	7.5531	4.8231	8.5972	8.3562	2.8405	7.3021	5.3252	4.6902	5.4266	6.6400	3.5417	5.4588	5.7604	4.8284
	S	109.376	106.067	119.454	72.090	115.864	134.899	95.894	72.084	72.831	93.981	83.584	107.421	97.924	71.728	92.493
4	T	4.6731	7.5517	4.8286	8.4771	8.3762	2.8487	7.3574	5.3435	4.6699	5.3020	6.5937	3.5577	5.5900	5.5873	4.9328
	S	110.302	106.087	119.317	73.111	115.587	134.511	95.173	71.837	73.147	96.190	84.171	106.938	95.625	73.950	90.535
5	T	4.6771	7.4208	4.7919	8.3860	8.3629	2.8448	7.2260	5.3724	4.5815	5.2631	6.5366	3.5545	5.4006	5.4846	4.8675
	S	110.208	107.958	120.231	73.906	115.771	134.696	96.904	71.451	74.559	96.901	84.907	107.035	98.979	75.335	91.750
6	T	4.6607	7.3831	4.7914	8.4730	8.3556	2.8451	7.2869	5.2498	4.5204	5.2631	6.4935	3.5376	5.3510	5.6650	4.7898
	S	110.596	108.509	120.244	73.147	115.872	134.681	96.094	73.120	75.567	96.901	85.470	107.546	99.896	72.936	93.238
7	T	4.6614	7.3789	4.7915	8.3597	8.3610	2.8458	7.2274	5.1841	4.4608	5.2226	6.5426	3.5207	5.3691	5.4639	4.8598
	S	110.579	108.571	120.241	74.138	115.797	134.648	96.885	74.046	76.576	97.653	84.829	108.062	99.560	75.620	91.895
8	T	4.6562	7.2820	4.7567	8.4165	8.3507	2.8471	7.2981	5.3662	4.6013	5.3077	6.6726	3.5436	5.2936	5.3948	4.8316
	S	110.703	110.016	121.121	73.638	115.940	134.587	95.947	71.534	74.238	96.087	83.176	107.364	100.980	76.589	92.431
9	T			5.1577	8.9131	8.4699	2.8695	7.4905	5.3870	4.5769	5.2870	6.5507	3.5459	5.5352		
	S			111.704	69.535	114.309	133.536	93.482	71.257	74.634	96.463	84.724	107.294	96.572		
10	T	4.7259	7.4115	4.7636	8.3102	8.3440	2.8506	7.2004	5.1867	4.4202	5.2316	6.3712	3.5360	5.4899	5.5205	4.8767
	S	109.070	108.094	120.946	74.580	116.033	134.421	97.248	74.009	77.280	97.485	87.111	107.595	97.369	74.845	91.576
11	T	4.6456	7.3088	4.7568	8.3189	8.4072	2.8631	7.2311	5.2433	4.4441	5.2287	6.4071	3.5155	5.2549	5.3838	4.8265
	S	110.955	109.613	121.118	74.502	115.161	133.835	96.836	73.210	76.864	97.539	86.623	108.222	101.723	76.745	92.529
12	T	4.6838	7.3049	4.7494	8.4325	8.3535	2.8463	7.0555	5.3326	4.4479	5.2076	6.4607	3.5069	5.3401	5.3768	4.8539
	S	110.051	109.671	121.307	73.498	115.901	134.625	99.246	71.984	76.798	97.934	85.904	108.487	100.100	76.845	92.007
13	T	4.6769	7.2823	4.7324	8.3685	8.3196	2.8438	7.1221	5.1696	4.4162	5.2233	6.4012	3.5010	5.2986	5.3772	4.8266
	S	110.213	110.011	121.743	74.060	116.374	134.743	98.318	74.254	77.350	97.639	86.702	108.670	100.884	76.840	92.527
14	T	4.6583	7.1929	4.7290	8.3674	8.3675	2.8550	7.0917	5.1127	4.5025	5.2780	6.4133	3.5000	5.2027	5.4062	4.8069
	S	110.653	111.379	121.830	74.070	115.707	134.214	98.739	75.080	75.867	96.628	86.539	108.701	102.744	76.427	92.906
15	T			5.0926	8.5587	8.3916	2.8528	7.1979	5.3345	4.4880	5.2221	6.4015	3.5064	5.2778		
	S			113.132	72.414	115.375	134.318	97.282	71.959	76.112	97.662	86.698	108.503	101.282		
16	T	4.6649	7.1871	4.7275	8.2167	8.3272	2.8438	7.0302	5.1691	4.5553	5.6210	6.7675	3.5169	5.3581	5.4084	4.8306
	S	110.496	111.469	121.869	75.428	116.267	134.743	99.603	74.261	74.988	90.731	82.010	108.179	99.764	76.396	92.450
17	T												3.6016	5.8410		
	S												108.635	91.518		

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 23 - Kohl, Lucas

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.8146	17.2619	17.6647	12.1372	9.7109	88.1453		88.8597	
	S	107.477	91.992	80.708	87.747	94.224	92.220		85.684	
2	T	12.5781	16.9455	17.4662	11.9484	9.2268	86.4542			
	S	109.498	93.710	81.625	89.133	99.168	94.024			
3	T	12.3762	16.9534	17.3175	12.0666	9.0005	85.8562			
	S	111.284	93.666	82.326	88.260	101.661	94.679			
4	T	12.3803	16.8533	17.3708	11.8957	9.1477	85.6897			
	S	111.247	94.222	82.073	89.528	100.025	94.863			
5	T	12.2127	16.7489	17.1799	11.7997	8.9551	84.7703			
	S	112.774	94.809	82.985	90.257	102.176	95.892			
6	T	12.1745	16.8286	17.0571	11.7566	8.8886	84.6660			
	S	113.128	94.360	83.583	90.587	102.941	96.010			
7	T	12.1704	16.7207	16.8723	11.7652	8.8898	84.2493			
	S	113.166	94.969	84.498	90.521	102.927	96.485			
8	T	12.0387	16.7672	17.2656	11.9803	8.8372	84.6187			82.4981
	S	114.404	94.706	82.574	88.896	103.540	96.064			93.126
9	T		17.3830	17.4544	11.8377	9.0811	258.2896	177.1586	83.6111	
	S		91.351	81.680	89.967	100.759	31.472	5.069	91.063	
10	T	12.1751	16.6542	16.8073	11.6028	9.0259	84.2390			
	S	113.122	95.349	84.825	91.788	101.375	96.497			
11	T	12.0656	16.7261	16.9185	11.6358	8.7704	83.8354			
	S	114.149	94.939	84.268	91.528	104.328	96.961			
12	T	12.0543	16.7860	16.8360	11.6683	8.8470	83.9524			
	S	114.256	94.600	84.681	91.273	103.425	96.826			
13	T	12.0147	16.6881	16.7079	11.6245	8.7996	83.5593			
	S	114.632	95.155	85.330	91.617	103.982	97.282			
14	T	11.9219	16.7349	16.7069	11.6913	8.7027	83.4841			80.2314
	S	115.525	94.889	85.335	91.093	105.140	97.369			95.757
15	T		16.9503	17.0204	11.6236	8.7842	164.0644	85.0984	82.4169	
	S		93.683	83.763	91.624	104.164	49.546	10.552	92.382	
16	T	11.9146	16.5439	16.7546	12.3885	8.8750	84.2243			81.9815
	S	115.595	95.984	85.092	85.967	103.099	96.514			93.713
17	T					9.4426				
	S					96.901				

Event: Cooper Tires USF2000 GP of Mid-Ohio  
 Track: Mid-Ohio Sports Car Course  
 Report: Section Data Report  
 Session: Practice 1

Round 12 / 13  
 2.258 mile(s)  
 USF2000  
 July 27, 2017



Section Data for Car 27 - Kaminsky, Colin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.8036	7.7468	4.9356	8.7180	8.5518	2.9024	7.5533	5.2833	4.6821	5.4015	6.5935	3.8620	5.9829	5.9975	4.9165
	S	107.306	103.415	116.731	71.091	113.214	132.022	92.705	72.656	72.957	94.418	84.174	98.512	89.346	68.892	90.835
2	T	4.7187	7.3853	4.8449	8.3771	8.4667	2.8731	7.2595	5.1461	5.1497	5.6031	6.5746	3.5917	5.4754	5.6050	4.8572
	S	109.237	108.477	118.916	73.984	114.352	133.369	96.457	74.593	66.332	91.021	84.416	105.926	97.627	73.717	91.944
3	T	4.7111	7.3581	4.8401	8.3533	8.4270	2.8686	7.1427	5.2406	4.6762	5.2844	6.4447	3.5408	5.4114	5.5766	4.8285
	S	109.413	108.878	119.034	74.195	114.890	133.578	98.034	73.248	73.049	96.510	86.117	107.449	98.781	74.092	92.491
4	T	4.6993	7.3169	4.7992	8.2590	8.4395	2.8734	7.2091	5.1697	4.5734	5.2731	6.4687	3.5326	5.3137	5.5533	4.8084
	S	109.688	109.491	120.048	75.042	114.720	133.355	97.131	74.253	74.691	96.717	85.798	107.698	100.598	74.403	92.877
5	T	4.6832	7.2486	4.9004	8.3993	8.4486	3.2855	7.5246	5.1761	4.5665	5.2525	6.5084	3.5366	5.2738	5.5500	4.8020
	S	110.065	110.523	117.569	73.789	114.597	116.628	93.058	74.161	74.804	97.097	85.274	107.576	101.359	74.447	93.001
6	T	4.6687	7.2107	4.7658	8.2560	8.4033	2.8515	7.0290	5.1290	4.5482	5.2340	6.4886	3.5282	5.2475	5.4638	4.7900
	S	110.406	111.104	120.890	75.069	115.214	134.379	99.620	74.842	75.105	97.440	85.535	107.832	101.867	75.622	93.234
7	T	4.6566	7.2201	4.7648	8.1849	8.3815	2.8514	7.0182	5.1608	4.6946	5.5171	6.9264	3.5123	5.3018	5.5080	4.7829
	S	110.693	110.959	120.915	75.721	115.514	134.384	99.773	74.381	72.763	92.440	80.128	108.321	100.823	75.015	93.372
8	T	4.6524	7.3243	4.8986	8.7831	8.3964	2.8645	9.0839	6.0438	5.3330	7.1480	8.9755	3.6178	5.4013	5.5749	4.7771
	S	110.793	109.381	117.612	70.564	115.309	133.769	77.084	63.514	64.052	71.349	61.835	105.162	98.966	74.115	93.486
9	T												4.2490	8.0687		
	S												89.540	66.249		

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 27 - Kaminsky, Colin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	SF to PI
1	T	12.6824	17.2698	17.5187	11.9950	9.8449	87.9308	96.1078	
	S	108.597	91.950	81.381	88.787	92.942	92.445	79.222	
2	T	12.2302	16.8438	17.5553	12.1777	9.0671	85.9281		
	S	112.612	94.275	81.211	87.455	100.914	94.600		
3	T	12.1982	16.7803	17.0595	11.7291	8.9522	84.7041		
	S	112.908	94.632	83.571	90.800	102.210	95.967		
4	T	12.1161	16.6985	16.9522	11.7418	8.8463	84.2893		
	S	113.673	95.096	84.100	90.702	103.433	96.439		
5	T	12.1490	16.8479	17.2672	11.7609	8.8104	85.1561		
	S	113.365	94.252	82.566	90.554	103.855	95.458		
6	T	11.9765	16.6593	16.7062	11.7226	8.7757	83.6143		
	S	114.998	95.319	85.338	90.850	104.265	97.218		
7	T	11.9849	16.5664	16.8736	12.4435	8.8141	84.4814		
	S	114.917	95.854	84.492	85.587	103.811	96.220		
8	T	12.2229	17.1795	20.4607	16.1235	9.0191	92.8746		95.8586
	S	112.680	92.433	69.679	66.053	101.451	87.524		80.146
9	T						12.3177		
	S					74.283			

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 3 - Askew, Oliver (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T		5.2282	9.0490	8.4656	2.8559	7.7652	5.5050	4.7276	5.5226	6.6612	3.7176	6.4865			
	S		110.198	68.491	114.367	134.172	90.175	69.730	72.255	92.348	83.318	102.339	82.409			
2	T	4.7684	7.7420	4.8908	8.6282	8.4242	2.8404	7.5198	5.3727	4.6058	5.3546	6.5133	3.6006	6.7141	6.7215	5.0157
	S	108.098	103.479	117.800	71.831	114.929	134.904	93.118	71.447	74.165	95.245	85.210	105.664	79.615	61.472	89.039
3	T	4.6492	7.5058	4.8362	8.4863	8.3595	2.8341	7.3164	5.3274	4.5094	5.2869	6.4263	3.5131	5.5323	5.5862	4.9167
	S	110.870	106.736	119.130	73.032	115.818	135.204	95.707	72.055	75.751	96.465	86.364	108.296	96.623	73.965	90.831
4	T	4.6228	7.3380	4.7711	8.4522	8.3474	2.8284	7.2788	5.3127	4.4576	5.2723	6.4175	3.5126	5.5033	5.3621	4.8915
	S	111.503	109.176	120.755	73.327	115.986	135.477	96.201	72.254	76.631	96.732	86.482	108.311	97.132	77.056	91.299
5	T	4.6313	7.3091	4.7729	8.3990	8.3533	2.8194	7.1191	5.2757	4.4597	5.2620	6.3752	3.4968	5.3951	5.4095	4.8956
	S	111.298	109.608	120.710	73.791	115.904	135.909	98.359	72.761	76.595	96.921	87.056	108.801	99.080	76.381	91.223
6	T			5.0725	8.6402	8.4344	2.8274	7.3398	5.2946	4.4615	5.2340	6.3849	3.4808	5.4267		
	S			113.580	71.731	114.790	135.524	95.401	72.501	76.564	97.440	86.924	109.301	98.503		
7	T	4.5996	7.2232	4.7139	8.1705	8.3152	2.8152	7.0307	5.1493	4.3955	5.2324	6.3102	3.5001	5.3414	5.3025	4.8356
	S	112.065	110.912	122.221	75.855	116.435	136.112	99.596	74.547	77.714	97.470	87.953	108.698	100.076	77.922	92.355
8	T	4.5998	7.2340	4.7473	8.3058	8.3159	2.8107	6.9815	5.1337	4.3976	5.2133	6.2742	3.4838	5.2604	5.2882	4.8401
	S	112.060	110.746	121.361	74.619	116.425	136.330	100.298	74.773	77.677	97.827	88.457	109.207	101.617	78.133	92.269
9	T	4.5969	7.2226	4.7309	8.2420	8.3293	2.8194	6.9617	5.1165	4.3918	5.2069	6.2905	3.4674	5.2388	5.2389	4.8768
	S	112.131	110.921	121.782	75.197	116.238	135.909	100.583	75.025	77.779	97.947	88.228	109.723	102.036	78.868	91.575
10	T			5.1115	8.5649	8.3922	2.8402	7.1763	5.3398	4.4608	5.2526	6.3567	3.4815	5.3388		
	S			112.714	72.362	115.367	134.914	97.575	71.887	76.576	97.095	87.309	109.279	100.125		
11	T	4.5968	7.1575	4.6911	8.1183	8.3155	2.8186	6.9854	5.1140	4.4234	5.1966	6.2583	3.4928	5.2154	5.1957	4.8215
	S	112.133	111.930	122.815	76.343	116.431	135.948	100.242	75.061	77.224	98.141	88.682	108.925	102.494	79.524	92.625
12	T	4.6049	7.1564	4.7077	8.1758	8.3000	2.8122	6.9684	5.1012	4.3872	5.2195	6.2664	3.4774	5.1700	5.1931	4.8109
	S	111.936	111.947	122.382	75.806	116.648	136.257	100.486	75.250	77.861	97.711	88.568	109.408	103.394	79.564	92.829
13	T	4.5784	7.1057	4.6831	8.0940	8.2903	2.8104	6.8822	5.1238	4.9330	5.5602	6.7891	3.4808	5.1366	5.2756	4.7734
	S	112.584	112.746	123.025	76.572	116.785	136.344	101.745	74.918	69.246	91.723	81.749	109.301	104.066	78.319	93.558
14	T			4.9803	8.2878	8.3325	2.8283	6.9441	5.1437	4.3675	5.1964	6.2837	3.5193	5.8237		
	S			115.683	74.781	116.193	135.481	100.838	74.628	78.212	98.145	88.324	108.105	91.788		
15	T	4.5869	7.0521	4.6707	8.0466	8.2910	2.8175	6.8693	5.1028	4.3628	5.1879	6.2810	3.4937	5.1205	5.2246	4.8093
	S	112.375	113.603	123.351	77.023	116.775	136.001	101.936	75.226	78.296	98.306	88.362	108.897	104.393	79.084	92.860
16	T												3.5035	5.6659		
	S												108.593	94.344		



Event: Cooper Tires USF2000 GP of Mid-Ohio  
 Track: Mid-Ohio Sports Car Course  
 Report: Section Data Report  
 Session: Practice 1

Round 12 / 13  
 2.258 mile(s)  
 USF2000  
 July 27, 2017



Section Data for Car 3 - Askew, Oliver (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T		17.5146	17.9978	12.1838	10.2041	133.9418	51.5589	87.3499	
	S		90.665	79.214	87.411	89.670	60.689	17.416	87.165	
2	T	12.6328	17.0524	17.4983	11.8679	10.3147	88.7121			
	S	109.024	93.122	81.475	89.738	88.708	91.631			
3	T	12.3420	16.8458	17.1532	11.7132	9.0454	85.0858			
	S	111.592	94.264	83.115	90.923	101.156	95.537			
4	T	12.1091	16.7996	17.0491	11.6898	9.0159	84.3683			
	S	113.739	94.523	83.622	91.105	101.487	96.349			
5	T	12.0820	16.7523	16.8545	11.6372	8.8919	83.9737			80.1215
	S	113.994	94.790	84.588	91.517	102.903	96.802			95.888
6	T		17.0746	17.0959	11.6189	8.9075	182.9807	104.5488	82.0667	
	S		93.001	83.393	91.661	102.722	44.424	8.589	92.777	
7	T	11.9371	16.4857	16.5755	11.5426	8.8415	82.9353			
	S	115.377	96.323	86.011	92.267	103.489	98.014			
8	T	11.9813	16.6217	16.5128	11.4875	8.7442	82.8863			
	S	114.952	95.535	86.338	92.709	104.641	98.072			
9	T	11.9535	16.5713	16.4700	11.4974	8.7062	82.7304			78.6741
	S	115.219	95.826	86.562	92.630	105.098	98.257			97.653
10	T		16.9571	16.9769	11.6093	8.8203	236.9281	158.5065	82.3814	
	S		93.645	83.978	91.737	103.738	34.309	5.665	92.422	
11	T	11.8486	16.4338	16.5228	11.4549	8.7082	82.4009			
	S	116.239	96.627	86.286	92.973	105.073	98.649			
12	T	11.8641	16.4758	16.4568	11.4859	8.6474	82.3511			
	S	116.087	96.381	86.632	92.722	105.812	98.709			
13	T	11.7888	16.3843	16.9390	12.3493	8.6174	83.5166			81.4944
	S	116.829	96.919	84.166	86.240	106.181	97.332			94.273
14	T		16.6203	16.4553	11.4801	9.3430	105.0042	26.9927	80.0154	
	S		95.543	86.640	92.769	97.934	77.414	33.267	95.155	
15	T	11.7228	16.3376	16.3349	11.4689	8.6142	81.9167			79.3957
	S	117.487	97.196	87.278	92.860	106.220	99.233			96.765
16	T					9.1694				
	S					99.788				

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 36 - Keane, Darren (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7785	7.8987	4.9449	8.8120	8.5704	2.8952	7.4533	5.5119	4.8346	5.4161	6.6636	3.7028	6.0323	6.0514	4.9901
	S	107.870	101.426	116.511	70.333	112.968	132.351	93.949	69.643	70.655	94.164	83.288	102.748	88.614	68.279	89.495
2	T	4.7462	7.5848	4.8924	8.6135	8.4822	2.8745	7.3206	5.3316	4.7405	5.3146	6.5365	3.5904	5.6320	5.8524	4.8344
	S	108.604	105.624	117.762	71.954	114.143	133.304	95.652	71.998	72.058	95.962	84.908	105.964	94.912	70.600	92.378
3	T	4.7277	7.5496	4.8293	8.4451	8.4283	2.8632	7.1988	5.2777	4.7604	5.2737	6.5281	3.5495	5.6833	5.7919	4.9528
	S	109.029	106.116	119.300	73.388	114.873	133.830	97.270	72.733	71.757	96.706	85.017	107.185	94.055	71.338	90.169
4	T	4.6767	7.4741	4.8151	8.4235	8.4303	2.8614	7.2469	5.2692	4.7126	5.2843	6.5337	3.5491	5.5077	5.6740	4.8916
	S	110.218	107.188	119.652	73.577	114.845	133.914	96.624	72.850	72.485	96.512	84.944	107.197	97.054	72.820	91.298
5	T	4.6382	7.4744	4.7996	8.4930	8.3586	2.8234	7.3947	7.4562	7.1557	5.4433	6.5449	3.5428	5.4080	5.6096	4.8457
	S	111.132	107.184	120.038	72.975	115.831	135.716	94.693	51.482	47.737	93.693	84.799	107.388	98.843	73.656	92.162
6	T	4.6922	7.4231	4.8165	8.4048	8.4515			5.2444	4.6273	5.3028	6.4357	3.5514	5.4468	5.5617	4.8926
	S	109.853	107.925	119.617	73.740	114.557			73.195	73.821	96.176	86.238	107.128	98.139	74.291	91.279
7	T	4.6587	7.2841	4.7632	8.3710	8.4177	2.8706	7.1931	5.2543	4.5938	5.2103	6.4048	3.5419	5.3328	5.5394	4.8443
	S	110.643	109.984	120.956	74.038	115.017	133.485	97.347	73.057	74.359	97.883	86.654	107.415	100.237	74.590	92.189
8	T	4.6431	7.2168	4.7578	8.2657	8.4177	2.8682	7.1167	5.1363	4.5614	5.2449	6.3334	3.5237	5.3398	5.5271	4.8296
	S	111.015	111.010	121.093	74.981	115.017	133.597	98.392	74.735	74.887	97.237	87.631	107.970	100.106	74.756	92.470
9	T	4.6725	7.2513	4.7841	8.6832	8.3124	2.7901	7.2415	5.2438	4.5519	5.2731	6.3772	3.5130	5.2454	6.2173	5.0174
	S	110.317	110.482	120.427	71.376	116.474	137.336	96.696	73.203	75.044	96.717	87.029	108.299	101.907	66.457	89.008
10	T	4.6209	7.1301	4.7125	8.2090	8.3636	2.8424	7.0263	5.2358	4.4816	5.2402	6.3388	3.5120	5.2342	5.4639	4.8023
	S	111.549	112.360	122.257	75.499	115.761	134.809	99.658	73.315	76.221	97.325	87.556	108.330	102.126	75.620	92.995
11	T	4.5988	7.1285	4.7265	8.2462	8.3627	2.8375	7.0035	5.1434	4.5343	5.2343	6.7426	3.5108	5.2532	5.4182	4.7746
	S	112.085	112.385	121.895	75.159	115.774	135.042	99.982	74.632	75.335	97.434	82.312	108.367	101.756	76.258	93.535
12	T	4.6174	7.2011	4.7424	8.4978	8.4458	2.8550	7.2470	5.2007	4.5887	5.2293	6.3648	3.5626	5.2134	5.4876	4.7961
	S	111.633	111.252	121.486	72.933	114.635	134.214	96.623	73.810	74.442	97.527	87.198	106.791	102.533	75.294	93.115
13	T	4.6369	7.2145	4.7404	8.2282	8.4282	2.8693	7.1069	5.1320	4.5171	5.2300	6.3056	3.5105	5.1989	5.4022	4.8153
	S	111.164	111.045	121.537	75.323	114.874	133.545	98.528	74.798	75.622	97.514	88.017	108.376	102.819	76.484	92.744
14	T	4.6164	7.0467	4.6907	8.2298	8.3944	2.8573	7.0600	5.0925	4.5146	5.1743	6.3240	3.4979	5.1508	5.4204	4.7896
	S	111.657	113.690	122.825	75.308	115.337	134.106	99.182	75.378	75.664	98.564	87.761	108.767	103.779	76.227	93.242
15	T	4.6292	7.1522	4.7153	8.1694	8.4558	2.8647	7.7276	5.8256	5.0974	5.9736	6.9440	3.5024	5.1860	5.3527	4.8193
	S	111.349	112.013	122.184	75.865	114.499	133.760	90.614	65.893	67.013	85.376	79.925	108.627	103.075	77.191	92.667
16	T	5.8671	8.7264	6.6197	8.8804	10.8897	3.3342	8.1086	5.8744	5.5707	5.3278	6.4116	3.8017	6.0724	5.6002	5.3360
	S	87.855	91.806	87.034	69.791	88.908	114.925	86.356	65.345	61.319	95.724	86.562	100.075	88.029	73.780	83.694
17	T	4.6111	7.1505	4.7462	8.2331	8.3812	2.8515	6.9893	5.1005	4.5492	5.1887	6.6405	3.5241	5.1589	5.5161	4.7274
	S	111.786	112.039	121.389	75.278	115.518	134.379	100.186	75.260	75.088	98.291	83.578	107.958	103.616	74.905	94.469
18	T	5.0955	7.8287	5.3586	8.4603	8.3788	2.8580	7.0833	5.1204	4.4693	5.1429	6.3170	3.8415	5.5684	5.5512	4.9325
	S	101.159	102.333	107.516	73.257	115.551	134.073	98.856	74.968	76.431	99.166	87.858	99.038	95.996	74.431	90.540
19	T	4.6195	7.1272	4.9829	8.8138	8.4607	2.8640	7.6602	5.4699	4.8958	6.2589	8.8297	3.5054	5.1380	5.4586	4.8012
	S	111.582	112.405	115.623	70.318	114.433	133.793	91.411	70.177	69.772	81.484	62.856	108.534	104.038	75.694	93.017

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 36 - Keane, Darren (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	SF to PI
1	T	12.8436	17.3824	17.7998	12.0797	9.7351	88.5558	100.8448	
	S	107.234	91.354	80.095	88.164	93.990	91.793	75.501	
2	T	12.4772	17.0957	17.3927	11.8511	9.2224	86.3466		
	S	110.383	92.886	81.970	89.865	99.215	94.142		
3	T	12.3789	16.8734	17.2369	11.8018	9.2328	85.8594		
	S	111.260	94.110	82.711	90.240	99.103	94.676		
4	T	12.2892	16.8538	17.2287	11.8180	9.0568	85.3502		
	S	112.072	94.219	82.750	90.117	101.029	95.241		
5	T	12.2740	16.8516	22.0066	11.9882	8.9508	89.9881		
	S	112.211	94.232	64.784	88.837	102.225	90.332		
6	T	12.2396	16.8563		11.7385	8.9982	84.9520		
	S	112.526	94.205		90.727	101.687	95.687		
7	T	12.0473	16.7887	17.0412	11.6151	8.8747	84.2800		
	S	114.322	94.585	83.661	91.691	103.102	96.450		
8	T	11.9746	16.6834	16.8144	11.5783	8.8635	83.7822		
	S	115.016	95.182	84.789	91.982	103.232	97.023		
9	T	12.0354	16.9956	17.0372	11.6503	8.7584	85.1742		
	S	114.435	93.433	83.681	91.414	104.471	95.437		
10	T	11.8426	16.5726	16.7437	11.5790	8.7462	83.2136		
	S	116.298	95.818	85.147	91.977	104.617	97.686		
11	T	11.8550	16.6089	16.6812	11.9769	8.7640	83.5151		
	S	116.177	95.609	85.466	88.921	104.404	97.333		
12	T	11.9435	16.9436	17.0364	11.5941	8.7760	84.0497		
	S	115.316	93.720	83.684	91.857	104.262	96.714		
13	T	11.9549	16.6564	16.7560	11.5356	8.7094	83.3360		
	S	115.206	95.336	85.085	92.323	105.059	97.542		
14	T	11.7374	16.6242	16.6671	11.4983	8.6487	82.8594		
	S	117.341	95.521	85.539	92.622	105.796	98.104		
15	T	11.8675	16.6252	18.6506	12.9176	8.6884	86.4152		
	S	116.054	95.515	76.442	82.446	105.313	94.067		
16	T	15.3461	19.7701	19.5537	11.7394	9.8741	96.4209		
	S	89.747	80.321	72.911	90.720	92.667	84.305		
17	T	11.8967	16.6143	16.6390	11.8292	8.6830	83.3683		
	S	115.769	95.578	85.683	90.031	105.378	97.505		
18	T	13.1873	16.8391	16.6730	11.4599	9.4099	86.0064		
	S	104.439	94.302	85.508	92.933	97.238	94.514		
19	T	12.1101	17.2745	18.0259	15.0886	8.6434	88.8858		92.1988
	S	113.729	91.925	79.091	70.583	105.861	91.452		83.328

Event: Cooper Tires USF2000 GP of Mid-Ohio  
 Track: Mid-Ohio Sports Car Course  
 Report: Section Data Report  
 Session: Practice 1

Round 12 / 13  
 2.258 mile(s)  
 USF2000  
 July 27, 2017



Section Data for Car 37 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T											4.7313	7.4182			
	S											80.412	72.059			
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.1536	8.0083	7.6813	9.2127	8.6948	2.9539	7.3883	5.2594	4.7584	5.3161	6.4970	3.5701	5.6728	6.6273	5.4931
	S	100.018	100.038	75.005	67.274	111.352	129.721	94.775	72.986	71.787	95.935	85.424	106.567	94.230	62.345	81.300
2	T	4.6969	7.4066	4.8054	8.4900	8.4095	2.8618	7.2252	5.1673	4.6334	5.2300	6.3939	3.5342	5.4607	5.7189	4.8687
	S	109.744	108.165	119.894	73.000	115.130	133.895	96.915	74.287	73.724	97.514	86.801	107.649	97.890	72.248	91.727
3	T	4.6683	7.2182	4.7459	8.3128	8.4051	2.8599	7.0827	5.1781	4.5968	5.2214	6.3299	3.5303	5.2983	5.5075	4.8312
	S	110.416	110.988	121.397	74.556	115.190	133.984	98.864	74.132	74.311	97.675	87.679	107.768	100.890	75.022	92.439
4	T	4.6504	7.1503	4.7098	8.3029	8.4025	2.8523	7.0341	5.2217	4.5870	5.2175	6.3574	3.5236	5.2386	5.5163	4.8087
	S	110.841	112.042	122.327	74.645	115.225	134.341	99.548	73.513	74.469	97.748	87.300	107.973	102.040	74.902	92.871
5	T	4.6693	7.3085	4.7513	8.3560	8.4315	2.8645	7.0717	5.1810	4.5795	5.1827	6.3473	3.5017	5.2198	5.4849	4.8473
	S	110.392	109.617	121.259	74.171	114.829	133.769	99.018	74.091	74.591	98.404	87.439	108.649	102.407	75.331	92.132
6	T	4.6488	7.1250	4.6941	8.2665	8.3868	2.8581	7.0432	5.3714	7.6124	5.6978	6.6339	3.5231	5.2762	5.5654	4.8264
	S	110.879	112.440	122.736	74.974	115.441	134.069	99.419	71.464	44.873	89.508	83.661	107.989	101.313	74.241	92.531
7	T												3.5517	5.6631		
	S												107.119	94.391		

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 37 - Abel, Jacob (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	SF to PI
20	T					12.1495			
	S					75.312			
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	SF to PI
1	T	15.6896	17.9075	17.4061	11.8131	9.2429	92.2871	92.6931	
	S	87.783	88.675	81.907	90.154	98.995	88.082	82.141	
2	T	12.2120	16.8995	17.0259	11.6239	8.9949	84.9025		
	S	112.780	93.965	83.736	91.622	101.724	95.743		
3	T	11.9641	16.7179	16.8576	11.5513	8.8286	83.7864		
	S	115.117	94.985	84.572	92.197	103.640	97.018		
4	T	11.8601	16.7054	16.8428	11.5749	8.7622	83.5731		
	S	116.127	95.056	84.646	92.009	104.426	97.266		
5	T	12.0598	16.7875	16.8322	11.5300	8.7215	83.7970		
	S	114.204	94.591	84.700	92.368	104.913	97.006		
6	T	11.8191	16.6533	20.0270	12.3317	8.7993	87.5291		84.7614
	S	116.529	95.354	71.188	86.363	103.986	92.870		90.639
7	T					9.2148			
	S					99.297			

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.8847	7.9510	4.9722	8.9601	8.5711	2.8932	7.5321	5.5561	4.5633	5.4104	6.6223	3.7168	6.5936	5.9985	5.3220
	S	105.524	100.759	115.872	69.170	112.959	132.442	92.966	69.089	74.856	94.263	83.808	102.361	81.070	68.881	83.914
2	T	4.7180	7.5473	4.8644	8.5786	8.4764	2.8704	7.3951	5.4240	4.4859	5.3513	6.6394	3.6197	5.6565	5.6065	4.9768
	S	109.253	106.149	118.439	72.246	114.221	133.494	94.688	70.771	76.148	95.304	83.592	105.107	94.501	73.697	89.735
3	T	4.6934	7.8696	4.9541	8.6165	8.4427	2.8667	7.2865	5.4213	4.6212	5.4910	6.4640	3.5793	5.3217	5.6075	4.9903
	S	109.825	101.801	116.295	71.929	114.677	133.667	96.099	70.807	73.918	92.879	85.860	106.293	100.446	73.684	89.492
4	T			5.1686	8.8292	8.4970	2.8849	7.6039	5.4876	4.5763	5.3430	6.5151	3.5665	5.6628		
	S			111.469	70.196	113.944	132.823	92.088	69.951	74.643	95.452	85.187	106.674	94.396		
5	T	4.6881	7.4266	4.8247	8.5999	8.4867	2.8752	7.3437	5.3406	4.4592	5.2667	6.3771	3.5582	5.4120	5.4455	4.9336
	S	109.950	107.874	119.414	72.067	114.082	133.271	95.351	71.877	76.604	96.835	87.030	106.923	98.770	75.876	90.520
6	T	4.7431	7.4330	4.8094	8.5370	8.4473	2.8652	7.3531	5.2646	4.4622	5.2712	6.4822	3.5481	5.3835	5.3417	5.1530
	S	108.675	107.781	119.794	72.598	114.614	133.736	95.229	72.914	76.552	96.752	85.619	107.228	99.293	77.350	86.666
7	T	4.6979	7.3532	4.7855	8.4491	8.4462	2.8707	7.2126	5.1971	4.4128	5.2806	6.4128	3.5557	5.2531	5.3624	4.9346
	S	109.720	108.951	120.392	73.354	114.629	133.480	97.084	73.861	77.409	96.580	86.546	106.998	101.758	77.052	90.502
8	T	4.6922	7.2670	4.7862	8.5134	8.4870	2.8730	7.1647	5.1759	4.4207	5.2697	6.4932	3.5710	5.2451	5.3708	4.9115
	S	109.853	110.243	120.374	72.800	114.078	133.373	97.733	74.164	77.271	96.780	85.474	106.540	101.913	76.931	90.928
9	T	4.6576	7.2931	4.7902	8.4149	8.4537	2.8657	7.1288	5.2809	4.4546	5.2250	6.5125	3.5912	5.2419	5.4561	4.8191
	S	110.670	109.849	120.274	73.652	114.528	133.713	98.225	72.689	76.683	97.608	85.221	105.941	101.976	75.728	92.671
10	T			5.1573	8.6761	8.5316	2.8844	7.3061	5.2348	4.5106	5.3575	6.4850	3.5709	5.2421		
	S			111.713	71.434	113.482	132.846	95.841	73.329	75.731	95.194	85.582	106.543	101.972		
11	T	4.7473	7.2934	4.8204	8.4635	8.4858	2.8786	7.1474	5.2237	4.4454	5.2395	6.4260	3.5726	5.4070	5.3795	5.0142
	S	108.578	109.844	119.520	73.229	114.094	133.114	97.970	73.485	76.841	97.338	86.368	106.492	98.862	76.807	89.065
12	T	4.6874	7.1902	4.7576	8.3989	8.4545	2.8802	7.1110	5.1679	4.4300	5.2997	6.3556	3.5607	5.1761	5.4406	4.8284
	S	109.966	111.421	121.098	73.792	114.517	133.040	98.471	74.278	77.109	96.232	87.325	106.848	103.272	75.944	92.493
13	T	4.6961	7.2126	4.7553	8.3902	8.4162	2.8600	7.0280	5.2039	4.3540	5.2626	6.8337	3.5541	5.2712	5.2885	4.9595
	S	109.762	111.075	121.157	73.869	115.038	133.980	99.634	73.765	78.455	96.910	81.215	107.047	101.409	78.128	90.048
14	T	4.7714	7.3761	4.8134	8.2445	8.4326	3.0035	8.7237	5.9643	5.4824	6.6349	8.4502	3.7022	5.2711	6.6241	5.2308
	S	108.030	108.612	119.694	75.174	114.814	127.578	80.267	64.360	62.307	76.866	65.679	102.764	101.411	62.376	85.377
15	T												4.5152	6.4430		
	S												84.261	82.965		

Event: Cooper Tires USF2000 GP of Mid-Ohio  
 Track: Mid-Ohio Sports Car Course  
 Report: Section Data Report  
 Session: Practice 1

Round 12 / 13  
 2.258 mile(s)  
 USF2000  
 July 27, 2017



Section Data for Car 7 - Wojcik, Devin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.9232	17.5312	17.6515	12.0327	10.3104	89.5474		91.5271	
	S	106.574	90.579	80.768	88.509	88.745	90.777		83.187	
2	T	12.4117	17.0550	17.3050	11.9907	9.2762	86.2103			
	S	110.966	93.108	82.386	88.819	98.640	94.290			
3	T	12.8237	17.0592	17.3290	11.9550	8.9010	86.2258			82.8948
	S	107.401	93.085	82.271	89.084	102.797	94.273			92.680
4	T		17.3262	17.6678	11.8581	9.2293	252.6154	171.8903	83.9066	
	S		91.650	80.694	89.812	99.141	32.179	5.224	90.742	
5	T	12.2513	17.0866	17.1435	11.6438	8.9702	85.0378			
	S	112.418	92.936	83.162	91.465	102.004	95.590			
6	T	12.2424	16.9843	17.0799	11.7534	8.9316	85.0946			
	S	112.500	93.495	83.471	90.612	102.445	95.527			
7	T	12.1387	16.8953	16.8225	11.6934	8.8088	84.2243			
	S	113.461	93.988	84.749	91.077	103.873	96.514			
8	T	12.0532	17.0004	16.7613	11.7629	8.8161	84.2414			
	S	114.266	93.407	85.058	90.539	103.787	96.494			
9	T	12.0833	16.8686	16.8643	11.7375	8.8331	84.1853			80.0841
	S	113.982	94.137	84.538	90.735	103.588	96.558			95.933
10	T		17.2077	17.0515	11.8425	8.8130	341.4589	262.5493	83.2758	
	S		92.282	83.610	89.930	103.824	23.806	3.420	91.429	
11	T	12.1138	16.9493	16.8165	11.6655	8.9796	84.5443			
	S	113.695	93.689	84.779	91.295	101.898	96.148			
12	T	11.9478	16.8534	16.7089	11.6553	8.7368	83.7388			
	S	115.274	94.222	85.325	91.375	104.729	97.073			
13	T	11.9679	16.8064	16.5859	12.0963	8.8253	84.0859			
	S	115.081	94.485	85.957	88.043	103.679	96.673			
14	T	12.1895	16.6771	20.1704	15.0851	8.9733	92.7252			91.0715
	S	112.988	95.218	70.682	70.599	101.969	87.665			84.359
15	T					10.9582				
	S					83.499				



Event: Cooper Tires USF2000 GP of Mid-Ohio  
 Track: Mid-Ohio Sports Car Course  
 Report: Section Data Report  
 Session: Practice 1

Round 12 / 13  
 2.258 mile(s)  
 USF2000  
 July 27, 2017



Section Data for Car 79 - Malukas, David (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.6625	7.4921	4.8497	8.5620	8.3949	2.8433	7.4170	5.2377	4.5346	5.2130	6.4609	3.5640	5.7687	5.7764	4.8812
	S	110.553	106.931	118.798	72.386	115.330	134.767	94.408	73.289	75.330	97.832	85.901	106.749	92.663	71.529	91.492
2	T	4.6057	7.2553	4.7371	8.2846	8.3525	2.8328	7.1190	5.4725	4.6553	5.2421	6.4133	3.4991	5.3778	5.4419	4.8363
	S	111.917	110.421	121.622	74.810	115.915	135.266	98.360	70.144	73.377	97.289	86.539	108.729	99.399	75.926	92.341
3	T	4.6254	7.3319	4.7562	8.3917	8.3379	2.8288	7.1878	5.1514	4.5294	5.1676	6.4230	3.4813	5.4088	5.4013	4.8941
	S	111.440	109.267	121.134	73.855	116.118	135.457	97.419	74.516	75.416	98.692	86.408	109.285	98.829	76.497	91.251
4	T	4.5673	7.4292	4.7814	8.3102	8.3236	2.8215	7.0977	5.1910	4.5414	5.1723	6.4719	3.4930	5.1987	5.3818	4.7999
	S	112.858	107.836	120.495	74.580	116.318	135.808	98.656	73.948	75.217	98.602	85.755	108.919	102.823	76.774	93.042
5	T			5.3327	9.5217	8.5827	2.8629	7.2830	5.2669	4.5005	5.1990	6.4520	3.4809	5.2843		
	S			108.038	65.091	112.806	133.844	96.145	72.882	75.901	98.096	86.020	109.298	101.157		
6	T	4.6131	7.2880	4.7463	8.3148	8.3491	2.8348	7.0967	5.2201	4.4231	5.1742	6.3873	3.4829	5.3016	5.3894	4.8072
	S	111.737	109.925	121.386	74.539	115.962	135.171	98.669	73.536	77.229	98.566	86.891	109.235	100.827	76.666	92.900
7	T	4.6089	7.2095	4.7339	8.2760	8.3220	2.8370	7.0508	5.0933	4.4122	5.1578	6.3163	3.4802	5.1673	5.3575	4.8248
	S	111.839	111.122	121.704	74.888	116.340	135.066	99.312	75.366	77.420	98.879	87.868	109.320	103.448	77.122	92.562
8	T	4.6030	7.1631	4.7210	8.2150	8.3176	2.8289	6.9465	5.0944	4.4411	5.1340	6.3374	3.4764	5.2307	5.3736	4.8261
	S	111.982	111.842	122.037	75.444	116.402	135.453	100.803	75.350	76.916	99.338	87.575	109.439	102.194	76.891	92.537
9	T	4.6051	7.2062	4.7263	8.2060	8.3214	2.8244	6.9928	5.0333	4.4217	5.1750	6.3800	3.4577	5.2298	5.3118	4.8284
	S	111.931	111.173	121.900	75.527	116.348	135.668	100.135	76.265	77.253	98.551	86.991	110.031	102.211	77.786	92.493
10	T	4.5749	7.1643	4.6825	8.2896	8.3045	2.8040	6.9899	5.1000	4.4775	5.8057	7.7150	3.4719	5.2237	5.4066	4.8148
	S	112.670	111.823	123.040	74.765	116.585	136.655	100.177	75.267	76.291	87.845	71.938	109.581	102.331	76.422	92.754
11	T											3.9474	6.3623			
	S											96.381	84.018			

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 79 - Malukas, David (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.3418	16.9569	17.1893	11.6739	9.3327	85.6580		96.1585	
	S	111.594	93.647	82.940	91.229	98.042	94.898		79.180	
2	T	11.9924	16.6371	17.2468	11.6554	8.8769	84.1253			
	S	114.845	95.447	82.664	91.374	103.077	96.627			
3	T	12.0881	16.7296	16.8686	11.5906	8.8901	83.9166			
	S	113.936	94.919	84.517	91.885	102.923	96.868			
4	T	12.2106	16.6338	16.8301	11.6442	8.6917	83.5809			79.8571
	S	112.793	95.466	84.710	91.462	105.273	97.257			96.206
5	T		18.1044	17.0504	11.6510	8.7652	180.2894	100.5569	83.5640	
	S		87.711	83.616	91.408	104.390	45.088	8.930	91.114	
6	T	12.0343	16.6639	16.7399	11.5615	8.7845	83.4286			
	S	114.446	95.293	85.167	92.116	104.161	97.434			
7	T	11.9434	16.5980	16.5563	11.4741	8.6475	82.8475			
	S	115.317	95.671	86.111	92.818	105.811	98.118			
8	T	11.8841	16.5326	16.4820	11.4714	8.7071	82.7088			
	S	115.892	96.050	86.499	92.840	105.087	98.282			
9	T	11.9325	16.5274	16.4478	11.5550	8.6875	82.7199			
	S	115.422	96.080	86.679	92.168	105.324	98.269			
10	T	11.8468	16.5941	16.5674	13.5207	8.6956	84.8249			84.1004
	S	116.257	95.694	86.053	78.768	105.226	95.830			91.352
11	T					10.3097				
	S					88.751				

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 80 - Megennis, Robert

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7719	7.8364	5.0115	8.8451	8.5471	2.8989	7.5715	5.4626	4.8415	5.4749	6.7420	3.6870	5.9884	6.0594	5.0151
	S	108.019	102.233	114.963	70.070	113.276	132.182	92.482	70.271	70.555	93.152	82.320	103.188	89.263	68.189	89.049
2	T	4.7488	7.6238	4.8813	8.6361	8.5015	2.8770	7.3451	5.4195	4.6829	5.3717	6.5713	3.6244	5.5942	5.7986	4.9314
	S	108.544	105.084	118.029	71.765	113.884	133.188	95.333	70.830	72.944	94.942	84.458	104.970	95.554	71.255	90.561
3	T	4.6928	7.5271	4.8679	8.5284	8.4543	2.8711	7.2319	5.4105	4.5940	5.3714	6.5461	3.5750	5.5494	5.6505	4.9486
	S	109.839	106.434	118.354	72.672	114.519	133.462	96.825	70.948	74.356	94.947	84.783	106.421	96.325	73.123	90.246
4	T	4.6499	7.4185	4.8296	8.4774	8.4635	2.8688	7.1781	5.2958	4.5841	5.3024	6.3726	3.5571	5.4496	5.6117	4.8739
	S	110.853	107.992	119.293	73.109	114.395	133.569	97.551	72.485	74.516	96.183	87.092	106.956	98.089	73.629	91.629
5	T	4.6473	7.3545	4.8024	8.4560	8.4501	2.8668	7.1731	5.2717	4.6074	5.3033	6.4757	3.5447	5.3771	5.5293	4.9180
	S	110.915	108.931	119.968	73.294	114.576	133.662	97.619	72.816	74.140	96.167	85.705	107.331	99.411	74.726	90.807
6	T	4.6366	7.3801	4.8183	8.4524	8.4557	2.8688	7.2143	5.2186	4.5669	5.3116	6.4061	3.5497	5.3534	5.5209	4.9118
	S	111.171	108.554	119.573	73.325	114.500	133.569	97.061	73.557	74.797	96.016	86.636	107.179	99.852	74.840	90.922
7	T	4.6217	7.2311	4.7921	8.4298	8.4322	2.8585	7.1338	5.2326	4.5206	5.2779	6.3657	3.5354	5.2942	5.3547	4.8709
	S	111.529	110.790	120.226	73.522	114.820	134.050	98.156	73.360	75.563	96.629	87.186	107.613	100.968	77.162	91.686
8	T	4.6180	7.2807	4.7643	8.3473	8.4398	2.8635	7.0933	5.1887	4.4960	5.2667	6.3872	3.5386	5.2251	5.3950	4.8558
	S	111.619	110.036	120.928	74.248	114.716	133.816	98.717	73.981	75.977	96.835	86.893	107.516	102.303	76.586	91.971
9	T			5.2280	8.9299	8.9581	3.4226	9.1403	5.4322	4.6992	5.3555	6.5160	3.5214	5.5737		
	S			110.202	69.404	108.079	111.956	76.609	70.664	72.691	95.229	85.175	108.041	95.905		
10	T	4.6773	7.3664	4.8017	8.3680	8.4601	2.8821	7.1446	5.2315	4.5066	5.2675	6.3043	3.5624	5.3632	5.3471	4.8857
	S	110.203	108.755	119.986	74.065	114.441	132.952	98.008	73.375	75.798	96.820	88.035	106.797	99.669	77.272	91.408
11	T	4.6486	7.1719	4.7471	8.2233	8.4455	2.8779	6.9719	5.1660	4.4834	5.2596	6.2534	3.5019	5.2559	5.2528	4.8550
	S	110.884	111.705	121.366	75.368	114.639	133.146	100.436	74.306	76.190	96.966	88.752	108.642	101.704	78.659	91.986
12	T	4.6460	7.1016	4.7219	8.3047	8.3987	2.8712	6.9685	5.2122	4.5225	5.2502	6.3095	3.5233	5.1858	5.4089	4.8637
	S	110.946	112.811	122.014	74.629	115.278	133.457	100.485	73.647	75.531	97.139	87.963	107.982	103.079	76.389	91.821
13	T	4.6352	7.0684	4.7141	8.1120	8.4006	2.8616	7.0169	5.2016	4.9287	5.4098	6.5534	3.5266	5.1168	5.2640	4.8409
	S	111.204	113.341	122.216	76.402	115.252	133.905	99.792	73.797	69.306	94.273	84.689	107.881	104.469	78.492	92.254
14	T	4.6164	7.1699	4.7589	8.4740	11.1892	3.6799	7.7354	5.1354	4.4664	5.2572	6.3524	3.5174	5.3484	5.4232	4.8403
	S	111.657	111.736	121.065	73.138	86.528	104.128	90.522	74.749	76.480	97.010	87.369	108.164	99.945	76.188	92.265
15	T	4.6512	7.1503	4.7505	8.2257	8.4209	2.8688	6.9543	5.1521	4.4587	5.2361	6.3405	3.5310	5.1650	5.2547	4.8825
	S	110.822	112.042	121.279	75.346	114.974	133.569	100.690	74.506	76.612	97.401	87.533	107.747	103.494	78.631	91.468
16	T												3.5299	5.6317		
	S												107.781	94.917		

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 80 - Megennis, Robert

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.8479	17.3922	17.8756	12.2169	9.6754	88.7533		89.2227	
	S	107.198	91.303	79.756	87.174	94.570	91.589		85.335	
2	T	12.5051	17.1376	17.4475	11.9430	9.2186	86.6076			
	S	110.137	92.659	81.713	89.174	99.256	93.858			
3	T	12.3950	16.9827	17.2364	11.9175	9.1244	85.8190			
	S	111.115	93.504	82.713	89.364	100.281	94.720			
4	T	12.2481	16.9409	17.0580	11.6750	9.0067	84.9330			
	S	112.448	93.735	83.578	91.221	101.591	95.708			
5	T	12.1569	16.9061	17.0522	11.7790	8.9218	84.7774			
	S	113.291	93.928	83.607	90.415	102.558	95.884			
6	T	12.1984	16.9081	16.9998	11.7177	8.9031	84.6652			
	S	112.906	93.917	83.865	90.888	102.773	96.011			
7	T	12.0232	16.8620	16.8870	11.6436	8.8296	83.9512			
	S	114.551	94.174	84.425	91.467	103.629	96.828			
8	T	12.0450	16.7871	16.7780	11.6539	8.7637	83.7600			82.2162
	S	114.344	94.594	84.973	91.386	104.408	97.049			93.445
9	T		17.8880	19.2717	11.8715	9.0951	414.6142	329.6044	86.6975	
	S		88.772	73.978	89.711	100.604	19.606	2.724	87.821	
10	T	12.1681	16.8281	16.8827	11.5718	8.9256	84.1685			
	S	113.187	94.363	84.446	92.034	102.514	96.578			
11	T	11.9190	16.6688	16.6213	11.5130	8.7578	83.1142			
	S	115.553	95.265	85.774	92.504	104.478	97.803			
12	T	11.8235	16.7034	16.7032	11.5597	8.7091	83.2887			
	S	116.486	95.068	85.354	92.130	105.063	97.598			
13	T	11.7825	16.5126	17.1472	11.9632	8.6434	83.6506			
	S	116.891	96.166	83.144	89.023	105.861	97.176			
14	T	11.9288	19.6632	17.3372	11.6096	8.8658	87.9644			
	S	115.458	80.758	82.233	91.734	103.206	92.410			
15	T	11.9008	16.6466	16.5651	11.5766	8.6960	83.0423			79.9987
	S	115.729	95.392	86.065	91.996	105.221	97.887			96.036
16	T					9.1616				
	S					99.873				

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.8073	7.8271	4.9911	8.7826	8.4895	2.8743	7.6564	5.5759	4.7191	5.4030	6.6704	3.6589	6.1264	6.0851	5.0200
	S	107.223	102.354	115.433	70.568	114.045	133.313	91.456	68.843	72.385	94.392	83.203	103.981	87.253	67.901	88.962
2	T	4.7462	7.7827	4.9698	8.7352	8.4418	2.8644	7.3543	5.3476	4.6296	5.3634	6.5502	3.5940	6.2613	6.2659	4.9640
	S	108.604	102.938	115.927	70.951	114.689	133.774	95.213	71.782	73.784	95.089	84.730	105.858	85.373	65.941	89.966
3	T	4.6987	7.4935	4.8463	8.4819	8.4067	2.8516	7.2561	5.3172	4.5761	5.2625	6.5660	3.5654	5.6031	5.7712	4.9388
	S	109.702	106.911	118.882	73.070	115.168	134.374	96.502	72.193	74.647	96.912	84.526	106.707	95.402	71.594	90.425
4	T	4.6399	7.4429	4.8714	8.5528	8.3856	2.8488	7.2375	5.3044	4.6115	5.3759	6.4408	3.5621	5.4737	5.5855	4.8590
	S	111.092	107.638	118.269	72.464	115.458	134.506	96.750	72.367	74.074	94.868	86.169	106.806	97.657	73.974	91.910
5	T	4.6459	7.4141	4.8217	8.4392	8.4110	2.8490	7.2481	5.2625	4.5689	5.2646	6.4222	3.5153	5.4608	5.5638	4.8467
	S	110.948	108.056	119.488	73.440	115.109	134.497	96.608	72.943	74.764	96.873	86.419	108.228	97.888	74.263	92.143
6	T	4.6058	7.4143	4.7886	8.5513	8.3277	2.8409	7.0825	5.2896	4.4672	5.2433	6.3290	3.5201	5.3808	5.5577	4.8226
	S	111.914	108.053	120.314	72.477	116.260	134.880	98.867	72.570	76.466	97.267	87.692	108.081	99.343	74.344	92.604
7	T	4.6529	7.3658	4.7935	8.3696	8.4005	2.8528	7.0657	5.2121	4.4816	5.2486	6.4206	3.5131	5.2717	5.5312	4.8848
	S	110.781	108.764	120.191	74.050	115.253	134.318	99.102	73.649	76.221	97.169	86.441	108.296	101.399	74.700	91.425
8	T	4.6260	7.2876	4.7410	8.2227	8.3666	2.8498	7.0643	5.1671	4.4482	5.2372	6.2618	3.5329	5.2365	5.4046	4.8342
	S	111.426	109.931	121.522	75.373	115.720	134.459	99.122	74.290	76.793	97.380	88.633	107.689	102.081	76.450	92.382
9	T	4.5996	7.1701	4.7196	8.4938	8.3967	2.8515	7.1094	5.2011	4.4513	5.2294	6.3897	3.4943	5.1864	5.3256	4.8170
	S	112.065	111.733	122.073	72.968	115.305	134.379	98.493	73.804	76.740	97.526	86.859	108.879	103.067	77.584	92.711
10	T			5.2776	8.6303	8.4460	2.8639	7.2323	5.2738	4.5332	5.2518	6.2664	3.5037	5.3822		
	S			109.166	71.814	114.632	133.797	96.819	72.787	75.353	97.110	88.568	108.587	99.317		
11	T	4.6182	7.2925	4.7746	8.2676	8.3863	2.8537	7.0655	5.1614	4.4238	5.2203	6.2275	3.4989	5.1737	5.3364	4.8341
	S	111.614	109.858	120.667	74.964	115.448	134.275	99.105	74.372	77.217	97.696	89.121	108.735	103.320	77.427	92.383
12	T	4.6196	7.2122	4.7455	8.2946	8.3717	2.8467	7.0173	5.0760	4.3947	5.1964	6.1948	3.4805	5.0421	5.6999	4.8342
	S	111.580	111.081	121.407	74.720	115.649	134.606	99.786	75.623	77.728	98.145	89.591	109.310	106.016	72.489	92.382
13	T	4.5935	7.0622	4.7148	8.2436	8.3570	2.8372	7.0088	5.0818	4.5577	5.2090	6.2183	3.4938	5.0616	5.3361	4.8060
	S	112.214	113.440	122.197	75.182	115.853	135.056	99.907	75.537	74.948	97.907	89.253	108.894	105.608	77.431	92.924
14	T	4.5686	7.2766	4.8068	8.2849	8.3479	2.8403	7.0193	5.1355	4.3968	5.2122	6.8535	3.4846	5.0877	5.3887	4.7740
	S	112.825	110.098	119.859	74.808	115.979	134.909	99.757	74.747	77.691	97.847	80.981	109.182	105.066	76.676	93.546

Event: Cooper Tires USF2000 GP of Mid-Ohio  
 Track: Mid-Ohio Sports Car Course  
 Report: Section Data Report  
 Session: Practice 1

Round 12 / 13  
 2.258 mile(s)  
 USF2000  
 July 27, 2017



Section Data for Car 81 - Frederick, Kaylen (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.8182	17.2721	17.9514	12.0734	9.7853	88.6871		91.3639	
	S	107.447	91.938	79.419	88.210	93.508	91.657		83.336	
2	T	12.7525	17.1770	17.3315	11.9136	9.8553	87.8704			
	S	108.000	92.447	82.260	89.394	92.843	92.509			
3	T	12.3398	16.8886	17.1494	11.8285	9.1685	85.6351			
	S	111.612	94.025	83.133	90.037	99.798	94.924			
4	T	12.3143	16.9384	17.1534	11.8167	9.0358	85.1918			
	S	111.843	93.749	83.114	90.127	101.264	95.418			
5	T	12.2358	16.8502	17.0795	11.6868	8.9761	84.7338			
	S	112.561	94.240	83.473	91.128	101.937	95.933			
6	T	12.2029	16.8790	16.8393	11.5723	8.9009	84.2214			
	S	112.864	94.079	84.664	92.030	102.799	96.517			
7	T	12.1593	16.7701	16.7594	11.6692	8.7848	84.0645			
	S	113.269	94.690	85.068	91.266	104.157	96.697			
8	T	12.0286	16.5893	16.6796	11.4990	8.7694	83.2805			
	S	114.500	95.722	85.475	92.617	104.340	97.607			
9	T	11.8897	16.8905	16.7618	11.6191	8.6807	83.4355			80.3730
	S	115.837	94.015	85.055	91.659	105.406	97.426			95.588
10	T		17.0763	17.0393	11.5182	8.8859	353.7233	272.0851	84.7205	
	S		92.992	83.670	92.462	102.972	22.981	3.300	89.870	
11	T	12.0671	16.6539	16.6507	11.4478	8.6726	83.1345			
	S	114.135	95.350	85.623	93.031	105.505	97.779			
12	T	11.9577	16.6663	16.4880	11.3912	8.5226	83.0262			
	S	115.179	95.279	86.468	93.493	107.362	97.906			
13	T	11.7770	16.6006	16.6483	11.4273	8.5554	82.5814			
	S	116.946	95.656	85.635	93.198	106.950	98.434			
14	T	12.0834	16.6328	16.5516	12.0657	8.5723	83.4774			
	S	113.981	95.471	86.136	88.267	106.739	97.377			

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7943	7.6093	4.9285	8.6503	8.5482	2.9006	7.3771	5.3076	4.5305	5.3709	6.4103	3.6439	5.5431	5.7307	5.0081
	S	107.514	105.284	116.899	71.648	113.261	132.104	94.919	72.323	75.398	94.956	86.579	104.409	96.434	72.100	89.174
2	T	4.7078	7.4917	4.8991	8.4637	8.4874			5.3560	4.7190	5.4214	6.4427	3.5628	5.3085	5.5107	4.8911
	S	109.489	106.937	117.600	73.227	114.073			71.670	72.386	94.072	86.144	106.785	100.696	74.978	91.307
3	T	4.7009	7.3457	4.8266	8.5439	8.4686	2.8819	7.2274	5.2602	4.4918	5.3799	6.4962	3.5461	5.3393	5.5034	4.8885
	S	109.650	109.062	119.367	72.540	114.326	132.962	96.885	72.975	76.048	94.797	85.435	107.288	100.115	75.078	91.355
4	T	4.7692	7.4072	4.8235	8.3808	8.4495	2.8843	7.1557	5.2293	4.4833	5.2799	6.4175	3.5410	5.7373	5.7366	4.8499
	S	108.080	108.156	119.444	73.951	114.585	132.851	97.856	73.406	76.192	96.593	86.482	107.443	93.170	72.026	92.082
5	T	4.6997	7.2360	4.7703	8.4090	8.4330	2.8802	7.1510	5.1989	4.4350	5.2349	6.3781	3.5697	5.2966	5.4467	4.8241
	S	109.678	110.715	120.776	73.703	114.809	133.040	97.920	73.836	77.022	97.423	87.017	106.579	100.922	75.859	92.575
6	T	4.6823	7.1889	4.7634	8.3026	8.4457	2.8774	7.0794	5.1855	4.4031	5.2653	6.3577	3.5424	5.2401	5.3724	4.8197
	S	110.086	111.441	120.951	74.648	114.636	133.169	98.911	74.026	77.580	96.861	87.296	107.400	102.011	76.908	92.659
7	T	4.6762	7.1758	4.7719	8.3076	8.4125	2.8703	7.0972	5.1853	4.3666	5.2423	6.2969	3.5517	5.2168	5.3592	4.8370
	S	110.229	111.644	120.735	74.603	115.088	133.499	98.662	74.029	78.228	97.286	88.139	107.119	102.466	77.098	92.328
8	T	4.6581	7.1881	4.7568	8.2089	8.4019	2.8610	7.0913	5.1943	4.3385	5.2240	6.4754	3.5291	5.1098	5.3389	4.8227
	S	110.658	111.453	121.118	75.500	115.234	133.933	98.745	73.901	78.735	97.626	85.709	107.805	104.612	77.391	92.602
9	T			5.1684	8.7562	8.5102	2.8890	7.2504	5.2753	4.4578	5.3070	6.2499	3.7282	5.7956		
	S			111.473	70.781	113.767	132.635	96.578	72.766	76.628	96.099	88.801	102.048	92.233		
10	T	4.6845	7.2175	4.7895	8.2999	8.4177	2.8653	7.0687	5.5454	4.6253	5.3807	6.2764	3.5416	5.1470	5.2791	4.8382
	S	110.034	110.999	120.292	74.672	115.017	133.732	99.060	69.222	73.853	94.783	88.426	107.424	103.856	78.267	92.305
11	T	4.6730	7.1879	4.7669	8.3229	8.3995	2.8640	7.1001	5.1265	4.3648	5.2914	6.4806	3.5161	5.1181	5.5703	4.8287
	S	110.305	111.456	120.862	74.466	115.267	133.793	98.622	74.878	78.260	96.383	85.640	108.204	104.442	74.176	92.487
12	T	4.6742	7.1561	4.7569	8.3517	8.4346	2.8666	7.2630	5.4727	4.6869	6.4089	8.5771	3.7257	5.4698	5.3914	4.8435
	S	110.277	111.952	121.116	74.209	114.787	133.671	96.410	70.142	72.882	79.577	64.707	102.116	97.727	76.637	92.204
13	T												4.9545	6.9103		
	S												76.790	77.355		



Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 82 - Denes, Phillippe (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.5378	17.1985	17.2152	11.7812	9.1870	86.3534		90.7732	
	S	109.850	92.331	82.815	90.398	99.597	94.134		83.878	
2	T	12.3908	16.9511		11.8641	8.8713	85.5077			
	S	111.153	93.679		89.767	103.142	95.065			
3	T	12.1723	17.0125	16.9794	11.8761	8.8854	84.9004			
	S	113.148	93.340	83.965	89.676	102.978	95.745			
4	T	12.2307	16.8303	16.8683	11.6974	9.2783	85.1450			
	S	112.608	94.351	84.518	91.046	98.617	95.470			
5	T	12.0063	16.8420	16.7849	11.6130	8.8663	83.9632			
	S	114.713	94.285	84.938	91.708	103.200	96.814			
6	T	11.9523	16.7483	16.6680	11.6230	8.7825	83.5259			
	S	115.231	94.813	85.534	91.629	104.184	97.321			
7	T	11.9477	16.7201	16.6491	11.5392	8.7685	83.3673			
	S	115.275	94.973	85.631	92.294	104.351	97.506			
8	T	11.9449	16.6108	16.6241	11.6994	8.6389	83.1988			81.2859
	S	115.302	95.598	85.760	91.030	105.916	97.703			94.515
9	T		17.2664	16.9835	11.5569	9.5238	305.5824	224.8992	82.6015	
	S		91.968	83.945	92.153	96.075	26.601	3.993	92.176	
10	T	12.0070	16.7176	17.2394	11.6571	8.6886	83.9768			
	S	114.706	94.987	82.699	91.361	105.310	96.798			
11	T	11.9548	16.7224	16.5914	11.7720	8.6342	83.6108			
	S	115.207	94.960	85.929	90.469	105.974	97.222			
12	T	11.9130	16.7863	17.4226	14.9860	9.1955	88.0791			88.8060
	S	115.611	94.598	81.829	71.066	99.505	92.290			86.511
13	T					11.8648				
	S					77.119				

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 90 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7293	7.7191	4.9679	8.8615	8.4748	2.8686	7.6069	5.5036	4.7732	5.4882	6.6827	3.7596	6.1090	6.0555	4.8859
	S	108.992	103.786	115.972	69.940	114.242	133.578	92.052	69.748	71.564	92.927	83.050	101.195	87.501	68.232	91.404
2	T	4.6295	7.3591	4.8103	8.4745	8.3913	2.8412	7.2483	5.3769	4.5887	5.3032	6.5008	3.5627	5.5102	5.6719	4.8229
	S	111.341	108.863	119.771	73.134	115.379	134.866	96.606	71.391	74.442	96.168	85.374	106.788	97.010	72.847	92.598
3	T	4.6020	7.4739	4.8351	8.4261	8.3529	2.8343	7.2611	5.3153	4.5768	5.2668	6.4561	3.5423	5.3388	5.6609	4.8060
	S	112.007	107.191	119.157	73.554	115.910	135.195	96.435	72.219	74.635	96.833	85.965	107.403	100.125	72.989	92.924
4	T	4.5959	7.2922	4.7761	8.3854	8.3359	2.8344	7.1149	5.2770	4.5549	5.2919	6.4293	3.5229	5.3622	5.5205	4.8054
	S	112.155	109.862	120.629	73.911	116.146	135.190	98.417	72.743	74.994	96.374	86.324	107.995	99.688	74.845	92.935
5	T	4.5854	7.2423	4.7541	8.3956	8.3195	2.8227	7.0559	5.2454	4.4728	5.2759	6.4488	3.5220	5.2564	5.6551	4.7426
	S	112.412	110.619	121.187	73.821	116.375	135.750	99.240	73.181	76.371	96.666	86.063	108.022	101.694	73.064	94.166
6	T	4.5819	7.1962	4.7134	8.3284	8.3168			5.2385	4.4630	5.2532	6.4330	3.5190	5.1911	5.5173	4.7892
	S	112.498	111.328	122.234	74.417	116.413			73.277	76.538	97.084	86.274	108.114	102.973	74.888	93.250
7	T	4.5821	7.2258	4.6984	8.4027	8.2828	2.8063	7.0627	5.2017	4.6165	5.2807	6.4728	3.4851	5.2259	5.4315	4.7653
	S	112.493	110.872	122.624	73.759	116.891	136.543	99.144	73.796	73.993	96.578	85.743	109.166	102.288	76.071	93.717
8	T	4.5876	7.3903	4.7173	8.3890	8.2614	2.7962	7.1200	5.1151	4.6415	5.3130	6.3663	3.4942	5.2566	5.4774	4.8040
	S	112.358	108.404	122.133	73.879	117.193	137.037	98.347	75.045	73.595	95.991	87.178	108.882	101.690	75.434	92.962
9	T	4.6091	7.1545	4.7085	8.2150	8.3333	2.8250	6.9528	5.1311	4.5069	5.2109	6.3920	3.4734	5.2589	5.4747	4.8741
	S	111.834	111.977	122.361	75.444	116.182	135.640	100.712	74.811	75.793	97.872	86.827	109.534	101.646	75.471	91.625
10	T	4.5604	7.0611	4.8150	8.6705	8.3267	2.8224	7.0440	5.1533	4.5236	5.2461	6.3946	3.4819	5.0822	5.4889	4.7192
	S	113.028	113.458	119.654	71.481	116.274	135.765	99.408	74.489	75.513	97.215	86.792	109.266	105.180	75.276	94.633
11	T	4.5583	7.1555	4.7277	8.2642	8.2278	2.7967	7.0240	5.1350	4.5019	5.3375	6.4588	3.4914	5.1217	5.4721	4.7382
	S	113.080	111.961	121.864	74.995	117.672	137.012	99.691	74.754	75.877	95.550	85.929	108.969	104.369	75.507	94.253
12	T	4.5750	7.0668	4.6927	8.1839	8.3068	2.8230	6.8778	5.1287	4.3869	5.1727	6.2836	3.5162	5.1094	5.5138	4.7444
	S	112.668	113.366	122.773	75.731	116.553	135.736	101.810	74.846	77.866	98.595	88.325	108.200	104.620	74.936	94.130
13	T	4.5680	7.0073	4.6731	8.1494	8.3224	2.8245	6.8756	5.1128	4.3542	5.1624	6.2750	3.4753	5.0598	5.3581	4.7419
	S	112.840	114.329	123.288	76.051	116.334	135.664	101.842	75.079	78.451	98.791	88.446	109.474	105.646	77.113	94.180
14	T	4.5613	7.1019	4.6736	8.1378	8.2918	2.8182	6.8451	5.0554	4.4562	5.2221	6.2744	3.4789	5.0570	5.3960	4.7341
	S	113.006	112.806	123.275	76.160	116.764	135.967	102.296	75.931	76.655	97.662	88.455	109.361	105.704	76.572	94.335
15	T	4.5695	7.1110	4.6919	8.2172	8.3311	2.8235	6.9552	5.1726	4.4380	5.2682	6.4795	3.4610	5.0402	5.4873	4.7053
	S	112.803	112.662	122.794	75.424	116.213	135.712	100.677	74.211	76.970	96.807	85.655	109.926	106.056	75.298	94.912
16	T			5.0527	8.5081	8.3575	2.8309	7.2372	5.2532	4.4950	5.2448	6.4344	3.5112	5.2600		
	S			114.025	72.845	115.846	135.357	96.754	73.072	75.994	97.239	86.255	108.355	101.625		
17	T	4.5760	7.0818	4.6760	8.1684	8.2790	2.8153	6.9262	5.2035	4.4361	5.2896	6.8001	3.5026	5.1413	5.3924	4.7377
	S	112.643	113.126	123.211	75.874	116.944	136.107	101.098	73.770	77.003	96.416	81.616	108.621	103.971	76.623	94.263
18	T	4.5902	7.0794	4.7080	8.3161	8.3126	2.8284	7.3705	5.4594	4.7325	5.8425	7.1783	3.5909	5.2393	5.3839	4.7811
	S	112.295	113.164	122.374	74.527	116.472	135.477	95.004	70.312	72.189	87.291	77.316	105.950	102.026	76.744	93.408
19	T												4.2025	5.8216		
	S												90.531	91.821		

Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 90 - Thompson, Parker

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	12.6870	17.3363	17.8837	12.1709	9.8686	88.4858		95.4210	
	S	108.558	91.597	79.720	87.504	92.718	91.866		79.792	
2	T	12.1694	16.8658	17.2139	11.8040	9.0729	85.0915			
	S	113.175	94.152	82.822	90.224	100.850	95.530			
3	T	12.3090	16.7790	17.1532	11.7229	8.8811	84.7484			
	S	111.892	94.639	83.115	90.848	103.028	95.917			
4	T	12.0683	16.7213	16.9468	11.7212	8.8851	84.0989			
	S	114.123	94.966	84.127	90.861	102.981	96.658			
5	T	11.9964	16.7151	16.7741	11.7247	8.7784	83.7945			
	S	114.807	95.001	84.993	90.834	104.233	97.009			
6	T	11.9096	16.6452		11.6862	8.7101	83.4414			
	S	115.644	95.400		91.133	105.050	97.419			
7	T	11.9242	16.6855	16.8809	11.7535	8.7110	83.5403			
	S	115.502	95.170	84.455	90.611	105.040	97.304			
8	T	12.1076	16.6504	16.8766	11.6793	8.7508	83.7299			
	S	113.753	95.370	84.477	91.187	104.562	97.084			
9	T	11.8630	16.5483	16.5908	11.6029	8.7323	83.1202			
	S	116.098	95.959	85.932	91.787	104.783	97.796			
10	T	11.8761	16.9972	16.7209	11.6407	8.5641	83.3899			
	S	115.970	93.424	85.263	91.489	106.841	97.479			
11	T	11.8832	16.4920	16.6609	11.7963	8.6131	83.0108			
	S	115.901	96.286	85.571	90.283	106.234	97.925			
12	T	11.7595	16.4907	16.3934	11.4563	8.6256	82.3817			
	S	117.120	96.294	86.967	92.962	106.080	98.672			
13	T	11.6804	16.4718	16.3426	11.4374	8.5351	81.9598			
	S	117.913	96.404	87.237	93.116	107.204	99.180			
14	T	11.7755	16.4296	16.3567	11.4965	8.5359	82.1038			
	S	116.961	96.652	87.162	92.637	107.194	99.006			
15	T	11.8029	16.5483	16.5658	11.7477	8.5012	82.7515			79.6335
	S	116.689	95.959	86.062	90.656	107.632	98.231			96.476
16	T		16.8656	16.9854	11.6792	8.7712	183.8936	104.6789	82.4129	
	S		94.153	83.936	91.188	104.319	44.204	8.578	92.387	
17	T	11.7578	16.4474	16.5658	12.0897	8.6439	83.0260			
	S	117.137	96.547	86.062	88.092	105.855	97.907			
18	T	11.7874	16.6287	17.5624	13.0208	8.8302	85.4131			83.7162
	S	116.843	95.495	81.178	81.792	103.622	95.170			91.771
19	T					10.0241				
	S					91.280				

**Event:** Cooper Tires USF2000 GP of Mid-Ohio  
**Track:** Mid-Ohio Sports Car Course  
**Report:** Section Data Report  
**Session:** Practice 1

**Round 12 / 13**  
**2.258 mile(s)**  
**USF2000**  
**July 27, 2017**



**Section Data for Car 92 - Gore, Dev (R)**

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7185	7.8753	4.9545	9.0693	8.5667	2.8797	7.6169	5.4489	4.8519	5.4122	6.7287	3.6543	6.1244	6.2702	4.9436
	S	109.241	101.728	116.285	68.337	113.017	133.063	91.931	70.448	70.404	94.232	82.483	104.111	87.281	65.896	90.337
2	T	4.8523	7.9744	4.9619	8.8213	8.4562	2.8609	7.7164	5.4157	4.9855	5.4080	6.7508	3.5970	5.9837	25.2603	5.1868
	S	106.229	100.464	116.112	70.259	114.494	133.938	90.745	70.880	68.517	94.305	82.212	105.770	89.334	16.357	86.101
3	T	4.8306	7.7516	4.9293	8.7797	8.4612	2.8751	7.5180	5.4273	4.8502	5.4004	6.7576	3.5701	5.7045	6.0070	5.3098
	S	106.706	103.351	116.880	70.592	114.426	133.276	93.140	70.728	70.428	94.437	82.130	106.567	93.706	68.783	84.107
4	T	4.6962	7.6593	4.8522	8.7125	8.4183	2.8664	7.4671	5.3425	4.8847	5.4045	6.7009	3.5787	5.6182	5.8060	4.9376
	S	109.760	104.597	118.737	71.136	115.009	133.681	93.775	71.851	69.931	94.366	82.825	106.311	95.145	71.165	90.447
5	T	4.6836	7.5040	4.8444	8.5867	8.4424	2.8672	7.4080	5.2792	4.8065	5.3204	6.6352	3.5675	5.4818	5.8310	4.8937
	S	110.055	106.761	118.928	72.178	114.681	133.643	94.523	72.712	71.069	95.857	83.645	106.645	97.513	70.860	91.258
6	T	4.6454	7.5715	4.8307	8.7486	8.7754	3.0018	7.5068	5.3296	4.6790	5.3769	6.5579	3.5480	5.4587	5.7498	4.8852
	S	110.960	105.809	119.266	70.843	110.329	127.651	93.279	72.025	73.005	94.850	84.631	107.231	97.925	71.860	91.417
7	T	4.6529	7.7937	4.9395	8.6507	8.3855	2.8231	7.4110	5.3194	4.6064	5.3113	6.4624	3.5480	5.3833	5.6915	4.9154
	S	110.781	102.793	116.639	71.644	115.459	135.731	94.485	72.163	74.156	96.022	85.881	107.231	99.297	72.596	90.855
8	T	4.6557	7.3123	4.7713	8.4660	8.4120	2.8486	7.2600	5.2124	4.6112	5.3031	6.5424	3.5115	5.4124	5.4922	4.9183
	S	110.715	109.560	120.750	73.207	115.095	134.516	96.450	73.644	74.079	96.170	84.831	108.345	98.763	75.231	90.802
9	T	4.6137	7.3888	4.7827	8.5670	8.4350	2.8537	7.4217	5.1779	4.6813	5.2637	6.5512	3.5303	5.4026	5.6804	4.7801
	S	111.723	108.426	120.463	72.344	114.781	134.275	94.349	74.135	72.969	96.890	84.717	107.768	98.942	72.738	93.427
10	T	4.6349	7.3269	4.7494	8.4390	8.3854	2.8524	7.2912	5.1922	4.6517	5.2377	6.5368	3.5232	5.3249	5.5929	4.7932
	S	111.212	109.342	121.307	73.441	115.460	134.337	96.037	73.931	73.434	97.371	84.904	107.986	100.386	73.876	93.172
11	T	4.6192	7.4247	4.7635	8.4809	8.4430	2.8642	7.2553	5.1607	4.7219	5.2234	6.5672	3.5278	5.3333	5.5949	4.8140
	S	111.590	107.902	120.948	73.079	114.673	133.783	96.513	74.382	72.342	97.638	84.511	107.845	100.228	73.850	92.769
12	T	4.6300	7.3845	4.7712	8.2785	8.3577	2.8563	7.1625	5.1352	4.6801	5.2077	6.4383	3.5117	5.3266	5.6258	4.7944
	S	111.329	108.489	120.753	74.865	115.843	134.153	97.763	74.751	72.988	97.932	86.203	108.339	100.354	73.444	93.148
13	T	4.6088	7.3053	4.7480	8.3698	8.3770	2.8523	7.1124	5.1762	4.6433	5.2295	6.6497	3.5099	5.2761	5.6751	4.7706
	S	111.841	109.665	121.343	74.049	115.576	134.341	98.452	74.159	73.566	97.524	83.462	108.395	101.315	72.806	93.613
14	T	4.6276	7.3054	4.7373	8.4786	8.4322	2.8521	7.1396	5.1222	4.5680	5.2415	6.4677	3.5415	5.3465	5.6138	4.7917
	S	111.387	109.664	121.617	73.098	114.820	134.351	98.077	74.941	74.779	97.300	85.811	107.428	99.980	73.601	93.201
15	T	4.6182	7.3667	4.7453	8.4061	8.3867	2.8489	7.0029	5.1452	4.6234	5.2242	6.4442	3.5237	5.2340	5.5498	4.8098
	S	111.614	108.751	121.412	73.729	115.443	134.502	99.991	74.606	73.883	97.623	86.124	107.970	102.129	74.450	92.850
16	T	4.6285	7.2947	4.7475	8.3471	8.3569	2.8426	7.2796	5.2270	22.0699	7.7567	8.1160	3.4977	5.3216	5.5417	4.8262
	S	111.365	109.824	121.356	74.250	115.854	134.800	96.190	73.439	15.478	65.750	68.383	108.773	100.448	74.559	92.535
17	T	4.6969	7.3314	4.7688	8.4791	8.3986	2.8544	7.1541	5.1430	4.5981	5.2251	8.3513	4.6195	6.0166	5.7091	4.9055
	S	109.744	109.275	120.814	73.094	115.279	134.243	97.878	74.638	74.290	97.606	66.457	82.358	88.845	72.372	91.039
18	T												3.8650	6.0286		
	S												98.436	88.668		

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 92 - Gore, Dev (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	SF to PI
1	T	12.8298	17.6360	17.9177	12.1409	9.7787	89.1151	94.1289	
	S	107.350	90.041	79.568	87.720	93.571	91.217	80.888	
2	T	12.9363	17.2775	18.1176	12.1588	9.5807	108.2312		
	S	106.466	91.909	78.690	87.591	95.505	75.106		
3	T	12.6809	17.2409	17.7955	12.1580	9.2746	88.1724		
	S	108.610	92.104	80.115	87.597	98.657	92.192		
4	T	12.5115	17.1308	17.6943	12.1054	9.1969	86.9451		
	S	110.081	92.696	80.573	87.977	99.490	93.493		
5	T	12.3484	17.0291	17.4937	11.9556	9.0493	86.1516		
	S	111.535	93.249	81.497	89.080	101.113	94.355		
6	T	12.4022	17.5240	17.5154	11.9348	9.0067	86.6653		
	S	111.051	90.616	81.396	89.235	101.591	93.795		
7	T	12.7332	17.0362	17.3368	11.7737	8.9313	85.8941		
	S	108.164	93.211	82.234	90.456	102.449	94.637		
8	T	12.0836	16.8780	17.0836	11.8455	8.9239	84.7294		
	S	113.979	94.084	83.453	89.908	102.534	95.938		
9	T	12.1715	17.0020	17.2809	11.8149	8.9329	85.1301		
	S	113.156	93.398	82.500	90.140	102.430	95.487		
10	T	12.0763	16.8244	17.1351	11.7745	8.8481	84.5318		
	S	114.048	94.384	83.202	90.450	103.412	96.163		
11	T	12.1882	16.9239	17.1379	11.7906	8.8611	84.7940		
	S	113.001	93.829	83.189	90.326	103.260	95.865		
12	T	12.1557	16.6362	16.9778	11.6460	8.8383	84.1605		
	S	113.303	95.452	83.973	91.448	103.527	96.587		
13	T	12.0533	16.7468	16.9319	11.8792	8.7860	84.3040		
	S	114.265	94.821	84.201	89.653	104.143	96.422		
14	T	12.0427	16.9108	16.8298	11.7092	8.8880	84.2657		
	S	114.366	93.902	84.712	90.954	102.948	96.466		
15	T	12.1120	16.7928	16.7715	11.6684	8.7577	83.9291		
	S	113.711	94.562	85.006	91.272	104.479	96.853		
16	T	12.0422	16.7040	34.5765	15.8727	8.8193	105.8537		
	S	114.371	95.064	41.233	67.096	103.750	76.793		
17	T	12.1002	16.8777	16.8952	13.5764	10.6361	88.2515		85.4270
	S	113.822	94.086	84.384	78.445	86.028	92.109		89.933
18	T					9.8936			
	S					92.484			

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.7819	8.1722	5.0249	8.8640	8.5178	2.8683	7.6548	5.5600	4.9336	5.4854	6.8383	3.6761	6.1279	6.2124	4.9968
	S	107.793	98.032	114.656	69.920	113.666	133.592	91.476	69.040	69.238	92.974	81.161	103.494	87.231	66.509	89.375
2	T	4.7969	7.9501	4.9630	8.8652	8.5251	2.8848	7.6206	5.4193	4.8940	5.4660	6.6729	3.6130	6.0280	7.0794	5.0478
	S	107.456	100.771	116.086	69.911	113.568	132.828	91.886	70.833	69.798	93.304	83.172	105.302	88.677	58.364	88.472
3	T	4.7312	7.8391	4.9202	8.8011	8.5263	2.8813	7.5564	5.4564	4.9182	5.4472	6.6408	3.5593	5.8159	5.9260	4.8866
	S	108.948	102.197	117.096	70.420	113.552	132.989	92.667	70.351	69.454	93.626	83.574	106.890	91.911	69.724	91.391
4	T	4.7009	7.8001	4.9509	8.8260	8.4450	2.8726	7.3966	5.3903	4.8195	5.3844	6.5669	3.5367	5.6907	6.0654	4.9213
	S	109.650	102.708	116.370	70.221	114.646	133.392	94.669	71.214	70.877	94.718	84.515	107.573	93.933	68.121	90.747
5	T	4.6924	7.7316	4.9143	8.9202	8.4599	2.8755	7.3911	5.3651	4.8302	5.4326	6.5890	3.5576	5.6508	5.7412	4.8683
	S	109.849	103.618	117.237	69.480	114.444	133.257	94.739	71.548	70.720	93.878	84.231	106.941	94.596	71.968	91.734
6	T	4.7678	7.6598	4.8715	8.7356	8.4341			5.4833	4.8291	5.4723	6.4879	3.5325	5.6796	5.7775	5.0434
	S	108.112	104.590	118.267	70.948	114.794			70.006	70.736	93.197	85.544	107.701	94.117	71.516	88.550
7	T	4.7108	7.6224	4.8683	8.6813	8.4525	2.8804	7.4044	5.4476	4.8346	5.3810	6.6013	3.5221	5.6505	5.7767	4.8704
	S	109.420	105.103	118.344	71.392	114.544	133.031	94.569	70.465	70.655	94.778	84.074	108.019	94.601	71.526	91.695
8	T	5.1053	7.7226	4.8551	8.5186	8.3992	2.8454	7.4541	5.3411	4.7897	5.3322	6.4686	3.5260	5.8132	5.6716	4.9908
	S	100.965	103.739	118.666	72.755	115.271	134.667	93.939	71.870	71.318	95.645	85.799	107.900	91.954	72.851	89.483
9	T	4.6824	7.5260	4.8352	8.4882	8.3990	2.8581	7.3071	5.3358	4.7727	5.3351	6.5387	3.5312	5.6653	5.6315	4.8337
	S	110.083	106.449	119.155	73.016	115.273	134.069	95.828	71.941	71.572	95.593	84.879	107.741	94.354	73.370	92.391
10	T	4.6851	7.5419	4.8455	8.4578	8.4181	2.8554	7.3073	5.2974	4.6072	5.3050	6.4175	3.5325	5.5852	5.7371	4.8209
	S	110.020	106.225	118.901	73.278	115.012	134.195	95.826	72.463	74.143	96.136	86.482	107.701	95.707	72.019	92.636
11	T	4.6567	7.5019	4.8209	8.4652	8.4375	2.8575	7.2688	5.3670	4.6944	5.2893	6.4385	3.4933	5.5743	5.5763	4.8200
	S	110.691	106.791	119.508	73.214	114.747	134.097	96.333	71.523	72.766	96.421	86.200	108.910	95.895	74.096	92.654
12	T	4.6555	7.8231	4.8822	8.4141	8.4146	2.8605	7.3416	5.3233	4.7734	5.3399	6.3887	3.5101	5.4859	5.7251	4.7838
	S	110.719	102.407	118.008	73.659	115.060	133.956	95.378	72.110	71.561	95.507	86.872	108.389	97.440	72.170	93.355
13	T	4.6860	7.6308	4.8385	8.4098	8.4210	2.8665	7.2200	5.3260	4.6932	5.3066	6.4690	3.4839	5.5326	5.6600	4.8169
	S	109.999	104.987	119.073	73.696	114.972	133.676	96.984	72.074	72.784	96.107	85.794	109.204	96.617	73.000	92.713
14	T	4.6982	7.5476	4.7988	8.4013	8.4175	2.8683	7.1790	5.2365	4.6352	5.2867	6.4852	3.5561	5.6209	5.5719	4.8548
	S	109.713	106.145	120.058	73.771	115.020	133.592	97.538	73.305	73.695	96.468	85.579	106.986	95.100	74.155	91.990
15	T	4.7180	7.5014	4.7907	8.4269	8.3718	2.8574	7.2232	5.2738	4.6376	5.2792	6.4563	3.4973	5.5701	5.5203	4.8764
	S	109.253	106.798	120.261	73.547	115.648	134.102	96.941	72.787	73.657	96.606	85.963	108.785	95.967	74.848	91.582
16	T	4.6747	7.3995	4.7695	8.8181	8.4586	2.8748	7.3398	5.2127	4.7211	5.2787	6.4151	3.5121	5.6695	5.6631	4.8153
	S	110.265	108.269	120.796	70.284	114.461	133.290	95.401	73.640	72.354	96.615	86.515	108.327	94.284	72.960	92.744
17	T	4.7081	7.5435	4.8400	8.3165	8.3443	2.8339	7.2537	5.3310	4.6668	5.2830	6.5133	3.5076	5.4290	5.5240	4.9253
	S	109.482	106.202	119.036	74.523	116.029	135.214	96.534	72.006	73.196	96.536	85.210	108.466	98.461	74.798	90.673
18	T	4.6777	7.4842	4.7633	8.7874	8.4184	2.8542	7.0968	5.2987	4.6458	5.4607	7.5581	3.5349	5.5677	5.5362	4.8212
	S	110.194	107.044	120.953	70.530	115.008	134.252	98.668	72.445	73.527	93.395	73.431	107.628	96.008	74.633	92.631
19	T												3.7570	6.4677		
	S												101.266	82.648		

Event: Cooper Tires USF2000 GP of Mid-Ohio

Round 12 / 13

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

July 27, 2017

Section Data for Car 93 - Clunie, Jayson (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	SF to PI
1	T	13.1971	17.3818	18.1484	12.3237	9.8040	89.7144	93.7687	
	S	104.362	91.357	78.557	86.419	93.329	90.608	81.198	
2	T	12.9131	17.3903	17.9339	12.1389	9.6410	89.8261		
	S	106.657	91.313	79.496	87.734	94.907	90.495		
3	T	12.7593	17.3274	17.9310	12.0880	9.3752	87.9060		
	S	107.943	91.644	79.509	88.104	97.598	92.472		
4	T	12.7510	17.2710	17.6064	11.9513	9.2274	87.3673		
	S	108.013	91.943	80.975	89.112	99.161	93.042		
5	T	12.6459	17.3801	17.5864	12.0216	9.2084	87.0198		
	S	108.911	91.366	81.067	88.591	99.366	93.413		
6	T	12.5313	17.1697		11.9602	9.2121	86.9875		
	S	109.907	92.486		89.045	99.326	93.448		
7	T	12.4907	17.1338	17.6866	11.9823	9.1726	86.7043		
	S	110.264	92.680	80.608	88.881	99.754	93.753		
8	T	12.5777	16.9178	17.5849	11.8008	9.3392	86.8335		
	S	109.501	93.863	81.074	90.248	97.974	93.614		
9	T	12.3612	16.8872	17.4156	11.8738	9.1965	85.7400		
	S	111.419	94.033	81.862	89.693	99.494	94.808		
10	T	12.3874	16.8759	17.2119	11.7225	9.1177	85.4139		
	S	111.183	94.096	82.831	90.851	100.354	95.170		
11	T	12.3228	16.9027	17.3302	11.7278	9.0676	85.2616		
	S	111.766	93.947	82.266	90.810	100.909	95.340		
12	T	12.7053	16.8287	17.4383	11.7286	8.9960	85.7218		
	S	108.401	94.360	81.756	90.804	101.712	94.828		
13	T	12.4693	16.8308	17.2392	11.7756	9.0165	85.3608		
	S	110.453	94.348	82.700	90.441	101.481	95.229		
14	T	12.3464	16.8188	17.0507	11.7719	9.1770	85.1580		
	S	111.553	94.415	83.614	90.470	99.706	95.456		
15	T	12.2921	16.7987	17.1346	11.7355	9.0674	85.0004		
	S	112.045	94.528	83.205	90.750	100.911	95.632		
16	T	12.1690	17.2767	17.2736	11.6938	9.1816	85.6226		
	S	113.179	91.913	82.535	91.074	99.656	94.938		
17	T	12.3835	16.6608	17.2515	11.7963	8.9366	85.0200		
	S	111.218	95.311	82.641	90.283	102.388	95.610		
18	T	12.2475	17.2058	17.0413	13.0188	9.1026	86.5053		85.4430
	S	112.453	92.292	83.660	81.805	100.521	93.969		89.916
19	T					10.2247			
	S					89.489			



Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	4.9779	8.1964	5.1556	9.1673	8.6100	2.9007	7.7269	5.7577	4.9721	5.6041	6.8553	3.7237	6.2362	6.2895	5.1826
	S	103.549	97.742	111.750	67.607	112.449	132.100	90.622	66.670	68.702	91.005	80.959	102.171	85.717	65.694	86.171
2	T	4.7898	7.6813	4.9523	8.7536	8.4995	2.8774	7.5095	5.6163	4.8011	5.3825	6.8134	3.6140	5.7374	5.9805	4.9060
	S	107.615	104.297	116.337	70.802	113.910	133.169	93.246	68.348	71.148	94.752	81.457	105.272	93.169	69.088	91.030
3	T	4.7254	7.5406	4.8836	8.6577	8.5255	2.8823	7.5653	5.4099	4.7072	5.3188	6.6849	3.5967	5.5739	6.0182	4.9918
	S	109.082	106.243	117.974	71.586	113.563	132.943	92.558	70.956	72.568	95.886	83.023	105.779	95.902	68.655	89.465
4	T	4.7046	7.4361	4.8682	8.5804	8.4853	2.8858	7.5734	5.4361	4.7539	5.4234	7.0352	3.5697	5.5115	5.9307	4.8610
	S	109.564	107.736	118.347	72.231	114.101	132.782	92.459	70.614	71.855	94.037	78.889	106.579	96.987	69.668	91.872
5	T	4.6954	7.4746	4.8703	8.5343	8.4617	2.8711	7.3129	5.3976	4.6343	5.3748	6.5998	3.6648	5.4120	5.8094	4.8797
	S	109.779	107.181	118.296	72.621	114.419	133.462	95.752	71.117	73.709	94.887	84.093	103.813	98.770	71.123	91.520
6	T			5.3849	8.9447	8.6018	2.9044	7.5262	5.4661	4.6344	5.3397	6.5614	3.5476	5.5340		
	S			106.991	69.289	112.556	131.931	93.039	70.226	73.708	95.511	84.586	107.243	96.593		
7	T	4.6875	7.4382	4.8870	8.4345	8.4796	2.8838	7.3050	5.3331	4.4699	5.3365	6.4806	3.5439	5.5314	5.5380	4.9381
	S	109.964	107.706	117.892	73.481	114.178	132.874	95.856	71.978	76.420	95.568	85.640	107.355	96.638	74.608	90.438
8	T	4.6698	7.4616	4.8378	8.3924	8.4627	2.8754	7.2412	5.3239	4.6443	5.4111	6.6598	3.5428	5.2534	5.6351	4.8461
	S	110.380	107.368	119.091	73.849	114.406	133.262	96.700	72.102	73.551	94.251	83.336	107.388	101.752	73.323	92.155
9	T	4.6570	7.3962	4.8278	8.3893	8.4405	2.8788	7.4216	5.3345	4.6087	5.3508	6.8319	3.5600	5.2787	5.8121	4.8346
	S	110.684	108.317	119.337	73.877	114.707	133.105	94.350	71.959	74.119	95.313	81.237	106.869	101.265	71.090	92.374
10	T	4.6411	7.3276	4.8939	8.8520	8.3275	2.9044	7.5906	5.3383	4.6266	5.2340	6.4658	3.5762	5.3146	5.6730	4.8849
	S	111.063	109.331	117.725	70.015	116.263	131.931	92.249	71.907	73.832	97.440	85.836	106.385	100.581	72.833	91.423
11	T	4.6124	7.2551	4.8074	8.2778	8.4222	2.8642	7.0812	5.2798	4.5412	5.2030	6.4156	3.5273	5.3004	5.7068	4.8104
	S	111.754	110.424	119.844	74.872	114.956	133.783	98.885	72.704	75.220	98.020	86.508	107.860	100.850	72.402	92.839
12	T	4.6217	7.2298	4.8129	8.3293	8.4584	2.8737	7.1323	5.1664	4.4882	5.2239	6.3492	3.5312	5.3204	5.6979	4.8428
	S	111.529	110.810	119.707	74.409	114.464	133.341	98.177	74.300	76.109	97.628	87.413	107.741	100.471	72.515	92.218
13	T	4.6445	7.4549	4.8403	8.2394	8.4120	2.8665	7.7191	5.5603	4.5570	5.2501	6.5918	3.5077	5.2098	5.5560	4.8316
	S	110.982	107.464	119.029	75.221	115.095	133.676	90.714	69.036	74.960	97.141	84.196	108.463	102.604	74.367	92.431
14	T	4.6599	7.6096	4.8682	8.3994	8.3685	2.8673	7.2617	5.2831	4.5296	5.2045	6.5199	3.5342	5.5215	5.7698	4.8514
	S	110.615	105.280	118.347	73.788	115.694	133.639	96.427	72.659	75.413	97.992	85.124	107.649	96.812	71.611	92.054
15	T	4.6315	7.3531	4.8623	8.3954	8.4225	2.8796	7.1352	5.1829	4.5141	5.4082	6.4109	3.5307	5.4184	5.6790	4.7876
	S	111.293	108.952	118.491	73.823	114.952	133.068	98.137	74.063	75.672	94.301	86.571	107.756	98.654	72.756	93.281
16	T	4.6724	7.3074	4.7789	8.2261	8.4059	2.8705	7.6819	7.0044	5.5296	5.4206	6.8620	3.5240	5.2942	5.6244	4.8102
	S	110.319	109.634	120.558	75.342	115.179	133.490	91.153	54.803	61.775	94.086	80.880	107.961	100.968	73.462	92.842
17	T	4.6924	7.4207	4.9109	8.9021	8.4841	2.8869	8.4990	5.9843	5.4852	6.7983	9.0441	3.6469	5.5061	5.6708	4.8440
	S	109.849	107.960	117.318	69.621	114.117	132.731	82.389	64.145	62.275	75.019	61.366	104.323	97.082	72.861	92.195
18	T												4.2892	7.8378		
	S												88.701	68.201		



Event: Cooper Tires USF2000 GP of Mid-Ohio  
Track: Mid-Ohio Sports Car Course  
Report: Section Data Report  
Session: Practice 1

Round 12 / 13  
2.258 mile(s)  
USF2000  
July 27, 2017



Section Data for Car 97 - Tomaselli, Bruna (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	13.3520	17.7773	18.4567	12.4594	9.9599	91.3560		95.5428	
	S	103.151	89.325	77.245	85.478	91.868	88.979		79.691	
2	T	12.6336	17.2531	17.9269	12.1959	9.3514	87.9146			
	S	109.017	92.039	79.528	87.324	97.846	92.462			
3	T	12.4242	17.1832	17.6824	12.0037	9.1706	87.0818			
	S	110.854	92.413	80.627	88.723	99.775	93.347			
4	T	12.3043	17.0657	17.7634	12.4586	9.0812	87.0553			
	S	111.934	93.049	80.260	85.483	100.758	93.375			
5	T	12.3449	16.9960	17.3448	11.9746	9.0768	85.9927			83.6532
	S	111.566	93.431	82.196	88.938	100.806	94.529			91.840
6	T		17.5465	17.6267	11.9011	9.0816	252.9440	169.1238	85.9452	
	S		90.500	80.882	89.488	100.753	32.137	5.309	88.590	
7	T	12.3252	16.9141	17.1080	11.8171	9.0753	85.2871			
	S	111.744	93.883	83.334	90.124	100.823	95.311			
8	T	12.2994	16.8551	17.2094	12.0709	8.7962	85.2574			
	S	111.979	94.212	82.843	88.229	104.022	95.344			
9	T	12.2240	16.8298	17.3648	12.1827	8.8387	85.6225			
	S	112.670	94.354	82.102	87.419	103.522	94.938			
10	T	12.2215	17.1795	17.5555	11.6998	8.8908	85.6505			
	S	112.693	92.433	81.210	91.027	102.915	94.907			
11	T	12.0625	16.7000	16.9022	11.6186	8.8277	84.1048			
	S	114.178	95.087	84.349	91.663	103.651	96.651			
12	T	12.0427	16.7877	16.7869	11.5731	8.8516	84.0781			
	S	114.366	94.590	84.928	92.024	103.371	96.682			
13	T	12.2952	16.6514	17.8364	11.8419	8.7175	85.2410			
	S	112.017	95.365	79.931	89.935	104.961	95.363			
14	T	12.4778	16.7679	17.0744	11.7244	9.0557	85.2486			
	S	110.378	94.702	83.498	90.836	101.041	95.354			
15	T	12.2154	16.8179	16.8322	11.8191	8.9491	84.6114			
	S	112.749	94.421	84.700	90.108	102.245	96.072			
16	T	12.0863	16.6320	20.2159	12.2826	8.8182	88.0125			
	S	113.953	95.476	70.523	86.708	103.763	92.360			
17	T	12.3316	17.3862	19.9685	15.8424	9.1530	92.7758			95.2918
	S	111.686	91.334	71.397	67.225	99.967	87.618			80.623
18	T					12.1270				
	S					75.451				

**Event:** Cooper Tires USF2000 GP of Mid-Ohio

**Round 12 / 13**

**Track:** Mid-Ohio Sports Car Course

**2.258 mile(s)**



**Report:** Section Data Report

**USF2000**






**Session:** Practice 1


**July 27, 2017**

**Section Data for Car**

**Report Support Information**

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
I1 to I2	0.382576 miles
I2 to I3	0.441098 miles
I4 to I5	0.396023 miles
I5 to I6	0.295833 miles
I6 to I7	0.254167 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data



**Event:** Cooper Tires USF2000 GP of Mid-Ohio

**Round 12 / 13**

**Track:** Mid-Ohio Sports Car Course

**2.258 mile(s)**



**Report:** Section Data Report

**USF2000**

**Session:** Practice 1

**July 27, 2017**

**Section Data for Car**

SF to PI	2.134091 miles
PO to I2	0.382576 miles
I7 to PI	0.114773 miles
PO to PI	2.008712 miles