

Event: Cooper Tires GP of Alabama  
 Track: Barber Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 5 / 6  
 2.3 mile(s)  
 USF2000  
 April 24, 2015



Section Data for Car 12 - Lerch, Augie (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6042	12.2289	15.7159	9.2575	6.4584	10.2556	14.3121	8.9179	5.3942	7.6230	7.0887	7.2430	11.7063	88.7777	473.4302
	S	116.769	84.859	86.551	103.700	61.970	101.186	83.512	72.862	101.119	118.332	100.993	83.121	90.977	93.267	1.846
2	T	2.5790	11.9987	15.4599	9.1523	6.3076	10.2438	14.0525	8.7144	5.3381	7.5830	6.9422	6.9673	11.3464	87.1728	
	S	117.910	86.487	87.984	104.892	63.452	101.303	85.054	74.563	102.181	118.956	103.124	86.410	93.862	94.984	
3	T	2.5709	12.0077	15.2490	8.9923	6.2567	10.2305	14.0802	8.7441	5.3361	7.6100	6.9777	6.7746	11.3119	86.8125	
	S	118.282	86.422	89.201	106.758	63.968	101.435	84.887	74.310	102.220	118.534	102.600	88.868	94.149	95.378	
4	T	2.5958	12.0029	15.2960	9.0492	6.2468	10.1946	14.0095	8.6698	5.3397	7.5655	6.8609	6.9936	11.4434	86.9622	
	S	117.147	86.456	88.927	106.087	64.069	101.792	85.315	74.947	102.151	119.231	104.346	86.085	93.067	95.214	
5	T	2.5687	12.0026	15.2538	9.0165	6.2373	10.1794	13.8977	8.5524	5.3453	7.6073	6.8943	6.8296	11.2046	86.4380	
	S	118.383	86.459	89.173	106.471	64.167	101.944	86.002	75.975	102.044	118.576	103.841	88.152	95.050	95.791	
6	T	2.5725	12.0044	15.6550	8.9684	6.6866	10.2365	14.1000	8.7307	5.3693	7.6253	6.7796	6.6580	11.3489	86.9802	
	S	118.208	86.446	86.888	107.043	59.855	101.375	84.768	74.424	101.588	118.296	105.598	90.424	93.842	95.194	
7	T	2.5947	12.0465	15.3012	9.0652	6.2360	10.1649	13.8943	8.5545	5.3398	7.6072	6.9150	6.5812	11.4845	86.5895	
	S	117.197	86.143	88.897	105.899	64.180	102.089	86.023	75.957	102.149	118.578	103.530	91.480	92.734	95.624	
8	T	2.5870	12.1154	16.8012	9.1925	7.6087	10.1601	14.0124	8.6769	5.3355	7.5742	6.8969	6.7068	11.3941	88.2481	
	S	117.546	85.654	80.960	104.433	52.601	102.138	85.298	74.885	102.231	119.094	103.802	89.766	93.469	93.826	
9	T	2.8769	13.8315	16.7576	9.9141	6.8435	10.6934	15.3621	9.4509	5.9112	9.5525	8.5268	6.6206	11.3625	95.5839	
	S	105.701	75.026	81.171	95.832	58.483	97.044	77.804	68.752	92.275	94.430	83.960	90.935	93.729	86.625	
10	T			16.1358	9.3952	6.7406	10.4496	14.1600	8.8121	5.3479	7.6106	7.2139			593.1797	497.8640
	S			84.299	102.180	59.376	99.308	84.409	73.736	101.994	118.525	99.240			13.959	1.750
11	T	2.6015	12.1608	15.4144	9.0604	6.3540	10.2156	14.1373	8.7329	5.4044	7.6150	6.7947	6.9684	11.6742	87.5819	
	S	116.891	85.334	88.244	105.956	62.988	101.583	84.544	74.405	100.928	118.456	105.363	86.397	91.227	94.540	
12	T	2.5531	12.1618	15.3743	9.0078	6.3665	10.1176	14.0437	8.6718	5.3719	7.5874	6.8288	6.5540	11.4049	86.6256	
	S	119.107	85.327	88.474	106.574	62.865	102.567	85.108	74.929	101.538	118.887	104.837	91.859	93.381	95.584	
13	T	2.5661	12.1040	15.4044	9.0514	6.3530	10.1233	14.0421	8.6802	5.3619	7.5738	6.7878	6.6226	11.3957	86.6198	
	S	118.503	85.734	88.301	106.061	62.998	102.509	85.117	74.857	101.728	119.101	105.470	90.908	93.456	95.590	
14	T	2.5476	12.0519	15.7602	8.9865	6.7737	10.1207	13.9396	8.6159	5.3237	7.5494	6.7742	6.6276	11.3298	86.7010	
	S	119.364	86.105	86.308	106.827	59.085	102.535	85.743	75.416	102.458	119.486	105.682	90.839	94.000	95.501	

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

Round 5 / 6  
 2.3 mile(s)  
**USF2000**  
 April 24, 2015



**Section Data for Car 12 - Lerch, Augie (R)**

Lap	T/SPO to SF	SF to PI
1	T	92.2701
	S	85.791
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	102.2205
	S	74.898
10	T	89.3386
	S	88.606
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	88.3536
	S	86.422

Event: Cooper Tires GP of Alabama  
 Track: Barber Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 5 / 6  
 2.3 mile(s)  
 USF2000  
 April 24, 2015



Section Data for Car 16 - Dayson, James

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6119	12.3730	15.8706	9.2782	6.5924	10.5500	15.0327	9.1790	5.8537	8.1748	7.5163	7.1822	11.9139	91.2254	486.2338
	S	116.425	83.870	85.707	103.468	60.710	98.363	79.508	70.789	93.181	110.345	95.248	83.825	89.391	90.764	1.798
2	T	2.5844	12.3031	15.7428	9.1501	6.5927	10.3175	14.4710	9.0630	5.4080	7.6139	7.1590	7.0272	11.5584	88.7773	
	S	117.664	84.347	86.403	104.917	60.708	100.579	82.595	71.695	100.861	118.474	100.001	85.674	92.141	93.267	
3	T	2.5720	12.2772	15.5651	9.0864	6.4787	10.6538	14.7524	9.3949	5.3575	7.5415	7.6210	6.9025	11.4850	89.3705	
	S	118.231	84.525	87.390	105.652	61.776	97.404	81.019	69.162	101.811	119.611	93.939	87.221	92.730	92.648	
4	T	2.6699	12.1621	15.5236	9.0802	6.4434	10.4135	14.3376	8.9547	5.3829	7.8238	7.1962	7.0297	12.6578	89.8142	
	S	113.896	85.325	87.623	105.725	62.114	99.652	83.363	72.562	101.331	115.295	99.484	85.643	84.138	92.190	
5	T	2.5746	11.9527	15.3525	9.0132	6.3393	10.3108	14.2145	8.8608	5.3537	7.5717	7.0958	6.7838	11.5448	87.4012	
	S	118.112	86.819	88.600	106.510	63.134	100.645	84.085	73.331	101.884	119.134	100.892	88.748	92.249	94.736	
6	T	2.5714	12.0615	15.3639	8.9555	6.4084	10.2577	14.1543	8.7784	5.3759	7.8629	7.7146	6.7637	11.3517	88.1017	
	S	118.259	86.036	88.534	107.197	62.454	101.166	84.443	74.019	101.463	114.722	92.799	89.011	93.819	93.982	
7	T	2.6080	12.0594	15.2458	8.9800	6.2658	10.1864	14.0036	8.6642	5.3394	7.5938	7.2128	7.1967	11.6384	87.7449	
	S	116.599	86.051	89.220	106.904	63.875	101.874	85.351	74.995	102.157	118.787	99.255	83.656	91.507	94.364	
8	T	2.6039	12.0958	30.3113	8.9877	21.3236	10.9621	14.5136	9.1107	5.4029	7.9141	7.8514	12.3496	13.2819	111.8837	
	S	116.783	85.792	44.875	106.813	18.769	94.665	82.352	71.320	100.956	113.980	91.182	48.750	80.184	74.005	
9	T			17.5233	10.3244	7.1989	10.6287	14.8275	9.3618	5.4657	8.1042	7.6045			682.1307	588.9112
	S			77.624	92.984	55.596	97.634	80.609	69.407	99.796	111.306	94.143			12.138	1.484
10	T	2.5918	12.1890	15.4966	9.0544	6.4422	10.2707	14.2409	8.7756	5.4653	7.8280	7.2254	7.6359	12.1648	89.6431	
	S	117.328	85.136	87.776	106.026	62.126	101.038	83.929	74.043	99.803	115.233	99.082	78.844	87.548	92.366	
11	T	2.5919	11.9795	15.2803	8.9781	6.3022	10.2852	14.1424	8.7455	5.3969	7.5812	7.1977	7.0873	11.4488	87.5943	
	S	117.324	86.625	89.018	106.927	63.506	100.895	84.514	74.298	101.068	118.985	99.464	84.947	93.023	94.527	
12	T	2.5666	11.9656	15.2848	8.9417	6.3431	10.2301	13.9192	8.5790	5.3402	7.5424	7.3333	6.8810	11.3885	87.1115	
	S	118.480	86.726	88.992	107.362	63.096	101.439	85.869	75.740	102.141	119.597	97.624	87.494	93.515	95.051	
13	T	2.5764	11.8683	15.2512	8.9544	6.2968	10.2133	14.0443	8.6735	5.3708	7.5881	7.4111	6.8570	11.1803	86.9900	
	S	118.029	87.437	89.188	107.210	63.560	101.605	85.104	74.915	101.559	118.876	96.600	87.800	95.257	95.183	

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

**Round 5 / 6**  
**2.3 mile(s)**  
**USF2000**  
**April 24, 2015**



**Section Data for Car 16 - Dayson, James**

Lap	T/SPO to SF	SF to PI
1	T 92.0437	
	S 86.002	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	104.7790
	S	72.874
9	T 94.4934	
	S 83.772	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	87.9021
	S	86.866

Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 17 - Franzoni, Victor

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5243	11.6997	15.1838	8.9313	6.2525	9.9731	13.7749	8.4956	5.2793	7.4775	6.6519	6.4718	11.3069	85.0639	458.9017
	S	120.465	88.697	89.584	107.487	64.011	104.053	86.768	76.483	103.319	120.635	107.625	93.026	94.190	97.339	1.905
2	T	2.5099	11.5670	15.1928	8.8800	6.3128	10.2098	13.7254	8.4428	5.2826	7.4807	6.6486	6.3998	11.1804	84.9144	
	S	121.157	89.714	89.531	108.108	63.399	101.640	87.081	76.962	103.255	120.583	107.678	94.073	95.256	97.510	
3	T	2.5061	11.4869	15.0583	8.8524	6.2059	10.0016	13.7741	8.4809	5.2932	7.4704	6.4861	6.3268	11.2081	84.3184	
	S	121.340	90.340	90.331	108.445	64.491	103.756	86.774	76.616	103.048	120.749	110.376	95.158	95.021	98.199	
4	T	2.5107	11.5951	15.2911	8.8437	6.4474	9.9891	13.7833	8.5012	5.2821	7.4742	6.5657	6.2868	11.2533	84.7493	
	S	121.118	89.497	88.955	108.552	62.076	103.886	86.716	76.433	103.265	120.688	109.038	95.763	94.639	97.700	
5	T	2.5221	11.6247	15.1951	8.9169	6.2782	10.0780	13.7507	8.4678	5.2829	7.4752	6.5491	6.4147	11.2693	84.8789	
	S	120.571	89.269	89.517	107.661	63.749	102.970	86.921	76.735	103.249	120.672	109.314	93.854	94.505	97.551	
6	T	2.5212	11.6675	15.1825	8.9466	6.2359	10.1253	13.8906	8.5628	5.3278	7.5483	6.6594	6.3151	11.3311	85.2410	
	S	120.614	88.942	89.592	107.303	64.181	102.489	86.046	75.883	102.379	119.503	107.504	95.334	93.989	97.136	
7	T			15.2561	9.0045	6.2516	9.9766	13.8153	8.5267	5.2886	7.4737	6.5920			236.8330	152.2165
	S			89.160	106.613	64.020	104.016	86.515	76.204	103.138	120.696	108.603			34.961	5.742
8	T			15.4084	9.0188	6.3896	10.1018	13.9735	8.6438	5.3297	7.5138	6.6660			668.6450	580.5791
	S			88.278	106.444	62.637	102.727	85.535	75.172	102.342	120.052	107.397			12.383	1.508
9	T	2.5233	11.7680	15.2636	8.9728	6.2908	10.0152	13.8422	8.5264	5.3158	7.4997	6.5975	6.3887	11.2927	85.1909	
	S	120.513	88.182	89.116	106.990	63.621	103.615	86.347	76.207	102.610	120.278	108.512	94.236	94.309	97.193	
10	T	2.5294	11.7383	15.2256	8.9387	6.2869	10.0372	14.0169	8.7054	5.3115	7.5013	6.6193	6.3461	11.3893	85.4034	
	S	120.223	88.405	89.338	107.398	63.661	103.388	85.270	74.640	102.693	120.252	108.155	94.869	93.509	96.952	
11	T	2.5298	11.7214	15.3652	8.9285	6.4367	10.0023	13.9707	8.6446	5.3261	7.5018	6.6799	6.3925	11.3725	85.5361	
	S	120.204	88.533	88.526	107.521	62.179	103.749	85.552	75.165	102.412	120.244	107.174	94.180	93.647	96.801	
12	T															66.3738
	S															13.169

Event: Cooper Tires GP of Alabama

Round 5 / 6

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 24, 2015

Section Data for Car 17 - Franzoni, Victor

Lap	T/SPO to SF	SF to PI
1	T	86.2830
	S	91.744
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	85.0745
	S	89.753
7	T	
	S	
8	T	86.3970
	S	91.622
9	T	
	S	
10	T	
	S	
11	T	84.2885
	S	90.590
12	T	
	S	

Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 2 - Jamin, Nico

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5081	11.8288	15.2695	8.9707	6.2988	9.8850	13.7684	8.5165	5.2519	7.4014	6.5713	6.4258	11.2015	84.8598	489.8363
	S	121.244	87.729	89.081	107.015	63.540	104.980	86.809	76.296	103.859	121.875	108.945	93.692	95.077	97.573	1.784
2	T	2.4750	11.6094	15.0863	8.8925	6.1938	9.8370	13.6357	8.4187	5.2170	7.3529	6.5194	6.3053	11.1107	83.9317	
	S	122.865	89.387	90.163	107.956	64.617	105.492	87.654	77.182	104.553	122.679	109.812	95.482	95.854	98.652	
3	T	2.4767	11.4534	14.9765	8.8433	6.1332	9.8662	13.7350	8.5232	5.2118	7.3468	6.4624	6.2944	11.0743	83.6857	
	S	122.781	90.604	90.824	108.557	65.256	105.180	87.021	76.236	104.658	122.781	110.781	95.648	96.169	98.942	
4	T	2.4764	11.5030	14.9650	8.7940	6.1710	9.8732	13.6977	8.4916	5.2061	7.3386	6.4387	6.2522	11.2304	83.7752	
	S	122.796	90.214	90.894	109.165	64.856	105.105	87.258	76.519	104.772	122.918	111.188	96.293	94.832	98.836	
5	T	2.4722	11.5185	14.9967	8.8105	6.1862	9.8670	13.6382	8.4307	5.2075	7.3184	6.4681	6.3932	11.0368	83.7091	
	S	123.004	90.092	90.702	108.961	64.697	105.172	87.638	77.072	104.744	123.257	110.683	94.170	96.495	98.914	
6	T	2.4754	11.5239	15.0021	8.8196	6.1825	9.8589	13.7136	8.4746	5.2390	7.3639	6.5303	6.3362	11.1038	83.9081	
	S	122.845	90.050	90.669	108.848	64.736	105.258	87.156	76.673	104.114	122.496	109.629	95.017	95.913	98.679	
7	T	2.4747	11.6097	15.0028	8.8213	6.1815	9.8671	13.7240	8.5022	5.2218	7.3474	6.4308	6.3531	11.1358	83.9454	
	S	122.880	89.385	90.665	108.827	64.746	105.170	87.090	76.424	104.457	122.771	111.325	94.764	95.637	98.636	
8	T	2.4844	11.7809	15.0929	8.8737	6.2192	9.8373	13.8069	8.5573	5.2496	7.3614	6.6188	6.3953	11.1552	84.5331	
	S	122.400	88.086	90.124	108.185	64.353	105.489	86.567	75.932	103.904	122.537	108.163	94.139	95.471	97.950	
9	T			15.2745	8.9703	6.3042	9.9185	13.8209	8.5659	5.2550	7.3829	6.5891			741.6729	655.1511
	S			89.052	107.020	63.486	104.625	86.480	75.856	103.797	122.180	108.651			11.164	1.334
10	T	2.4797	11.7614	15.1125	8.8747	6.2378	9.8585	13.7369	8.5070	5.2299	7.3581	6.4744	6.3112	11.1774	84.2701	
	S	122.632	88.232	90.007	108.173	64.162	105.262	87.009	76.381	104.295	122.592	110.575	95.393	95.282	98.255	
11	T	2.4842	11.6792	15.0743	8.8427	6.2316	9.8197	13.7797	8.5150	5.2647	7.3632	6.5304	6.2665	11.1967	84.1939	
	S	122.410	88.853	90.235	108.564	64.225	105.678	86.738	76.309	103.606	122.507	109.627	96.074	95.117	98.344	
12	T	2.4864	11.7288	15.0598	8.8297	6.2301	9.8559	13.7823	8.5516	5.2307	7.3385	6.5470	6.3572	11.1354	84.2913	
	S	122.302	88.477	90.322	108.724	64.241	105.290	86.722	75.983	104.279	122.920	109.349	94.703	95.641	98.231	
13	T	2.4900	11.7273	15.0300	8.8143	6.2157	9.8260	13.6656	8.4503	5.2153	7.3492	6.5401	6.3580	11.1791	84.1653	
	S	122.125	88.488	90.501	108.914	64.390	105.610	87.462	76.893	104.587	122.741	109.465	94.691	95.267	98.378	
14	T															34.4293
	S															25.388

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

**Round 5 / 6**  
**2.3 mile(s)**  
**USF2000**  
**April 24, 2015**



**Section Data for Car 2 - Jamin, Nico**

Lap	T/SPO to SF	SF to PI
1	T 86.4190	
	S 91.599	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	86.3910
	S	88.385
9	T 84.6020	
	S 93.566	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	84.8389
	S	90.002
14	T	
	S	



Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 22 - Eidson, Jake

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5122	11.7922	15.1421	8.8950	6.2471	9.8795	13.8888	8.6637	5.2251	7.3795	6.5980	6.3706	11.2604	84.8233	476.6822
	S	121.046	88.001	89.831	107.926	64.066	105.038	86.057	74.999	104.391	122.237	108.504	94.504	94.579	97.615	1.834
2	T	2.4835	11.5714	14.9536	8.8094	6.1442	9.8093	13.8671	8.6398	5.2273	7.3560	6.4968	6.2541	11.1338	83.9256	
	S	122.444	89.680	90.963	108.975	65.139	105.790	86.192	75.207	104.347	122.627	110.194	96.264	95.655	98.659	
3	T	2.4636	11.5477	14.8985	8.7716	6.1269	9.8015	13.8428	8.6300	5.2128	7.3344	6.5380	6.3438	10.9639	83.7342	
	S	123.434	89.864	91.300	109.444	65.323	105.874	86.343	75.292	104.638	122.988	109.500	94.903	97.137	98.884	
4	T	2.4710	11.6631	14.9501	8.7906	6.1595	9.8578	13.7132	8.5179	5.1953	7.3352	6.5299	6.2910	11.1828	83.9941	
	S	123.064	88.975	90.984	109.208	64.977	105.270	87.159	76.283	104.990	122.975	109.636	95.699	95.236	98.578	
5	T	2.4668	11.5978	14.9062	8.7383	6.1679	9.8465	13.6858	8.4840	5.2018	7.3097	6.4626	6.3734	11.0767	83.7255	
	S	123.273	89.476	91.252	109.861	64.889	105.390	87.333	76.588	104.859	123.404	110.777	94.462	96.148	98.895	
6	T			15.2228	8.9861	6.2367	9.8753	13.7013	8.5011	5.2002	7.3649	6.8648			157.5111	72.1329
	S			89.355	106.832	64.173	105.083	87.235	76.434	104.891	122.479	104.287			52.568	12.118
7	T	2.4911	11.8576	15.2620	8.8534	6.4086	9.8825	13.8621	8.6511	5.2110	7.3843	6.5077	6.3932	11.2465	84.8870	
	S	122.071	87.516	89.125	108.433	62.452	105.007	86.223	75.109	104.674	122.157	110.010	94.170	94.696	97.541	
8	T	2.4795	11.5963	15.0240	8.8189	6.2051	9.7870	13.6693	8.4741	5.1952	7.3323	6.4954	6.2313	11.2706	83.8857	
	S	122.642	89.488	90.537	108.857	64.500	106.031	87.439	76.677	104.992	123.024	110.218	96.616	94.494	98.706	
9	T			15.2037	8.8971	6.3066	9.8900	13.8218	8.5768	5.2450	7.3686	6.4361			668.1144	581.1653
	S			89.467	107.900	63.462	104.927	86.474	75.759	103.995	122.417	111.233			12.393	1.504
10	T	2.4785	11.6379	15.0418	8.8012	6.2406	9.8447	13.7003	8.4751	5.2252	7.3569	6.5002	6.1527	11.3366	84.0496	
	S	122.692	89.168	90.430	109.076	64.133	105.410	87.241	76.668	104.389	122.612	110.136	97.851	93.944	98.513	
11	T	2.4826	11.6913	15.0426	8.8277	6.2149	9.8220	13.6993	8.4814	5.2179	7.3392	6.5519	6.2771	11.3045	84.2105	
	S	122.489	88.761	90.425	108.749	64.398	105.653	87.247	76.611	104.535	122.908	109.267	95.911	94.210	98.325	
12	T	2.4877	11.6006	14.9942	8.7936	6.2006	9.8363	13.7280	8.5068	5.2212	7.3255	6.5805	6.3422	11.2823	84.1773	
	S	122.238	89.455	90.717	109.170	64.547	105.500	87.065	76.383	104.469	123.138	108.793	94.927	94.396	98.364	
13	T	2.4846	11.7056	15.0101	8.7821	6.2280	9.7992	13.7108	8.5089	5.2019	7.3389	6.5042	6.4759	11.2201	84.2494	
	S	122.390	88.652	90.621	109.313	64.263	105.899	87.174	76.364	104.857	122.913	110.069	92.967	94.919	98.280	
14	T															33.1058
	S															26.403

Event: Cooper Tires GP of Alabama

Round 5 / 6

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 24, 2015

Section Data for Car 22 - Eidson, Jake

Lap	T/SPO to SF	SF to PI
1	T 86.5947	
	S 91.413	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	84.1518
	S	90.737
6	T 85.1415	
	S 92.974	
7	T	
	S	
8	T	85.0251
	S	89.805
9	T 85.7971	
	S 92.263	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	85.7134
	S	89.084
14	T	
	S	

Event: Cooper Tires GP of Alabama  
 Track: Barber Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 5 / 6  
 2.3 mile(s)  
 USF2000  
 April 24, 2015



Section Data for Car 23 - Luo, Yufeng (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5120	11.8682	15.3917	8.9977	6.3940	9.9264	14.0712	8.8068	5.2644	7.4223	6.7146	6.5305	11.4265	85.8634	475.6761
	S	121.055	87.438	88.374	106.694	62.594	104.542	84.941	73.781	103.612	121.532	106.620	92.190	93.204	96.432	1.838
2	T	2.5058	11.7085	15.1705	8.9071	6.2634	9.9510	13.8221	8.5790	5.2431	7.3997	6.6120	6.4485	11.3355	84.9536	
	S	121.355	88.630	89.663	107.779	63.899	104.284	86.472	75.740	104.033	121.903	108.274	93.362	93.953	97.465	
3	T	2.4785	11.5535	15.0739	8.8489	6.2250	9.9243	13.8328	8.5959	5.2369	7.3914	6.6271	6.5097	11.1275	84.5187	
	S	122.692	89.819	90.237	108.488	64.294	104.564	86.405	75.591	104.156	122.040	108.028	92.484	95.709	97.966	
4	T	2.9171	12.1353	15.2433	8.9620	6.2813	9.9861	13.8940	8.6682	5.2258	7.3727	6.6153	6.4621	38.8743	113.5002	
	S	104.244	85.513	89.234	107.119	63.717	103.917	86.025	74.961	104.377	122.349	108.220	93.166	27.396	72.951	
5	T	2.4922	11.6893	15.1294	8.8691	6.2603	9.9352	14.0112	8.7560	5.2552	7.3991	6.7255	6.4324	11.2002	85.0145	
	S	122.017	88.776	89.906	108.241	63.931	104.450	85.305	74.209	103.793	121.913	106.447	93.596	95.088	97.395	
6	T	2.4956	11.9739	15.2095	8.8962	6.3133	10.0255	14.0607	8.8390	5.2217	7.3814	6.8312	6.6295	11.0899	85.6972	
	S	121.851	86.666	89.433	107.911	63.394	103.509	85.005	73.512	104.459	122.205	104.800	90.813	96.033	96.619	
7	T			15.4951	8.9541	6.5410	9.9580	13.9355	8.6821	5.2534	7.4277	6.6814			183.9971	95.3866
	S			87.784	107.213	61.187	104.210	85.769	74.841	103.829	121.443	107.150			45.001	9.164
8	T	2.7807	13.4444	20.2125	12.8190	7.3935	12.2419	17.3324	10.6810	6.6514	10.9021	9.3486	6.6721	11.1205	104.0552	
	S	109.358	77.187	67.296	74.889	54.132	84.768	68.959	60.834	82.006	82.741	76.579	90.233	95.769	79.573	
9	T			15.4006	9.0353	6.3653	9.9420	13.8351	8.5949	5.2402	7.4025	6.6528			585.2276	492.4310
	S			88.323	106.250	62.876	104.378	86.391	75.600	104.090	121.857	107.610			14.148	1.735
10	T	2.4946	11.7399	15.1695	8.8552	6.3143	9.9565	13.8579	8.6160	5.2419	7.3959	6.5942	6.3658	11.3039	84.8782	
	S	121.900	88.393	89.669	108.411	63.384	104.226	86.249	75.415	104.057	121.966	108.566	94.575	94.215	97.552	
11	T	2.4996	11.7719	15.1898	8.8830	6.3068	9.9252	13.8918	8.6188	5.2730	7.4160	6.5921	6.3786	11.3201	84.9851	
	S	121.656	88.153	89.549	108.072	63.460	104.555	86.038	75.390	103.443	121.635	108.601	94.385	94.080	97.429	
12	T	2.5095	11.7769	15.1535	8.8711	6.2824	9.9927	13.8243	8.5859	5.2384	7.3755	6.4980	6.4473	11.1854	84.7631	
	S	121.176	88.115	89.763	108.217	63.706	103.849	86.458	75.679	104.126	122.303	110.174	93.379	95.213	97.684	
13	T	2.5092	11.7638	15.1927	8.8780	6.3147	9.9126	13.7852	8.5503	5.2349	7.3913	6.5737	6.5676	11.3091	85.0052	
	S	121.190	88.214	89.532	108.132	63.380	104.688	86.704	75.994	104.196	122.042	108.905	91.669	94.172	97.406	
14	T															33.8035
	S															25.858

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

**Round 5 / 6**  
**2.3 mile(s)**  
**USF2000**  
**April 24, 2015**



**Section Data for Car 23 - Luo, Yufeng (R)**

Lap	T/SPO to SF	SF to PI
1	T 88.8855	
	S 89.057	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	88.4044
	S	86.372
7	T 85.9765	
	S 92.071	
8	T	110.4469
	S	69.134
9	T 86.2820	
	S 91.745	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	88.1826
	S	86.589
14	T	
	S	

Event: Cooper Tires GP of Alabama  
 Track: Barber Motorsports Park  
 Report: Section Data Report  
 Session: Practice 1

Round 5 / 6  
 2.3 mile(s)  
 USF2000  
 April 24, 2015



Section Data for Car 3 - Telitz, Aaron

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5126	11.9236	15.2907	8.9462	6.3445	9.9010	13.7732	8.5362	5.2370	7.3976	6.6680	6.5336	11.4241	85.4244	437.2505
	S	121.026	87.031	88.958	107.308	63.083	104.810	86.779	76.120	104.154	121.938	107.365	92.146	93.224	96.928	1.999
2	T	2.4839	11.5682	15.0462	8.8442	6.2020	9.8428	13.6144	8.3936	5.2208	7.3624	6.5394	6.3462	11.1622	83.9657	
	S	122.425	89.705	90.403	108.546	64.532	105.430	87.791	77.413	104.477	122.521	109.476	94.867	95.411	98.612	
3	T	2.4827	11.5470	14.9548	8.8244	6.1304	9.8506	13.5687	8.3488	5.2199	7.3451	6.4692	6.3549	11.0498	83.6228	
	S	122.484	89.870	90.956	108.789	65.286	105.347	88.087	77.828	104.495	122.809	110.664	94.737	96.382	99.016	
4	T	2.4774	11.6641	15.0613	8.7954	6.2659	9.8903	13.6533	8.4408	5.2125	7.3545	6.5097	6.2926	11.1579	84.0611	
	S	122.746	88.968	90.313	109.148	63.874	104.924	87.541	76.980	104.644	122.652	109.976	95.675	95.448	98.500	
5	T	2.4766	11.5099	14.9991	8.8150	6.1841	9.9073	13.6288	8.4294	5.1994	7.3163	6.4633	6.3715	11.1534	83.8262	
	S	122.786	90.160	90.687	108.905	64.719	104.744	87.699	77.084	104.907	123.293	110.765	94.490	95.487	98.776	
6	T	2.4870	11.5757	14.9715	8.8019	6.1696	9.9014	13.6036	8.3728	5.2308	7.3789	6.5411	6.2883	11.2961	84.0436	
	S	122.272	89.647	90.854	109.067	64.871	104.806	87.861	77.605	104.277	122.247	109.448	95.741	94.280	98.520	
7	T	2.4795	11.5824	15.0236	8.8355	6.1881	9.8955	13.6009	8.3843	5.2166	7.3666	6.6143	6.3623	11.1341	84.0592	
	S	122.642	89.595	90.539	108.653	64.677	104.869	87.879	77.499	104.561	122.451	108.237	94.627	95.652	98.502	
8	T	2.4854	11.7720	15.1977	8.9624	6.2353	9.9084	13.6220	8.3978	5.2242	7.3762	6.5676	6.3203	11.2543	84.5039	
	S	122.351	88.152	89.502	107.114	64.187	104.732	87.742	77.374	104.409	122.291	109.006	95.256	94.630	97.984	
9	T	2.4858	11.6601	15.1125	8.8638	6.2487	9.8661	13.6353	8.4217	5.2136	7.3369	6.5253	6.3822	11.2111	84.2153	
	S	122.331	88.998	90.007	108.306	64.050	105.181	87.657	77.155	104.621	122.946	109.713	94.332	94.995	98.319	
10	T			15.4003	9.0005	6.3998	9.9872	13.8216	8.5654	5.2562	7.3813	6.6207			656.6738	566.4949
	S			88.325	106.661	62.537	103.906	86.475	75.860	103.774	122.207	108.132			12.609	1.543
11	T	2.4966	11.7725	15.1528	8.8753	6.2775	9.9287	13.7042	8.4467	5.2575	7.3678	6.5201	6.3311	11.2850	84.5588	
	S	121.802	88.148	89.767	108.165	63.756	104.518	87.216	76.926	103.748	122.431	109.800	95.093	94.373	97.920	
12	T	2.4907	11.6898	15.0654	8.8490	6.2164	9.9142	13.6203	8.3836	5.2367	7.3536	6.5367	6.3026	11.2053	84.1786	
	S	122.091	88.772	90.288	108.487	64.382	104.671	87.753	77.505	104.160	122.667	109.521	95.523	95.044	98.362	
13	T	2.4882	11.8906	15.0509	8.8178	6.2331	9.8666	13.6658	8.4375	5.2283	7.3401	6.5791	6.2915	11.1681	84.3409	
	S	122.213	87.273	90.375	108.871	64.210	105.176	87.461	77.010	104.327	122.893	108.816	95.692	95.361	98.173	
14	T	2.4929	11.7363	15.1408	8.8947	6.2461	9.9011	13.6027	8.3865	5.2162	7.3467	6.6196	6.4109	11.2348	84.4858	
	S	121.983	88.420	89.839	107.929	64.076	104.809	87.867	77.478	104.569	122.782	108.150	93.910	94.795	98.005	
15	T															32.7315
	S															26.705

Event: Cooper Tires GP of Alabama

Round 5 / 6

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 24, 2015

Section Data for Car 3 - Telitz, Aaron

Lap	T/SPO to SF	SF to PI
1	T	88.0087
	S	89.945
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	88.3618
	S	86.414
10	T	86.0552
	S	91.986
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	87.3270
	S	87.438
15	T	
	S	

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

**Round 5 / 6**  
**2.3 mile(s)**  
**USF2000**  
**April 24, 2015**



**Section Data for Car 33 - Martin, Anthony (R)**

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5415	12.0800	15.3811	8.9885	6.3926	10.0055	13.8728	8.5650	5.3078	7.4554	6.6941	6.5917	11.5284	86.1505	397.7080
	S	119.650	85.905	88.435	106.803	62.608	103.716	86.156	75.864	102.765	120.992	106.946	91.334	92.381	96.111	2.198
2	T	2.5309	11.7200	15.2414	8.9393	6.3021	9.9720	13.7555	8.4949	5.2606	7.4154	6.6325	6.4878	11.3200	85.0755	
	S	120.151	88.543	89.246	107.391	63.507	104.064	86.891	76.490	103.687	121.645	107.940	92.797	94.081	97.325	
3	T	2.4990	11.7103	15.0888	8.8262	6.2626	9.9753	13.7465	8.4843	5.2622	7.4055	6.5311	6.4977	11.0826	84.5368	
	S	121.685	88.617	90.148	108.767	63.908	104.030	86.948	76.585	103.655	121.808	109.615	92.655	96.097	97.946	
4	T	2.8396	12.1128	15.1284	8.8496	6.2788	10.0608	13.7816	8.5153	5.2663	7.4291	6.5492	6.5156	14.6147	89.0318	
	S	107.089	85.672	89.912	108.479	63.743	103.146	86.726	76.306	103.575	121.421	109.312	92.401	72.872	93.000	
5	T			15.2368	8.9562	6.2806	10.0309	13.7256	8.4444	5.2812	7.4745	6.5992			239.6740	155.2056
	S			89.273	107.188	63.724	103.453	87.080	76.947	103.282	120.683	108.484			34.547	5.632
6	T	2.5256	11.7664	15.1450	8.8975	6.2475	9.9460	13.7978	8.5397	5.2581	7.4531	6.5571	6.4071	11.3776	84.9757	
	S	120.403	88.194	89.814	107.895	64.062	104.336	86.624	76.088	103.736	121.030	109.181	93.965	93.605	97.440	
7	T	2.5092	11.8050	15.1917	8.9209	6.2708	9.9377	13.7279	8.4777	5.2502	7.4084	7.6478	6.6046	11.0851	85.9174	
	S	121.190	87.906	89.538	107.612	63.824	104.423	87.066	76.645	103.892	121.760	93.613	91.155	96.075	96.372	

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

**Round 5 / 6**  
**2.3 mile(s)**  
**USF2000**  
**April 24, 2015**



**Section Data for Car 33 - Martin, Anthony (R)**

Lap	T/SPO to SF	SF to PI
1	T 88.7393	
	S 89.204	
2	T	
	S	
3	T	
	S	
4	T 85.8411	
	S 88.951	
5	T 84.3135	
	S 93.887	
6	T	
	S	
7	T 88.1948	
	S 86.577	



Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 5 - Andres Soori, Keyvan

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5426	12.7936	15.6037	9.1028	6.5009	10.1160	13.9716	8.6515	5.3201	7.5218	7.1551	6.6669	11.5604	87.9317	490.3981
	S	119.598	81.113	87.173	105.462	61.565	102.583	85.547	75.105	102.527	119.924	100.056	90.304	92.125	94.164	1.782
2	T	2.5427	11.9715	15.3394	9.0011	6.3383	10.0401	13.8760	8.5677	5.3083	7.4924	7.0108	6.5341	11.5771	86.3841	
	S	119.594	86.683	88.675	106.654	63.144	103.358	86.136	75.840	102.755	120.395	102.115	92.139	91.992	95.851	
3	T	2.5210	11.9421	15.3435	9.0241	6.3194	10.0779	13.8258	8.5298	5.2960	7.4515	6.9312	6.4510	11.5532	86.0972	
	S	120.623	86.897	88.652	106.382	63.333	102.971	86.449	76.177	102.994	121.056	103.288	93.326	92.182	96.170	
4	T	2.6006	12.0250	15.2294	8.9092	6.3202	10.0398	13.7955	8.5222	5.2733	7.4259	6.9791	6.4037	12.0411	86.5401	
	S	116.931	86.297	89.316	107.754	63.325	103.361	86.639	76.245	103.437	121.473	102.579	94.015	88.447	95.678	
5	T	2.5311	11.7751	15.2603	8.9560	6.3043	10.0585	13.8204	8.5194	5.3010	7.4346	6.9453	6.5825	11.4199	85.8277	
	S	120.142	88.129	89.135	107.191	63.485	103.169	86.483	76.270	102.897	121.331	103.078	91.462	93.258	96.472	
6	T			16.1379	9.5230	6.6149	10.2615	14.0699	8.7694	5.3005	7.5946	7.0253			233.0486	145.1354
	S			84.288	100.809	60.504	101.128	84.949	74.095	102.906	118.775	101.904			35.529	6.023
7	T	2.5395	11.8366	15.1839	8.9439	6.2400	10.0128	13.7502	8.4774	5.2728	7.4554	6.9225	6.6732	11.3453	85.7194	
	S	119.744	87.671	89.584	107.336	64.139	103.640	86.924	76.648	103.447	120.992	103.418	90.218	93.871	96.594	
8	T			15.5812	9.1335	6.4477	10.0684	13.9391	8.6418	5.2973	7.4663	6.9658			661.2532	571.7751
	S			87.299	105.108	62.073	103.068	85.746	75.190	102.968	120.816	102.775			12.522	1.529
9	T	2.5228	11.8858	15.3515	8.9945	6.3570	10.0217	13.9370	8.6143	5.3227	7.4599	6.8443	6.4570	11.3129	85.7929	
	S	120.537	87.308	88.605	106.732	62.959	103.548	85.759	75.430	102.477	120.919	104.599	93.239	94.140	96.511	
10	T	2.5142	11.8777	15.2859	8.9014	6.3845	10.0922	13.8275	8.5336	5.2939	7.4530	6.7897	6.4057	11.1536	85.3995	
	S	120.949	87.368	88.986	107.848	62.687	102.825	86.438	76.143	103.035	121.031	105.440	93.986	95.485	96.956	
11	T	2.5230	11.6998	15.1905	8.9497	6.2408	9.9749	13.7066	8.4211	5.2855	7.4333	7.0144	6.4440	11.3201	85.3066	
	S	120.528	88.696	89.545	107.266	64.131	104.034	87.201	77.160	103.198	121.352	102.063	93.427	94.080	97.062	
12	T	2.5175	11.7025	15.1874	8.9441	6.2433	10.0884	13.7725	8.4818	5.2907	7.4731	6.7692	6.5165	11.2889	85.3160	
	S	120.791	88.676	89.563	107.333	64.105	102.863	86.784	76.608	103.097	120.706	105.760	92.388	94.340	97.051	
13	T															33.6075
	S															26.009

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

Round 5 / 6  
 2.3 mile(s)  
**USF2000**  
 April 24, 2015



**Section Data for Car 5 - Andres Soori, Keyvan**

Lap	T/SPO to SF	SF to PI
1	T	88.7037
	S	89.240
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	85.5924
	S	89.210
6	T	88.1646
	S	89.786
7	T	88.6073
	S	86.174
8	T	86.3416
	S	91.681
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	86.4521
	S	88.323
13	T	
	S	

Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 6 - Hanratty, Max (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6104	12.2923	15.5239	9.1286	6.3953	10.2629	14.1794	8.8066	5.3728	7.6177	7.1927	7.1503	11.5426	88.3722	487.1055
	S	116.492	84.421	87.621	105.164	62.581	101.114	84.293	73.782	101.521	118.414	99.533	84.199	92.267	93.695	1.794
2	T	2.5728	12.0122	15.4511	9.0978	6.3533	10.2288	14.1013	8.7551	5.3462	7.5577	7.1114	6.8420	11.5587	87.4360	
	S	118.195	86.389	88.034	105.520	62.995	101.452	84.760	74.216	102.027	119.354	100.671	87.993	92.138	94.698	
3	T	2.5620	11.9397	15.3601	9.0083	6.3518	10.2578	13.9586	8.6377	5.3209	7.5168	7.1724	6.7858	11.3771	86.9303	
	S	118.693	86.914	88.556	106.568	63.010	101.165	85.627	75.225	102.512	120.004	99.814	88.721	93.609	95.249	
4	T	2.6513	12.0513	15.3297	9.0146	6.3151	10.2503	14.0492	8.7286	5.3206	7.5105	7.0576	6.7435	12.1569	87.8003	
	S	114.695	86.109	88.731	106.494	63.376	101.239	85.074	74.442	102.517	120.105	101.438	89.278	87.605	94.305	
5	T	2.5568	11.7708	15.2997	8.9812	6.3185	10.2157	13.9151	8.5893	5.3258	7.4997	6.9914	6.7426	11.3288	86.3206	
	S	118.934	88.161	88.905	106.890	63.342	101.582	85.894	75.649	102.417	120.278	102.399	89.290	94.008	95.921	
6	T	2.5591	11.9999	15.9657	9.0101	6.9556	10.2331	14.0861	8.7339	5.3522	7.5859	6.9963	6.7688	11.3311	87.5260	
	S	118.827	86.478	85.197	106.547	57.540	101.409	84.852	74.397	101.912	118.911	102.327	88.944	93.989	94.600	
7	T	2.5617	11.8459	15.3302	9.0202	6.3100	10.1433	14.0068	8.6716	5.3352	7.5621	6.9411	6.6751	11.2447	86.3109	
	S	118.707	87.602	88.729	106.428	63.427	102.307	85.332	74.931	102.237	119.285	103.141	90.193	94.711	95.932	
8	T	2.5546	11.8495	15.3078	9.0183	6.2895	10.1182	13.9594	8.6440	5.3154	7.5252	7.1344	6.8260	11.3058	86.5809	
	S	119.037	87.576	88.858	106.450	63.634	102.560	85.622	75.170	102.618	119.870	100.346	88.199	94.199	95.633	
9	T	2.5441	11.9131	15.2953	8.9911	6.3042	10.5651	14.9313	9.3682	5.5631	9.5885	8.6712	6.8578	11.1802	91.5466	
	S	119.528	87.108	88.931	106.772	63.486	98.222	80.048	69.359	98.049	94.076	82.562	87.790	95.258	90.446	
10	T			17.0671	10.1906	6.8765	10.4077	14.3553	8.9731	5.3822	7.6675	7.2655			625.8231	532.7333
	S			79.699	94.204	58.202	99.708	83.260	72.413	101.344	117.645	98.535			13.231	1.641
11	T	2.5932	12.0052	15.7954	9.0252	6.7702	10.5603	14.6941	9.3337	5.3604	7.6700	7.2250	6.7890	11.3583	88.6905	
	S	117.265	86.440	86.115	106.369	59.116	98.267	81.341	69.616	101.756	117.607	99.088	88.680	93.764	93.358	
12	T	2.5514	11.8910	15.4203	9.0978	6.3225	10.2216	14.1560	8.7807	5.3753	7.5476	7.0370	6.8313	11.3459	87.0021	
	S	119.186	87.270	88.210	105.520	63.302	101.523	84.433	74.000	101.474	119.514	101.735	88.130	93.867	95.170	
13	T	2.5494	11.9849	15.4202	9.0469	6.3733	10.1658	13.9223	8.5954	5.3269	7.4969	6.9852	6.7103	11.2456	86.4806	
	S	119.279	86.586	88.211	106.114	62.797	102.080	85.850	75.595	102.396	120.322	102.489	89.720	94.704	95.744	
14	T	2.5670	11.9021	15.3541	9.0311	6.3230	10.1405	14.0411	8.7027	5.3384	7.5209	6.8877	6.7312	11.3417	86.4863	
	S	118.462	87.189	88.590	106.299	63.297	102.335	85.123	74.663	102.176	119.938	103.940	89.441	93.901	95.738	
15	T															38.0832
	S															22.952

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

**Round 5 / 6**  
**2.3 mile(s)**  
**USF2000**  
**April 24, 2015**



**Section Data for Car 6 - Hanratty, Max (R)**

Lap	T/SPO to SF	SF to PI
1	T	90.3508
	S	87.613
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	95.1138
	S	80.279
10	T	89.6319
	S	88.316
11	T	
	S	
12	T	
	S	
13	T	
	S	
14	T	88.5066
	S	86.272
15	T	
	S	

Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 80 - Thompson, Parker (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5534	12.1276	15.4562	9.0653	6.3909	10.1319	13.7871	8.4864	5.3007	7.5045	6.7841	6.6614	11.4531	86.4593	466.0803
	S	119.093	85.567	88.005	105.898	62.625	102.422	86.692	76.566	102.902	120.201	105.527	90.378	92.988	95.768	1.875
2	T	2.5231	11.8320	15.2851	9.0106	6.2745	10.0742	13.7600	8.4606	5.2994	7.5060	6.6671	6.5321	11.1677	85.3473	
	S	120.523	87.705	88.990	106.541	63.786	103.008	86.862	76.800	102.928	120.177	107.379	92.167	95.364	97.015	
3	T	2.5367	11.7225	15.2754	8.9436	6.3318	10.0916	13.8125	8.5025	5.3100	7.4819	6.5573	6.4554	11.2114	85.1447	
	S	119.877	88.524	89.047	107.339	63.209	102.831	86.532	76.421	102.722	120.564	109.177	93.262	94.993	97.246	
4	T	3.0679	12.2471	15.3849	9.0134	6.3715	10.2421	13.9915	8.6757	5.3158	7.5304	6.9961	6.4945	13.8403	89.7948	
	S	99.120	84.732	88.413	106.508	62.815	101.320	85.425	74.896	102.610	119.787	102.330	92.701	76.949	92.210	
5	T			15.5614	9.1413	6.4201	10.2469	14.1243	8.7116	5.4127	7.6540	7.0653			141.2412	52.8813
	S			87.410	105.018	62.340	101.272	84.622	74.587	100.773	117.853	101.327			58.623	16.529
6	T	2.5699	11.7076	15.2460	8.9917	6.2543	10.0739	13.7480	8.4147	5.3333	7.5930	6.6271	6.5713	11.2607	85.3975	
	S	118.328	88.637	89.219	106.765	63.992	103.011	86.938	77.219	102.273	118.800	108.028	91.617	94.577	96.958	
7	T	2.5667	11.7466	15.4166	8.9910	6.4256	10.1818	14.2127	8.9082	5.3045	7.5239	6.7248	6.3947	11.4375	86.2053	
	S	118.475	88.343	88.231	106.773	62.286	101.920	84.096	72.941	102.829	119.891	106.458	94.148	93.115	96.050	
8	T	2.5358	11.6878	15.3003	8.9800	6.3203	10.0287	13.6669	8.3908	5.2761	7.4904	6.5799	6.5038	11.3327	85.1263	
	S	119.919	88.787	88.902	106.904	63.324	103.476	87.454	77.439	103.382	120.427	108.802	92.568	93.976	97.267	
9	T			15.4716	9.0546	6.4170	10.1713	13.9517	8.6110	5.3407	7.5513	6.8746			668.6833	576.7078
	S			87.918	106.023	62.370	102.025	85.669	75.458	102.132	119.456	104.138			12.383	1.516
10	T	2.5648	11.8541	15.3931	8.9991	6.3940	10.0900	13.8339	8.4845	5.3494	7.5518	6.6618	6.5115	11.3164	85.7774	
	S	118.563	87.542	88.366	106.677	62.594	102.847	86.398	76.584	101.966	119.448	107.465	92.459	94.111	96.529	
11	T	2.5595	11.7961	15.9296	8.9911	6.9385	10.1704	13.8916	8.5789	5.3127	7.4734	6.7641	6.3125	11.4440	86.3412	
	S	118.809	87.972	85.390	106.772	57.682	102.034	86.040	75.741	102.670	120.701	105.840	95.374	93.062	95.899	
12	T	2.5456	11.8958	15.3034	8.9778	6.3256	10.0640	13.9491	8.5952	5.3539	7.5010	6.7366	6.4996	11.3331	85.8282	
	S	119.457	87.235	88.884	106.930	63.271	103.113	85.685	75.597	101.880	120.257	106.272	92.628	93.973	96.472	
13	T	2.5454	11.9200	15.3677	9.0087	6.3590	10.0494	13.9245	8.5889	5.3356	7.5127	6.6280	6.4326	11.3671	85.7474	
	S	119.467	87.058	88.512	106.564	62.939	103.263	85.836	75.653	102.229	120.069	108.013	93.593	93.691	96.563	
14	T															33.3527
	S															26.208

Event: Cooper Tires GP of Alabama

Round 5 / 6

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 24, 2015

Section Data for Car 80 - Thompson, Parker (R)

Lap	T/SPO to SF	SF to PI
1	T 88.1048	
	S 89.847	
2	T	
	S	
3	T	
	S	
4	T 88.1430	
	S 86.628	
5	T 87.5089	
	S 90.458	
6	T	
	S	
7	T	
	S	
8	T 90.6528	
	S 84.230	
9	T 86.4404	
	S 91.576	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T 90.5255	
	S 84.348	
14	T	
	S	

Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 81 - Agren, Ayla (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6227	12.2256	15.8104	9.2608	6.5496	10.0887	13.8380	8.5572	5.2808	7.6026	7.0297	6.9947	11.7895	88.0019	501.6378
	S	115.946	84.882	86.034	103.663	61.107	102.860	86.373	75.933	103.290	118.650	101.841	86.072	90.335	94.089	1.742
2	T	2.5986	11.7745	15.3837	9.0641	6.3196	10.0945	13.8760	8.5896	5.2864	7.5458	6.9009	6.6506	11.3850	86.2096	
	S	117.021	88.133	88.420	105.912	63.331	102.801	86.136	75.646	103.181	119.543	103.741	90.525	93.544	96.045	
3	T	2.5645	11.6421	15.1752	8.9148	6.2604	10.0338	13.7392	8.4806	5.2586	7.4891	6.8225	6.4224	11.4298	85.3186	
	S	118.577	89.136	89.635	107.686	63.930	103.423	86.994	76.619	103.726	120.448	104.934	93.742	93.177	97.048	
4	T	2.5770	11.6716	15.1525	8.8885	6.2640	10.0904	13.8233	8.5520	5.2713	7.4305	7.0081	6.7172	11.6122	86.0828	
	S	118.002	88.910	89.769	108.005	63.893	102.843	86.465	75.979	103.476	121.398	102.155	89.627	91.714	96.186	
5	T	2.5371	11.5588	15.1985	8.9235	6.2750	10.1115	13.7839	8.5011	5.2828	7.4806	6.8321	6.5912	11.2269	85.3206	
	S	119.858	89.778	89.497	107.581	63.781	102.628	86.712	76.434	103.251	120.585	104.786	91.341	94.861	97.046	
6	T	2.5659	11.7839	15.2215	8.9374	6.2841	10.0027	13.7677	8.4827	5.2850	7.4558	6.8098	6.4264	11.3505	85.3842	
	S	118.512	88.063	89.362	107.414	63.689	103.745	86.814	76.600	103.208	120.986	105.129	93.683	93.828	96.973	
7	T	2.5538	11.7211	15.1317	8.8603	6.2714	9.9938	13.8501	8.5854	5.2647	7.4629	6.8353	6.4798	11.3496	85.3781	
	S	119.074	88.535	89.893	108.348	63.818	103.837	86.297	75.683	103.606	120.871	104.737	92.911	93.836	96.980	
8	T			16.1105	9.3529	6.7576	10.3010	14.1440	8.8304	5.3136	7.6977	7.3853			793.2654	699.2790
	S			84.431	102.642	59.226	100.740	84.504	73.584	102.653	117.184	96.937			10.438	1.250
9	T	2.5770	11.8296	15.3475	8.9705	6.3770	10.1110	13.9246	8.6265	5.2981	7.5231	6.9665	6.9376	11.5497	86.7666	
	S	118.002	87.723	88.629	107.017	62.761	102.633	85.836	75.323	102.953	119.903	102.765	86.780	92.210	95.428	
10	T	2.5521	11.8247	15.2625	8.9656	6.2969	10.0587	13.9245	8.6215	5.3030	7.4721	6.8455	6.5362	11.3005	85.7768	
	S	119.153	87.759	89.122	107.076	63.559	103.167	85.836	75.367	102.858	120.722	104.581	92.109	94.244	96.530	
11	T	2.5418	11.7562	15.2837	8.9614	6.3223	10.0239	13.9174	8.6421	5.2753	7.4334	6.9298	6.5082	11.3611	85.7555	
	S	119.636	88.271	88.999	107.126	63.304	103.525	85.880	75.187	103.398	121.350	103.309	92.506	93.741	96.554	
12	T	2.5846	12.1048	15.3855	9.0083	6.3772	10.0401	13.9994	8.7036	5.2958	7.5604	7.0464	6.6874	11.2616	86.6702	
	S	117.655	85.729	88.410	106.568	62.759	103.358	85.377	74.656	102.998	119.312	101.599	90.027	94.569	95.535	

Event: Cooper Tires GP of Alabama

Round 5 / 6

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 24, 2015

Section Data for Car 81 - Agren, Ayla (R)

Lap	T/SPO to SF	SF to PI
1	T	96.1843
	S	82.299
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	90.5266
	S	84.347
8	T	89.4958
	S	88.450
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	89.9320
	S	84.905



Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 82 - Gabin, Luke (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5409	12.4529	15.5365	9.0427	6.4938	10.0649	13.8427	8.5113	5.3314	7.5310	6.8679	6.5964	11.2484	86.6816	505.3459
	S	119.678	83.332	87.550	106.163	61.632	103.104	86.344	76.342	102.310	119.778	104.240	91.269	94.680	95.522	1.730
2	T	2.5142	11.7180	15.3061	8.9659	6.3402	9.9922	13.7425	8.4678	5.2747	7.4816	6.9557	6.6142	11.1111	85.4356	
	S	120.949	88.558	88.868	107.072	63.125	103.854	86.973	76.735	103.410	120.569	102.924	91.023	95.850	96.915	
3	T	2.5680	11.8502	15.2739	8.9578	6.3161	10.1104	13.7453	8.4629	5.2824	7.4824	7.0153	6.5102	11.6837	174.9711	
	S	118.415	87.570	89.056	107.169	63.366	102.640	86.955	76.779	103.259	120.556	102.050	92.477	91.153	47.322	
4	T	2.5353	11.7138	15.2477	8.9310	6.3167	10.0702	13.9069	8.5383	5.3686	7.5359	6.9451	6.5295	11.3351	85.8195	
	S	119.943	88.590	89.209	107.491	63.360	103.049	85.945	76.101	101.601	119.700	103.081	92.204	93.956	96.482	
5	T	2.5295	11.6857	15.1471	8.8936	6.2535	10.0138	13.7672	8.4747	5.2925	7.5181	6.8808	6.5006	11.4201	85.4629	
	S	120.218	88.803	89.801	107.943	64.001	103.630	86.817	76.672	103.062	119.983	104.044	92.614	93.257	96.884	
6	T	2.5483	11.6551	15.1532	8.8937	6.2595	9.9642	13.7209	8.4410	5.2799	7.5182	6.8290	6.3756	11.3373	85.1018	
	S	119.331	89.036	89.765	107.942	63.939	104.146	87.110	76.978	103.308	119.982	104.834	94.430	93.938	97.295	
7	T	2.5363	11.7860	15.3131	8.9452	6.3679	10.0626	13.7270	8.4421	5.2849	7.5049	6.9016	6.5446	11.4248	85.8009	
	S	119.895	88.047	88.828	107.320	62.851	103.127	87.071	76.968	103.210	120.194	103.731	91.991	93.218	96.502	
8	T			17.5315	10.7739	6.7576	10.6947	14.7074	9.3042	5.4032	7.6096	6.9785			721.1131	629.7980
	S			77.588	89.104	59.226	97.032	81.267	69.836	100.950	118.540	102.588			11.482	1.388
9	T	2.5751	11.6632	15.2786	8.9050	6.3736	10.0399	13.7956	8.4651	5.3305	7.5526	6.8942	6.5289	11.2806	85.6087	
	S	118.089	88.974	89.028	107.805	62.795	103.360	86.638	76.759	102.327	119.435	103.842	92.212	94.410	96.719	
10	T	2.5425	11.7313	15.2912	8.9498	6.3414	10.0668	13.7697	8.4640	5.3057	7.5172	6.8414	6.3758	11.2946	85.4305	
	S	119.603	88.458	88.955	107.265	63.113	103.084	86.801	76.769	102.805	119.998	104.644	94.427	94.293	96.921	
11	T	2.5397	11.7021	15.2209	8.9018	6.3191	10.0049	13.7870	8.4764	5.3106	7.4974	6.8243	6.4165	11.2730	85.2658	
	S	119.735	88.679	89.366	107.843	63.336	103.722	86.692	76.657	102.711	120.314	104.906	93.828	94.474	97.108	
12	T	2.5307	11.6536	15.1624	8.9086	6.2538	9.9887	13.7727	8.4948	5.2779	7.5302	6.7863	6.4197	11.2464	85.0907	
	S	120.161	89.048	89.711	107.761	63.997	103.890	86.782	76.491	103.347	119.790	105.493	93.781	94.697	97.308	

Event: Cooper Tires GP of Alabama

Round 5 / 6

Track: Barber Motorsports Park

2.3 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

April 24, 2015

Section Data for Car 82 - Gabin, Luke (R)

Lap	T/SPO to SF	SF to PI
1	T 87.8471	
	S 90.110	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	86.2901
	S	88.489
8	T 90.6660	
	S 87.308	
9	T	
	S	
10	T	
	S	
11	T	
	S	
12	T	85.7611
	S	89.034

Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 83 - Rickards, Garth (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.6075	12.0036	15.5108	9.0850	6.4258	10.0807	14.0624	8.7832	5.2792	9.7881	7.1020	6.7869	11.3733	89.3153	477.3133
	S	116.622	86.451	87.695	105.669	62.284	102.942	84.995	73.979	103.321	92.157	100.804	88.707	93.640	92.705	1.831
2	T	2.5937	11.7038	15.3165	8.9971	6.3194	9.9831	14.0971	8.8176	5.2795	7.4636	7.1920	6.7731	11.4549	86.5778	
	S	117.242	88.666	88.808	106.701	63.333	103.948	84.785	73.690	103.316	120.859	99.542	88.888	92.973	95.637	
3	T	2.6347	12.2186	15.5721	9.1117	6.4604	10.0867	14.2682	8.9662	5.3020	7.4585	7.2080	6.8679	11.3218	87.6365	
	S	115.418	84.930	87.350	105.359	61.951	102.881	83.769	72.469	102.877	120.942	99.321	87.661	94.066	94.481	
4	T	2.6721	11.9043	15.2680	8.9609	6.3071	10.0484	14.0214	8.7278	5.2936	7.4727	7.0439	7.0115	12.8524	88.2947	
	S	113.802	87.172	89.090	107.132	63.457	103.273	85.243	74.449	103.040	120.712	101.635	85.865	82.864	93.777	
5	T	2.5777	11.9124	15.2048	8.9831	6.2217	10.0184	14.0144	8.7304	5.2840	7.4619	6.9484	6.7399	11.2770	86.1549	
	S	117.970	87.113	89.460	106.867	64.328	103.582	85.286	74.426	103.228	120.887	103.032	89.326	94.440	96.106	
6	T	2.5636	11.7732	15.3470	8.9839	6.3631	10.0072	13.8672	8.5535	5.3137	7.5147	7.0031	6.6458	11.3199	86.0417	
	S	118.619	88.143	88.631	106.858	62.898	103.698	86.191	75.966	102.651	120.037	102.227	90.590	94.082	96.232	
7	T	2.5942	11.7547	15.2866	9.0021	6.2845	9.9643	13.9599	8.6618	5.2981	7.5042	6.9597	6.6835	11.2524	85.9595	
	S	117.220	88.282	88.982	106.642	63.685	104.145	85.619	75.016	102.953	120.205	102.865	90.079	94.646	96.324	
8	T	2.5605	11.8287	15.1855	8.9735	6.2120	9.9400	14.1404	8.8199	5.3205	7.4909	6.8583	6.6684	11.4732	86.1459	
	S	118.762	87.730	89.574	106.982	64.428	104.399	84.526	73.671	102.519	120.419	104.386	90.283	92.825	96.116	
9	T			16.0424	9.4770	6.5654	10.2673	14.4616	9.1244	5.3372	7.5277	6.8829			712.2648	624.0495
	S			84.790	101.298	60.960	101.071	82.648	71.213	102.199	119.830	104.013			11.625	1.401
10	T	2.5945	12.0077	15.5631	9.1190	6.4441	10.2248	14.4834	9.1668	5.3166	7.5256	6.9185	6.6263	11.2774	87.2213	
	S	117.206	86.422	87.401	105.275	62.108	101.491	82.524	70.883	102.595	119.864	103.478	90.857	94.437	94.931	
11	T	2.5584	11.8789	15.2753	9.0007	6.2746	9.9481	13.9909	8.6898	5.3011	7.5002	6.9378	6.6583	11.2404	85.9883	
	S	118.860	87.359	89.047	106.658	63.785	104.314	85.429	74.774	102.895	120.270	103.190	90.420	94.748	96.292	
12	T	2.5755	11.7972	15.4111	8.9987	6.4124	10.0435	13.8934	8.6094	5.2840	7.4563	7.2393	6.6950	11.2732	86.3845	
	S	118.071	87.964	88.263	106.682	62.415	103.323	86.028	75.472	103.228	120.978	98.892	89.925	94.472	95.851	
13	T	2.5922	11.8416	15.2983	9.0112	6.2871	10.0466	13.9965	8.6795	5.3170	7.5520	6.8418	6.6537	11.3120	86.1347	
	S	117.310	87.634	88.914	106.534	63.658	103.291	85.395	74.863	102.587	119.445	104.638	90.483	94.148	96.129	
14	T															38.6897
	S															22.592

**Event:** Cooper Tires GP of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Practice 1

Round 5 / 6  
 2.3 mile(s)  
**USF2000**  
 April 24, 2015



**Section Data for Car 83 - Rickards, Garth (R)**

Lap	T/SPO to SF	SF to PI
1	T 92.7898	
	S 85.310	
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	86.5516
	S	88.221
9	T 87.5717	
	S 90.393	
10	T	
	S	
11	T	
	S	
12	T	
	S	
13	T	87.7458
	S	87.020
14	T	
	S	

Event: Cooper Tires GP of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Practice 1

Round 5 / 6  
2.3 mile(s)  
USF2000  
April 24, 2015



Section Data for Car 84 - Lastochkin, Nikita (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	
1	T	2.5906	12.3308	15.5879	9.1126	6.4753	10.1890	14.2808	8.9470	5.3338	7.7015	7.2466	6.8110	11.5461	88.2843	468.3193
	S	117.382	84.157	87.262	105.349	61.808	101.848	83.695	72.625	102.264	117.126	98.792	88.393	92.239	93.788	1.866
2	T	2.5698	12.1429	15.5953	9.1776	6.4177	10.1914	13.8934	8.5985	5.2949	7.5294	7.1949	6.6061	11.4872	87.2104	
	S	118.333	85.460	87.220	104.603	62.363	101.824	86.028	75.568	103.015	119.803	99.502	91.135	92.712	94.943	
3	T	2.5420	11.8651	15.1598	8.9398	6.2200	10.1431	13.9767	8.6786	5.2981	7.5183	7.2951	6.4532	11.3781	86.3314	
	S	119.627	87.460	89.726	107.385	64.345	102.309	85.516	74.871	102.953	119.980	98.136	93.294	93.601	95.909	
4	T	2.8668	12.3548	15.3067	9.0195	6.2872	10.2550	14.0309	8.7373	5.2936	7.5186	7.1227	6.4692	14.1605	90.0852	
	S	106.073	83.994	88.865	106.436	63.657	101.192	85.185	74.368	103.040	119.975	100.511	93.063	75.209	91.913	
5	T	2.5376	11.8662	15.1627	8.9547	6.2080	10.1076	13.8304	8.5382	5.2922	7.4978	7.1999	6.5340	11.2193	85.9555	
	S	119.834	87.452	89.709	107.206	64.470	102.668	86.420	76.102	103.068	120.308	99.433	92.140	94.926	96.329	
6	T	2.5454	11.9093	15.2713	8.9071	6.3642	10.1571	13.9719	8.6626	5.3093	7.5638	7.0558	6.4560	11.3520	86.2826	
	S	119.467	87.136	89.071	107.779	62.887	102.168	85.545	75.009	102.736	119.258	101.464	93.254	93.816	95.964	
7	T	2.5576	11.7952	15.1850	8.9653	6.2197	10.1229	13.9183	8.6319	5.2864	7.5242	7.0147	6.5205	11.3312	85.9696	
	S	118.897	87.979	89.577	107.080	64.348	102.513	85.875	75.276	103.181	119.886	102.058	92.331	93.988	96.313	
8	T	2.5449	11.8555	15.2860	8.9834	6.3026	10.1297	13.9357	8.6601	5.2756	7.4973	7.0186	6.5646	11.3479	86.1802	
	S	119.490	87.531	88.985	106.864	63.502	102.444	85.767	75.031	103.392	120.316	102.002	91.711	93.850	96.078	
9	T	2.5274											6.5456	11.3398		
	S	120.318											91.977	93.917		

**Event:** Cooper Tires GP of Alabama

**Round 5 / 6**

**Track:** Barber Motorsports Park

**2.3 mile(s)**



**Report:** Section Data Report

**USF2000**

**Session:** Practice 1

**April 24, 2015**

**Section Data for Car 84 - Lastochkin, Nikita (R)**

Lap	T/SPO to SF	
1	T	89.5866
	S	88.360
2	T	
	S	
3	T	
	S	
4	T	
	S	
5	T	
	S	
6	T	
	S	
7	T	
	S	
8	T	
	S	
9	T	
	S	

## Report Support Information

Section Legend	
Name	Length
SF to I1	0.084470 miles
I1 to I2	0.288258 miles
I2 to I3	0.377841 miles
I2 to I3A	0.266667 miles
I3A to I3	0.111174 miles
I3 to I4	0.288258 miles
I4 to I5	0.332008 miles
I4 to I5A	0.180492 miles
I5A to I5	0.151515 miles
I5 to I6	0.250568 miles
I6 to I7	0.198864 miles
I7 to I8	0.167235 miles
I8 to SF	0.295833 miles
Lap	2.300000 miles
PI to PO	0.242803 miles
PO to SF	2.198864 miles
SF to PI	2.121023 miles
I7 to PI	0.304419 miles
PO to I2	0.280871 miles
PO to PI	1.903030 miles

Color Legend	
<span style="display: inline-block; width: 15px; height: 15px; background-color: purple; border: 1px solid black;"></span>	Fastest Lap
<span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; border: 1px solid black;"></span>	Section Under Caution
<span style="display: inline-block; width: 15px; height: 15px; background-color: lightgreen; border: 1px solid black;"></span>	Section Under Green
<span style="border: 1px solid black; padding: 2px;">T</span>	Section Time Data
<span style="border: 1px solid black; padding: 2px;">S</span>	Section Speed Data

