

Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
 Track: Mazda Raceway Laguna Seca  
 Report: Section Data Report  
 Session: Practice 1

Round 15  
 2.238 mile(s)  
 USF2000  
 September 11, 2015



Section Data for Car 16 - Dayson, James

Lap	T/SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	SFP to SF	SF to PI
1	T	7.4118	27.5903	21.8951	15.5198	9.5278	11.7369	93.6817	124.0406
	S	110.573	81.872	93.078	79.254	88.306	74.067	86.002	64.955
2	T	7.2140	27.0855	21.5453	15.5832	9.1668	11.5195	92.1143	
	S	113.605	83.398	94.589	78.931	91.784	75.465	87.465	
3	T	7.1306	26.6057	21.4401	15.1096	9.1540	11.5751	91.0151	
	S	114.934	84.901	95.053	81.405	91.912	75.102	88.522	
4	T	7.1796	26.3533	21.0680	15.1207	8.9406	11.6987	90.3609	
	S	114.149	85.715	96.732	81.345	94.106	74.309	89.162	
5	T	7.0914	26.2230	21.0844	15.0059	8.8538	11.4277	89.6862	
	S	115.569	86.141	96.657	81.968	95.029	76.071	89.833	
6	T	7.1048	26.4513	20.9298	14.9563	9.1501	11.4789	90.0712	
	S	115.351	85.397	97.371	82.240	91.951	75.732	89.449	
7	T	7.1234	28.2302	21.2326	14.9185	8.8123	11.5018	91.8188	
	S	115.050	80.016	95.982	82.448	95.476	75.581	87.747	
8	T	7.0831	26.3815	20.9475	14.9825	8.8526	11.5066	89.7538	
	S	115.704	85.623	97.289	82.096	95.041	75.550	89.766	
9	T	7.0709	26.1776	20.7878	14.9402	8.8577	11.4644	89.2986	
	S	115.904	86.290	98.036	82.328	94.987	75.828	90.223	
10	T	7.1272	26.6845	20.7293	15.0493	8.6685	11.4446	89.7034	
	S	114.988	84.651	98.313	81.731	97.060	75.959	89.816	
11	T	7.1050	26.1997	20.8803	15.1341	8.7740	11.4606	89.5537	
	S	115.348	86.217	97.602	81.273	95.893	75.853	89.966	
12	T	7.0807	26.1146	20.9143	15.1602	9.3136	11.5317	90.1151	
	S	115.744	86.498	97.443	81.133	90.337	75.385	89.406	
13	T	7.0299	26.1120	20.7456	14.9997	8.8273	11.4173	89.1318	
	S	116.580	86.507	98.236	82.002	95.314	76.140	90.392	
14	T	7.0907	26.6278	21.2116	15.0402	8.8049	11.5267	90.3019	
	S	115.580	84.831	96.077	81.781	95.556	75.418	89.221	
15	T	7.0551	26.2527	21.0346	15.0380	8.8204	11.4573	89.6581	
	S	116.164	86.043	96.886	81.793	95.388	75.875	89.861	
16	T	7.0516	26.7420	20.8968	15.0644	8.7374	11.4288	89.9210	
	S	116.221	84.469	97.525	81.649	96.295	76.064	89.599	
17	T	7.0717	26.3999	20.7499	15.0292	8.8333	11.5499	89.6339	
	S	115.891	85.563	98.215	81.841	95.249	75.266	89.886	
18	T	7.0715	27.8321	21.4958	15.1606	8.9023	11.8297	92.2920	
	S	115.894	81.160	94.807	81.131	94.511	73.486	87.297	
19	T	7.1012	26.5407	21.2542	14.9780	8.9078	11.6053	90.3872	
	S	115.409	85.109	95.885	82.120	94.452	74.907	89.137	

Event: Cooper Tires USF2000 Grand Prix powered by Mazda

Round 15

Track: Mazda Raceway Laguna Seca

2.238 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

September 11, 2015

Section Data for Car 16 - Dayson, James

Lap	T/SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	SFP to SF	SF to PI
20	T	7.0942	26.5263	21.1751	15.4936	8.7953	11.5396		80.9319
	S	115.523	85.156	96.243	79.388	95.661	75.333		88.812

Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
Track: Mazda Raceway Laguna Seca  
Report: Section Data Report  
Session: Practice 1

Round 15  
2.238 mile(s)  
USF2000  
September 11, 2015



Section Data for Car 19 - Alon, Robert (R)

Lap	T/S	SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.2589	26.5881	21.5431	15.0076	9.1450	11.9121	91.4548		120.5951	
	S	112.902	84.958	94.599	81.958	92.003	72.978	88.096		66.811	
2	T	7.1845	26.4982	21.3798	17.0816	9.2583	11.8432	93.2456			
	S	114.071	85.246	95.321	72.007	90.877	73.402	86.404			
3	T	7.1499	26.3624	21.2624	14.9714	8.9122	11.7432	90.4015			
	S	114.623	85.685	95.848	82.157	94.406	74.027	89.122			
4	T	7.1486	26.5550	21.2898	14.7214	8.8834	11.5624	90.1606			
	S	114.644	85.064	95.724	83.552	94.712	75.185	89.361			
5	T	7.1176	26.3411	21.0390	14.6677	8.7692	11.5521	89.4867			
	S	115.144	85.754	96.866	83.858	95.945	75.252	90.033			
6	T	7.1672	26.3353	21.0691	14.7274	8.9096	11.6279	89.8365			
	S	114.347	85.773	96.727	83.518	94.433	74.761	89.683			
7	T	7.1980	26.4774	20.8090	14.9400	8.7662	11.7107	89.9013			
	S	113.857	85.313	97.936	82.329	95.978	74.233	89.618			
8	T	7.1322	26.4077	21.0312	14.8025	8.8167	11.7182	89.9085			
	S	114.908	85.538	96.901	83.094	95.428	74.185	89.611			
9	T	7.1804	26.4150	21.1422	14.8455	8.7252	11.7067	90.0150			
	S	114.136	85.514	96.393	82.853	96.429	74.258	89.505			
10	T	7.1609	26.7204	21.4476	16.2823	8.8040	11.6388	92.0540			83.4856
	S	114.447	84.537	95.020	75.542	95.566	74.691	87.523			86.095
11	T		29.5896	23.8944	16.3729	11.9365		211.7553	115.3575	106.5157	
	S		76.340	85.290	75.124	70.487		38.048	6.596	75.642	
12	T	7.3315	26.4629	21.4560	15.0445	9.3166	12.6757	92.2872			
	S	111.784	85.360	94.983	81.757	90.308	68.581	87.301			
13	T	7.2542	26.0315	20.9616	14.7935	8.9312	11.8083	89.7803			
	S	112.975	86.774	97.223	83.145	94.205	73.619	89.739			
14	T	7.2585	26.3869	21.0717	14.5820	8.6366	11.6795	89.6152			
	S	112.908	85.605	96.715	84.351	97.418	74.431	89.904			
15	T	7.2042	25.9779	20.6961	14.8694	8.8296	11.6068	89.1840			
	S	113.759	86.953	98.470	82.720	95.289	74.897	90.339			
16	T	7.2340	26.1262	22.0792	16.1529	8.7353	11.7202	92.0478			83.7079
	S	113.291	86.460	92.302	76.147	96.318	74.173	87.528			85.867
17	T					12.1801					
	S					69.077					

Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
Track: Mazda Raceway Laguna Seca  
Report: Section Data Report  
Session: Practice 1

Round 15  
2.238 mile(s)  
USF2000  
September 11, 2015



Section Data for Car 2 - Jamin, Nico

Lap	T/S	SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.1205	26.3641	20.8902	14.5863	8.8824	11.4366	89.2801		96.5482	
	S	115.097	85.680	97.556	84.326	94.723	76.012	90.242		83.451	
2	T	7.0094	25.8113	20.3196	14.5224	8.6447	11.2160	87.5234			
	S	116.921	87.515	100.295	84.697	97.327	77.507	92.053			
3	T	6.9645	25.5416	20.1528	14.4101	8.5345	11.2219	86.8254			
	S	117.675	88.439	101.125	85.357	98.584	77.466	92.793			
4	T	6.9144	25.4971	20.1112	14.4066	8.5122	11.1958	86.6373			
	S	118.527	88.593	101.334	85.378	98.842	77.647	92.995			
5	T	6.9065	25.7045	20.5971	17.3827	8.4965	11.1844	90.2717			
	S	118.663	87.878	98.944	70.760	99.025	77.726	89.251			
6	T	6.9212	25.7155	20.1699	14.4867	8.5685	11.1663	87.0281			78.9616
	S	118.411	87.841	101.039	84.905	98.193	77.852	92.577			91.028
7	T		27.3126	20.5853	14.6709			283.2136	197.3788	93.9383	
	S		82.704	99.000	83.839			28.448	3.855	85.770	
8	T	6.9059	25.8408	20.2850	14.4886	8.5099	11.2619	87.2921			79.0998
	S	118.673	87.415	100.466	84.894	98.869	77.191	92.297			90.869
9	T		26.8919	20.5898	14.7045			400.4578	315.0309		
	S		83.998	98.979	83.648			20.119	2.415		
10	T		26.0823	20.3437	14.5071			199.1668	115.5247	92.5063	
	S		86.605	100.176	84.786			40.453	6.587	87.097	
11	T	6.9600	25.9897	20.3022	14.5426	8.5467	11.5383	87.8795			
	S	117.751	86.914	100.381	84.579	98.443	75.342	91.680			
12	T	6.9017	25.8044	20.1548	14.4317	8.5044	11.2801	87.0771			
	S	118.745	87.538	101.115	85.229	98.933	77.067	92.525			
13	T	6.8916	25.9888	20.3623	14.6875	8.5048	11.4278	87.8628			79.5388
	S	118.919	86.917	100.085	83.745	98.928	76.070	91.698			90.368

Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
Track: Mazda Raceway Laguna Seca  
Report: Section Data Report  
Session: Practice 1

Round 15  
2.238 mile(s)  
USF2000  
September 11, 2015



Section Data for Car 22 - Eidson, Jake

Lap	T/S	SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.0309	26.1986	20.6739	14.4073	8.8035	11.3811	88.4953		107.0329	
	S	116.563	86.221	98.576	85.373	95.571	76.383	91.042		75.276	
2	T	6.9913	25.6549	20.3966	14.3319	8.5549	11.1607	87.0903			
	S	117.224	88.048	99.916	85.823	98.349	77.891	92.511			
3	T	6.9997	26.2480	20.4766	14.3888	8.4846	11.1621	87.7598			
	S	117.083	86.059	99.526	85.483	99.164	77.881	91.805			
4	T	6.9484	25.7453	20.0983	14.2577	8.5370	11.1514	86.7381			
	S	117.947	87.739	101.399	86.269	98.555	77.956	92.887			
5	T	6.9139	25.4682	20.0633	14.2006	8.4499	11.1113	86.2072			
	S	118.536	88.693	101.576	86.616	99.571	78.237	93.459			
6	T	6.9198	25.5435	20.1482	14.2327	8.3777	11.1021	86.3240			79.3454
	S	118.435	88.432	101.148	86.421	100.429	78.302	93.332			90.588
7	T		26.3754	20.4795	14.4822			186.2108	101.2130	92.2638	
	S		85.643	99.512	84.932			43.267	7.518	87.326	
8	T	6.9568	25.8696	20.2426	14.3619	8.5196	11.2476	87.1981			
	S	117.805	87.317	100.677	85.643	98.756	77.289	92.397			
9	T	6.9313	25.5759	20.2871	14.3298	8.4516	11.1781	86.7538			79.6202
	S	118.238	88.320	100.456	85.835	99.551	77.770	92.870			90.275
10	T		27.4078	20.4875	14.4924			246.8517	158.9675	95.1417	
	S		82.417	99.473	84.872			32.638	4.787	84.685	
11	T	6.9676	25.7390	20.4349	14.4698	8.4956	11.2580	87.3649			
	S	117.622	87.760	99.729	85.005	99.035	77.218	92.220			
12	T	6.9289	25.6552	20.2885	14.3601	8.5135	11.1740	86.9202			77.3029
	S	118.279	88.047	100.449	85.654	98.827	77.798	92.692			92.981
13	T		26.2628	20.5790	14.4595			157.8464	75.0865	92.4243	
	S		86.010	99.031	85.065			51.042	10.134	87.175	
14	T	6.9417	25.7094	20.2208	14.4333	8.5308	11.2038	87.0398			
	S	118.061	87.861	100.785	85.220	98.627	77.591	92.565			
15	T	6.8979	26.0345	20.7224	14.8437	8.4147	11.2694	88.1826			
	S	118.811	86.764	98.345	82.863	99.987	77.140	91.365			
16	T	6.9433	25.9018	20.2475	14.3888	8.6235	11.6074	87.7123			
	S	118.034	87.209	100.652	85.483	97.566	74.893	91.855			
17	T	6.9282	25.7081	20.2049	14.4689	8.4575	11.2774				77.6205
	S	118.291	87.866	100.864	85.010	99.481	77.085				92.601

Event: Cooper Tires USF2000 Grand Prix powered by Mazda

Round 15

Track: Mazda Raceway Laguna Seca

2.238 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

September 11, 2015

Section Data for Car 23 - Luo, Yufeng (R)

Lap	T/S	SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.0633	26.3766	20.9474	14.8211	9.0150	11.5582	89.7816		108.2987	
	S	116.029	85.639	97.289	82.990	93.329	75.212	89.738		74.397	
2	T	7.0296	26.0578	20.6116	14.5596	8.7074	11.3279	88.2939			
	S	116.585	86.687	98.874	84.480	96.626	76.741	91.250			
3	T	7.0514	25.7244	20.4842	14.5676	8.6193	11.1825	87.6294			
	S	116.225	87.810	99.489	84.434	97.614	77.739	91.942			
4	T	7.0258	25.7114	20.3723	14.4407	8.6186	11.3292	87.4980			
	S	116.648	87.855	100.036	85.176	97.622	76.733	92.080			
5	T	7.0041	25.7239	20.3205	14.4447	8.6005	11.2820	87.3757			
	S	117.009	87.812	100.291	85.152	97.827	77.054	92.209			
6	T	7.0255	25.7831	20.4243	14.5302	8.5548	11.3058	87.6237			
	S	116.653	87.610	99.781	84.651	98.350	76.891	91.948			
7	T	7.0341	25.8938	20.2139	14.5620	8.4708	11.4479	87.6225			78.7853
	S	116.510	87.236	100.819	84.466	99.325	75.937	91.949			91.232
8	T		25.9680	20.3105	14.6054	11.1249		181.4683	98.3660	91.9332	
	S		86.986	100.340	84.215	75.629		44.398	7.735	87.640	
9	T	7.0039	25.8681	20.4337	14.9568	8.5438	11.3686	88.1749			79.7540
	S	117.013	87.322	99.735	82.237	98.477	76.467	91.373			90.124
10	T		26.3649	20.2856	14.7451	11.5479		300.0863	216.1699	92.3326	
	S		85.677	100.463	83.418	72.859		26.848	3.520	87.261	
11	T	6.9774	26.1081	20.3632	14.7126	8.5620	11.3457	88.0690			
	S	117.457	86.520	100.080	83.602	98.267	76.621	91.483			
12	T	6.9658	26.1428	20.2848	14.6019	8.6699	11.3459	88.0111			
	S	117.653	86.405	100.467	84.236	97.044	76.620	91.543			
13	T	6.9844	26.1792	20.2705	14.6945	8.6610	11.2652	88.0548			
	S	117.339	86.285	100.538	83.705	97.144	77.168	91.498			
14	T	6.9907	26.4630	20.6259	15.1838	8.6874	11.3408	89.2916			
	S	117.234	85.359	98.806	81.007	96.849	76.654	90.230			
15	T	7.0407	26.8264	20.5164	14.9071	8.7743	11.3729	89.4378			81.8369
	S	116.401	84.203	99.333	82.511	95.890	76.438	90.083			87.830
16	T					12.5943			201.7347		
	S					66.805			3.772		

Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
Track: Mazda Raceway Laguna Seca  
Report: Section Data Report  
Session: Practice 1

Round 15  
2.238 mile(s)  
USF2000  
September 11, 2015



Section Data for Car 3 - Telitz, Aaron

Lap	T/S	SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.1699	26.9254	20.7785	14.5201	9.1132	11.6346	90.1417		98.3361	
	S	114.304	83.893	98.080	84.710	92.324	74.718	89.379		81.934	
2	T	6.9551	26.3655	20.5388	14.5779	8.6215	11.4052	88.4640			
	S	117.834	85.675	99.225	84.374	97.589	76.221	91.074			
3	T	6.9206	25.7975	20.1628	14.3888	8.6164	11.3112	87.1973			
	S	118.421	87.561	101.075	85.483	97.647	76.855	92.397			
4	T	6.9079	25.7063	20.2302	14.1774	8.4566	11.1986	86.6770			
	S	118.639	87.872	100.738	86.758	99.492	77.627	92.952			
5	T	6.9115	25.8104	20.1622	14.3806	8.3879	11.3614	87.0140			
	S	118.577	87.518	101.078	85.532	100.307	76.515	92.592			
6	T	6.8902	26.5309	23.5265	14.8029	8.4988	11.2029	91.4522			84.5719
	S	118.944	85.141	86.624	83.092	98.998	77.598	88.098			84.990
7	T		26.8479	20.8294	14.4744			304.3372	218.3441	93.1781	
	S		84.136	97.840	84.978			26.473	3.485	86.469	
8	T	6.9281	25.9713	20.1903	14.4609	8.6746	11.3318	87.5570			
	S	118.293	86.975	100.937	85.057	96.992	76.715	92.018			
9	T	6.8941	25.9836	20.3461	14.3309	8.6773	11.3234	87.5554			
	S	118.876	86.934	100.164	85.829	96.961	76.772	92.019			
10	T	6.8798	26.1203	20.0824	14.3173	8.4652	11.3584	87.2234			78.3811
	S	119.123	86.479	101.480	85.910	99.391	76.535	92.370			91.702
11	T		26.6351	20.4904	14.4636			201.3142	117.2380	93.0081	
	S		84.808	99.459	85.041			40.021	6.490	86.627	
12	T	6.9063	25.9578	20.2248	14.3833	8.5905	11.3227	87.3854			
	S	118.666	87.021	100.765	85.516	97.941	76.777	92.198			
13	T	6.8540	26.0138	20.2281	14.3939	8.5044	11.2293	87.2235			78.1573
	S	119.572	86.833	100.749	85.453	98.933	77.415	92.370			91.965
14	T		26.3529	20.3571	14.5258			177.9542	95.6114	91.4892	
	S		85.716	100.110	84.677			45.275	7.958	88.066	
15	T	6.8591	26.0675	20.5628	14.5283	8.5390	11.2749	87.8316			81.1712
	S	119.483	86.654	99.109	84.662	98.532	77.102	91.730			88.550

Event: Cooper Tires USF2000 Grand Prix powered by Mazda

Round 15

Track: Mazda Raceway Laguna Seca

2.238 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

September 11, 2015

Section Data for Car 33 - Martin, Anthony (R)

Lap	T/S	SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.1821	26.8655	20.8828	14.7101	9.0020	11.5126	90.1551		110.0606	
	S	114.109	84.080	97.590	83.616	93.464	75.510	89.366		73.206	
2	T	7.0535	26.2216	20.6622	14.4724	8.8564	11.3797	88.6458			
	S	116.190	86.145	98.632	84.989	95.001	76.392	90.888			
3	T	6.9566	26.4806	20.6102	14.5553	8.6990	11.3011	88.6028			79.8446
	S	117.808	85.303	98.881	84.505	96.720	76.923	90.932			90.021
4	T		26.3781	20.7095	14.5396	11.3034		226.0245	141.8816	93.0323	
	S		85.634	98.407	84.597	74.435		35.646	5.363	86.605	
5	T	7.0361	25.9954	20.3203	14.5923	8.7023	11.4290	88.0754			
	S	116.477	86.895	100.292	84.291	96.683	76.062	91.476			
6	T	6.9520	26.0724	20.3270	14.4829	8.6839	11.3368	87.8550			
	S	117.886	86.638	100.259	84.928	96.888	76.681	91.706			
7	T	6.9492	26.1514	20.3029	14.4540	8.6055	11.3821	87.8451			79.0958
	S	117.934	86.376	100.378	85.098	97.770	76.376	91.716			90.874
8	T		26.5217	20.8013	14.5962	11.2845		301.3741	216.6942	93.4672	
	S		85.170	97.972	84.269	74.559		26.734	3.511	86.202	
9	T	6.9654	26.2680	20.5601	14.6070	8.6442	11.3814	88.4261			79.2399
	S	117.659	85.993	99.122	84.206	97.333	76.381	91.113			90.708
10	T		26.2972	20.8040	14.7247	10.8910		170.5699	87.0505	92.7173	
	S		85.897	97.960	83.533	77.253		47.235	8.741	86.899	
11	T	6.9325	26.5776	20.5786	14.9429	8.6542	11.3831	89.0689			80.3317
	S	118.218	84.991	99.033	82.313	97.220	76.369	90.456			89.476
12	T		27.0047	20.7076	14.6675	11.3451		259.3111	174.3541	93.7113	
	S		83.647	98.416	83.859	74.161		31.070	4.364	85.977	
13	T	6.9556	26.1792	20.5038	14.7123	8.7120	11.3424	88.4053			80.1851
	S	117.825	86.285	99.394	83.604	96.575	76.643	91.135			89.639
14	T										11.8794
	S					70.825					



Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
 Track: Mazda Raceway Laguna Seca  
 Report: Section Data Report  
 Session: Practice 1

Round 15  
 2.238 mile(s)  
 USF2000  
 September 11, 2015



Section Data for Car 5 - Andres Soori, Keyvan

Lap	T/SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI	
1	T	7.1211	26.6633	21.1135	23.8874	8.9880	11.7620	99.5353		113.6889	89.8661
	S	115.087	84.718	96.524	51.492	93.610	73.909	80.944		70.869	79.983
2	T		26.3976	20.9871	14.9198			138.2066	53.8222	93.4648	
	S		85.571	97.105	82.441			58.295	14.137	86.204	
3	T	7.0697	26.0866	20.6347	14.6477	8.7517	11.4095	88.5999			
	S	115.924	86.591	98.763	83.972	96.137	76.192	90.935			
4	T	7.0398	26.0418	20.6072	14.6298	8.6512	11.4465	88.4163			
	S	116.416	86.740	98.895	84.075	97.254	75.946	91.123			
5	T	7.0311	26.0298	20.4888	14.6423	8.5882	11.4018	88.1820			
	S	116.560	86.780	99.467	84.003	97.967	76.244	91.366			
6	T	7.0195	25.9626	20.3725	14.5712	8.5685	11.4008	87.8951			
	S	116.753	87.005	100.035	84.413	98.193	76.251	91.664			
7	T	7.0096	26.0416	20.3813	14.5922	8.7926	11.4496	88.2669			
	S	116.918	86.741	99.991	84.292	95.690	75.926	91.278			
8	T	7.0210	26.1014	20.3160	14.6947	8.5625	11.3857	88.0813			
	S	116.728	86.542	100.313	83.704	98.261	76.352	91.470			
9	T	6.9976	26.0584	20.3875	14.5556	8.5963	11.3951	87.9905			
	S	117.118	86.685	99.961	84.504	97.875	76.289	91.564			
10	T	7.0064	26.0850	21.4514	15.0639	8.6092	11.3690	89.5849			
	S	116.971	86.596	95.003	81.652	97.728	76.464	89.935			
11	T	7.0155	26.1964	20.4215	14.6664	8.6837	11.4194	88.4029			
	S	116.819	86.228	99.795	83.865	96.890	76.126	91.137			
12	T	7.0173	26.4085	20.6913	14.6683	8.7530	11.4020	88.9404			
	S	116.789	85.535	98.493	83.854	96.123	76.243	90.587			
13	T	6.9506	26.2779	20.4975	14.7603	8.6669	11.5027	88.6559			
	S	117.910	85.961	99.425	83.332	97.078	75.575	90.877			
14	T	6.9731	26.3047	20.4733	14.7083	8.6364	11.4267	88.5225			
	S	117.530	85.873	99.542	83.626	97.421	76.078	91.014			
15	T	6.9685	26.8136	20.7065	14.8640	8.6630	11.4789	89.4945			
	S	117.607	84.243	98.421	82.750	97.122	75.732	90.026			
16	T	7.0072	26.5912	20.5498	14.6463	8.7087	11.4537	88.9569			
	S	116.958	84.948	99.172	83.980	96.612	75.898	90.570			
17	T	7.0028	26.6040	20.6392	14.9418	8.7098	11.5661	89.4637			
	S	117.031	84.907	98.742	82.319	96.600	75.161	90.057			
18	T	7.0015	26.6046	20.6954	14.8828	8.6818	11.4406	89.3067			
	S	117.053	84.905	98.474	82.646	96.911	75.985	90.215			
19	T	7.0238	26.7641	20.6223	14.7497	8.7073	11.5620	89.4292			80.9920
	S	116.681	84.399	98.823	83.392	96.627	75.188	90.091			88.746

Event: Cooper Tires USF2000 Grand Prix powered by Mazda

Round 15

Track: Mazda Raceway Laguna Seca

2.238 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

September 11, 2015

Section Data for Car 6 - Hanratty, Max (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T		35.5797	22.7748	16.7054		244.0663	138.2127	113.6135	
	S		63.487	89.483	73.629		33.011	5.505	70.916	
2	T	7.2766	26.6940	21.4751	15.7889	9.8974	11.6031	92.7351		
	S	112.628	84.621	94.898	77.903	85.009	74.921	86.880		
3	T	7.2116	26.3221	21.1894	14.9700	9.0274	11.6237	90.3442		
	S	113.643	85.816	96.178	82.164	93.201	74.788	89.179		
4	T	7.1728	26.1626	21.3303	14.9769	8.9849	11.5087	90.1362		
	S	114.257	86.339	95.543	82.126	93.642	75.536	89.385		
5	T	7.1418	26.3573	21.0318	15.0715	9.0241	11.5620	90.1885		
	S	114.753	85.702	96.899	81.611	93.235	75.188	89.333		
6	T	7.1302	26.0435	20.9295	14.8695	8.9317	11.4092	89.3136		
	S	114.940	86.734	97.372	82.720	94.200	76.194	90.208		
7	T	7.1900	26.1975	21.1830	15.0118	8.9092	11.6588	90.1503		
	S	113.984	86.224	96.207	81.936	94.438	74.563	89.371		
8	T	7.1628	26.2004	21.2027	15.0153	8.9059	11.4420	89.9291		
	S	114.417	86.215	96.118	81.916	94.473	75.976	89.591		
9	T	7.2413	26.7045	21.0756	15.0469	8.9929	11.4521	90.5133		
	S	113.177	84.587	96.697	81.744	93.559	75.909	89.012		
10	T	7.1577	26.3718	21.0700	14.8477	9.0131	11.4260	89.8863		
	S	114.498	85.655	96.723	82.841	93.349	76.082	89.633		
11	T	7.1745	26.3354	20.9785	14.8267	8.8948	11.4753	89.6852		
	S	114.230	85.773	97.145	82.958	94.591	75.756	89.834		
12	T	7.1205	26.1497	21.0802	14.8672	8.8335	11.3652	89.4163		
	S	115.097	86.382	96.676	82.732	95.247	76.489	90.104		
13	T	7.0795	26.4230	21.0318	14.8817	8.7800	11.4781	89.6741		
	S	115.763	85.489	96.899	82.652	95.827	75.737	89.845		
14	T	7.1497	26.3269	21.1972	14.8476	8.8221	11.3973	89.7408		
	S	114.627	85.801	96.143	82.842	95.370	76.274	89.779		
15	T	7.1621	26.3449	20.9220	14.9441	8.9219	11.5109	89.8059		
	S	114.428	85.742	97.407	82.307	94.303	75.521	89.713		
16	T	7.1257	26.3950	20.9186	14.9451	8.7338	11.4369	89.5551		
	S	115.013	85.579	97.423	82.301	96.334	76.010	89.965		
17	T	7.1203	26.1685	21.2354	15.0542	8.7923	11.3743	89.7450		83.9089
	S	115.100	86.320	95.970	81.705	95.693	76.428	89.774		85.661

Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
 Track: Mazda Raceway Laguna Seca  
 Report: Section Data Report  
 Session: Practice 1

Round 15  
 2.238 mile(s)  
 USF2000  
 September 11, 2015



Section Data for Car 7 - Portante, Peter

Lap	T/S	to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T		27.3914	21.2410	14.8364			204.8646	117.3252	95.5336	
	S		82.466	95.944	82.904			39.327	6.485	84.337	
2	T	7.0643	26.1232	20.7285	14.5485	8.7394	11.3440	88.5479			
	S	116.012	86.470	98.317	84.545	96.272	76.632	90.988			
3	T	7.1033	26.0126	20.6370	14.4207	8.7223	11.3375	88.2334			
	S	115.375	86.837	98.752	85.294	96.461	76.676	91.312			
4	T	7.0169	26.2545	20.5350	14.5068	8.5657	11.2949	88.1738			
	S	116.796	86.037	99.243	84.788	98.225	76.966	91.374			
5	T	7.0905	25.9618	20.4846	14.4521	8.5488	11.2974	87.8352			
	S	115.584	87.007	99.487	85.109	98.419	76.949	91.726			
6	T	7.0903	26.1912	20.4522	14.3505	8.6385	11.3061	88.0288			
	S	115.587	86.245	99.645	85.711	97.397	76.889	91.525			
7	T	7.0654	25.9641	20.5523	14.5140	8.6119	11.3541	88.0618			
	S	115.994	86.999	99.159	84.746	97.698	76.564	91.490			
8	T	7.0544	25.9606	20.4572	14.5148	8.5973	11.3220	87.9063			
	S	116.175	87.011	99.620	84.741	97.864	76.781	91.652			
9	T	7.0175	26.0724	20.5159	15.3833	8.6843	11.2952	88.9686			
	S	116.786	86.638	99.335	79.957	96.883	76.964	90.558			
10	T	7.0761	25.9602	20.4947	14.6051	8.6984	11.3218	88.1563			79.5217
	S	115.819	87.013	99.438	84.217	96.726	76.783	91.392			90.387
11	T		27.3581	20.6910	14.5340			290.8951	204.9272	94.6202	
	S		82.567	98.495	84.629			27.697	3.713	85.151	
12	T	7.0570	26.0851	20.5694	14.5063	8.6693	11.3686	88.2557			
	S	116.132	86.596	99.077	84.791	97.051	76.467	91.289			
13	T	7.0319	26.1630	20.4833	14.5196	8.6097	11.3485	88.1560			
	S	116.547	86.338	99.493	84.713	97.723	76.602	91.393			
14	T	7.0309	26.1422	20.4097	14.6223	8.8545	11.4197	88.4793			
	S	116.563	86.407	99.852	84.118	95.021	76.124	91.059			
15	T	6.9966	26.5393	20.5338	14.5680	8.6481	11.3907	88.6765			
	S	117.135	85.114	99.249	84.432	97.289	76.318	90.856			
16	T	7.0182	26.2778	20.4822	14.5926	8.7343	11.4045	88.5096			79.9680
	S	116.774	85.961	99.499	84.289	96.329	76.226	91.027			89.883

Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
Track: Mazda Raceway Laguna Seca  
Report: Section Data Report  
Session: Practice 1

Round 15  
2.238 mile(s)  
USF2000  
September 11, 2015



Section Data for Car 80 - Thompson, Parker (R)

Lap	T/S	SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.0264	26.7358	21.2514	14.8493	9.2426	11.5204	90.6259		125.5732	
	S	116.638	84.488	95.897	82.832	91.031	75.459	88.902		64.162	
2	T	6.9592	26.3420	24.7528	16.4442	8.8260	11.4395	94.7637			89.3456
	S	117.764	85.751	82.332	74.798	95.328	75.993	85.020			80.449
3	T		27.1135	21.6044	14.8185	14.9137		444.3916	353.9619	95.6818	
	S		83.311	94.331	83.004	56.415		18.130	2.150	84.207	
4	T	6.9784	26.2836	20.9129	14.5114	8.6888	11.4107	88.7858			
	S	117.440	85.942	97.450	84.761	96.833	76.184	90.744			
5	T	6.9988	26.1708	21.0776	14.6752	8.5621	11.3738	88.8583			
	S	117.098	86.312	96.688	83.815	98.266	76.432	90.670			
6	T	6.9989	26.2585	20.7003	14.4357	8.5823	11.3635	88.3392			
	S	117.096	86.024	98.450	85.205	98.035	76.501	91.203			
7	T	6.9862	26.2090	20.6310	14.4503	8.4796	11.3468	88.1029			
	S	117.309	86.187	98.781	85.119	99.222	76.614	91.448			
8	T	7.0205	26.3467	20.6706	14.4881	8.7367	11.7291	88.9917			
	S	116.736	85.736	98.592	84.897	96.302	74.116	90.534			
9	T	6.9958	26.3840	20.6806	14.8163	8.6165	11.3706	88.8638			82.5221
	S	117.148	85.615	98.544	83.017	97.646	76.453	90.665			87.101
10	T		26.9732	21.1256	14.8723	13.7146		239.8633	148.2339	98.1856	
	S		83.745	96.468	82.704	61.348		33.589	5.133	82.059	
11	T	7.0768	26.4218	20.6075	14.4377	8.5801	11.6215	88.7454			
	S	115.807	85.492	98.894	85.194	98.060	74.803	90.786			
12	T	6.9802	26.4745	20.6274	14.5593	8.5694	11.3204	88.5312			
	S	117.410	85.322	98.798	84.482	98.182	76.792	91.005			
13	T	6.9829	26.4414	20.4217	14.5613	8.5511	11.5013	88.4597			
	S	117.365	85.429	99.794	84.470	98.392	75.584	91.079			
14	T	6.9911	26.1677	20.6786	14.7183	8.5618	11.4759	88.5934			84.4538
	S	117.227	86.323	98.554	83.569	98.269	75.752	90.941			85.108
15	T					15.9757					
	S					52.665					

Event: Cooper Tires USF2000 Grand Prix powered by Mazda

Round 15

Track: Mazda Raceway Laguna Seca

2.238 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

September 11, 2015

Section Data for Car 81 - Agren, Ayla (R)

Lap	T/S	T/SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.0862	26.8533	21.3800	15.1492	9.0398	11.5789	91.0874		115.3901	
	S	115.654	84.119	95.321	81.192	93.073	75.078	88.451		69.824	
2	T	7.0230	25.9157	20.6206	14.5388	8.8416	11.4307	88.3704			
	S	116.694	87.162	98.831	84.601	95.160	76.051	91.171			
3	T	6.9802	25.7645	20.6464	14.7434	8.7049	11.3664	88.2058			
	S	117.410	87.673	98.708	83.427	96.654	76.481	91.341			
4	T	7.1402	26.8401	21.0188	14.7490	9.8476	11.7507	91.3464			
	S	114.779	84.160	96.959	83.395	85.438	73.980	88.201			
5	T	6.9825	26.2493	20.4534	14.6386	8.6402	11.3450	88.3090			
	S	117.371	86.054	99.639	84.024	97.378	76.626	91.234			
6	T	6.9981	25.7103	20.4485	14.5295	8.6845	11.3660	87.7369			
	S	117.110	87.858	99.663	84.655	96.881	76.484	91.829			
7	T	6.9750	25.8223	20.6848	14.4857	8.6040	11.3247	87.8965			
	S	117.498	87.477	98.524	84.911	97.787	76.763	91.662			
8	T	6.9442	25.8175	20.3958	14.5628	8.5659	11.3476	87.6338			
	S	118.019	87.494	99.920	84.462	98.222	76.608	91.937			
9	T	6.9872	25.7944	20.4079	14.5522	8.5900	11.5124	87.8441			
	S	117.292	87.572	99.861	84.523	97.947	75.511	91.717			
10	T	7.0092	26.2279	20.5976	14.5527	8.6296	11.4694	88.4864			
	S	116.924	86.124	98.941	84.520	97.497	75.795	91.051			
11	T	7.0368	25.9536	20.5413	14.6296	8.6269	11.5415	88.3297			
	S	116.466	87.035	99.213	84.076	97.528	75.321	91.213			
12	T	7.0076	25.8966	20.6848	14.5078	8.6319	11.4540	88.1827			
	S	116.951	87.226	98.524	84.782	97.471	75.896	91.365			
13	T	6.9634	26.2876	20.8517	14.7160	8.7096	11.4348	88.9631			80.3131
	S	117.693	85.929	97.736	83.582	96.602	76.024	90.563			89.496
14	T		27.0517	20.8427	14.7458			203.5721	117.4310	95.3347	
	S		83.502	97.778	83.414			39.577	6.480	84.513	
15	T	7.0878	26.3412	20.9889	14.6037	8.7959	11.8921	89.7096			
	S	115.628	85.754	97.097	84.225	95.654	73.100	89.810			
16	T	7.0112	26.3647	20.6970	14.6453	8.6377	11.9495	89.3054			
	S	116.891	85.678	98.466	83.986	97.406	72.749	90.216			
17	T	7.0442	27.1954	20.8178	14.8958	8.7893	11.7367	90.4792			
	S	116.343	83.061	97.895	82.574	95.726	74.068	89.046			
18	T	7.0062	26.7889	21.0435	15.0126	8.7400	12.0991	90.6903			81.7566
	S	116.974	84.321	96.845	81.931	96.266	71.850	88.839			87.916

Event: Cooper Tires USF2000 Grand Prix powered by Mazda  
Track: Mazda Raceway Laguna Seca  
Report: Section Data Report  
Session: Practice 1

Round 15  
2.238 mile(s)  
USF2000  
September 11, 2015



Section Data for Car 82 - Gabin, Luke (R)

Lap	T/S	SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.0917	26.7909	20.7957	14.7886	8.8479	11.4274	89.7422		110.8866	
	S	115.564	84.315	97.999	83.172	95.092	76.073	89.777		72.660	
2	T	7.0026	26.3656	20.5350	14.6482	8.7148	11.3664	88.6326			
	S	117.034	85.675	99.243	83.969	96.544	76.481	90.901			
3	T	6.9795	25.9615	20.4597	14.5108	8.4820	11.2544	87.6479			
	S	117.422	87.008	99.608	84.764	99.194	77.243	91.922			
4	T	6.9632	25.6611	20.3682	14.3114	8.6940	11.3557	87.3536			
	S	117.697	88.027	100.056	85.945	96.775	76.553	92.232			
5	T	6.9609	25.6109	20.2443	14.4014	8.5254	11.2642	87.0071			
	S	117.736	88.199	100.668	85.408	98.689	77.175	92.599			
6	T	6.9210	25.7102	20.1537	14.3035	8.4910	11.3184	86.8978			
	S	118.414	87.859	101.121	85.993	99.089	76.806	92.716			
7	T	6.8927	25.5913	20.2386	14.7132	8.6039	11.3447	87.3844			
	S	118.900	88.267	100.696	83.598	97.789	76.628	92.200			
8	T	6.9389	25.6509	20.0934	14.2246	8.4978	11.2411	86.6467			
	S	118.109	88.062	101.424	86.470	99.010	77.334	92.984			
9	T	6.9194	25.6302	20.1582	14.1485	8.4690	11.3045	86.6298			
	S	118.442	88.133	101.098	86.935	99.346	76.900	93.003			
10	T	6.9706	25.7635	20.2387	14.1131	8.4453	11.4301	86.9613			
	S	117.572	87.677	100.696	87.153	99.625	76.055	92.648			
11	T	6.9013	25.9345	20.4963	14.4506	8.5301	11.2896	87.6024			78.8040
	S	118.752	87.099	99.430	85.118	98.635	77.002	91.970			91.210
12	T		26.8220	20.8526	14.6122			225.1464	137.9161	96.1625	
	S		84.217	97.731	84.176			35.785	5.517	83.786	
13	T	6.9352	25.8671	20.4722	14.5088	8.5542	11.3993	87.7368			78.7537
	S	118.172	87.326	99.547	84.776	98.357	76.261	91.829			91.268
14	T		26.4122	20.4884	14.3402			228.5463	145.6847	91.8906	
	S		85.523	99.469	85.773			35.252	5.223	87.681	
15	T	6.9407	26.0850	20.3522	14.2936	8.5406	11.4588	87.6709			
	S	118.078	86.596	100.134	86.052	98.513	75.865	91.898			
16	T	6.8927	26.0960	20.2822	14.2713	8.5963	11.3200	87.4585			
	S	118.900	86.560	100.480	86.187	97.875	76.795	92.121			
17	T	6.9102	25.8629	20.2131	14.4249	8.4615	11.3099	87.1825			78.1118
	S	118.599	87.340	100.823	85.269	99.434	76.863	92.413			92.018

Event: Cooper Tires USF2000 Grand Prix powered by Mazda

Round 15

Track: Mazda Raceway Laguna Seca

2.238 mile(s)



Report: Section Data Report

USF2000

Session: Practice 1

September 11, 2015

Section Data for Car 83 - Rickards, Garth (R)

Lap	T/SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T	7.1709	26.8794	21.1115	15.5786	8.9881	11.6863	91.4148		112.3615
	S	114.288	84.037	96.533	78.954	93.609	74.388	88.135		71.706
2	T	7.0721	26.0259	20.6700	14.6205	8.8555	11.4215	88.6655		
	S	115.884	86.793	98.595	84.128	95.010	76.112	90.867		
3	T	7.0579	26.1212	20.9595	14.8498	8.5713	11.3343	88.8940		
	S	116.117	86.476	97.233	82.829	98.161	76.698	90.634		
4	T	7.0285	25.9849	20.4686	14.7744	8.5982	11.2660	88.1206		
	S	116.603	86.930	99.565	83.252	97.853	77.163	91.429		
5	T	7.0616	25.8632	20.4961	14.5002	8.5428	11.3728	87.8367		
	S	116.057	87.339	99.431	84.826	98.488	76.438	91.725		
6	T	7.0417	25.7498	20.2908	14.4314	8.5611	11.2957	87.3705		
	S	116.385	87.724	100.437	85.231	98.278	76.960	92.214		
7	T	7.0517	25.8802	20.3631	14.6023	8.5614	11.2876	87.7463		
	S	116.220	87.282	100.081	84.233	98.274	77.015	91.819		
8	T	7.0366	25.8390	20.5322	14.6737	8.5788	11.3187	87.9790		
	S	116.469	87.421	99.257	83.823	98.075	76.804	91.576		
9	T	6.9921	25.8526	20.4686	14.6411	8.5278	11.3759	87.8581		
	S	117.210	87.375	99.565	84.010	98.661	76.418	91.702		
10	T	7.0291	26.2861	20.5008	14.6584	8.5639	11.3355	88.3738		
	S	116.593	85.934	99.409	83.911	98.245	76.690	91.167		
11	T	6.9987	25.8368	20.2334	14.6786	8.5621	11.2998	87.6094		
	S	117.100	87.428	100.722	83.795	98.266	76.932	91.963		
12	T	7.0644	25.9891	20.3963	14.6232	8.5542	11.5289	88.1561		79.2092
	S	116.011	86.916	99.918	84.113	98.357	75.403	91.392		90.744
13	T		27.8872	20.8954	14.8389			194.5021	107.8986	96.0808
	S		81.000	97.531	82.890			41.423	7.052	83.857
14	T	7.0536	26.3375	20.3397	14.5966	8.8667	11.7468	88.9409		
	S	116.188	85.766	100.196	84.266	94.890	74.005	90.586		
15	T	7.0114	26.3907	20.4022	14.5472	8.5354	11.5699	88.4568		
	S	116.888	85.593	99.889	84.552	98.573	75.136	91.082		
16	T	7.0398	26.1591	20.5821	14.5512	8.5999	11.4554	88.3875		
	S	116.416	86.351	99.016	84.529	97.834	75.887	91.153		
17	T	6.9530	26.4866	20.4293	14.7078	8.6685	11.3653	88.6105		
	S	117.869	85.283	99.756	83.629	97.060	76.489	90.924		
18	T	7.0136	26.3496	20.4335	14.6365	8.5485	11.4274	88.4091		79.7056
	S	116.851	85.727	99.736	84.036	98.422	76.073	91.131		90.178

**Event:** Cooper Tires USF2000 Grand Prix powered by Mazda  
**Track:** Mazda Raceway Laguna Seca  
**Report:** Section Data Report  
**Session:** Practice 1

**Round 15**  
**2.238 mile(s)**  
**USF2000**  
**September 11, 2015**



**Section Data for Car 84 - Lastochkin, Nikita (R)**

Lap	T/SF to I1	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to SF	Lap	PI to SFP	SFP to SF	SF to PI
1	T		27.2295	21.3861	14.8792		145.9201	61.4129	94.6693	
	S		82.956	95.293	82.666		55.214	12.390	85.107	
2	T	7.0760	26.1993	20.7500	14.6713	8.8446	11.5020	89.0432		
	S	115.820	86.218	98.215	83.837	95.127	75.580	90.482		
3	T	7.0004	26.0015	20.6582	14.8560	8.7437	11.3691	88.6289		
	S	117.071	86.874	98.651	82.795	96.225	76.463	90.905		
4	T	7.0111	25.8219	20.5692	14.5869	8.7189	11.3983	88.1063		
	S	116.893	87.479	99.078	84.322	96.499	76.267	91.444		
5	T	7.1470	25.8501	20.8682	14.7508	8.6878	11.5056	88.8095		78.3897
	S	114.670	87.383	97.658	83.385	96.844	75.556	90.720		91.692
6	T		27.2141	21.0464	14.8730		357.6942	274.7447		
	S		83.003	96.832	82.700		22.524	2.770		
7	T		26.0788	20.6331	14.6887		192.6827	111.2923		
	S		86.617	98.771	83.738		41.814	6.837		
8	T		27.1422	21.2460	15.1109		465.8038	382.4092		
	S		83.223	95.922	81.398		17.297	1.990		



## Report Support Information

Section Legend	
Name	Length
SF to I1	0.227652 miles
I1 to I2	0.627462 miles
I2 to I3	0.566098 miles
I3 to I4	0.341667 miles
I4 to I5	0.233712 miles
I5 to SF	0.241477 miles
Lap	2.238000 miles
PI to SFP	0.211364 miles
SFP to SF	2.238068 miles
SF to PI	1.996591 miles
I4 to PI	0.233712 miles
SFP to I1	0.227652 miles
SFP to PI	1.996591 miles

Color Legend	
<span style="display: inline-block; width: 15px; height: 15px; background-color: purple; border: 1px solid black;"></span>	Fastest Lap
<span style="display: inline-block; width: 15px; height: 15px; background-color: yellow; border: 1px solid black;"></span>	Section Under Caution
<span style="display: inline-block; width: 15px; height: 15px; background-color: lightgreen; border: 1px solid black;"></span>	Section Under Green
<span style="display: inline-block; width: 15px; height: 15px; border: 1px solid black; text-align: center; vertical-align: middle;">T</span>	Section Time Data
<span style="display: inline-block; width: 15px; height: 15px; border: 1px solid black; text-align: center; vertical-align: middle;">S</span>	Section Speed Data

