

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 12 - Lerch, Augie (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	6.0183	1.6828	11.1246	8.3604	17.1430	10.3375	5.7804	14.2835	7.7094	7.1938	15.3408	104.9745	142.3095
	S	118.162	71.715	98.308	81.227	87.579	77.630	100.025	92.462	122.401	117.431	82.712	93.966	69.318
2	T	6.0198	1.6983	11.0880	8.0454	16.8441	10.0202	5.6054	14.2166	7.7038	7.2492	14.9230	103.4138	
	S	118.133	71.060	98.632	84.407	89.133	80.088	103.147	92.897	122.490	116.533	85.027	95.384	
3	T	6.0568	1.5982	11.0065	7.9068	16.9326	10.2957	5.6817	13.9222	7.6013	7.1621	14.6549	102.8188	
	S	117.411	75.511	99.363	85.887	88.667	77.945	101.762	94.862	124.141	117.950	86.583	95.936	
4	T	6.0320	1.5989	11.0171	7.3177	16.5963	10.0488	5.5916	13.7022	7.5544	7.1268	14.6026	101.1884	
	S	117.894	75.478	99.267	92.801	90.464	79.860	103.402	96.385	124.912	118.535	86.893	97.482	
5	T	6.0430	1.6269	10.9278	7.2960	16.5691	10.0213	5.5320	13.6831	7.5870	7.1547	14.3299	100.7708	
	S	117.679	74.179	100.078	93.077	90.612	80.079	104.516	96.519	124.375	118.072	88.547	97.885	
6	T	6.0367	1.5942	10.9352	7.1561	16.5674	9.8938	5.5289	13.5356	7.5715	7.1569	14.3392	100.3155	
	S	117.802	75.701	100.011	94.897	90.622	81.111	104.574	97.571	124.630	118.036	88.489	98.330	
7	T	6.0411	1.5702	10.8834	7.1006	16.4703	9.9867	5.4804	13.5743	7.5861	7.1841	14.2663	100.1435	
	S	117.716	76.858	100.487	95.639	91.156	80.357	105.500	97.293	124.390	117.589	88.941	98.499	
8	T	6.0291	1.5684	10.8375	7.1422	16.4752	9.9357	5.4824	13.7465	7.6177	7.2099	14.3082	100.3528	
	S	117.951	76.946	100.912	95.081	91.129	80.769	105.461	96.074	123.874	117.168	88.681	98.293	
9	T	6.0016	1.5877	10.9190	7.1067	16.4705	9.9228	5.5368	13.6052	7.6113	7.2246	14.4100	100.3962	
	S	118.491	76.010	100.159	95.556	91.155	80.874	104.425	97.072	123.978	116.930	88.054	98.251	
10	T	6.0151	1.6025	10.9428	6.9890	16.4620	9.8795	5.5316	13.8191	7.6789	7.2769	14.2936	100.4910	
	S	118.225	75.308	99.941	97.166	91.202	81.229	104.523	95.569	122.887	116.090	88.771	98.158	
11	T	6.0130	1.5606	10.9897	7.3172	16.5554	9.9586	5.4892	13.7874	7.6746	7.2737	14.4099	101.0293	
	S	118.266	77.330	99.515	92.807	90.687	80.584	105.331	95.789	122.956	116.141	88.055	97.635	
12	T	6.0237			7.7515	16.6739								
	S	118.056			87.608	90.043								

Event: Cooper Tires GP of Louisiana
 Track: NOLA Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.74 mile(s)
 USF2000
 April 11, 2015



Section Data for Car 16 - Dayson, James

Lap	T/SF	I1 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	6.1161	1.6879	11.0642	8.5220	17.3308	10.3600	7.0680	19.4187	7.6740	7.1877	15.1251	111.5545	142.8603
	S	116.273	71.498	98.845	79.687	86.630	77.461	81.803	68.011	122.965	117.530	83.891	88.423	69.050
2	T	6.0600	1.7246	11.0554	7.7442	16.6621	10.2677	5.7522	14.3645	7.6414	7.1813	15.0945	103.5479	
	S	117.349	69.977	98.923	87.690	90.107	78.158	100.515	91.941	123.490	117.635	84.061	95.260	
3	T	6.0599	1.6507	11.0188	7.5862	16.7829	10.0930	5.7114	13.9170	7.5840	7.1532	14.9440	102.5011	
	S	117.351	73.109	99.252	89.517	89.458	79.511	101.233	94.897	124.425	118.097	84.908	96.233	
4	T	6.0426	1.6313	10.9496	7.5294	16.6172	10.0834	5.6953	13.8098	7.5626	7.1173	14.7317	101.7702	
	S	117.687	73.979	99.879	90.192	90.350	79.586	101.519	95.634	124.777	118.693	86.132	96.924	
5	T	6.0394	1.6501	10.9343	7.3465	16.6715	10.0180	5.6569	13.7464	7.5421	7.0963	14.6882	101.3897	
	S	117.750	73.136	100.019	92.437	90.056	80.106	102.208	96.075	125.116	119.044	86.387	97.288	
6	T	6.0468	1.5481	11.0632	7.2235	16.6368	10.1072	5.6958	13.7293	7.5507	7.1196	14.5702	101.2912	
	S	117.605	77.955	98.854	94.011	90.244	79.399	101.510	96.194	124.973	118.655	87.086	97.383	
7	T	6.0595	1.6030	10.8558	7.4638	16.8196	10.2199	5.6931	13.7161	7.5479	7.1256	14.5796	101.6839	
	S	117.359	75.285	100.742	90.985	89.263	78.523	101.558	96.287	125.020	118.555	87.030	97.007	
8	T	6.0141	1.6014	10.9044	7.1657	16.5474	9.9424	5.5967	13.7381	7.5361	7.1240	14.5716	100.7419	
	S	118.245	75.360	100.293	94.770	90.731	80.715	103.308	96.133	125.215	118.581	87.078	97.914	
9	T	5.9834	1.5732	10.9248	7.2321	16.4564	9.9198	5.6085	13.7023	7.5651	7.1523	14.5168	100.6347	
	S	118.852	76.711	100.106	93.900	91.233	80.899	103.090	96.384	124.735	118.112	87.407	98.018	
10	T	6.0239	1.5848	10.9536	7.0150	16.5565	9.9179	5.6530	13.6784	7.5641	7.1766	14.4994	100.6232	
	S	118.052	76.150	99.843	96.806	90.681	80.914	102.279	96.552	124.752	117.712	87.511	98.029	
11	T	5.9980	1.6119	11.0384	7.5395	17.3698	10.0086	5.6668	13.9228	7.6265	7.1845	14.6761	102.6429	
	S	118.562	74.869	99.076	90.071	86.435	80.181	102.030	94.857	123.731	117.583	86.458	96.100	
12	T	6.1467			9.1213									
	S	115.694			74.451									

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 17 - Franzoni, Victor

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	6.1158	1.5869	10.8051	8.3559	17.1344	10.2120	6.0386	14.0611	7.5324	7.1276	14.3640	103.3338	146.9210
	S	116.279	76.049	101.215	81.271	87.623	78.584	95.748	93.925	125.277	118.521	88.336	95.458	67.142
2	T	5.9599	1.5274	10.7539	7.0857	16.3107	9.8951	5.6758	13.7643	7.5896	7.1395	14.2998	100.0017	
	S	119.320	79.011	101.697	95.840	92.048	81.101	101.868	95.950	124.333	118.324	88.733	98.638	
3	T	5.9699	1.5555	10.7958	6.9956	16.2295	9.7783	5.3980	13.3966	7.4678	7.0505	14.0592	98.6967	
	S	119.120	77.584	101.302	97.074	92.508	82.069	107.110	98.583	126.361	119.817	90.251	99.943	
4	T	5.9562	1.5760	10.8048	6.9524	16.2019	9.8475	5.3984	13.3922	7.4522	7.0312	13.9573	98.5701	
	S	119.394	76.575	101.218	97.677	92.666	81.493	107.102	98.616	126.625	120.146	90.910	100.071	
5	T	5.9681	1.5765	10.8354	6.8416	16.1761	9.9199	5.4661	13.4151	7.3902	6.9690	14.1314	98.6894	
	S	119.156	76.550	100.932	99.259	92.814	80.898	105.776	98.447	127.688	121.219	89.790	99.950	
6	T	5.9555	1.6121	10.7630	6.8386	16.1995	9.8152	5.4056	13.2926	7.3915	6.9737	14.0333	98.2806	
	S	119.408	74.860	101.611	99.303	92.680	81.761	106.960	99.355	127.665	121.137	90.418	100.366	
7	T	5.9620	1.5672	10.7609	6.7840	16.2112	9.7926	5.3923	13.4032	7.4502	7.0287	13.9003	98.2526	
	S	119.278	77.005	101.631	100.102	92.613	81.950	107.224	98.535	126.659	120.189	91.283	100.394	
8	T	5.9626	1.5428	10.7438	7.0186	16.6048	9.7784	5.3766	13.2841	7.4769	7.0889	13.8814	98.7589	
	S	119.266	78.223	101.792	96.756	90.417	82.069	107.537	99.418	126.207	119.168	91.407	99.880	
9	T	5.9425	1.5353	10.7318	6.8097	16.1532	9.7182	5.3582	13.2598	7.4775	7.0926	13.8240	97.9028	
	S	119.670	78.605	101.906	99.724	92.945	82.577	107.906	99.600	126.197	119.106	91.787	100.753	
10	T	5.9380	1.5243	10.7450	6.8352	16.1202	9.6989	5.3576	13.2428	7.4955	7.1229	13.8617	97.9421	
	S	119.760	79.172	101.781	99.352	93.136	82.741	107.918	99.728	125.894	118.600	91.537	100.713	
11	T	5.9499	1.5137	10.7304	6.8780	16.2224	9.7390	5.3628	13.3564	7.5203	7.1314	13.9639	98.3682	
	S	119.521	79.726	101.919	98.734	92.549	82.401	107.813	98.880	125.479	118.458	90.867	100.276	
12	T	6.0327			7.8274	17.6298	10.5206	5.7778	14.3559					
	S	117.880			86.758	85.161	76.279	100.070	91.996					

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 2 - Jamin, Nico

Lap	T/SF	I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF
1	T	6.0226	1.5441	10.8926	7.5915	16.5952	9.8047	5.5502	13.8136	7.5240	7.0793	14.2764	100.6942	151.3801
	S	118.078	78.157	100.402	89.454	90.470	81.849	104.173	95.607	125.417	119.330	88.878	97.960	65.164
2	T	5.9598	1.5463	10.7323	7.3183	16.3415	9.7560	5.4630	13.6493	7.4596	7.0478	14.0911	99.3650	
	S	119.322	78.046	101.901	92.794	91.874	82.257	105.836	96.758	126.500	119.863	90.047	99.270	
3	T	5.9284	1.5241	10.7645	7.1978	16.3176	9.7086	5.4602	13.5393	7.4411	7.0220	14.1120	99.0156	
	S	119.954	79.182	101.597	94.347	92.009	82.659	105.890	97.544	126.814	120.304	89.914	99.621	
4	T	5.9489	1.5350	10.7465	7.2134	16.2454	9.6913	5.4194	13.4442	7.4091	6.9906	14.0247	98.6685	
	S	119.541	78.620	101.767	94.143	92.418	82.806	106.687	98.234	127.362	120.844	90.473	99.971	
5	T	5.9392	1.5192	10.7606	7.1491	16.1949	9.6884	5.3810	13.4586	7.3968	6.9814	13.9746	98.4438	
	S	119.736	79.438	101.633	94.990	92.706	82.831	107.449	98.129	127.574	121.003	90.798	100.199	
6	T	5.9411	1.5145	10.7039	7.1411	16.2485	9.7005	5.3591	13.4025	7.3847	6.9687	13.9358	98.3004	
	S	119.698	79.684	102.172	95.096	92.400	82.728	107.888	98.540	127.783	121.224	91.051	100.345	
7	T	5.9299	1.5639	10.6825	7.1485	16.2320	9.6842	5.3323	13.3549	7.3859	6.9749	13.8868	98.1758	
	S	119.924	77.167	102.376	94.998	92.494	82.867	108.430	98.891	127.762	121.116	91.372	100.473	
8	T	5.9277	1.5151	10.7125	7.1911	16.1917	9.6634	5.3244	13.3465	7.3799	6.9816	13.9198	98.1537	
	S	119.968	79.653	102.090	94.435	92.724	83.045	108.591	98.953	127.866	121.000	91.155	100.495	
9	T	5.9050	1.5397	10.6679	7.1074	16.1176	9.6454	5.3384	13.3444	7.3795	6.9974	13.8719	97.9146	
	S	120.430	78.380	102.517	95.547	93.151	83.200	108.306	98.969	127.873	120.727	91.470	100.741	
10	T	5.8894	1.5401	10.6756	7.0908	16.1165	9.6385	5.3231	13.3030	7.4063	7.0288	13.8974	97.9095	
	S	120.749	78.360	102.443	95.771	93.157	83.260	108.618	99.277	127.410	120.187	91.302	100.746	
11	T	5.8881	1.5369	10.7093	7.0209	16.1009	9.6086	5.3167	13.3957	7.4261	7.0345	13.8857	97.9234	
	S	120.775	78.523	102.120	96.724	93.247	83.519	108.748	98.590	127.070	120.090	91.379	100.732	
12	T	6.2470			8.8136	19.2164	10.7121	6.3609	14.4913					
	S	113.836			77.050	78.129	74.915	90.896	91.136					

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 22 - Eidson, Jake

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	6.0288	1.6109	10.8174	8.2679	16.7394	10.1351	5.9002	14.0604	7.4035	6.9377	14.9584	102.8597	149.6403
	S	117.957	74.916	101.100	82.136	89.690	79.180	97.994	93.929	127.458	121.766	84.826	95.898	65.922
2	T	5.8618	1.5805	10.7880	7.3944	16.4325	9.9494	5.5295	13.6782	7.3938	6.9713	14.3871	99.9665	
	S	121.317	76.357	101.375	91.839	91.366	80.658	104.563	96.554	127.625	121.179	88.195	98.673	
3	T	5.8510	1.5883	10.7995	7.0946	16.4217	9.8680	5.4820	13.4713	7.3564	6.9285	14.3021	99.1634	
	S	121.541	75.982	101.267	95.719	91.426	81.323	105.469	98.037	128.274	121.927	88.719	99.472	
4	T	5.8649	1.5639	10.7495	6.9717	16.2969	9.8529	5.4397	13.4253	7.3538	6.9110	14.1299	98.5595	
	S	121.253	77.167	101.738	97.407	92.126	81.448	106.289	98.373	128.320	122.236	89.800	100.082	
5	T	5.8542	1.5680	10.7150	6.9831	16.4155	9.9348	5.4597	13.3837	7.3303	6.9056	14.2085	98.7584	
	S	121.475	76.965	102.066	97.248	91.460	80.777	105.900	98.678	128.731	122.332	89.303	99.880	
6	T	5.8542	1.5816	10.7346	6.8932	16.3077	9.8665	5.3966	13.3188	7.3068	6.8815	14.1872	98.3287	
	S	121.475	76.304	101.880	98.516	92.065	81.336	107.138	99.159	129.145	122.760	89.437	100.317	
7	T	5.8522	1.5701	10.7380	6.8735	16.1889	9.7863	5.4023	13.3080	7.3016	6.8717	14.0765	97.9691	
	S	121.516	76.863	101.847	98.798	92.740	82.002	107.025	99.240	129.237	122.935	90.141	100.685	
8	T	5.8435	1.5931	10.6714	6.9331	16.2864	9.7966	5.4143	13.2785	7.3122	6.9005	14.0375	98.0671	
	S	121.697	75.753	102.483	97.949	92.185	81.916	106.788	99.460	129.050	122.422	90.391	100.584	
9	T	5.8229	1.5428	10.6949	6.8756	16.1704	9.7543	5.4269	13.3319	7.3324	6.9244	14.0294	97.9059	
	S	122.128	78.223	102.258	98.768	92.846	82.271	106.540	99.062	128.694	121.999	90.443	100.750	
10	T	5.8139	1.5593	10.6366	6.8726	16.2195	9.7476	5.3891	13.2788	7.3504	6.9711	14.0772	97.9161	
	S	122.317	77.395	102.818	98.811	92.565	82.328	107.287	99.458	128.379	121.182	90.136	100.739	
11	T	5.8077	1.5388	10.7810	6.8735	16.1899	9.7829	5.3828	13.3152	7.3724	6.9802	14.0545	98.0789	
	S	122.447	78.426	101.441	98.798	92.735	82.031	107.413	99.186	127.996	121.024	90.282	100.572	
12	T	5.9742			7.8360	18.2604	10.4212	6.5666	14.3123					
	S	119.035			86.663	82.220	77.006	88.049	92.276					

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 23 - Luo, Yufeng (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	5.9260	1.6949	10.8363	8.6084	17.5048	10.3667	6.2446	14.1599	7.4268	6.8831	15.3530	105.0045	143.7560
	S	120.003	71.203	100.923	78.887	85.769	77.411	92.589	93.269	127.058	122.731	82.646	93.939	68.620
2	T	5.7890	1.6301	10.7900	7.8700	16.7762	10.0998	5.6065	13.6833	7.3357	6.8546	15.0249	101.4601	
	S	122.843	74.033	101.356	86.289	89.494	79.457	103.127	96.518	128.636	123.242	84.451	97.220	
3	T	5.8255	1.6260	10.7540	7.7349	16.5116	9.8696	5.4938	13.5729	7.3217	6.8860	14.5399	100.1359	
	S	122.073	74.220	101.696	87.796	90.928	81.310	105.243	97.303	128.882	122.680	87.268	98.506	
4	T	5.8625	1.6161	10.7023	7.3829	16.5634	9.9103	5.5081	13.5559	7.3597	6.9092	14.2296	99.6000	
	S	121.303	74.675	102.187	91.982	90.643	80.976	104.969	97.425	128.217	122.268	89.171	99.036	
5	T	5.8351	1.6085	10.6457	7.3908	16.3612	9.8464	5.4954	13.6047	7.3513	6.8875	14.3287	99.3553	
	S	121.872	75.028	102.730	91.883	91.764	81.502	105.212	97.075	128.363	122.653	88.554	99.280	
6	T	5.8348	1.6008	10.6536	7.3597	16.3659	9.8326	5.4451	13.3823	7.3205	6.8738	14.2388	98.9079	
	S	121.878	75.388	102.654	92.272	91.737	81.616	106.184	98.689	128.903	122.897	89.113	99.729	
7	T	5.8173	1.5668	10.7223	7.5856	16.5388	9.8460	5.4463	13.4812	7.3186	6.8850	14.2173	99.4252	
	S	122.245	77.024	101.996	89.524	90.778	81.505	106.160	97.965	128.937	122.698	89.248	99.210	
8	T	5.8248	1.5752	10.6355	7.3875	16.4719	9.8244	5.4181	13.3737	7.3035	6.8854	14.2791	98.9791	
	S	122.088	76.614	102.829	91.924	91.147	81.684	106.713	98.752	129.203	122.690	88.862	99.657	
9	T	5.7881	1.5969	10.6189	7.2871	16.2947	9.7707	5.4643	13.3807	7.3094	6.8782	14.4744	98.8634	
	S	122.862	75.573	102.990	93.191	92.138	82.133	105.811	98.701	129.099	122.819	87.663	99.774	
10	T	5.7917	1.5891	10.6905	7.1653	16.3731	9.7953	5.4581	13.3573	7.3254	6.9030	14.5750	99.0238	
	S	122.785	75.944	102.300	94.775	91.697	81.927	105.931	98.873	128.817	122.378	87.058	99.612	
11	T	5.7492	1.7593	11.7088	34.6939	18.7271	10.7324	6.4359	14.3909	8.0251	7.5683	15.5182	135.3091	
	S	123.693	68.596	93.403	19.574	80.171	74.774	89.837	91.772	117.586	111.620	81.766	72.900	
12	T	7.4283			10.6899									
	S	95.733			63.526									

Event: Cooper Tires GP of Louisiana
 Track: NOLA Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.74 mile(s)
 USF2000
 April 11, 2015



Section Data for Car 3 - Telitz, Aaron

Lap	T/SF	I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF
1	T	6.0591	1.6054	10.8208	8.1078	16.8929	10.0796	5.7330	13.9141	7.5148	7.0760	14.7832	102.5867	150.3495
	S	117.367	75.172	101.068	83.758	88.875	79.616	100.852	94.917	125.570	119.386	85.831	96.153	65.611
2	T	5.9509	1.6192	10.7595	7.3300	16.3909	9.9170	5.4503	13.5748	7.4741	7.0516	14.2825	99.8008	
	S	119.501	74.532	101.644	92.645	91.597	80.922	106.083	97.289	126.254	119.799	88.840	98.837	
3	T	5.9298	1.5956	10.6804	7.1494	16.3521	9.8328	5.4071	13.4547	7.4535	7.0325	14.1033	98.9912	
	S	119.926	75.634	102.397	94.986	91.815	81.615	106.930	98.158	126.603	120.124	89.969	99.645	
4	T	5.9257	1.5766	10.7334	7.1404	16.2807	9.7670	5.3650	13.3312	7.4350	7.0034	14.1492	98.7076	
	S	120.009	76.546	101.891	95.105	92.217	82.164	107.769	99.067	126.918	120.623	89.677	99.932	
5	T	5.9399	1.5541	10.6880	7.0940	16.4139	9.7432	5.3788	13.3432	7.4225	7.0105	14.1131	98.7012	
	S	119.722	77.654	102.324	95.728	91.469	82.365	107.493	98.978	127.132	120.501	89.907	99.938	
6	T	5.9291	1.5727	10.6245	7.0734	16.2150	9.7514	5.3469	13.3372	7.4056	7.0023	14.0086	98.2667	
	S	119.940	76.735	102.935	96.006	92.591	82.296	108.134	99.022	127.422	120.642	90.577	100.380	
7	T	5.9258	1.5588	10.6595	6.9341	16.1212	9.7311	5.3437	13.3479	7.4055	6.9919	13.8862	97.9057	
	S	120.007	77.420	102.597	97.935	93.130	82.468	108.199	98.943	127.424	120.822	91.376	100.750	
8	T	5.9203	1.5644	10.6529	6.9595	16.1452	9.7030	5.3342	13.2584	7.3976	7.0024	13.9599	97.8978	
	S	120.118	77.143	102.661	97.578	92.991	82.706	108.391	99.611	127.560	120.640	90.893	100.758	
9	T	5.8839	1.5854	10.6475	6.8916	16.0559	9.7289	5.3391	13.2372	7.3879	6.9971	13.9518	97.7063	
	S	120.861	76.121	102.713	98.539	93.509	82.486	108.292	99.770	127.727	120.732	90.946	100.956	
10	T	5.8752	1.5342	10.6632	6.9074	16.0669	9.6862	5.3476	13.2760	7.4336	7.0445	13.9411	97.7759	
	S	121.040	78.661	102.562	98.314	93.445	82.850	108.120	99.479	126.942	119.919	91.016	100.884	
11	T	5.8775	1.5738	10.6355	7.0187	16.1349	9.7090	5.3445	13.3467	7.4236	7.0392	14.0414	98.1448	
	S	120.993	76.682	102.829	96.755	93.051	82.655	108.183	98.952	127.113	120.010	90.366	100.505	
12	T	5.9006			7.7179	18.9751	10.6726	6.4690	14.3789					
	S	120.519			87.989	79.123	75.193	89.377	91.849					

Event: Cooper Tires GP of Louisiana
 Track: NOLA Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.74 mile(s)
 USF2000
 April 11, 2015



Section Data for Car 33 - Martin, Anthony (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	5.9790	1.6922	10.8876	8.4102	18.1591	10.3538	5.9788	14.2002	7.5073	7.0093	15.0908	105.2683	147.3982
	S	118.939	71.317	100.448	80.746	82.678	77.508	96.705	93.004	125.696	120.522	84.082	93.703	66.924
2	T	5.8608	1.5867	10.8422	7.3247	16.8785	10.0229	5.5090	13.6700	7.5583	7.0902	14.3618	100.7051	
	S	121.338	76.058	100.868	92.712	88.951	80.067	104.952	96.612	124.848	119.147	88.350	97.949	
3	T	5.9715	1.5748	11.2984	7.2127	16.3963	9.8993	5.4660	13.6096	7.5136	7.0692	14.1771	100.1885	
	S	119.088	76.633	96.796	94.152	91.567	81.066	105.778	97.040	125.590	119.500	89.501	98.454	
4	T	6.0822	1.5991	10.8591	7.2452	16.2953	9.9971	5.5420	13.5923	7.5363	7.0781	14.1502	99.9769	
	S	116.921	75.469	100.712	93.730	92.135	80.273	104.327	97.164	125.212	119.350	89.671	98.663	
5	T	6.0061	1.5641	10.7753	7.0552	16.2551	9.8705	5.4774	13.4164	7.5143	7.0773	14.1301	99.1418	
	S	118.402	77.157	101.495	96.254	92.363	81.303	105.558	98.438	125.579	119.364	89.799	99.494	
6	T	6.0047	1.5664	10.8186	7.1496	16.3151	9.8969	5.4867	13.4395	7.4921	7.0622	14.0760	99.3078	
	S	118.430	77.044	101.089	94.983	92.023	81.086	105.379	98.269	125.951	119.619	90.144	99.328	
7	T	6.0058	1.5501	10.8267	7.0811	16.2974	9.9461	5.4330	13.4614	7.5095	7.0806	14.0680	99.2597	
	S	118.408	77.854	101.013	95.902	92.123	80.685	106.420	98.109	125.659	119.308	90.195	99.376	
8	T	5.9911	1.5830	10.7286	6.9797	16.2676	9.8933	5.4339	13.4035	7.4990	7.0831	14.1067	98.9695	
	S	118.699	76.236	101.937	97.295	92.292	81.116	106.403	98.533	125.835	119.266	89.948	99.667	
9	T	5.9511	1.5651	10.7512	6.9468	16.1743	9.8825	5.4691	13.4890	7.5076	7.0915	14.1177	98.9459	
	S	119.497	77.108	101.722	97.756	92.824	81.204	105.718	97.908	125.691	119.125	89.878	99.691	
10	T	5.9464	1.6485	10.8704	6.9717	16.2078	9.8273	5.4752	13.4149	7.4946	7.0972	14.2403	99.1943	
	S	119.591	73.207	100.607	97.407	92.632	81.660	105.600	98.449	125.909	119.029	89.104	99.441	
11	T	5.9217												
	S	120.090												

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 5 - Andres Soori, Keyvan

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	5.9816	1.6589	10.7990	7.9448	17.5006	10.2923	5.9235	14.3521	7.6025	7.0908	14.8432	103.9893	145.3494
	S	118.887	72.748	101.272	85.476	85.789	77.971	97.608	92.020	124.122	119.136	85.485	94.856	67.868
2	T	5.9068	1.6291	10.7397	7.3845	16.5362	10.0204	5.5827	13.7121	7.4360	7.0101	14.5590	100.5166	
	S	120.393	74.079	101.831	91.962	90.793	80.087	103.567	96.315	126.901	120.508	87.153	98.133	
3	T	5.8944	1.6459	10.6995	7.2630	16.4558	9.9450	5.4697	13.5380	7.4404	6.9681	14.3941	99.7139	
	S	120.646	73.323	102.214	93.500	91.236	80.694	105.706	97.554	126.826	121.234	88.152	98.923	
4	T	5.9134	1.6391	10.6945	7.1810	16.3650	9.9008	5.5131	13.4766	7.4362	6.9846	14.2964	99.4007	
	S	120.258	73.627	102.262	94.568	91.742	81.054	104.874	97.998	126.898	120.948	88.754	99.235	
5	T	5.9203	1.6576	10.7035	7.2608	16.3149	9.8755	5.4507	13.4827	7.4194	6.9842	14.3014	99.3710	
	S	120.118	72.805	102.176	93.528	92.024	81.262	106.075	97.954	127.185	120.955	88.723	99.264	
6	T	5.9291	1.6741	10.7146	7.1628	16.3495	9.9066	5.4516	13.4382	7.4023	6.9791	14.1850	99.1929	
	S	119.940	72.088	102.070	94.808	91.829	81.007	106.057	98.278	127.479	121.043	89.451	99.443	
7	T	5.9227	1.6456	10.6757	7.1097	16.3335	9.8741	5.4234	13.3841	7.4255	6.9929	14.2863	99.0735	
	S	120.070	73.336	102.442	95.516	91.919	81.273	106.609	98.675	127.081	120.804	88.817	99.562	
8	T	5.9180	1.6077	10.6179	7.1993	16.3401	9.8773	5.4337	13.3569	7.4014	6.9995	14.2659	99.0177	
	S	120.165	75.065	102.999	94.327	91.882	81.247	106.407	98.876	127.494	120.690	88.944	99.619	
9	T	5.8793	1.5948	10.6826	7.0620	16.3155	9.8428	5.4657	13.4448	7.4173	7.0219	14.2298	98.9565	
	S	120.956	75.672	102.375	96.161	92.021	81.532	105.784	98.230	127.221	120.305	89.169	99.680	
10	T	5.8805	1.6102	10.7075	7.1662	16.4951	10.0299	6.0785	13.8219	7.4309	6.9777	14.5178	100.7162	
	S	120.931	74.948	102.137	94.763	91.019	80.011	95.119	95.550	126.988	121.068	87.401	97.939	
11	T	5.8787	1.6713	10.7427	7.1351	16.4656	9.8764	5.5109	13.4318	7.4669	7.0717	14.6953	99.9464	
	S	120.968	72.208	101.803	95.176	91.182	81.254	104.916	98.325	126.376	119.458	86.345	98.693	
12	T	5.9168			7.6492	16.7158	10.0513	5.8484						
	S	120.189			88.779	89.817	79.840	98.862						

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 6 - Hanratty, Max (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	5.9576	1.6829	11.0517	8.8302	17.8862	10.4538	6.0581	14.5100	7.8212	7.2600	15.6180	107.1297	141.8027
	S	119.366	71.711	98.956	76.905	83.940	76.766	95.439	91.019	120.651	116.360	81.244	92.075	69.565
2	T	5.9356	1.6318	10.9894	8.2174	17.1287	10.0795	5.6359	13.8093	7.7291	7.2052	14.9929	103.3548	
	S	119.809	73.956	99.517	82.641	87.652	79.617	102.589	95.637	122.089	117.245	84.631	95.438	
3	T	5.9468	1.5920	10.8692	7.7342	16.9506	10.0223	5.6284	13.7261	7.5642	7.1097	14.6075	101.7510	
	S	119.583	75.805	100.618	87.804	88.573	80.071	102.726	96.217	124.750	118.820	86.864	96.943	
4	T	6.0191	1.5653	10.8336	7.4262	16.6919	10.0973	5.6510	13.8099	7.5255	7.0645	14.4632	101.1475	
	S	118.147	77.098	100.949	91.445	89.946	79.477	102.315	95.633	125.392	119.580	87.730	97.521	
5	T	6.0158	1.5862	10.7678	7.1984	16.5488	9.8538	5.5246	13.6462	7.5101	7.0515	14.4203	100.1235	
	S	118.211	76.082	101.565	94.339	90.723	81.441	104.656	96.780	125.649	119.800	87.991	98.518	
6	T	6.0023	1.5543	10.8147	7.0982	16.6013	9.8543	5.5197	13.6174	7.4955	7.0545	14.3184	99.9306	
	S	118.477	77.644	101.125	95.671	90.437	81.437	104.749	96.985	125.894	119.749	88.618	98.709	
7	T	6.0056	1.5523	10.7168	7.0790	16.5539	9.9300	5.5273	13.5191	7.4908	7.0604	14.2595	99.6947	
	S	118.412	77.744	102.049	95.930	90.695	80.816	104.605	97.690	125.973	119.649	88.984	98.942	
8	T	5.9776	1.5190	10.8440	7.1105	16.5210	9.7909	5.4810	13.6096	7.5125	7.0752	14.2180	99.6593	
	S	118.967	79.448	100.852	95.505	90.876	81.964	105.488	97.040	125.609	119.399	89.243	98.977	
9	T	5.9604	1.5329	10.7775	7.0289	16.4608	9.8772	5.4971	13.6315	7.5098	7.0857	14.2477	99.6095	
	S	119.310	78.728	101.474	96.614	91.208	81.248	105.179	96.885	125.654	119.222	89.057	99.027	
10	T	5.9469	1.5374	10.7619	6.9948	16.5185	9.9294	5.4735	13.6242	7.5466	7.1305	14.2958	99.7595	
	S	119.581	78.497	101.621	97.085	90.890	80.821	105.633	96.936	125.041	118.473	88.758	98.878	
11	T	5.9443	1.5837	10.8243	7.5132	16.5968	9.8984	5.5160	13.5332	7.5422	7.1463	14.5193	100.6177	
	S	119.633	76.202	101.035	90.386	90.461	81.074	104.819	97.588	125.114	118.211	87.392	98.034	
12	T	5.9505			8.6438	17.2863								
	S	119.509			78.564	86.853								

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 80 - Thompson, Parker (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	6.0122	1.6586	10.8849	8.3205	17.6084	10.2127	5.8229	14.2974	7.5426	7.1664	15.0427	104.5693	146.3991
	S	118.282	72.761	100.473	81.617	85.264	78.579	99.294	92.372	125.108	117.880	84.351	94.330	67.381
2	T	5.9572	1.6053	10.8827	7.2534	16.4536	10.0276	5.5124	13.8331	7.4901	7.0482	14.4035	100.4671	
	S	119.374	75.177	100.493	93.624	91.248	80.029	104.887	95.473	125.984	119.857	88.094	98.181	
3	T	5.9320	1.5740	10.8090	7.1878	16.4834	9.8776	5.4845	13.5405	7.4731	7.0457	14.3326	99.7402	
	S	119.881	76.672	101.178	94.478	91.083	81.244	105.421	97.536	126.271	119.899	88.530	98.897	
4	T	5.9426	1.5631	10.7275	7.1165	16.4546	9.8021	5.4849	13.5651	7.4910	7.0554	14.2023	99.4051	
	S	119.668	77.207	101.947	95.425	91.243	81.870	105.413	97.359	125.969	119.734	89.342	99.230	
5	T	5.9372	1.5845	10.8373	7.2470	16.3901	9.7645	5.4233	13.4491	7.4507	7.0275	14.1876	99.2988	
	S	119.776	76.164	100.914	93.706	91.602	82.185	106.611	98.199	126.651	120.210	89.435	99.337	
6	T	5.9454	1.6094	10.8487	7.1049	16.4254	9.8383	5.4406	13.3730	7.4211	6.9988	14.1702	99.1758	
	S	119.611	74.986	100.808	95.581	91.405	81.569	106.272	98.757	127.156	120.703	89.545	99.460	
7	T	5.9462	1.5980	10.7347	7.1233	16.3853	9.8220	5.4123	13.5316	7.5051	7.0737	14.2013	99.3335	
	S	119.595	75.521	101.879	95.334	91.629	81.704	106.827	97.600	125.733	119.424	89.348	99.302	
8	T	5.9554	1.5557	10.7044	7.0205	16.2623	9.8263	5.4475	13.3675	7.4504	7.0481	14.1600	98.7981	
	S	119.410	77.574	102.167	96.730	92.322	81.669	106.137	98.798	126.656	119.858	89.609	99.840	
9	T	5.9101	1.5536	10.6883	6.9809	16.3108	9.8057	5.4349	13.3848	7.4309	7.0317	14.2774	98.8091	
	S	120.326	77.679	102.321	97.278	92.047	81.840	106.383	98.670	126.988	120.138	88.872	99.829	
10	T	5.8923	1.6202	10.7744	7.0387	16.3623	9.9474	5.9099	13.6534	7.6099	7.2199	14.7577	100.7861	
	S	120.689	74.486	101.503	96.480	91.757	80.674	97.833	96.729	124.001	117.006	85.980	97.871	
11	T	5.9018	1.6193	10.8608	6.9655	16.4071	9.9324	5.5067	14.5100	7.6754	7.2399	14.7606	101.3795	
	S	120.495	74.527	100.696	97.493	91.507	80.796	104.996	91.019	122.943	116.683	85.963	97.298	
12	T	6.2810			8.4667	17.1411	10.1301	5.9022						
	S	113.220			80.207	87.589	79.219	97.960						

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 81 - Agren, Ayla (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	6.1007	1.5965	10.9030	8.6482	17.9731	10.4504	9.8908	19.8514	7.6898	7.1718	15.0573	106.4005	144.4099
	S	116.566	75.591	100.306	78.524	83.534	76.791	58.457	66.528	122.713	117.791	84.269	92.706	68.309
2	T	5.9183	1.5913	10.8097	7.5006	16.6476	10.0565	5.6773	13.7249	7.4321	6.9681	14.7423	101.0687	
	S	120.159	75.839	101.172	90.538	90.185	79.799	101.841	96.225	126.968	121.234	86.070	97.597	
3	T	5.8404	1.6762	10.7146	7.6050	16.8835	9.9751	5.6141	13.5452	7.3958	6.9343	14.5422	100.7264	
	S	121.762	71.997	102.070	89.295	88.925	80.450	102.987	97.502	127.591	121.825	87.254	97.929	
4	T	5.8878	1.6252	10.8479	7.4076	16.6462	9.9547	5.5820	13.5359	7.5115	7.1353	14.8039	100.9380	
	S	120.781	74.257	100.815	91.675	90.193	80.615	103.580	97.569	125.626	118.393	85.711	97.723	
5	T	5.9296	1.5440	10.7100	7.3153	16.5574	9.8429	5.5387	13.4375	7.4238	6.9928	14.3255	99.6175	
	S	119.930	78.162	102.114	92.832	90.676	81.531	104.389	98.283	127.110	120.806	88.574	99.019	
6	T	5.9253	1.6161	10.7505	7.1874	16.4111	9.8507	5.5063	13.3694	7.3932	6.9781	14.2550	99.2431	
	S	120.017	74.675	101.729	94.484	91.485	81.466	105.004	98.784	127.636	121.061	89.012	99.392	
7	T	5.9321	1.5631	10.6448	7.0845	16.3004	9.8337	5.4921	13.4062	7.4212	6.9935	14.2912	98.9628	
	S	119.879	77.207	102.739	95.856	92.106	81.607	105.275	98.513	127.154	120.794	88.786	99.674	
8	T	5.9099	1.5972	10.6529	6.9611	16.2896	9.8566	5.5558	13.6500	7.4515	7.0212	14.3289	99.2747	
	S	120.330	75.558	102.661	97.555	92.167	81.418	104.068	96.753	126.637	120.317	88.553	99.361	
9	T	5.8880	1.5384	10.7326	7.0772	16.4402	9.8707	5.5089	13.3603	7.4364	7.0601	14.4514	99.3642	
	S	120.777	78.446	101.899	95.955	91.323	81.301	104.954	98.851	126.894	119.654	87.802	99.271	
10	T	5.8920	1.5618	10.7238	7.0478	16.4740	9.9110	5.5015	13.3870	7.4410	7.0686	14.2524	99.2609	
	S	120.695	77.271	101.982	96.355	91.135	80.971	105.095	98.654	126.816	119.511	89.028	99.374	
11	T	5.8939	1.5430	10.7341	7.6617	16.5618	9.8703	5.5665	13.4057	7.4680	7.0809	14.2786	100.0645	
	S	120.656	78.212	101.884	88.634	90.652	81.305	103.868	98.516	126.357	119.303	88.865	98.576	
12	T	5.9144			7.7917	16.5560	10.1490	5.8297						
	S	120.238			87.156	90.684	79.072	99.179						

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 82 - Gabin, Luke (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	5.9577	1.6789	11.0358	8.4161	17.3951	10.4093	5.7828	14.2085	7.4731	7.0262	15.2853	104.6688	145.1937
	S	119.364	71.881	99.099	80.690	86.310	77.095	99.983	92.950	126.271	120.232	83.012	94.240	67.941
2	T	5.9868	1.5643	10.8816	7.5664	16.5907	10.2101	5.7112	13.7037	7.5150	7.0593	14.7071	101.4962	
	S	118.784	77.147	100.503	89.751	90.494	78.599	101.236	96.374	125.567	119.668	86.276	97.186	
3	T	5.9778	1.5787	10.8714	7.2217	16.4675	9.8876	5.5433	13.7708	7.6756	7.1270	14.8011	100.9225	
	S	118.963	76.444	100.598	94.035	91.171	81.162	104.303	95.905	122.940	118.531	85.728	97.738	
4	T	5.9698	1.5645	10.8186	7.5373	16.8190	9.9808	5.6605	13.7495	7.5803	7.2210	14.4027	101.3040	
	S	119.122	77.138	101.089	90.097	89.266	80.404	102.143	96.053	124.485	116.988	88.099	97.370	
5	T	5.9887	1.5662	10.8065	6.9333	16.2800	9.8672	5.4585	13.5235	7.5237	7.0504	14.1811	99.1791	
	S	118.746	77.054	101.202	97.946	92.221	81.330	105.923	97.658	125.422	119.819	89.476	99.456	
6	T	5.9988	1.5601	10.7497	7.0087	16.4235	9.8884	5.4109	13.5088	7.5110	7.0649	14.1016	99.2264	
	S	118.546	77.355	101.736	96.893	91.416	81.156	106.855	97.765	125.634	119.573	89.980	99.409	
7	T	6.0007	1.5344	10.8098	6.9368	16.2771	9.9039	5.3895	13.4841	7.5081	7.0492	14.1338	99.0274	
	S	118.509	78.651	101.171	97.897	92.238	81.029	107.279	97.944	125.682	119.840	89.775	99.609	
8	T	5.9741	1.5786	10.7898	6.9045	16.2664	9.8727	5.3916	13.5191	7.4755	7.0369	14.1255	98.9347	
	S	119.037	76.449	101.358	98.355	92.298	81.285	107.238	97.690	126.231	120.049	89.828	99.702	
9	T	5.9302	1.5408	10.7779	6.9004	16.1579	9.8816	5.4165	13.5054	7.5154	7.0800	14.2055	98.9116	
	S	119.918	78.324	101.470	98.413	92.918	81.212	106.745	97.789	125.560	119.318	89.322	99.725	
10	T	5.9358	1.5831	10.8042	6.9428	16.2454	9.8608	5.4435	13.4963	7.5250	7.1032	14.0314	98.9715	
	S	119.805	76.231	101.223	97.812	92.418	81.383	106.215	97.855	125.400	118.928	90.430	99.665	
11	T	5.9249	1.5091	10.8273	7.4099	16.7268	9.7693	5.4676	13.5264	7.5494	7.1270	14.3308	100.1685	
	S	120.025	79.969	101.007	91.646	89.758	82.145	105.747	97.637	124.995	118.531	88.541	98.474	
12	T	6.1720			8.3853	17.3135	10.1837	5.9256						
	S	115.220			80.986	86.716	78.802	97.574						

Event: Cooper Tires GP of Louisiana
 Track: NOLA Motorsports Park
 Report: Section Data Report
 Session: Race 1

Round 3 / 4
 2.74 mile(s)
 USF2000
 April 11, 2015



Section Data for Car 83 - Rickards, Garth (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	5.8979	1.6724	10.9519	8.6570	17.4579	10.4369	6.0942	14.2876	7.3956	6.8616	15.3244	105.0374	143.3041
	S	120.575	72.161	99.858	78.444	85.999	76.891	94.874	92.436	127.594	123.116	82.800	93.909	68.836
2	T	5.8415	1.6056	10.8654	7.7439	16.6588	10.1289	5.7221	13.7684	7.3778	6.9438	14.8584	101.5146	
	S	121.739	75.163	100.653	87.694	90.124	79.229	101.044	95.921	127.902	121.659	85.397	97.168	
3	T	5.8561	1.6390	10.7536	7.6092	16.5201	9.8980	5.4985	13.6018	7.3387	6.9063	14.7533	100.3746	
	S	121.435	73.631	101.700	89.246	90.881	81.077	105.153	97.096	128.584	122.319	86.005	98.272	
4	T	5.8075	1.5485	10.7176	7.4976	16.8176	9.7954	5.4858	13.6522	7.4596	7.0025	14.2156	99.9999	
	S	122.451	77.935	102.041	90.574	89.273	81.926	105.396	96.738	126.500	120.639	89.259	98.640	
5	T	5.8972	1.5705	10.7698	6.9775	16.2609	9.7618	5.4385	13.3982	7.3677	6.8716	14.4193	98.7330	
	S	120.589	76.843	101.547	97.326	92.330	82.208	106.313	98.572	128.077	122.937	87.998	99.906	
6	T	5.8836	1.5714	10.6821	7.1891	16.4244	9.9202	5.4491	13.3699	7.3260	6.8976	14.2338	98.9472	
	S	120.868	76.799	102.380	94.461	91.411	80.896	106.106	98.780	128.806	122.473	89.144	99.690	
7	T	5.8736	1.6328	10.6955	7.2561	16.6736	9.8565	5.5206	13.4788	7.3417	6.9413	14.3279	99.5984	
	S	121.073	73.911	102.252	93.589	90.044	81.418	104.732	97.982	128.531	121.702	88.559	99.038	
8	T	5.8783	1.6232	10.6508	7.1961	16.5340	9.9357	5.4353	13.4014	7.3858	6.9828	14.2693	99.2927	
	S	120.977	74.348	102.681	94.369	90.805	80.769	106.375	98.548	127.764	120.979	88.923	99.343	
9	T	5.8648	1.5820	10.7048	6.9536	16.1766	9.7715	5.4322	13.3128	7.3372	6.9298	14.4043	98.4696	
	S	121.255	76.284	102.163	97.660	92.811	82.127	106.436	99.204	128.610	121.904	88.089	100.173	
10	T	5.8504	1.6045	10.9431	7.2168	16.3142	9.8894	5.5234	13.3406	7.4012	7.0057	14.2760	99.3653	
	S	121.553	75.215	99.938	94.099	92.028	81.147	104.679	98.997	127.498	120.584	88.881	99.270	
11	T	5.8801	1.5576	10.8044	15.7675	17.7577	9.9142	5.5659	13.5247	7.4864	7.0844	14.6874	110.0303	
	S	120.940	77.479	101.221	43.069	84.547	80.945	103.879	97.650	126.047	119.244	86.391	89.648	
12	T	5.9769			7.6297	16.7475	10.2765							
	S	118.981			89.006	89.647	78.091							

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 84 - Lastochkin, Nikita (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	5.9504	1.6708	10.8132	8.8035	17.8863	10.4143	6.1319	14.4281	7.5399	7.0612	14.7902	105.4898	143.6114
	S	119.511	72.230	101.139	77.139	83.939	77.058	94.291	91.535	125.152	119.636	85.791	93.507	68.689
2	T	5.9217	1.7044	10.8628	7.5108	16.8360	10.0696	5.6507	13.7464	7.3985	6.9746	14.8659	101.5414	
	S	120.090	70.806	100.677	90.415	89.176	79.695	102.320	96.075	127.544	121.121	85.354	97.143	
3	T	5.9259	1.6670	10.7415	7.4595	16.6789	9.9135	5.5351	13.6322	7.4416	7.0037	14.3894	100.3883	
	S	120.005	72.395	101.814	91.037	90.016	80.950	104.457	96.880	126.806	120.618	88.180	98.258	
4	T	5.8858	1.6192	10.6974	7.4723	16.6444	9.9409	5.6058	13.6012	7.6219	7.4834	15.1661	101.7384	
	S	120.822	74.532	102.234	90.881	90.202	80.727	103.140	97.100	123.806	112.886	83.664	96.955	
5	T	5.8687	1.6094	11.0611	7.4615	16.5787	9.8682	5.5448	13.7458	7.4329	6.9770	14.3596	100.5077	
	S	121.174	74.986	98.872	91.013	90.560	81.322	104.275	96.079	126.954	121.080	88.363	98.142	
6	T	5.9948	1.6280	10.7421	7.4698	16.6228	9.9588	5.4022	13.4213	7.4451	7.0142	14.2047	99.9038	
	S	118.626	74.129	101.808	90.912	90.320	80.582	107.027	98.402	126.746	120.438	89.327	98.735	
7	T	5.9642	1.6029	10.6774	6.9528	16.2913	9.9250	5.4917	13.5155	7.4379	7.0155	14.2646	99.1388	
	S	119.234	75.290	102.425	97.672	92.157	80.856	105.283	97.716	126.869	120.415	88.952	99.497	
8	T	5.9560	1.6030	10.7396	6.9847	16.2754	9.8876	5.4216	13.6303	7.4646	7.0522	14.3022	99.3172	
	S	119.398	75.285	101.832	97.225	92.247	81.162	106.644	96.893	126.415	119.789	88.718	99.318	
9	T	5.9253	1.6442	10.8452	6.8870	16.4883	9.8569	5.4629	13.4631	7.4732	7.0578	14.1443	99.2482	
	S	120.017	73.399	100.841	98.605	91.056	81.415	105.838	98.096	126.269	119.693	89.708	99.387	
10	T	5.9309	1.5581	10.7432	6.8600	16.4048	9.9182	5.3975	13.5414	7.4791	7.0910	14.1339	99.0581	
	S	119.904	77.454	101.798	98.993	91.520	80.912	107.120	97.529	126.170	119.133	89.774	99.578	
11	T	5.9029	1.6474	10.7520	7.2822	16.4250	9.8709	5.5408	13.4177	7.4815	7.0998	14.3918	99.8120	
	S	120.472	73.256	101.715	93.254	91.407	81.300	104.350	98.428	126.129	118.985	88.166	98.826	
12	T	5.9187			7.4895	16.4754	10.0201	5.5917						
	S	120.151			90.672	91.128	80.089	103.400						

Event: Cooper Tires GP of Louisiana
Track: NOLA Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.74 mile(s)
USF2000
April 11, 2015



Section Data for Car 94 - Lloyd, Jordan (R)

Lap	T/SF to I1	I9 to I10	I10 to SF	I1 to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	Lap	SFP to SF	
1	T	5.9985	1.6484	10.8728	8.4509	16.9884	10.0868	5.6665	13.8670	7.4585	7.0586	14.9019	102.9983	148.7098
	S	118.552	73.211	100.585	80.357	88.376	79.559	102.035	95.239	126.518	119.680	85.148	95.769	66.334
2	T	5.8810	1.5515	10.6960	7.3959	16.4805	9.9942	5.6060	13.9860	7.6678	7.0987	14.7180	101.0756	
	S	120.921	77.784	102.247	91.820	91.099	80.297	103.136	94.429	123.065	119.004	86.212	97.590	
3	T	5.8807	1.5774	10.6993	7.0964	16.2430	9.9125	5.5404	13.5619	7.4531	7.0201	14.0679	99.0527	
	S	120.927	76.507	102.216	95.695	92.431	80.958	104.357	97.382	126.610	120.336	90.196	99.583	
4	T	5.9102	1.5440	10.7032	7.0253	16.2948	9.7590	5.4743	13.4960	7.4313	6.9862	14.0724	98.6967	
	S	120.324	78.162	102.178	96.664	92.138	82.232	105.617	97.857	126.981	120.920	90.167	99.943	
5	T	5.9031	1.5636	10.6996	7.0153	16.2496	9.8235	5.4994	13.5310	7.4287	6.9843	14.0643	98.7624	
	S	120.468	77.182	102.213	96.801	92.394	81.692	105.135	97.604	127.026	120.953	90.219	99.876	
6	T	5.9028	1.5596	10.6955	6.9587	16.1538	9.7687	5.4668	13.4172	7.3953	6.9711	14.0284	98.3179	
	S	120.474	77.380	102.252	97.589	92.942	82.150	105.762	98.432	127.599	121.182	90.450	100.328	
7	T	5.9103	1.5948	10.6439	6.8718	16.0971	9.7682	5.4280	13.3656	7.3995	6.9634	14.0409	98.0835	
	S	120.322	75.672	102.748	98.823	93.269	82.154	106.518	98.812	127.527	121.316	90.369	100.567	
8	T	5.8826	1.5443	10.7171	6.8915	16.3669	9.7932	5.4798	13.3737	7.3776	6.9507	14.0261	98.4035	
	S	120.888	78.147	102.046	98.540	91.732	81.945	105.511	98.752	127.906	121.538	90.464	100.240	
9	T	5.8482	1.5504	10.7040	7.0234	16.1634	9.7716	5.4353	13.4071	7.4056	6.9898	14.0008	98.2996	
	S	121.599	77.839	102.171	96.690	92.887	82.126	106.375	98.506	127.422	120.858	90.628	100.346	
10	T	5.8646	1.5537	10.6573	6.9869	16.0657	9.7939	5.5242	13.5271	7.4630	7.0630	14.0105	98.5099	
	S	121.259	77.674	102.619	97.195	93.451	81.939	104.663	97.632	126.442	119.605	90.565	100.132	
11	T	5.8548	1.5504	10.6579	6.9358	16.0930	9.7250	5.4322	13.5994	7.4593	7.0480	14.0001	98.3559	
	S	121.462	77.839	102.613	97.911	93.293	82.519	106.436	97.113	126.505	119.860	90.632	100.289	
12	T	5.8695			7.6212	17.1343	10.1553	6.0225	14.0668					
	S	121.158			89.106	87.623	79.023	96.004	93.886					

Report Support Information

Section Legend	
Name	Length
SF to I1	0.197538 miles
I9 to I10	0.033523 miles
I10 to SF	0.303788 miles
I1 to I2	0.188636 miles
I2 to I3	0.417045 miles
I3 to I4	0.222917 miles
I4 to I5	0.160606 miles
I5 to I6	0.366856 miles
I6 to I7	0.262121 miles
I7 to I8	0.234659 miles
I8 to I9	0.352462 miles
Lap	2.740000 miles
PI to SFP	0.329640 miles
SFP to SF	2.740152 miles
SF to PI	2.459091 miles
I9 to PI	0.056250 miles
SFP to I1	0.197538 miles
SFP to PI	2.459091 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
T	Section Time Data
S	Section Speed Data

