

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.2999	8.6622	5.5486	9.3530	8.7004	2.9411	8.2582	5.6132	4.8238	5.5627	6.7863	3.7211	6.1732	5.9105	5.0362
	S	81.819	92.486	103.835	66.265	111.280	130.285	84.792	68.386	70.814	91.682	81.782	102.242	86.591	69.906	88.676
2	T	4.8033	7.6187	5.0528	8.9084	8.6155	2.8924	7.8168	5.4457	4.8280	6.5036	8.7051	4.9459	6.7572	6.7890	8.1739
	S	107.313	105.154	114.023	69.572	112.377	132.479	89.580	70.489	70.752	78.418	63.756	76.923	79.108	60.860	54.636
3	T	8.9213	10.4642	10.7136	9.9992	15.9597	6.1131	12.6402	6.4300	6.0273	10.3236	9.8203	7.3981	9.5019	7.9627	9.0014
	S	57.778	76.560	53.776	61.982	60.664	62.682	55.397	59.699	56.674	49.401	56.516	51.426	56.257	51.890	49.613
4	T	9.9398	13.5227	10.0024	10.2063	14.6165	6.0480	12.0469	6.3517	6.9629	8.0575	10.2229	6.8783	7.6065	6.5671	6.0459
	S	51.858	59.244	57.600	60.725	66.239	63.357	58.125	60.435	49.059	63.295	54.290	55.312	70.275	62.917	73.867
5	T	5.1775	8.7723	5.3156	9.5368	8.6121	2.8791	8.1214	5.4509	4.9927	5.6640	6.7280	3.6177	5.8129	5.8062	5.0076
	S	99.557	91.326	108.386	64.987	112.421	133.091	86.220	70.422	68.418	90.042	82.491	105.165	91.958	71.162	89.183
6	T	4.7784	7.8056	5.0580	10.3461	8.7332	2.9514	7.3149	5.2586	4.7178	5.4063	6.5822	3.5907	5.4801	5.6597	4.9654
	S	107.872	102.636	113.906	59.904	110.862	129.831	95.726	72.997	72.405	94.334	84.318	105.956	97.543	73.004	89.941
7	T	4.7510	7.6238	5.0303	8.6676	8.5938	2.9027	7.2950	5.2976	4.5730	5.3967	6.5177	3.5551	5.5829	5.6707	4.9242
	S	108.494	105.084	114.533	71.505	112.661	132.009	95.987	72.460	74.697	94.502	85.153	107.017	95.747	72.863	90.693
8	T	4.7316	7.6160	4.9678	8.6200	8.6435	2.9323	7.3092	5.2224	4.5295	5.4142	6.5210	3.5914	5.4864	5.5181	4.9339
	S	108.939	105.191	115.974	71.899	112.013	130.676	95.801	73.503	75.415	94.197	85.110	105.935	97.431	74.878	90.515
9	T	4.7354	7.3643	4.8874	8.5870	8.6648	2.9303	7.4733	5.2095	4.5040	5.3577	6.3780	3.5693	5.4147	6.0091	5.1772
	S	108.851	108.786	117.882	72.176	111.737	130.765	93.697	73.685	75.842	95.190	87.018	106.591	98.721	68.759	86.261
10	T	4.9528	7.7515	5.1295	8.8581	8.9701	2.9980	7.9136	5.5572	4.7599	6.2480	7.0372	4.0815	6.9307		
	S	104.073	103.352	112.318	69.967	107.934	127.812	88.484	69.075	71.764	81.626	78.867	93.214	77.127		

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
USF2000
 July 29, 2016



Section Data for Car 12 - Filgueiras*, Eric (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	SF to PI
1	T	14.2108	18.0534	18.6952	12.3490	9.8943	93.3904	123.3780	
	S	96.917	87.959	76.259	86.242	92.477	87.041	61.712	
2	T	12.6715	17.5239	18.0905	15.2087	11.7031	97.8563		
	S	108.691	90.617	78.808	70.026	78.184	83.069		
3	T	21.1778	25.9589	25.0975	20.1439	16.9000	141.2766		
	S	65.034	61.172	56.806	52.870	54.142	57.538		
4	T	23.5251	24.8228	25.3615	18.2804	14.4848	135.0754		
	S	58.545	63.972	56.214	58.259	63.170	60.180		
5	T	14.0879	18.1489	18.5650	12.3920	9.4306	91.4948		
	S	97.763	87.496	76.794	85.943	97.025	88.844		
6	T	12.8636	19.0793	17.2913	11.9885	9.0708	88.6484		
	S	107.067	83.229	82.451	88.835	100.873	91.697		
7	T	12.6541	17.2614	17.1656	11.9144	9.1380	86.3821		
	S	108.840	91.995	83.055	89.388	100.131	94.103		
8	T	12.5838	17.2635	17.0611	11.9352	9.0778	86.0373		
	S	109.448	91.983	83.563	89.232	100.795	94.480		
9	T	12.2517	17.2518	17.1868	11.7357	8.9840	86.2620		
	S	112.415	92.046	82.952	90.749	101.848	94.234		
10	T	12.8810	17.8282	18.2307	13.2852	11.0122	320.6930		89.4144
	S	106.923	89.070	78.202	80.164	83.090	25.348		85.923

Event: **Allied Building Products GP of Mid-Ohio**
Track: **Mid-Ohio Sports Car Course**
Report: **Section Data Report**
Session: **Race 1**

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 17 - Munoz, Christian (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7853	8.9549	5.3000	9.6477	8.8363	3.0105	8.3178	5.5702	4.8056	5.5008	6.6941	3.6521	6.0095	6.0666	5.1462
	S	89.097	89.463	108.705	64.240	109.569	127.282	84.184	68.914	71.082	92.714	82.909	104.174	88.950	68.108	86.781
2	T	4.9343	7.7989	5.0391	8.8844	8.7038	2.9427	8.1981	5.5861	4.8889	6.6261	8.6859	5.0203	6.7769	6.7022	8.3033
	S	104.464	102.724	114.333	69.760	111.237	130.214	85.413	68.718	69.871	76.968	63.897	75.783	78.878	61.649	53.785
3	T	8.8548	10.4756	11.6385	9.6123	15.7612	5.9398	13.9160	6.2215	5.4911	10.2096	9.3673	7.1664	9.4518	7.9582	9.3599
	S	58.212	76.476	49.503	64.477	61.428	64.511	50.318	61.700	62.208	49.953	59.249	53.089	56.555	51.919	47.713
4	T	9.8684	13.3961	10.4059	9.7392	15.7174	5.4697	12.0040	5.8562	7.1892	8.0498	10.5293	6.8087	7.1018	6.3785	6.1057
	S	52.233	59.804	55.366	63.637	61.599	70.055	58.333	65.548	47.514	63.356	52.710	55.878	75.269	64.777	73.143
5	T	5.2309	8.3475	5.2244	9.3902	8.7321	2.9267	7.8175	5.5600	4.8894	5.6866	6.7872	3.6508	5.6238	5.9073	4.9951
	S	98.540	95.973	110.278	66.002	110.876	130.926	89.572	69.040	69.864	89.685	81.772	104.211	95.051	69.944	89.406
6	T	4.7614	7.6755	4.9387	9.8423	8.6511	2.9299	7.5041	5.3324	4.6086	5.4887	6.7123	3.6098	5.7316	5.9038	5.0423
	S	108.257	104.376	116.657	62.970	111.914	130.783	93.313	71.987	74.120	92.918	82.684	105.395	93.263	69.986	88.569
7	T	4.7657	7.5461	4.9681	8.6756	8.6211	2.9232	7.3131	5.3557	4.5436	5.4147	6.5696	3.5862	5.4675	5.7233	4.9747
	S	108.159	106.166	115.967	71.439	112.304	131.083	95.750	71.674	75.181	94.188	84.480	106.088	97.768	72.193	89.772
8	T	4.7518	7.4202	4.8521	8.6190	8.5535	2.8763	7.5406	5.3505	4.4958	5.5110	6.4682	3.5876	5.3404	5.5410	4.9490
	S	108.476	107.967	118.740	71.908	113.191	133.220	92.861	71.744	75.980	92.542	85.804	106.047	100.095	74.568	90.239
9	T	4.7360	7.3386	4.8357	8.5775	8.5903	2.9091	7.2229	5.1599	4.4825	5.3561	6.3713	3.5533	5.2838	5.5774	4.9107
	S	108.838	109.167	119.142	72.256	112.706	131.718	96.945	74.394	76.205	95.219	87.109	107.071	101.167	74.081	90.942
10	T	4.7126	7.3172	4.9014	8.5353	8.5263	2.8999	7.6669	5.2552	4.4127	5.3481	6.7089	3.6538	5.3049	5.5288	4.9441
	S	109.378	109.487	117.545	72.613	113.552	132.136	91.331	73.045	77.411	95.361	82.726	104.126	100.764	74.733	90.328
11	T	4.7255	7.2899	4.8467	8.4800	8.6013	2.9075	7.0024	5.1158	4.3475	5.2869	6.3467	3.5494	5.3164	5.6419	4.9186
	S	109.079	109.897	118.872	73.086	112.562	131.791	99.998	75.035	78.572	96.465	87.447	107.188	100.547	73.235	90.796
12	T	4.6990	7.2137	4.8957	8.4739	8.5330	2.8779	7.2286	5.2599	4.4483	5.3647	6.4877	3.5770	5.6432	5.7844	4.9884
	S	109.695	111.058	117.682	73.139	113.463	133.146	96.869	72.979	76.791	95.066	85.546	106.361	94.724	71.430	89.526
13	T	4.7451	7.5244	4.9147	8.4100	8.5598	2.9048	7.0761	5.1496	4.3520	5.3196	6.3566	3.5530	5.2107	5.4036	4.9291
	S	108.629	106.472	117.227	73.695	113.108	131.913	98.957	74.542	78.491	95.872	87.311	107.080	102.586	76.464	90.603
14	T	4.7147	7.1823	4.8337	8.4463	8.5561	2.8868	7.2082	5.1434	4.3912	5.3658	6.4375	3.5803	5.2616	5.6467	4.8952
	S	109.329	111.543	119.192	73.378	113.157	132.736	97.143	74.632	77.790	95.046	86.214	106.263	101.594	73.172	91.230
15	T	4.6956	7.2014	4.8539	8.3637	8.5102	2.8974	7.0616	5.3017	4.3887	5.3252	6.3524	3.5540	5.3963	5.6014	4.9117
	S	109.774	111.247	118.696	74.103	113.767	132.250	99.160	72.404	77.834	95.771	87.369	107.050	99.058	73.764	90.924
16	T	4.6942	7.3008	4.8614	8.4585	8.5081	2.8977	6.9911	5.1330	4.4437	5.3251	6.3917	3.5610	5.2250	5.4668	4.9463
	S	109.807	109.733	118.512	73.272	113.795	132.237	100.160	74.783	76.871	95.773	86.831	106.839	102.305	75.580	90.288
17	T	4.7960	7.5027	4.9682	8.5688	8.5660	2.9183	7.2057	5.2000	4.4065	5.5554	6.5077	3.8317	5.7988	5.8118	4.9001
	S	107.476	106.780	115.965	72.329	113.026	131.303	97.177	73.820	77.520	91.803	85.284	99.291	92.182	71.094	91.139
18	T	4.7858	7.6014	5.1639	8.6019	11.2445	5.1134	14.2216	6.1741	5.5396	8.1928	12.2769	8.4746	8.2539	5.9564	7.3090
	S	107.705	105.393	111.570	72.051	86.103	74.937	49.237	62.173	61.663	62.250	45.207	44.894	64.763	69.368	61.102
19	T	9.2222	11.9499	10.7580	10.8571	15.1356	6.4806	12.9050	6.2856	5.9264	8.4694	9.9674	7.3254	9.2129	7.5635	7.7264
	S	55.893	67.041	53.554	57.085	63.967	59.128	54.260	61.070	57.639	60.217	55.682	51.936	58.021	54.628	57.801

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 17 - Munoz, Christian (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	14.2549	18.4840	18.6936	12.1949	9.6616	93.2976	94.4677
	S	96.617	85.910	76.266	87.332	94.705	87.128	80.598
2	T	12.8380	17.5882	18.6731	15.3120	11.7972	99.0910	
	S	107.281	90.285	76.349	69.553	77.561	82.034	
3	T	22.1141	25.3735	25.6286	19.5769	16.6182	141.4240	
	S	62.280	62.583	55.629	54.401	55.060	57.478	
4	T	23.8020	25.4566	25.0494	18.5791	13.9105	134.6199	
	S	57.864	62.379	56.915	57.322	65.778	60.383	
5	T	13.5719	18.1223	18.2669	12.4738	9.2746	90.7695	
	S	101.480	87.624	78.047	85.379	98.657	89.554	
6	T	12.6142	18.4934	17.4451	12.2010	9.3414	88.7325	
	S	109.184	85.866	81.724	87.288	97.951	91.610	
7	T	12.5142	17.2967	17.2124	11.9843	9.0537	86.4482	
	S	110.057	91.807	82.829	88.866	101.064	94.031	
8	T	12.2723	17.1725	17.3869	11.9792	8.9280	85.8570	
	S	112.226	92.471	81.997	88.904	102.487	94.678	
9	T	12.1743	17.1678	16.8653	11.7274	8.8371	84.9051	
	S	113.130	92.496	84.533	90.813	103.541	95.740	
10	T	12.2186	17.0616	17.3348	12.0570	8.9587	85.7161	
	S	112.719	93.072	82.244	88.330	102.135	94.834	
11	T	12.1366	17.0813	16.4657	11.6336	8.8658	84.3765	
	S	113.481	92.965	86.585	91.545	103.206	96.340	
12	T	12.1094	17.0069	16.9368	11.8524	9.2202	85.4754	
	S	113.736	93.371	84.177	89.855	99.239	95.101	
13	T	12.4391	16.9698	16.5777	11.6762	8.7637	84.4091	
	S	110.721	93.575	86.000	91.211	104.408	96.302	
14	T	12.0160	17.0024	16.7428	11.8033	8.8419	84.5498	
	S	114.620	93.396	85.152	90.229	103.485	96.142	
15	T	12.0553	16.8739	16.7520	11.6776	8.9503	84.4152	
	S	114.246	94.107	85.105	91.200	102.231	96.295	
16	T	12.1622	16.9666	16.5678	11.7168	8.7860	84.2044	
	S	113.242	93.593	86.051	90.895	104.143	96.537	
17	T	12.4709	17.1348	16.8122	12.0631	9.6305	86.5377	
	S	110.439	92.674	84.800	88.286	95.011	93.934	
18	T	12.7653	19.8464	25.9353	20.4697	16.7285	118.9098	
	S	107.892	80.012	54.971	52.028	54.697	68.361	
19	T	22.7079	25.9927	25.1170	18.4368	16.5383	139.7854	
	S	60.652	61.092	56.762	57.765	55.326	58.152	

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
20	T	11.2616														
	S	45.771														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.0393	8.1337	5.0979	9.0557	8.4394	2.8603	7.7519	5.5221	4.6531	5.4937	6.6898	3.5768	5.5633	5.5570	4.9362
	S	85.350	98.496	113.014	68.440	114.722	133.966	90.330	69.514	73.411	92.834	82.962	106.367	96.084	74.353	90.473
2	T	4.7245	7.4619	4.8294	8.5832	8.5275	2.8794	7.2302	5.3574	4.5723	5.9446	7.1767	4.1806	7.9524	7.1943	6.6971
	S	109.102	107.364	119.298	72.208	113.536	133.077	96.848	71.651	74.709	85.792	77.334	91.005	67.218	57.432	66.684
3	T	7.9459	13.2598	8.8790	10.7053	16.0710	6.3927	12.3627	7.0752	6.5059	9.2585	10.3056	6.8924	9.9355	8.1829	8.2562
	S	64.871	60.418	64.888	57.894	60.244	59.941	56.640	54.255	52.505	55.085	53.854	55.199	53.802	50.493	54.092
4	T	8.9403	12.8312	10.3131	10.5550	15.8614	6.1687	12.4463	6.9747	6.5305	8.2920	10.5625	6.9215	9.4094	7.9884	9.0144
	S	57.655	62.437	55.865	58.718	61.040	62.117	56.260	55.037	52.307	61.505	52.544	54.967	56.810	51.723	49.542
5	T	5.5902	8.2069	5.0572	9.0205	8.5328	2.8851	7.1938	5.3489	4.4458	5.3042	6.5185	3.5506	5.4802	5.5062	4.9228
	S	92.207	97.617	113.924	68.707	113.466	132.814	97.338	71.765	76.835	96.150	85.142	107.152	97.541	75.039	90.719
6	T	4.6723	7.3203	4.7887	8.4172	8.5018	2.8847	7.0073	5.2439	4.3532	5.3504	6.4929	3.5335	5.3492	5.4030	4.9038
	S	110.321	109.440	120.312	73.632	113.880	132.832	99.928	73.202	78.469	95.320	85.478	107.671	99.930	76.473	91.070
7	T	4.6524	7.2950	4.7466	8.2991	8.4947	2.8777	7.0385	5.2058	4.3692	5.2911	6.3430	3.5346	5.2783	5.3589	4.8989
	S	110.793	109.820	121.379	74.680	113.975	133.156	99.485	73.738	78.182	96.388	87.498	107.637	101.272	77.102	91.161
8	T	4.6445	7.1698	4.7235	8.3054	8.4720	2.8708	6.9330	5.1600	4.2922	5.2602	6.2564	3.5283	5.2101	5.2841	4.8963
	S	110.982	111.738	121.972	74.623	114.280	133.476	100.999	74.392	79.584	96.954	88.709	107.829	102.598	78.193	91.210
9	T	4.6229	7.2316	4.7086	8.2305	8.4695	2.8677	6.8724	5.1334	4.2664	5.2612	6.1984	3.5146	5.1438	5.5161	4.8583
	S	111.500	110.783	122.358	75.302	114.314	133.620	101.890	74.778	80.065	96.936	89.539	108.250	103.920	74.905	91.923
10	T	4.6280	7.1536	4.7293	8.3652	8.5110	2.8768	6.8781	5.1348	4.2776	5.2330	6.2188	3.5140	5.1517	5.2707	4.8831
	S	111.377	111.991	121.823	74.089	113.757	133.197	101.805	74.757	79.856	97.458	89.246	108.268	103.761	78.392	91.456
11	T	4.6386	7.1556	4.7539	8.2441	8.5101	2.8733	6.9327	5.1487	4.2508	5.2165	6.2218	3.5191	5.0876	5.2822	4.9562
	S	111.123	111.959	121.192	75.178	113.769	133.359	101.004	74.555	80.359	97.767	89.202	108.111	105.068	78.222	90.108
12	T	4.6480	7.1046	4.7598	8.1642	8.4644	2.8645	6.9081	5.0290	4.2489	5.2186	6.2383	3.5283	5.1123	5.2489	4.8846
	S	110.898	112.763	121.042	75.913	114.383	133.769	101.363	76.330	80.395	97.727	88.967	107.829	104.561	78.718	91.428
13	T	4.6320	7.0477	4.7297	8.1342	8.4451	2.8614	6.8208	5.0595	4.2244	5.2347	6.2036	3.4979	5.1347	5.2538	4.8805
	S	111.281	113.673	121.812	76.193	114.644	133.914	102.661	75.870	80.861	97.427	89.464	108.767	104.105	78.644	91.505
14	T	4.6301	7.0919	4.7463	8.1632	8.4548	2.8707	6.9294	5.1265	4.2819	5.2427	6.3450	3.4906	5.1547	5.2651	4.9460
	S	111.327	112.965	121.386	75.923	114.513	133.480	101.052	74.878	79.776	97.278	87.470	108.994	103.701	78.476	90.293
15	T	4.6542	7.1091	4.7375	8.2244	8.4111	2.8648	6.8528	5.0259	4.2208	5.2177	6.1757	3.4919	5.0659	5.2797	4.8826
	S	110.750	112.692	121.612	75.358	115.108	133.755	102.181	76.377	80.930	97.744	89.868	108.953	105.518	78.259	91.466
16	T	4.6225	7.0955	4.7418	8.2514	8.4247	2.8728	6.8944	5.2476	4.5450	5.2499	6.2411	3.4966	5.0946	5.2463	4.9918
	S	111.510	112.908	121.502	75.111	114.922	133.383	101.565	73.150	75.158	97.145	88.927	108.807	104.924	78.757	89.465
17	T	4.6801	7.0840	4.7257	8.1816	8.6786	3.2681	8.0844	5.4766	4.7365	6.3524	8.3021	4.9064	6.7675	7.2124	6.2809
	S	110.138	113.091	121.916	75.752	111.560	117.249	86.615	70.092	72.119	80.285	66.851	77.543	78.987	57.288	71.103
18	T	6.9524	11.1397	9.8155	10.9569	14.7994	6.0786	13.0965	6.6376	6.0689	8.6658	11.5027	6.4425	8.6172	7.9170	7.0675
	S	74.141	71.917	58.697	56.565	65.420	63.038	53.467	57.832	56.285	58.852	48.250	59.054	62.032	52.189	63.189

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 18 - Dickerson, Dakota (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
20	T							
	S							
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.2316	17.4951	17.9271	12.1835	9.1401	89.3702	144.4621
	S	104.090	90.766	79.527	87.413	100.108	90.956	52.705
2	T	12.2913	17.1107	17.1599	13.1213	12.1330	93.3115	
	S	112.053	92.805	83.082	81.166	75.414	87.115	
3	T	22.1388	26.7763	25.9438	19.5641	16.8279	142.0286	
	S	62.211	59.304	54.953	54.436	54.374	57.234	
4	T	23.1443	26.4164	25.9515	18.8545	16.3309	142.8094	
	S	59.508	60.112	54.936	56.485	56.029	56.921	
5	T	13.2641	17.5533	16.9885	11.8227	9.0308	87.5637	
	S	103.835	90.465	83.920	90.081	101.320	92.833	
6	T	12.1090	16.9190	16.6044	11.8433	8.8827	84.2222	
	S	113.740	93.856	85.862	89.924	103.009	96.516	
7	T	12.0416	16.7938	16.6135	11.6341	8.8129	83.6838	
	S	114.376	94.556	85.815	91.541	103.825	97.137	
8	T	11.8933	16.7774	16.3852	11.5166	8.7384	83.0066	
	S	115.802	94.648	87.010	92.475	104.710	97.930	
9	T	11.9402	16.7000	16.2722	11.4596	8.6584	82.8954	
	S	115.348	95.087	87.615	92.935	105.678	98.061	
10	T	11.8829	16.8762	16.2905	11.4518	8.6657	82.8257	
	S	115.904	94.094	87.516	92.998	105.589	98.143	
11	T	11.9095	16.7542	16.3322	11.4383	8.6067	82.7912	
	S	115.645	94.779	87.293	93.108	106.313	98.184	
12	T	11.8644	16.6286	16.1860	11.4569	8.6406	82.4225	
	S	116.084	95.495	88.081	92.957	105.895	98.624	
13	T	11.7774	16.5793	16.1047	11.4383	8.6326	82.1600	
	S	116.942	95.779	88.526	93.108	105.994	98.939	
14	T	11.8382	16.6180	16.3378	11.5877	8.6453	82.7389	
	S	116.341	95.556	87.263	91.908	105.838	98.246	
15	T	11.8466	16.6355	16.0995	11.3934	8.5578	82.2141	
	S	116.259	95.456	88.554	93.475	106.920	98.874	
16	T	11.8373	16.6761	16.6870	11.4910	8.5912	83.0160	
	S	116.350	95.223	85.437	92.681	106.504	97.918	
17	T	11.8097	16.8602	18.2975	14.6545	11.6739	94.7373	
	S	116.622	94.184	77.917	72.674	78.380	85.804	
18	T	20.9552	25.7563	25.8030	20.1685	15.0597	135.7582	
	S	65.725	61.653	55.253	52.805	60.758	59.877	

Event: **Allied Building Products GP of Mid-Ohio**
 Track: **Mid-Ohio Sports Car Course**
 Report: **Section Data Report**
 Session: **Race 1**

Round 12 / 13 / 14
 2.258 mile(s)
USF2000
 July 29, 2016



Section Data for Car 19 - Stephens, Michai (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
19	T	7.6372	13.4414	9.2653	11.6267	14.5023	6.5403	12.8203	6.9453	6.1706	9.4213	10.2218	6.2277	10.0855	7.3814	8.1231
	S	67.493	59.602	62.182	53.306	66.761	58.588	54.619	55.270	55.358	54.133	54.296	61.091	53.001	55.976	54.978
20	T	8.8002														
	S	58.573														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.4515	8.5062	5.2717	9.5594	8.6627	2.8906	7.9258	5.4842	4.7338	5.5204	6.7550	3.6161	6.0303	5.7711	5.0218
	S	79.897	94.183	109.289	64.834	111.764	132.561	88.348	69.994	72.160	92.385	82.161	105.211	88.643	71.595	88.930
2	T	4.8094	8.0246	5.0511	8.6998	8.7479	2.9649	7.4209	5.3744	4.6310	6.4474	8.5271	4.5797	6.7175	7.4908	8.3996
	S	107.176	99.835	114.062	71.240	110.676	129.239	94.359	71.424	73.762	79.102	65.087	83.074	79.575	55.159	53.168
3	T	8.2037	10.3525	10.4089	9.3090	16.9876	5.8809	12.3684	6.8929	6.1949	10.3507	10.0426	7.0935	9.8695	7.5246	9.2472
	S	62.832	77.386	55.350	66.578	56.993	65.157	56.614	55.690	55.141	49.272	55.265	53.634	54.161	54.911	48.295
4	T	9.0851	11.6461	11.2468	9.6041	16.5902	6.1179	12.1511	6.5826	6.6480	8.3557	10.4397	6.4551	8.1904	6.7146	6.6102
	S	56.736	68.790	51.227	64.532	58.359	62.633	57.627	58.315	51.383	61.036	53.162	58.939	65.265	61.535	67.561
5	T	5.2536	8.8493	5.1185	8.9184	8.6490	2.9360	7.6261	5.4798	4.7726	5.5488	6.7048	3.6412	5.8199	5.6954	5.0783
	S	98.115	90.531	112.560	69.494	111.941	130.512	91.820	70.051	71.573	91.912	82.777	104.486	91.848	72.547	87.941
6	T	4.8473	8.3069	5.0228	8.8194	8.7027	2.9488	7.3845	5.4288	4.4982	5.4065	6.5768	3.6732	5.6089	5.5979	4.9693
	S	106.338	96.442	114.704	70.274	111.251	129.945	94.824	70.709	75.939	94.331	84.388	103.576	95.303	73.810	89.870
7	T	4.7709	7.6704	4.9259	8.6165	8.6951	2.9506	7.2360	5.2903	4.4490	5.3979	6.5274	3.6390	5.5006	5.6202	4.9333
	S	108.041	104.445	116.961	71.929	111.348	129.866	96.770	72.560	76.779	94.481	85.026	104.549	97.179	73.517	90.526
8	T	4.7392	7.4792	4.8839	8.4884	8.6492	2.9394	7.2090	5.2888	4.3491	5.3689	6.4230	3.6275	5.3463	5.4997	4.9197
	S	108.764	107.115	117.966	73.014	111.939	130.361	97.132	72.580	78.543	94.992	86.408	104.881	99.984	75.128	90.776
9	T	4.7128	7.4207	4.8813	8.4623	8.6432	2.9375	7.1949	5.3239	4.3722	5.3785	6.2892	3.5825	5.4194	5.5672	4.8965
	S	109.373	107.960	118.029	73.239	112.017	130.445	97.323	72.102	78.128	94.822	88.247	106.198	98.636	74.217	91.206
10	T	4.7153	7.3651	4.8680	8.3900	8.6653	2.9366	7.1836	5.2709	4.3089	5.3332	6.3193	3.6101	5.3094	5.4849	4.9137
	S	109.315	108.775	118.352	73.870	111.731	130.485	97.476	72.827	79.276	95.627	87.826	105.386	100.679	75.331	90.887
11	T	4.7086	7.3659	4.8998	8.5359	8.6899	2.9436	7.3504	5.2941	4.4751	5.3922	6.2915	3.5746	5.3489	5.7886	4.8615
	S	109.471	108.763	117.584	72.608	111.415	130.175	95.264	72.508	76.331	94.581	88.214	106.433	99.936	71.379	91.863
12	T	4.6895	7.3334	4.8964	8.3865	8.6514	2.9352	7.1341	5.2368	4.3063	5.3748	6.2954	3.5976	5.2319	5.4473	4.9160
	S	109.917	109.245	117.665	73.901	111.910	130.547	98.152	73.301	79.324	94.887	88.160	105.752	102.170	75.851	90.844
13	T	4.7099	7.2839	4.8959	8.3480	8.6419	2.9394	7.0776	5.2199	4.3084	5.3205	6.2339	3.5714	5.2504	5.4186	4.9501
	S	109.441	109.987	117.677	74.242	112.033	130.361	98.936	73.539	79.285	95.856	89.029	106.528	101.810	76.253	90.219
14	T	4.7250	7.2626	4.9133	8.3721	8.5887	2.9367	7.0914	5.2168	4.2749	5.2885	6.2526	3.5713	5.2179	5.3694	4.8761
	S	109.091	110.310	117.261	74.028	112.727	130.480	98.743	73.582	79.906	96.436	88.763	106.531	102.445	76.951	91.588
15	T	4.7065	7.3176	4.9098	8.3377	8.5997	2.9411	7.0967	5.2910	4.3966	5.5770	7.4795	3.7239	5.4437	5.4799	4.8882
	S	109.520	109.481	117.344	74.334	112.583	130.285	98.669	72.550	77.694	91.447	74.203	102.166	98.195	75.400	91.361
16	T	4.7108	7.3390	4.9051	8.4331	8.6092	2.9405	7.1401	5.2182	4.2894	5.3440	6.3349	3.5693	5.3346	5.4527	4.9141
	S	109.420	109.162	117.457	73.493	112.459	130.312	98.070	73.562	79.636	95.434	87.610	106.591	100.203	75.776	90.879
17	T	5.2208	7.8840	5.1463	8.7712	8.7364	2.9925	7.5034	5.3048	4.4960	5.5739	6.5640	4.0033	6.0280	5.6701	5.0686
	S	98.731	101.615	111.952	70.660	110.822	128.047	93.321	72.362	75.977	91.498	84.552	95.035	88.677	72.870	88.109

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 19 - Stephens, Michai (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
19	T	22.7067	26.1290	25.9362	19.6431	16.3132	140.4102	
	S	60.655	60.774	54.969	54.218	56.090	57.893	
20	T							
	S							
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.7779	18.2221	18.1438	12.2754	9.6464	92.2006	125.2016
	S	99.962	87.144	78.577	86.759	94.854	88.164	60.813
2	T	13.0757	17.4477	17.4263	14.9745	11.2972	97.8861	
	S	105.331	91.012	81.812	71.121	80.994	83.043	
3	T	20.7614	26.2966	25.4562	20.3933	16.9630	140.7269	
	S	66.338	60.386	56.005	52.223	53.941	57.763	
4	T	22.8929	26.1943	25.3817	18.7954	14.6455	136.4376	
	S	60.162	60.622	56.170	56.663	62.477	59.579	
5	T	13.9678	17.5674	17.8785	12.2536	9.4611	90.0917	
	S	98.603	90.392	79.743	86.913	96.712	90.228	
6	T	13.3297	17.5221	17.3115	11.9833	9.2821	87.7920	
	S	103.324	90.626	82.355	88.874	98.577	92.592	
7	T	12.5963	17.3116	16.9753	11.9253	9.1396	86.2231	
	S	109.339	91.728	83.986	89.306	100.114	94.276	
8	T	12.3631	17.1376	16.8469	11.7919	8.9738	85.2113	
	S	111.402	92.659	84.626	90.316	101.963	95.396	
9	T	12.3020	17.1055	16.8910	11.6677	9.0019	85.0821	
	S	111.955	92.833	84.405	91.278	101.645	95.541	
10	T	12.2331	17.0553	16.7634	11.6525	8.9195	84.6743	
	S	112.586	93.106	85.047	91.397	102.584	96.001	
11	T	12.2657	17.2258	17.1196	11.6837	8.9235	85.5206	
	S	112.287	92.185	83.278	91.153	102.538	95.051	
12	T	12.2298	17.0379	16.6772	11.6702	8.8295	84.4326	
	S	112.616	93.201	85.487	91.258	103.630	96.276	
13	T	12.1798	16.9899	16.6059	11.5544	8.8218	84.1698	
	S	113.078	93.465	85.854	92.173	103.720	96.576	
14	T	12.1759	16.9608	16.5831	11.5411	8.7892	83.9573	
	S	113.115	93.625	85.972	92.279	104.105	96.821	
15	T	12.2274	16.9374	16.7843	13.0565	9.1676	86.1889	
	S	112.638	93.754	84.941	81.569	99.808	94.314	
16	T	12.2441	17.0423	16.6477	11.6789	8.9039	84.5350	
	S	112.485	93.177	85.638	91.190	102.764	96.159	
17	T	13.0303	17.5076	17.3042	12.1379	10.0313	88.9633	
	S	105.698	90.701	82.389	87.742	91.214	91.373	

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 2 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
18	T	4.8334	7.6400	5.0455	8.7253	10.9000	4.8906	13.0554	6.2358	5.1532	9.6869	11.9246	8.7438	7.4786	6.2747	7.4209
	S	106.644	104.861	114.188	71.032	88.824	78.351	53.635	61.558	66.287	52.648	46.542	43.511	71.477	65.849	60.180
19	T	8.5764	11.9537	10.3375	10.4298	14.7984	5.5481	13.6395	5.6711	6.1630	10.0112	10.5438	7.0989	8.7693	7.7045	8.8850
	S	60.102	67.020	55.733	59.423	65.425	69.065	51.338	67.688	55.426	50.943	52.638	53.593	60.956	53.629	50.263
20	T	10.7607														
	S	47.902														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.0526	8.0949	5.0740	8.8660	8.6252	2.9286	7.3934	5.3890	4.5749	5.3707	6.5113	3.5534	5.4793	5.7368	4.9075
	S	85.162	98.968	113.547	69.904	112.250	130.841	94.710	71.231	74.666	94.960	85.236	107.068	97.557	72.023	91.002
2	T	4.6966	7.4863	4.8356	8.5009	8.5516	2.9069	7.2283	5.2645	4.4938	5.4239	6.7295	4.1601	8.4463	6.3818	7.2555
	S	109.751	107.014	119.145	72.907	113.216	131.818	96.873	72.915	76.014	94.028	82.473	91.453	63.288	64.744	61.552
3	T	8.5853	12.7379	8.7763	11.4237	15.9604	5.9715	12.9234	6.9697	6.3517	8.8004	10.6467	6.7784	9.9991	8.2070	7.9039
	S	60.039	62.894	65.647	54.253	60.662	64.168	54.183	55.076	53.779	57.952	52.129	56.127	53.459	50.345	56.503
4	T	8.9274	13.2266	9.0785	11.9441	15.5866	6.0282	12.8504	6.8847	6.6798	8.2202	10.5640	6.9414	9.9174	8.2057	9.4328
	S	57.738	60.570	63.462	51.889	62.116	63.565	54.491	55.756	51.138	62.042	52.537	54.809	53.900	50.353	47.344
5	T	5.6724	7.7434	4.8773	8.4391	8.5349	2.8993	7.1196	5.1745	4.4950	5.3183	6.5188	3.5445	5.2920	5.6400	4.8067
	S	90.871	103.461	118.126	73.441	113.438	132.164	98.352	74.184	75.994	95.895	85.138	107.337	101.010	73.259	92.910
6	T	4.6341	7.2510	4.7608	8.3687	8.4766	2.8883	7.0921	5.1717	4.3910	5.2811	6.3478	3.5113	5.1596	5.5179	4.8072
	S	111.231	110.486	121.017	74.058	114.218	132.667	98.733	74.224	77.793	96.571	87.432	108.351	103.602	74.880	92.900
7	T	4.6247	7.2444	4.7490	8.2968	8.4590	2.8887	7.0111	5.1611	4.3458	5.2343	6.2059	3.4881	5.1282	5.3739	4.8385
	S	111.457	110.587	121.317	74.700	114.456	132.649	99.874	74.376	78.603	97.434	89.431	109.072	104.236	76.887	92.299
8	T	4.6217	7.0960	4.7073	8.2039	8.4227	2.8729	6.9242	5.1084	4.3043	5.2161	6.1980	3.4907	5.0492	5.2620	4.8312
	S	111.529	112.900	122.392	75.546	114.949	133.378	101.128	75.144	79.360	97.774	89.545	108.991	105.867	78.522	92.439
9	T	4.6080	7.0744	4.7053	8.1584	8.4372	2.8685	6.8941	5.0723	4.2935	5.2190	6.2002	3.4945	5.0370	5.3514	4.8268
	S	111.861	113.244	122.444	75.967	114.752	133.583	101.569	75.678	79.560	97.720	89.513	108.872	106.124	77.210	92.523
10	T	4.6035	7.0901	4.7167	8.3134	8.4270	2.8621	6.9104	5.0406	4.2748	5.2041	6.2035	3.4866	5.0173	5.2345	4.8529
	S	111.970	112.994	122.148	74.551	114.890	133.881	101.329	76.154	79.908	98.000	89.466	109.119	106.540	78.934	92.026
11	T	4.6133	7.0399	4.7106	8.1915	8.4137	2.8550	6.8656	5.1007	4.3286	5.2179	6.2778	3.5068	5.0571	5.3168	4.8118
	S	111.732	113.799	122.306	75.660	115.072	134.214	101.991	75.257	78.915	97.740	88.407	108.491	105.702	77.712	92.812
12	T	4.5853	7.0874	4.7555	8.1445	8.4174	2.8532	6.8493	5.0549	4.2520	5.2027	6.1919	3.4965	5.0481	5.4155	4.7791
	S	112.415	113.037	121.152	76.097	115.021	134.299	102.233	75.939	80.337	98.026	89.633	108.810	105.890	76.296	93.447
13	T	4.5885	7.1166	4.7399	8.1735	8.4070	2.8560	6.8373	5.0132	4.2268	5.1964	6.1806	3.4808	5.0194	5.3113	4.8380
	S	112.336	112.573	121.550	75.827	115.164	134.167	102.413	76.571	80.815	98.145	89.797	109.301	106.496	77.793	92.309
14	T	4.6035	7.0441	4.7270	8.1578	8.4477	2.8762	7.1011	5.9261	4.9685	6.9527	8.6280	4.7860	8.3414		
	S	111.970	113.732	121.882	75.973	114.609	133.225	98.608	64.775	68.751	73.353	64.325	79.493	64.083		
15	T			5.2625	8.7848	8.7464	3.0428	7.7872	5.4032	5.4081	5.4884	6.6995	3.5533	5.6260	5.6121	4.9080
	S			109.480	70.551	110.695	125.931	89.920	71.044	63.163	92.923	82.842	107.071	95.013	73.623	90.992
16	T	4.7227	7.5191	4.8653	8.3408	8.5573	3.0340	7.7720	5.8842	4.6962	5.7735	7.6103	5.3922	7.0655	6.2892	6.2800
	S	109.144	106.547	118.417	74.306	113.141	126.296	90.096	65.236	72.738	88.335	72.927	70.556	75.656	65.697	71.113

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 2 - Thompson, Parker

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF		
18	T	12.6855	19.6253	24.4444	21.6115	16.2224	118.0087			
	S	108.571	80.914	58.323	49.279	56.403	68.883			
19	T	22.2912	25.2282	25.4736	20.5550	15.8682	140.1302			
	S	61.785	62.944	55.967	51.812	57.662	58.009			
20	T									
	S									
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	13.1689	17.4912	17.3573	11.8820	9.0327	88.5576		145.3981	
	S	104.585	90.786	82.137	89.631	101.299	91.791		52.366	
2	T	12.3219	17.0525	16.9866	12.1534	12.6064	92.3616			
	S	111.774	93.122	83.930	87.630	72.582	88.011			
3	T	21.5142	27.3841	26.2448	19.4471	16.7775	142.0354			
	S	64.017	57.988	54.322	54.764	54.537	57.231			
4	T	22.3051	27.5307	26.4149	18.7842	16.8588	144.4878			
	S	61.747	57.679	53.973	56.697	54.274	56.259			
5	T	12.6207	16.9740	16.7891	11.8371	8.8365	86.0758			
	S	109.128	93.552	84.917	89.971	103.548	94.438			
6	T	12.0118	16.8453	16.6548	11.6289	8.6709	83.6592			
	S	114.660	94.267	85.602	91.582	105.525	97.166			
7	T	11.9934	16.7558	16.5180	11.4402	8.6163	83.0495			
	S	114.836	94.770	86.311	93.093	106.194	97.879			
8	T	11.8033	16.6266	16.3369	11.4141	8.5399	82.3086			
	S	116.685	95.507	87.268	93.306	107.144	98.760			
9	T	11.7797	16.5956	16.2599	11.4192	8.5315	82.2406			
	S	116.919	95.685	87.681	93.264	107.250	98.842			
10	T	11.8068	16.7404	16.2258	11.4076	8.5039	82.2375			
	S	116.651	94.858	87.865	93.359	107.598	98.845			
11	T	11.7505	16.6052	16.2949	11.4957	8.5639	82.3071			
	S	117.210	95.630	87.493	92.643	106.844	98.762			
12	T	11.8429	16.5619	16.1562	11.3946	8.5446	82.1333			
	S	116.295	95.880	88.244	93.465	107.085	98.971			
13	T	11.8565	16.5805	16.0773	11.3770	8.5002	81.9853			
	S	116.162	95.772	88.677	93.610	107.645	99.149			
14	T	11.7711	16.6055	17.9957	15.5807	13.1274	104.3984	77.9635		91.6798
	S	117.005	95.628	79.223	68.354	69.702	77.863	11.518		83.800
15	T		17.5312	18.5985	12.1879	9.1793	151.5485		86.3036	
	S		90.579	76.656	87.382	99.681	53.638		88.222	
16	T	12.3844	16.8981	18.3524	13.3838	12.4577	93.8023			
	S	111.210	93.972	77.684	79.574	73.449	86.659			

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 20 - McMahan, Clint (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
17	T	6.7934	10.9961	9.6254	11.0209	14.7939	5.9677	13.1130	6.4984	6.2974	8.6833	11.6441	7.0047	8.1318	7.5866	7.7220
	S	75.876	72.856	59.856	56.236	65.445	64.209	53.399	59.070	54.243	58.733	47.664	54.314	65.735	54.462	57.834
18	T	7.5576	12.7473	9.3263	11.7439	14.2024	6.8512	12.6198	6.9656	6.2510	9.6737	10.0151	6.9614	9.2914	7.6767	7.8242
	S	68.203	62.848	61.775	52.774	68.170	55.929	55.486	55.108	54.646	52.720	55.416	54.652	57.531	53.823	57.078
19	T	9.3659														
	S	55.035														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.7947	8.8372	5.3708	9.4806	8.7051	2.9297	7.9653	5.4852	4.8898	5.5549	6.7966	3.6596	6.2193	6.1703	5.2167
	S	88.953	90.655	107.272	65.373	111.220	130.792	87.910	69.982	69.858	91.811	81.658	103.961	85.949	66.963	85.608
2	T	4.8639	7.7337	4.9314	8.8487	8.7168	2.9362	7.9412	5.4196	4.7569	6.4714	8.5882	4.8320	6.8364	7.1499	8.1952
	S	105.976	103.590	116.830	70.041	111.071	130.503	88.177	70.829	71.810	78.808	64.624	78.736	78.191	57.788	54.494
3	T	8.7278	10.3256	10.7593	10.0265	15.9971	6.2437	12.7510	6.2767	6.1066	10.4089	9.4279	7.6962	9.3974	8.0697	9.1146
	S	59.059	77.587	53.548	61.813	60.522	61.371	54.915	61.157	55.938	48.997	58.868	49.434	56.882	51.202	48.997
4	T	10.0997	13.1370	9.7910	10.2863	14.9155	6.1366	12.0518	6.1475	7.1662	7.9711	10.3094	6.9162	7.5848	6.4961	6.3011
	S	51.037	60.983	58.843	60.252	64.911	62.442	58.101	62.442	47.667	63.981	53.834	55.009	70.476	63.605	70.875
5	T	5.2128	8.7207	5.1583	9.3942	8.7468	2.9430	7.7333	5.5759	5.0583	5.7387	6.7238	3.6446	5.6296	5.7758	5.0386
	S	98.882	91.866	111.691	65.974	110.690	130.201	90.547	68.843	67.531	88.870	82.543	104.389	94.953	71.537	88.634
6	T	4.8230	7.9298	4.9497	9.5344	8.6650	2.9328	7.4118	5.4467	4.7125	5.4867	6.6868	3.6066	5.7864	5.7575	5.0491
	S	106.874	101.029	116.398	65.004	111.735	130.654	94.475	70.476	72.486	92.952	82.999	105.488	92.380	71.764	88.450
7	T	4.8140	7.6335	4.9255	8.6011	8.6409	2.9360	7.2998	5.3376	4.5344	5.3970	6.5257	3.5887	5.5562	5.6449	4.9518
	S	107.074	104.950	116.970	72.057	112.046	130.512	95.924	71.917	75.333	94.497	85.048	106.015	96.207	73.196	90.188
8	T	4.7504	7.4970	4.8901	8.6178	8.7004	2.9347	7.3364	5.2426	4.4423	5.3603	6.3827	3.5529	5.4160	5.5210	4.9446
	S	108.508	106.861	117.817	71.918	111.280	130.569	95.446	73.220	76.895	95.144	86.954	107.083	98.697	74.838	90.319
9	T	4.7346	7.4744	4.8790	8.5877	8.6405	2.9212	7.1898	5.2851	4.3968	5.2835	6.2883	3.5435	5.4493	5.5730	4.9785
	S	108.870	107.184	118.085	72.170	112.052	131.173	97.392	72.631	77.691	96.527	88.259	107.367	98.094	74.140	89.704
10	T	4.7215	7.4432	4.8845	8.5730	8.6794	2.9312	7.3935	5.1651	4.3840	5.3022	6.3966	3.5740	5.3592	5.4905	4.9152
	S	109.172	107.633	117.952	72.294	111.549	130.725	94.708	74.319	77.918	96.186	86.765	106.451	99.744	75.254	90.859
11	T	4.7169	7.4450	4.8701	8.4701	8.6888	2.9265	7.0455	5.1410	4.4017	5.3135	6.2875	3.5657	5.5005	5.4920	4.9031
	S	109.278	107.607	118.301	73.172	111.429	130.935	99.386	74.667	77.604	95.982	88.270	106.698	97.181	75.233	91.083
12	T	4.7117	7.4322	4.9023	8.3755	8.5947	2.9033	7.1536	5.3009	4.5150	5.3214	6.4228	3.5427	5.7641	5.5785	5.0768
	S	109.399	107.793	117.524	73.998	112.649	131.981	97.885	72.415	75.657	95.839	86.411	107.391	92.737	74.067	87.967
13	T	4.7691	7.4269	4.8888	8.4384	8.6325	2.9337	6.9844	5.1918	4.2991	5.2532	6.2606	3.5576	5.3125	5.3707	4.9163
	S	108.082	107.870	117.848	73.447	112.155	130.614	100.256	73.937	79.456	97.084	88.650	106.941	100.620	76.933	90.839
14	T	4.7183	7.3243	4.8796	8.5079	8.6424	2.9369	7.0439	5.1440	4.4966	5.3396	6.2979	3.5721	5.3707	5.4686	4.8944
	S	109.246	109.381	118.070	72.847	112.027	130.472	99.409	74.624	75.966	95.513	88.125	106.507	99.530	75.555	91.245
15	T	4.7178	7.2685	4.8441	8.2994	8.6309	2.9395	6.9908	5.2521	4.3779	5.2982	6.3871	3.5901	5.4743	5.4438	4.8977
	S	109.257	110.220	118.936	74.677	112.176	130.356	100.164	73.088	78.026	96.259	86.894	105.973	97.646	75.900	91.184
16	T	4.7141	7.2993	4.8543	8.4511	8.6009	2.9322	6.9905	5.1585	4.3677	5.2757	6.3967	3.5750	5.2917	5.3656	4.9913
	S	109.343	109.755	118.686	73.336	112.568	130.681	100.168	74.414	78.208	96.670	86.763	106.421	101.016	77.006	89.474

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 20 - McMahan, Clint (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
17	T	20.6215	25.8148	25.9088	20.3274	15.1365	135.8787		
	S	66.788	61.513	55.027	52.392	60.450	59.824		
18	T	22.0736	25.9463	25.8364	19.6888	16.2528	139.7076		
	S	62.395	61.202	55.181	54.092	56.298	58.184		
19	T								
	S								

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF	
1	T	14.2080	18.1857	18.3403	12.3515	9.8789	93.0758	123.6421
	S	96.936	87.319	77.735	86.224	92.622	87.335	61.580
2	T	12.6651	17.5655	18.1177	15.0596	11.6684	98.2215	
	S	108.746	90.402	78.690	70.719	78.417	82.760	
3	T	21.0849	26.0236	25.1343	19.8368	17.0936	141.3290	
	S	65.320	61.020	56.723	53.688	53.529	57.517	
4	T	22.9280	25.2018	25.3655	18.2805	14.5010	135.3103	
	S	60.069	63.010	56.206	58.259	63.099	60.075	
5	T	13.8790	18.1410	18.3675	12.4625	9.2742	91.0944	
	S	99.234	87.534	77.620	85.456	98.661	89.235	
6	T	12.8795	18.1994	17.5710	12.1735	9.3930	88.7788	
	S	106.935	87.253	81.138	87.485	97.413	91.562	
7	T	12.5590	17.2420	17.1718	11.9227	9.1449	86.3871	
	S	109.664	92.098	83.025	89.325	100.056	94.097	
8	T	12.3871	17.3182	17.0213	11.7430	8.9689	85.5892	
	S	111.186	91.693	83.759	90.692	102.019	94.975	
9	T	12.3534	17.2282	16.8717	11.5718	8.9928	85.2252	
	S	111.489	92.172	84.501	92.034	101.748	95.380	
10	T	12.3277	17.2524	16.9426	11.6988	8.9332	85.2131	
	S	111.722	92.043	84.148	91.035	102.427	95.394	
11	T	12.3151	17.1589	16.5882	11.6010	9.0662	84.7679	
	S	111.836	92.544	85.946	91.802	100.924	95.895	
12	T	12.3345	16.9702	16.9695	11.7442	9.3068	85.5955	
	S	111.660	93.573	84.014	90.683	98.315	94.968	
13	T	12.3157	17.0709	16.4753	11.5138	8.8701	84.2356	
	S	111.831	93.021	86.534	92.498	103.156	96.501	
14	T	12.2039	17.1503	16.6845	11.6375	8.9428	84.6372	
	S	112.855	92.590	85.449	91.515	102.317	96.043	
15	T	12.1126	16.9303	16.6208	11.6853	9.0644	84.4122	
	S	113.706	93.794	85.777	91.140	100.944	96.299	
16	T	12.1536	17.0520	16.5167	11.6724	8.8667	84.2646	
	S	113.322	93.124	86.318	91.241	103.195	96.468	

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 21 - Lloyd, Jordan

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
17	T	4.7879	7.5967	4.9215	8.4161	8.5630	2.9275	7.2333	5.2129	4.4965	5.3808	6.4834	3.8721	5.9416	5.7942	4.9787
	S	107.658	105.458	117.065	73.641	113.066	130.890	96.806	73.637	75.968	94.781	85.603	98.255	89.967	71.310	89.700
18	T	4.8506	7.6617	5.0792	8.6446	10.9346	5.1015	13.7333	6.4355	5.0847	8.9763	11.9208	8.6514	8.4410	5.8393	7.3079
	S	106.266	104.564	113.431	71.695	88.543	75.112	50.988	59.648	67.180	56.816	46.557	43.976	63.327	70.759	61.111
19	T	9.0278	11.9679	10.5056	10.5973	15.7065	6.3042	13.2817	6.4485	5.6346	7.8771	10.2963	7.4557	9.1736	7.3602	8.1896
	S	57.096	66.940	54.841	58.484	61.642	60.782	52.721	59.528	60.624	64.745	53.903	51.029	58.270	56.137	54.531
20	T	10.8912														
	S	47.328														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9715	8.4696	5.0021	9.2224	8.6115	2.8816	7.6295	5.3614	4.6669	5.3823	6.7978	3.5901	5.8269	5.8030	4.9202
	S	86.319	94.590	115.179	67.203	112.429	132.975	91.779	71.598	73.194	94.755	81.644	105.973	91.738	71.201	90.767
2	T	4.7175	7.6125	4.8535	8.5379	8.5409	2.8824	7.3004	5.2239	4.4808	5.8395	7.6536	3.9145	7.6834	7.6592	6.4915
	S	109.264	105.240	118.705	72.591	113.358	132.938	95.916	73.482	76.234	87.336	72.515	97.191	69.571	53.946	68.796
3	T	8.0378	13.0700	9.1497	10.6542	15.9894	6.4146	12.1947	8.0856	5.5276	9.5715	10.4506	6.8367	9.9751	7.9828	8.5702
	S	64.129	61.296	62.968	58.172	60.551	59.736	57.421	47.475	61.797	53.283	53.107	55.649	53.588	51.759	52.110
4	T	8.9293	12.2358	10.8914	10.4402	15.3499	6.2291	12.8311	7.2908	6.4127	8.0748	10.6367	6.5066	9.1101	7.8977	8.5971
	S	57.726	65.475	52.898	59.364	63.074	61.515	54.573	52.650	53.268	63.159	52.178	58.472	58.676	52.317	51.947
5	T	5.4916	7.9536	4.8491	8.7295	8.4841	2.8574	7.2560	5.2784	4.4893	5.3070	6.5344	3.5606	5.3849	5.5726	4.9246
	S	93.862	100.726	118.813	70.998	114.117	134.102	96.503	72.723	76.090	96.099	84.935	106.851	99.267	74.145	90.686
6	T	4.6689	7.2290	4.7504	8.4874	8.4460	2.8569	7.1168	5.2263	4.5529	5.3512	6.4034	3.5309	5.2813	5.4406	4.8757
	S	110.402	110.823	121.282	73.023	114.632	134.125	98.391	73.448	75.027	95.306	86.673	107.750	101.215	75.944	91.595
7	T	4.6545	7.1971	4.7579	8.4064	8.4890	2.8688	7.0268	5.1750	4.4104	5.2404	6.3670	3.5476	5.1340	5.4669	4.8834
	S	110.743	111.314	121.090	73.726	114.051	133.569	99.651	74.177	77.451	97.321	87.168	107.243	104.119	75.579	91.451
8	T	4.6395	7.1388	4.7154	8.3120	8.4358	2.8596	6.9512	5.0499	4.3434	5.2470	6.2260	3.4956	5.0636	5.4098	4.8688
	S	111.101	112.223	122.182	74.564	114.771	133.998	100.735	76.014	78.646	97.198	89.142	108.838	105.566	76.377	91.725
9	T	4.6189	7.1477	4.7217	8.2874	8.4626	2.8496	6.9269	5.0837	4.3021	5.2308	6.2219	3.5286	5.1159	5.4909	4.8628
	S	111.597	112.083	122.019	74.785	114.407	134.469	101.088	75.509	79.401	97.499	89.201	107.820	104.487	75.248	91.838
10	T	4.6217	7.0912	4.7229	8.2550	8.4508	2.8522	6.9328	5.0510	4.3428	5.2159	6.1999	3.4988	5.0531	5.3460	4.8706
	S	111.529	112.976	121.988	75.078	114.567	134.346	101.002	75.998	78.657	97.778	89.518	108.739	105.786	77.288	91.691
11	T	4.6243	7.0471	4.7278	8.2759	8.4441	2.8472	6.9019	5.0805	4.2693	5.2067	6.1765	3.4973	5.0539	5.3614	4.8387
	S	111.467	113.683	121.861	74.889	114.658	134.582	101.454	75.556	80.011	97.951	89.857	108.785	105.769	77.066	92.296
12	T	4.6079	7.0423	4.7469	8.2704	8.4060	2.8389	6.8764	5.0431	4.2796	5.2253	6.1891	3.4908	5.0187	5.3678	4.8670
	S	111.863	113.761	121.371	74.939	115.177	134.975	101.831	76.117	79.818	97.602	89.674	108.988	106.511	76.974	91.759
13	T	4.6166	7.1073	4.7620	8.2768	8.4505	2.8513	6.8421	5.0161	4.2515	5.2014	6.2025	3.4971	5.0042	5.3743	4.8356
	S	111.652	112.720	120.986	74.881	114.571	134.388	102.341	76.526	80.346	98.051	89.480	108.791	106.819	76.881	92.355
14	T	4.6109	7.0266	4.7176	8.2395	8.4289	2.8515	6.8057	5.0773	4.3291	5.2238	6.4915	3.5304	5.0717	5.3949	4.8750
	S	111.790	114.015	122.125	75.220	114.865	134.379	102.888	75.604	78.906	97.630	85.496	107.765	105.398	76.587	91.608
15	T	4.6228	7.1088	4.7564	8.3549	8.4180	2.8493	6.9417	4.9984	4.2714	5.2095	6.3138	3.5004	5.0513	5.3779	4.8995
	S	111.503	112.696	121.129	74.181	115.013	134.483	100.873	76.797	79.972	97.898	87.903	108.689	105.823	76.830	91.150

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 1

July 29, 2016

Section Data for Car 21 - Lloyd, Jordan

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
17	T	12.5182	16.9791	16.9427	11.8642	9.8137	86.6062	
	S	110.022	93.524	84.147	89.766	93.237	93.859	
18	T	12.7409	19.5792	25.2535	20.8971	17.0924	118.6624	
	S	108.099	81.104	56.455	50.964	53.533	68.504	
19	T	22.4735	26.3038	25.3648	18.1734	16.6293	139.8266	
	S	61.284	60.370	56.207	58.602	55.023	58.135	
20	T							
	S							

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.4717	17.8339	17.6578	12.1801	9.4170	90.1368	139.8495
	S	102.235	89.041	80.739	87.438	97.165	90.183	54.443
2	T	12.4660	17.0788	17.0051	13.4931	11.5979	93.3915	
	S	110.482	92.978	83.838	78.929	78.894	87.040	
3	T	22.2197	26.6436	25.8079	20.0221	16.8118	142.5105	
	S	61.984	59.600	55.242	53.191	54.426	57.040	
4	T	23.1272	25.7901	26.5346	18.7115	15.6167	141.4333	
	S	59.552	61.572	53.729	56.917	58.591	57.474	
5	T	12.8027	17.2136	17.0237	11.8414	8.9455	86.6731	
	S	107.577	92.250	83.747	89.939	102.286	93.787	
6	T	11.9794	16.9334	16.8960	11.7546	8.8122	84.2177	
	S	114.970	93.776	84.380	90.603	103.833	96.521	
7	T	11.9550	16.8954	16.6122	11.6074	8.6816	83.6252	
	S	115.205	93.987	85.821	91.752	105.395	97.205	
8	T	11.8542	16.7478	16.3445	11.4730	8.5592	82.7564	
	S	116.184	94.816	87.227	92.827	106.903	98.226	
9	T	11.8694	16.7500	16.3127	11.4527	8.6445	82.8515	
	S	116.036	94.803	87.397	92.991	105.848	98.113	
10	T	11.8141	16.7058	16.3266	11.4158	8.5519	82.5047	
	S	116.579	95.054	87.323	93.292	106.994	98.525	
11	T	11.7749	16.7200	16.2517	11.3832	8.5512	82.3526	
	S	116.967	94.973	87.725	93.559	107.003	98.707	
12	T	11.7892	16.6764	16.1991	11.4144	8.5095	82.2702	
	S	116.825	95.222	88.010	93.303	107.527	98.806	
13	T	11.8693	16.7273	16.1097	11.4039	8.5013	82.2893	
	S	116.037	94.932	88.498	93.389	107.631	98.783	
14	T	11.7442	16.6684	16.2121	11.7153	8.6021	82.6744	
	S	117.273	95.267	87.939	90.907	106.369	98.323	
15	T	11.8652	16.7729	16.2115	11.5233	8.5517	82.6741	
	S	116.077	94.674	87.943	92.421	106.996	98.323	

Event: **Allied Building Products GP of Mid-Ohio**
 Track: **Mid-Ohio Sports Car Course**
 Report: **Section Data Report**
 Session: **Race 1**

Round 12 / 13 / 14
 2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 22 - Rickards, Garth

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
16	T	4.6320	7.0467	4.7493	8.3765	8.4128	2.8498	7.0615	5.0382	4.3357	5.2164	6.2267	3.4943	5.1012	5.3102	4.8582
	S	111.281	113.690	121.310	73.989	115.084	134.459	99.161	76.191	78.786	97.769	89.132	108.879	104.788	77.809	91.925
17	T	4.6337	7.1022	4.7525	8.3096	8.3914	2.8483	7.3788	5.1992	4.4812	5.8714	9.4952	5.6123	7.5643	6.2626	6.4098
	S	111.240	112.801	121.228	74.585	115.378	134.530	94.897	73.831	76.228	86.862	58.451	67.789	70.667	65.976	69.673
18	T	7.4157	11.5014	9.0491	11.0621	14.8688	6.3374	13.3760	6.6672	6.2113	8.6411	11.6020	6.0488	8.8513	7.5077	7.3715
	S	69.509	69.656	63.668	56.027	65.115	60.464	52.350	57.575	54.995	59.020	47.837	62.898	60.392	55.034	60.583
19	T	7.8857	13.4046	9.1529	11.7224	14.5853	6.3448	13.1458	6.9016	5.9599	9.1467	10.5570	6.1851	10.1315	7.4576	8.3913
	S	65.366	59.766	62.946	52.871	66.381	60.393	53.266	55.620	57.315	55.758	52.572	61.511	52.761	55.404	53.221
20	T	8.2202														
	S	62.706														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.1583	8.4989	5.0902	9.0330	8.5446	2.8486	7.6574	5.5089	4.7253	5.4438	6.8873	3.6038	5.5949	5.7153	4.8855
	S	83.701	94.264	113.185	68.612	113.309	134.516	91.445	69.681	72.290	93.685	80.583	105.570	95.542	72.294	91.412
2	T	4.6773	7.5367	4.8028	8.6821	8.5231	2.8768	7.2361	5.3504	4.5570	5.9461	7.4638	3.9359	7.7945	7.4811	6.6279
	S	110.203	106.298	119.958	71.385	113.595	133.197	96.769	71.745	74.960	85.771	74.359	96.663	68.580	55.230	67.380
3	T	8.0896	13.1294	8.9278	10.7130	16.0740	6.3633	12.1470	7.3646	6.3353	9.4232	10.5104	6.9324	9.8902	7.9775	8.6212
	S	63.718	61.019	64.533	57.852	60.233	60.217	57.646	52.123	53.919	54.122	52.805	54.881	54.048	51.793	51.801
4	T	8.7065	12.4728	10.8690	10.2508	15.6431	6.0714	12.7332	7.4988	6.1292	8.2345	10.7109	6.4554	9.2327	7.8971	8.8721
	S	59.203	64.231	53.007	60.461	61.892	63.113	54.992	51.190	55.732	61.935	51.816	58.936	57.897	52.321	50.337
5	T	5.6272	8.0764	4.9690	9.0028	8.5035	2.8539	7.8862	5.5177	4.6827	5.3739	6.6441	3.5783	5.6299	5.6105	4.9133
	S	91.601	99.195	115.946	68.842	113.857	134.266	88.791	69.570	72.947	94.903	83.533	106.323	94.948	73.644	90.894
6	T	4.6763	7.4126	4.7836	8.5308	8.4822	2.8664	7.3433	5.2674	4.5576	5.2939	6.4426	3.5158	5.2586	5.5563	4.9274
	S	110.227	108.078	120.440	72.651	114.143	133.681	95.356	72.875	74.950	96.337	86.145	108.213	101.652	74.363	90.634
7	T	4.6666	7.2538	4.7908	8.5192	8.4633	2.8761	7.1181	5.2113	4.4357	5.3042	6.3321	3.5030	5.1689	5.4842	4.8936
	S	110.456	110.444	120.259	72.750	114.398	133.230	98.373	73.660	77.009	96.150	87.649	108.608	103.416	75.340	91.260
8	T	4.6330	7.1311	4.7290	8.2974	8.4346	2.8651	7.0195	5.1720	4.3071	5.2836	6.3346	3.5053	5.1384	5.5031	4.8530
	S	111.257	112.344	121.830	74.695	114.787	133.741	99.755	74.220	79.309	96.525	87.614	108.537	104.030	75.082	92.024
9	T	4.6051	7.1289	4.7235	8.3055	8.4347	2.8568	6.9891	5.1180	4.4249	5.2939	6.3399	3.5031	5.1403	5.5142	4.8892
	S	111.931	112.379	121.972	74.622	114.786	134.130	100.188	75.003	77.197	96.337	87.541	108.605	103.991	74.931	91.342
10	T	4.6196	7.1426	4.7599	8.3536	8.4485	2.8541	6.8996	5.1133	4.2983	5.2461	6.3090	3.4923	5.1200	5.4156	4.8112
	S	111.580	112.163	121.040	74.192	114.598	134.257	101.488	75.072	79.471	97.215	87.970	108.941	104.403	76.295	92.823
11	T	4.6054	7.1955	4.7673	8.2892	8.4284	2.8476	6.9802	5.1084	4.3080	5.2639	6.2555	3.4817	5.0635	5.4194	4.8553
	S	111.924	111.339	120.852	74.769	114.871	134.563	100.316	75.144	79.292	96.886	88.722	109.273	105.568	76.241	91.980
12	T	4.6038	7.1230	4.7430	8.3085	8.3898	2.8383	6.8800	5.1297	4.3182	5.2317	6.3196	3.4923	5.0722	5.4447	4.8224
	S	111.963	112.472	121.471	74.595	115.400	135.004	101.777	74.832	79.105	97.483	87.822	108.941	105.387	75.887	92.608
13	T	4.6061	7.2486	4.7657	8.3430	8.4061	2.8514	6.9312	5.1233	4.2908	5.2322	6.2339	3.4886	5.0863	5.4046	4.8013
	S	111.907	110.523	120.892	74.287	115.176	134.384	101.025	74.925	79.610	97.473	89.029	109.057	105.095	76.450	93.015
14	T	4.6037	7.1584	4.7676	8.3547	8.3910	2.8476	6.9680	5.0465	4.2981	5.2255	6.1968	3.4745	5.2467	5.3494	4.8673
	S	111.965	111.916	120.844	74.183	115.383	134.563	100.492	76.065	79.475	97.598	89.562	109.499	101.882	77.239	91.753

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 22 - Rickards, Garth

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
16	T	11.7960	16.7893	16.4354	11.4431	8.5955	82.7095	
	S	116.758	94.581	86.745	93.069	106.451	98.281	
17	T	11.8547	16.7010	17.0592	15.3666	13.1766	94.3125	
	S	116.179	95.081	83.573	69.306	69.441	86.190	
18	T	20.5505	25.9309	26.2545	20.2431	14.9001	136.5114	
	S	67.019	61.238	54.302	52.611	61.409	59.547	
19	T	22.5575	26.3077	26.0073	19.7037	16.3166	140.9722	
	S	61.056	60.361	54.819	54.051	56.078	57.662	
20	T							
	S							

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.5891	17.5776	17.8916	12.3311	9.1987	90.1958	142.6169
	S	101.351	90.340	79.684	86.367	99.471	90.124	53.387
2	T	12.3395	17.2052	17.1435	13.4099	11.7304	93.4916	
	S	111.615	92.295	83.162	79.419	78.002	86.947	
3	T	22.0572	26.7870	25.8469	19.9336	16.8226	142.4989	
	S	62.441	59.281	55.159	53.427	54.391	57.045	
4	T	23.3418	25.8939	26.3612	18.9454	15.6881	141.7775	
	S	59.005	61.325	54.083	56.214	58.324	57.335	
5	T	13.0454	17.5063	18.0866	12.0180	9.2082	88.8694	
	S	105.575	90.708	78.825	88.617	99.368	91.469	
6	T	12.1962	17.0130	17.1683	11.7365	8.7744	84.9148	
	S	112.926	93.338	83.042	90.743	104.281	95.729	
7	T	12.0446	16.9825	16.7651	11.6363	8.6719	84.0209	
	S	114.348	93.505	85.039	91.524	105.513	96.747	
8	T	11.8601	16.7320	16.4986	11.6182	8.6437	83.2068	
	S	116.127	94.905	86.412	91.667	105.857	97.694	
9	T	11.8524	16.7402	16.5320	11.6338	8.6434	83.2671	
	S	116.202	94.859	86.238	91.544	105.861	97.623	
10	T	11.9025	16.8021	16.3112	11.5551	8.6123	82.8837	
	S	115.713	94.509	87.405	92.167	106.243	98.075	
11	T	11.9628	16.7176	16.3966	11.5194	8.5452	82.8693	
	S	115.130	94.987	86.950	92.453	107.078	98.092	
12	T	11.8660	16.6983	16.3279	11.5513	8.5645	82.7172	
	S	116.069	95.097	87.316	92.197	106.836	98.272	
13	T	12.0143	16.7491	16.3453	11.4661	8.5749	82.8131	
	S	114.636	94.808	87.223	92.882	106.707	98.158	
14	T	11.9260	16.7457	16.3126	11.4223	8.7212	82.7958	
	S	115.485	94.828	87.398	93.239	104.917	98.179	

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 23 - Luo, Yufeng

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
15	T	4.6216	7.1381	4.7685	8.3026	8.3872	2.8459	6.9606	5.0878	4.2704	5.2404	6.2516	3.4813	5.0861	5.3784	4.8473
	S	111.532	112.234	120.821	74.648	115.436	134.643	100.599	75.448	79.990	97.321	88.777	109.285	105.099	76.822	92.132
16	T	4.6032	7.1481	4.7778	8.3265	8.3529	2.8504	6.9482	5.1097	4.3164	5.2413	6.3170	3.4752	5.1061	5.4160	4.8012
	S	111.977	112.077	120.586	74.434	115.910	134.431	100.778	75.124	79.138	97.304	87.858	109.477	104.688	76.289	93.017
17	T	4.6083	7.1597	4.7466	8.2775	8.4773	2.9143	7.5821	5.3749	4.5692	5.7187	7.7168	5.4783	7.4429	6.1432	6.0917
	S	111.854	111.895	121.379	74.874	114.209	131.483	92.353	71.418	74.759	89.181	71.921	69.448	71.820	67.258	73.311
18	T	7.2248	10.6915	10.2559	10.7364	14.5938	5.8738	13.5134	5.9978	6.2399	9.3213	11.4570	7.5610	7.4831	7.4542	7.9736
	S	71.345	74.932	56.176	57.726	66.342	65.236	51.817	64.001	54.743	54.713	48.442	50.318	71.434	55.429	56.009
19	T	7.7002	12.5203	9.9245	10.6868	14.4207	6.8500	12.9831	6.4781	6.2376	9.7965	10.2078	7.0160	9.4309	7.7049	7.8020
	S	66.940	63.987	58.052	57.994	67.138	55.939	53.934	59.256	54.763	52.059	54.370	54.227	56.680	53.626	57.241
20	T	9.8244														
	S	52.467														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9243	9.0363	5.2098	9.2593	8.6397	2.8755	8.0407	5.5429	4.7505	5.5410	6.7757	3.6235	5.9191	5.8341	4.9377
	S	87.007	88.658	110.587	66.935	112.062	133.257	87.085	69.253	71.906	92.041	81.910	104.996	90.309	70.822	90.445
2	T	4.7573	7.7971	4.9180	8.6604	8.5074	2.8840	7.2024	5.3626	4.5954	6.4297	7.6575	4.0535	6.8965	8.5071	6.8830
	S	108.350	102.748	117.149	71.564	113.805	132.865	97.221	71.582	74.333	79.319	72.478	93.858	77.510	48.569	64.883
3	T	7.9839	12.5967	10.0122	10.1219	16.4829	5.9188	12.1060	7.4676	6.0222	9.5067	10.5788	6.6469	10.5333	7.5488	8.4140
	S	64.562	63.599	57.543	61.231	58.739	64.740	57.841	51.404	56.722	53.646	52.463	57.238	50.748	54.735	53.077
4	T	9.6982	12.0481	10.1758	10.7543	15.9313	6.0194	12.9033	6.5269	6.7398	8.0220	10.0810	6.3868	8.1153	7.6232	8.2475
	S	53.150	66.495	56.618	57.630	60.772	63.658	54.267	58.813	50.683	63.575	55.054	59.569	65.869	54.201	54.149
5	T	5.3742	8.3947	5.0000	8.9828	8.5991	2.8943	7.7082	5.5119	5.0172	5.4385	6.5620	3.5598	5.6075	5.8197	5.6354
	S	95.913	95.434	115.227	68.995	112.591	132.392	90.842	69.643	68.084	93.776	84.578	106.875	95.327	70.997	79.247
6	T	4.9152	8.1282	4.9685	8.5875	8.4955	2.8860	7.1644	5.3145	4.4386	5.2984	6.4557	3.5359	5.4031	5.6285	4.8936
	S	104.869	98.563	115.958	72.171	113.964	132.773	97.737	72.229	76.959	96.255	85.971	107.598	98.933	73.409	91.260
7	T	4.6474	7.4358	4.8476	8.6042	8.4553	2.8807	7.1494	5.2128	4.4306	5.3201	6.3970	3.5116	5.2855	5.6532	4.8659
	S	110.912	107.740	118.850	72.031	114.506	133.017	97.942	73.639	77.098	95.863	86.759	108.342	101.134	73.088	91.780
8	T	4.6420	7.4049	4.7836	8.4309	8.4185	2.8422	7.4122	5.3187	4.4802	5.3175	6.3931	3.5202	5.3194	5.5783	4.8611
	S	111.041	108.190	120.440	73.512	115.006	134.819	94.470	72.172	76.245	95.910	86.812	108.078	100.490	74.069	91.870
9	T	4.6381	7.2721	4.7728	8.5236	8.4301	2.8470	7.1347	5.1490	4.4040	5.2758	6.3735	3.5218	5.2378	5.6078	4.8668
	S	111.135	110.166	120.712	72.713	114.848	134.591	98.144	74.551	77.564	96.668	87.079	108.028	102.055	73.680	91.763
10	T	4.6244	7.2991	4.7629	8.3804	8.4091	2.8364	7.0729	5.1300	4.3304	5.2551	6.3796	3.5169	5.1615	5.4788	4.8689
	S	111.464	109.758	120.963	73.955	115.135	135.094	99.001	74.827	78.882	97.049	86.996	108.179	103.564	75.415	91.723
11	T	4.6176	7.1975	4.7877	8.5325	8.4194	2.8333	7.0329	5.1325	4.3819	5.2831	6.3948	3.5217	5.1357	5.4978	4.8494
	S	111.628	111.308	120.337	72.637	114.994	135.242	99.565	74.791	77.955	96.534	86.789	108.032	104.084	75.154	92.092
12	T	4.6002	7.1241	4.7405	8.4248	8.3974	2.8356	7.1092	5.0949	4.3131	5.2622	6.2802	3.4947	5.2600	5.3581	4.9055
	S	112.050	112.454	121.535	73.565	115.295	135.133	98.496	75.343	79.198	96.918	88.373	108.866	101.625	77.113	91.039
13	T	4.6286	7.1249	4.7360	8.3685	8.3927	2.8259	7.1973	5.0752	4.3575	5.2645	6.3684	3.4994	5.2044	5.4757	4.8493
	S	111.363	112.442	121.650	74.060	115.360	135.596	97.290	75.635	78.391	96.875	87.149	108.720	102.710	75.457	92.094

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 23 - Luo, Yufeng

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
15	T	11.9066	16.6898	16.3188	11.4920	8.5674	82.6678	
	S	115.673	95.145	87.364	92.673	106.800	98.331	
16	T	11.9259	16.6794	16.3743	11.5583	8.5813	82.7900	
	S	115.486	95.205	87.068	92.142	106.627	98.186	
17	T	11.9063	16.7548	17.5262	13.4355	12.9212	92.3015	
	S	115.676	94.776	81.346	79.268	70.814	88.068	
18	T	20.9474	25.3302	25.7511	20.7783	15.0441	136.3775	
	S	65.749	62.690	55.364	51.255	60.821	59.605	
19	T	22.4448	25.1075	25.6988	20.0043	16.4469	139.7594	
	S	61.363	63.246	55.477	53.239	55.634	58.163	
20	T							
	S							

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	14.2461	17.8990	18.3341	12.3167	9.5426	91.9101	133.9311
	S	96.677	88.718	77.761	86.468	95.886	88.443	56.849
2	T	12.7151	17.1678	17.1604	14.0872	10.9500	95.1119	
	S	108.318	92.496	83.080	75.601	83.562	85.466	
3	T	22.6089	26.6048	25.5958	20.0855	17.1802	141.9407	
	S	60.917	59.687	55.700	53.023	53.259	57.269	
4	T	22.2239	26.6856	26.1700	18.1030	14.5021	139.2729	
	S	61.973	59.506	54.478	58.830	63.094	58.366	
5	T	13.3947	17.5819	18.2373	12.0005	9.1673	90.1053	
	S	102.822	90.318	78.174	88.746	99.811	90.214	
6	T	13.0967	17.0830	16.9175	11.7541	8.9390	86.1136	
	S	105.162	92.955	84.273	90.607	102.360	94.396	
7	T	12.2834	17.0595	16.7928	11.7171	8.7971	84.6971	
	S	112.125	93.083	84.898	90.893	104.012	95.975	
8	T	12.1885	16.8494	17.2111	11.7106	8.8396	84.7228	
	S	112.998	94.244	82.835	90.943	103.511	95.946	
9	T	12.0449	16.9537	16.6877	11.6493	8.7596	84.0549	
	S	114.345	93.664	85.433	91.422	104.457	96.708	
10	T	12.0620	16.7895	16.5333	11.6347	8.6784	83.5064	
	S	114.183	94.580	86.231	91.537	105.434	97.343	
11	T	11.9852	16.9519	16.5473	11.6779	8.6574	83.6178	
	S	114.914	93.674	86.158	91.198	105.690	97.214	
12	T	11.8646	16.8222	16.5172	11.5424	8.7547	83.2005	
	S	116.083	94.396	86.315	92.269	104.515	97.701	
13	T	11.8609	16.7612	16.6300	11.6329	8.7038	83.3683	
	S	116.119	94.740	85.730	91.551	105.126	97.505	

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 3 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
14	T	4.6114	7.2800	4.7738	8.3988	8.3795	2.8385	7.0289	5.1313	4.3184	5.2494	6.3209	3.5055	5.1692	5.4393	4.8533
	S	111.778	110.046	120.687	73.793	115.542	134.994	99.621	74.808	79.101	97.154	87.804	108.531	103.410	75.962	92.018
15	T	4.6104	7.1064	4.7570	8.3988	8.3431	2.7996	7.2905			7.6109	10.1905				
	S	111.803	112.734	121.113	73.793	116.046	136.870	96.047			67.009	54.462				
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9580	8.8049	5.0594	9.0075	8.6523	2.8955	7.6529	5.5734	4.7003	5.6216	6.7526	3.6046	5.5450	5.7814	4.9499
	S	86.515	90.988	113.874	68.806	111.899	132.337	91.498	68.874	72.674	90.722	82.191	105.547	96.401	71.467	90.222
2	T	4.7481	7.3849	4.7552	8.6061	8.5957	2.9058	7.3534	5.2881	4.4721	5.7543	7.9038	3.8928	7.4267	7.7097	6.4774
	S	108.560	108.483	121.159	72.016	112.636	131.868	95.225	72.590	76.383	88.629	70.219	97.733	71.976	53.592	68.946
3	T	8.0139	13.0375	9.3749	10.5571	15.8980	6.5449	12.2954	7.9933	5.5582	9.5406	10.3880	6.8099	10.1739	7.6401	8.7813
	S	64.320	61.449	61.455	58.707	60.900	58.547	56.950	48.023	61.457	53.456	53.427	55.868	52.541	54.081	50.857
4	T	9.0679	12.0347	11.1618	10.4229	15.1371	6.4449	12.5922	7.1894	6.5158	8.2321	10.5663	6.3794	8.9253	7.8248	8.6192
	S	56.844	66.569	51.617	59.463	63.961	59.455	55.608	53.393	52.425	61.953	52.525	59.638	59.891	52.804	51.813
5	T	5.5123	8.0708	4.9578	8.9210	8.4747	2.8261	7.6396	5.4186	4.6291	5.4720	6.5344	3.5977	5.4921	5.6105	4.9259
	S	93.510	99.264	116.208	69.473	114.244	135.587	91.658	70.842	73.792	93.202	84.935	105.749	97.330	73.644	90.662
6	T	4.7321	7.4434	4.8232	8.4498	8.5758	2.9155	7.1592	5.2209	4.4724	5.3448	6.3107	3.5428	5.2979	5.5923	4.8878
	S	108.927	107.630	119.451	73.348	112.897	131.429	97.808	73.524	76.378	95.420	87.946	107.388	100.898	73.884	91.368
7	T	4.7020	7.2531	4.7684	8.4072	8.5393	2.9131	7.0351	5.1822	4.3539	5.3171	6.2778	3.5354	5.2219	5.3635	4.9117
	S	109.625	110.454	120.824	73.719	113.380	131.537	99.533	74.073	78.456	95.917	88.407	107.613	102.366	77.036	90.924
8	T	4.7019	7.1770	4.7495	8.2755	8.5273	2.8985	6.9300	5.1733	4.3315	5.2952	6.2584	3.5455	5.2148	5.3624	4.8924
	S	109.627	111.626	121.305	74.892	113.539	132.200	101.043	74.201	78.862	96.314	88.681	107.306	102.505	77.052	91.283
9	T	4.6679	7.1553	4.7310	8.2860	8.5335	2.8967	6.9689	5.1584	4.3905	5.3378	6.2206	3.5421	5.1283	5.3882	4.8670
	S	110.425	111.964	121.779	74.798	113.457	132.282	100.479	74.415	77.802	95.545	89.220	107.409	104.234	76.683	91.759
10	T	4.6746	7.1032	4.7426	8.2532	8.5231	2.8904	6.9049	5.1347	4.3445	5.2987	6.2166	3.5314	5.1758	5.3131	4.9246
	S	110.267	112.785	121.481	75.095	113.595	132.571	101.410	74.759	78.626	96.250	89.277	107.735	103.278	77.767	90.686
11	T	4.6909	7.1108	4.7460	8.2854	8.5275	2.8895	6.8781	5.0891	4.2639	5.2584	6.1952	3.5244	5.0692	5.3273	4.9077
	S	109.884	112.665	121.394	74.803	113.536	132.612	101.805	75.429	80.112	96.988	89.585	107.949	105.450	77.559	90.998
12	T	4.6731	7.0826	4.7428	8.3086	8.5090	2.8854	6.9147	5.1025	4.2823	5.2722	6.1830	3.5060	5.0643	5.3036	4.8606
	S	110.302	113.113	121.476	74.594	113.783	132.800	101.266	75.231	79.768	96.734	89.762	108.515	105.552	77.906	91.880
13	T	4.6603	7.0701	4.7621	8.2428	8.5139	2.8874	6.8650	5.0956	4.2804	5.2732	6.1958	3.5234	5.1247	5.3608	4.8604
	S	110.605	113.313	120.984	75.190	113.718	132.708	102.000	75.332	79.804	96.715	89.577	107.979	104.308	77.075	91.884
14	T	4.6697	7.0894	4.7719	8.2746	8.5167	2.8956	6.8555	5.0649	4.3004	5.2571	6.2070	3.5228	5.2371	5.3735	4.9274
	S	110.383	113.005	120.735	74.901	113.680	132.332	102.141	75.789	79.432	97.012	89.415	107.998	102.069	76.892	90.634
15	T	4.6910	7.0870	4.7766	8.2368	8.4761	2.8885	6.8512	5.0906	4.2810	5.2836	6.1585	3.5045	5.0660	5.3028	4.8853
	S	109.882	113.043	120.616	75.244	114.225	132.658	102.205	75.406	79.792	96.525	90.119	108.562	105.516	77.918	91.415
16	T	4.6766	7.1229	4.7761	8.2028	8.5092	2.9005	6.8510	5.0661	4.2610	5.3177	6.2047	3.5030	5.1513	5.4389	4.8822
	S	110.220	112.473	120.629	75.556	113.781	132.109	102.208	75.771	80.167	95.906	89.448	108.608	103.769	75.968	91.473
17	T	4.6945	7.1521	4.7751	8.4369	8.6112	2.9173	7.3688	5.2612	4.5785	5.8829	7.5344	5.4373	7.2404	6.0912	6.3712
	S	109.800	112.014	120.654	73.460	112.433	131.348	95.026	72.961	74.608	86.692	73.662	69.971	73.828	67.833	70.095

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 3 - Lastochkin, Nikita

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
14	T	12.0538	16.7783	16.4786	11.5703	8.6747	83.2982	
	S	114.260	94.643	86.517	92.046	105.479	97.587	
15	T	11.8634	16.7419	25.6817	17.8014			
	S	116.094	94.849	55.514	59.827			
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.8643	17.6598	17.9266	12.3742	9.1496	90.5593	137.7775
	S	99.340	89.919	79.529	86.066	100.004	89.762	55.262
2	T	12.1401	17.2018	17.1136	13.6581	11.3195	93.2741	
	S	113.448	92.313	83.307	77.976	80.834	87.150	
3	T	22.4124	26.4551	25.8469	19.9286	16.9838	142.6070	
	S	61.451	60.025	55.159	53.441	53.875	57.001	
4	T	23.1965	25.5600	26.2974	18.7984	15.3047	141.1138	
	S	59.374	62.127	54.214	56.654	59.786	57.605	
5	T	13.0286	17.3957	17.6873	12.0064	9.0898	88.0826	
	S	105.711	91.284	80.605	88.703	100.662	92.286	
6	T	12.2666	17.0256	16.8525	11.6555	8.8407	84.7686	
	S	112.278	93.269	84.598	91.373	103.499	95.894	
7	T	12.0215	16.9465	16.5712	11.5949	8.7573	83.7817	
	S	114.567	93.704	86.034	91.851	104.484	97.024	
8	T	11.9265	16.8028	16.4348	11.5536	8.7603	83.3332	
	S	115.480	94.505	86.748	92.179	104.448	97.546	
9	T	11.8863	16.8195	16.5178	11.5584	8.6704	83.2722	
	S	115.871	94.412	86.312	92.141	105.531	97.617	
10	T	11.8458	16.7763	16.3841	11.5153	8.7072	83.0314	
	S	116.267	94.655	87.016	92.486	105.085	97.900	
11	T	11.8568	16.8129	16.2311	11.4536	8.5936	82.7634	
	S	116.159	94.449	87.836	92.984	106.475	98.217	
12	T	11.8254	16.8176	16.2995	11.4552	8.5703	82.6907	
	S	116.467	94.422	87.468	92.971	106.764	98.304	
13	T	11.8322	16.7567	16.2410	11.4690	8.6481	82.7159	
	S	116.400	94.765	87.783	92.859	105.804	98.274	
14	T	11.8613	16.7913	16.2208	11.4641	8.7599	82.9636	
	S	116.115	94.570	87.892	92.899	104.453	97.980	
15	T	11.8636	16.7129	16.2228	11.4421	8.5705	82.5795	
	S	116.092	95.014	87.881	93.077	106.762	98.436	
16	T	11.8990	16.7120	16.1781	11.5224	8.6543	82.8640	
	S	115.747	95.019	88.124	92.429	105.728	98.098	
17	T	11.9272	17.0481	17.2085	13.4173	12.6777	92.3530	
	S	115.473	93.146	82.848	79.375	72.174	88.019	

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 33 - Agren, Ayla

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
18	T	7.1851	10.7641	9.7135	11.0320	14.7832	5.7245	13.4957	6.3276	6.0647	9.3752	11.3380	7.4167	7.7748	7.2857	8.1206
	S	71.739	74.427	59.313	56.180	65.492	66.937	51.885	60.665	56.324	54.399	48.950	51.297	68.754	56.711	54.995
19	T	7.5166	12.6835	9.3731	11.1701	14.4073	6.5805	12.8955	6.8200	6.2640	9.6919	10.0622	7.0970	9.3968	8.0789	7.3919
	S	68.575	63.164	61.467	55.485	67.201	58.230	54.300	56.285	54.532	52.621	55.157	53.608	56.886	51.143	60.416
20	T	9.5077														
	S	54.214														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9032	8.8747	5.1399	9.2061	8.6181	2.8864	7.6573	5.5664	4.7880	5.6169	6.9941	3.6165	5.6436	5.7144	4.9845
	S	87.318	90.272	112.091	67.322	112.343	132.754	91.446	68.961	71.343	90.797	79.353	105.200	94.717	72.305	89.596
2	T	4.7511	7.6026	4.8323	8.7924	8.5613	2.8782	7.2982	5.4715	4.6007	5.7299	7.4498	3.7353	7.4342	8.1251	6.5259
	S	108.492	105.377	119.226	70.490	113.088	133.132	95.945	70.157	74.248	89.007	74.499	101.854	71.904	50.853	68.434
3	T	7.9278	12.9319	9.5055	10.2696	16.0729	6.3396	13.0307	7.2518	5.6899	9.6335	10.3349	6.5792	10.3912	7.4627	8.8546
	S	65.019	61.950	60.611	60.350	60.237	60.443	53.737	52.934	60.035	52.940	53.702	57.827	51.442	55.366	50.436
4	T	9.0434	12.3069	10.8651	10.4863	15.5441	6.3882	12.4952	7.1130	6.4502	8.2616	10.3152	6.3267	8.8337	7.6937	8.2673
	S	56.998	65.097	53.026	59.103	62.286	59.983	56.040	53.966	52.958	61.731	53.804	60.135	60.512	53.704	54.019
5	T	5.3933	8.5469	4.9710	8.9143	8.6059	2.8945	7.6904	5.6032	4.7829	5.3768	6.6592	3.5550	6.2290	5.7863	5.0925
	S	95.573	93.734	115.899	69.526	112.502	132.383	91.052	68.508	71.419	94.852	83.343	107.020	85.816	71.407	87.696
6	T	4.7669	7.6264	4.8650	8.7791	8.4777	2.8538	7.3181	5.4053	4.6276	5.3312	6.5192	3.5381	6.2730	6.1053	5.0927
	S	108.132	105.048	118.425	70.596	114.203	134.271	95.684	71.016	73.816	95.663	85.133	107.531	85.214	67.676	87.692
7	T	4.8470	7.6944	4.8963	8.6043	8.4688	2.8693	7.1946	5.2915	4.5853	5.2968	6.4213	3.5379	5.5291	5.4399	4.8881
	S	106.345	104.119	117.668	72.031	114.323	133.545	97.327	72.543	74.497	96.285	86.431	107.537	96.679	75.954	91.363
8	T	4.6529	7.3337	4.7730	8.4680	8.4676	2.8630	7.1899	5.3072	4.6079	5.2982	6.5060	3.5341	5.5262	5.5234	4.8930
	S	110.781	109.240	120.707	73.190	114.340	133.839	97.390	72.329	74.132	96.259	85.306	107.652	96.729	74.806	91.271
9	T	4.6623	7.3985	4.7855	8.5202	8.4717	2.8594	7.1340	5.2358	4.3592	5.2387	6.2546	3.4895	5.3468	5.3528	4.8786
	S	110.558	108.284	120.392	72.742	114.284	134.008	98.154	73.315	78.361	97.352	88.735	109.028	99.975	77.190	91.541
10	T	4.6433	7.2527	4.7591	8.3781	8.4459	2.8473	7.0151	5.1515	4.3727	5.2253	6.1991	3.4873	5.1912	5.2834	4.8509
	S	111.010	110.460	121.060	73.975	114.633	134.577	99.817	74.515	78.119	97.602	89.529	109.097	102.971	78.204	92.064
11	T	4.6227	7.2740	4.7838	8.3970	8.4363	2.8451	6.9656	5.1185	4.3534	5.2246	6.2418	3.5133	5.1760	5.3124	4.8490
	S	111.505	110.137	120.435	73.809	114.764	134.681	100.526	74.995	78.465	97.615	88.917	108.290	103.274	77.777	92.100
12	T	4.6033	7.1646	4.7613	8.3443	8.4093	2.8410	6.8680	5.1394	4.3452	5.2343	6.2140	3.4857	5.2266	5.3286	4.8431
	S	111.975	111.819	121.004	74.275	115.132	134.876	101.955	74.690	78.613	97.434	89.314	109.147	102.274	77.540	92.212
13	T	4.6147	7.2420	4.7687	8.3439	8.3928	2.8310	7.1196	5.1367	4.3434	5.2121	6.2713	3.4902	5.2741	5.3427	4.8409
	S	111.698	110.624	120.816	74.279	115.359	135.352	98.352	74.730	78.646	97.849	88.498	109.007	101.353	77.336	92.254
14	T	4.6208	7.3121	4.7828	8.3560	8.3811	2.8320	6.9455	5.1809	4.3855	5.2620	6.2764	3.4818	5.2248	5.3068	4.8596
	S	111.551	109.563	120.460	74.171	115.520	135.304	100.817	74.092	77.891	96.921	88.426	109.270	102.309	77.859	91.899
15	T	4.6309	7.2763	4.7950	8.3566	8.3616	2.8206	7.1575	6.4875	4.5190	5.2598	6.2716	3.4954	5.1978	5.2301	4.8552
	S	111.308	110.102	120.154	74.166	115.789	135.851	97.831	59.170	75.590	96.962	88.494	108.844	102.841	79.001	91.982
16	T	4.6296	7.2286	4.7888	8.2699	8.4008	2.8586	6.9460	5.1355	4.3298	5.2247	6.2998	3.4886	5.3395	5.3373	4.8593
	S	111.339	110.829	120.309	74.943	115.249	134.045	100.810	74.747	78.893	97.613	88.098	109.057	100.112	77.414	91.904

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 33 - Agren, Ayla

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
18	T	20.4776	25.8152	25.8880	20.7132	15.1915	136.4014	
	S	67.258	61.512	55.071	51.416	60.231	59.595	
19	T	22.0566	25.5774	25.9795	19.7541	16.4938	139.4293	
	S	62.443	62.084	54.877	53.913	55.475	58.301	
20	T							
	S							
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	14.0146	17.8242	18.0117	12.6110	9.2601	91.2101	132.3563
	S	98.274	89.090	79.153	84.450	98.811	89.122	57.526
2	T	12.4349	17.3537	17.3704	13.1797	11.1695	93.7885	
	S	110.759	91.505	82.075	80.806	81.920	86.672	
3	T	22.4374	26.3425	25.9724	19.9684	16.9704	142.2758	
	S	61.383	60.281	54.892	53.334	53.917	57.134	
4	T	23.1720	26.0304	26.0584	18.5768	15.1604	140.3906	
	S	59.437	61.004	54.711	57.330	60.355	57.901	
5	T	13.5179	17.5202	18.0765	12.0360	9.7840	90.1012	
	S	101.885	90.636	78.869	88.485	93.520	90.219	
6	T	12.4914	17.2568	17.3510	11.8504	9.8111	87.5794	
	S	110.258	92.019	82.167	89.870	93.262	92.816	
7	T	12.5907	17.0731	17.0714	11.7181	9.0670	85.5646	
	S	109.388	93.009	83.513	90.885	100.915	95.002	
8	T	12.1067	16.9356	17.1050	11.8042	9.0603	84.9441	
	S	113.761	93.764	83.349	90.222	100.990	95.696	
9	T	12.1840	16.9919	16.7290	11.4933	8.8363	83.9876	
	S	113.039	93.454	85.222	92.663	103.550	96.786	
10	T	12.0118	16.8240	16.5393	11.4244	8.6785	83.1029	
	S	114.660	94.386	86.200	93.222	105.433	97.816	
11	T	12.0578	16.8333	16.4375	11.4664	8.6893	83.1135	
	S	114.223	94.334	86.733	92.880	105.302	97.804	
12	T	11.9259	16.7536	16.3526	11.4483	8.7123	82.8087	
	S	115.486	94.783	87.184	93.027	105.024	98.164	
13	T	12.0107	16.7367	16.5997	11.4834	8.7643	83.2241	
	S	114.670	94.879	85.886	92.743	104.401	97.674	
14	T	12.0949	16.7371	16.5119	11.5384	8.7066	83.2081	
	S	113.872	94.876	86.343	92.300	105.093	97.692	
15	T	12.0713	16.7182	18.1640	11.5314	8.6932	84.7149	
	S	114.095	94.984	78.489	92.357	105.255	95.955	
16	T	12.0174	16.6707	16.4113	11.5245	8.8281	83.1368	
	S	114.607	95.254	86.872	92.412	103.646	97.776	

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
17	T	4.6423	7.2803	4.8084	8.3453	8.4194	2.8663	7.0035	5.1309	4.3889	5.2280	6.3226	3.4805	5.6473	5.5991	4.9943
	S	111.034	110.042	119.819	74.266	114.994	133.685	99.982	74.814	77.831	97.552	87.780	109.310	94.655	73.794	89.420
18	T	7.2495	9.7065	9.4019	10.2082	15.3765	5.9294	13.4343	5.8618	5.4826	9.5322	11.6944	7.7218	7.4242	6.7354	8.4007
	S	71.102	82.536	61.279	60.713	62.965	64.624	52.122	65.486	62.305	53.503	47.459	49.270	72.000	61.345	53.161
19	T	8.1937	12.2316	9.7583	10.7875	14.5945	6.4726	13.0287	6.0416	6.3543	9.9386	10.2453	7.3818	9.2027	7.6768	8.0488
	S	62.909	65.497	59.041	57.453	66.339	59.201	53.745	63.537	53.757	51.315	54.171	51.540	58.086	53.822	55.485
20	T	9.7261														
	S	52.997														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9767	8.9179	5.1125	9.0962	8.6189	2.9524	7.9060	5.4549	4.8704	5.4679	6.8242	3.6388	5.8281	5.8250	5.0317
	S	86.244	89.835	112.692	68.135	112.332	129.787	88.569	70.370	70.136	93.272	81.328	104.555	91.719	70.933	88.755
2	T	4.7239	7.3907	4.7769	8.8302	8.5088	2.8440	7.4393	5.3857	4.7077	5.9619	7.5658	3.6733	7.4700	8.2431	6.3701
	S	109.116	108.398	120.609	70.188	113.786	134.733	94.125	71.275	72.560	85.543	73.356	103.573	71.559	50.125	70.107
3	T	8.5357	12.8800	9.3295	9.8829	16.0301	6.8218	12.5107	7.4475	5.6380	9.6456	10.6182	6.7973	10.1926	7.3307	8.7558
	S	60.388	62.200	61.754	62.712	60.398	56.170	55.970	51.543	60.587	52.874	52.269	55.971	52.444	56.363	51.005
4	T	9.3246	12.1209	10.5911	10.5285	15.6236	6.7905	12.2933	6.6573	7.0569	8.0039	10.0903	6.2672	8.7091	7.6620	8.2083
	S	55.279	66.095	54.398	58.866	61.969	56.429	56.960	57.661	48.405	63.719	55.003	60.706	61.378	53.926	54.407
5	T	5.3417	8.4248	4.9661	8.8578	8.5757	2.8960	7.4827	5.5359	4.7432	5.4165	6.5806	3.5509	5.5166	5.8438	4.8942
	S	96.496	95.093	116.014	69.969	112.898	132.314	93.579	69.341	72.017	94.157	84.339	107.143	96.898	70.704	91.249
6	T	4.6560	7.6309	4.8315	8.6061	8.4514	2.8533	7.4173	5.3524	4.6298	5.3630	6.4052	3.5104	5.3760	5.6209	4.9281
	S	110.708	104.986	119.246	72.016	114.559	134.294	94.405	71.718	73.781	95.096	86.648	108.379	99.432	73.508	90.621
7	T	4.6596	7.3082	4.7237	8.3799	8.4274	2.8620	7.2070	5.2178	4.5538	5.3187	6.3544	3.5131	5.3092	5.4775	4.8551
	S	110.622	109.622	121.967	73.959	114.885	133.886	97.159	73.568	75.012	95.888	87.341	108.296	100.683	75.433	91.984
8	T	4.6409	7.2259	4.7193	8.3857	8.4423	2.8582	7.0735	5.1519	4.4498	5.2637	6.3761	3.5284	5.3257	5.4890	4.8406
	S	111.068	110.870	122.081	73.908	114.682	134.064	98.993	74.509	76.765	96.890	87.044	107.826	100.371	75.275	92.259
9	T	4.6259	7.2131	4.7124	8.4052	8.4687	2.8609	7.0623	5.1645	4.3834	5.2313	6.2939	3.5298	5.1427	5.4361	4.8176
	S	111.428	111.067	122.260	73.737	114.325	133.938	99.150	74.327	77.928	97.490	88.181	107.784	103.943	76.007	92.700
10	T	4.6240	7.2304	4.7295	8.3052	8.4398	2.8518	6.9918	5.1080	4.4019	5.2551	6.2611	3.4997	5.2040	5.5551	4.8116
	S	111.474	110.801	121.818	74.625	114.716	134.365	100.150	75.149	77.601	97.049	88.643	108.711	102.718	74.379	92.815
11	T	4.6221	7.2650	4.7484	8.4089	8.4252	2.8498	7.0146	5.0573	4.3674	5.2265	6.2179	3.4938	5.2176	5.4573	4.8470
	S	111.520	110.273	121.333	73.704	114.915	134.459	99.824	75.903	78.214	97.580	89.258	108.894	102.450	75.712	92.138
12	T	4.6351	7.2671	4.7541	8.3272	8.4353	2.8477	6.9840	5.0836	4.3653	5.2331	6.3749	3.5532	5.1017	5.3863	4.8025
	S	111.207	110.242	121.187	74.428	114.777	134.558	100.262	75.510	78.251	97.457	87.060	107.074	104.778	76.710	92.991
13	T	4.6455	7.2965	4.7756	8.2957	8.4207	2.8462	7.0543	5.0682	4.3540	5.2292	6.3520	3.5187	5.1783	5.4180	4.8428
	S	110.958	109.797	120.642	74.710	114.976	134.629	99.262	75.740	78.455	97.529	87.374	108.124	103.228	76.261	92.218
14	T	4.6366	7.1702	4.7453	8.3110	8.4166	2.8489	7.0272	5.0986	4.3942	5.2227	6.2620	3.4874	5.2228	5.5349	4.8386
	S	111.171	111.731	121.412	74.573	115.032	134.502	99.645	75.288	77.737	97.651	88.630	109.094	102.348	74.650	92.298
15	T	4.6440	7.1813	4.7725	8.3230	8.4117	2.8530	7.0635	5.0560	4.3561	5.2454	6.2106	3.4868	5.1904	5.5744	4.8648
	S	110.994	111.559	120.720	74.465	115.099	134.308	99.133	75.922	78.417	97.228	89.363	109.113	102.987	74.121	91.800

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 34 - Kohl, Lucas (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
17	T	12.0887	16.7647	16.5233	11.5506	9.1278	84.1571	
	S	113.931	94.720	86.283	92.203	100.243	96.591	
18	T	19.1084	25.5847	24.7787	21.2266	15.1460	134.1594	
	S	72.077	62.067	57.537	50.173	60.412	60.591	
19	T	21.9899	25.3820	25.4246	20.1839	16.5845	139.9568	
	S	62.632	62.562	56.075	52.765	55.172	58.081	
20	T							
	S							

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	14.0304	17.7151	18.2313	12.2921	9.4669	91.5216	131.6607
	S	98.163	89.638	78.200	86.641	96.653	88.818	57.829
2	T	12.1676	17.3390	17.5327	13.5277	11.1433	93.8914	
	S	113.192	91.583	81.316	78.727	82.112	86.577	
3	T	22.2095	25.9130	25.5962	20.2638	16.9899	142.4164	
	S	62.013	61.280	55.699	52.557	53.856	57.078	
4	T	22.7120	26.1521	26.0075	18.0942	14.9763	139.9275	
	S	60.641	60.720	54.818	58.859	61.097	58.093	
5	T	13.3909	17.4335	17.7618	11.9971	9.0675	88.6265	
	S	102.851	91.086	80.267	88.771	100.910	91.720	
6	T	12.4624	17.0575	17.3995	11.7682	8.8864	85.6323	
	S	110.514	93.094	81.938	90.498	102.966	94.927	
7	T	12.0319	16.8073	16.9786	11.6731	8.8223	84.1674	
	S	114.468	94.480	83.969	91.235	103.714	96.579	
8	T	11.9452	16.8280	16.6752	11.6398	8.8541	83.7710	
	S	115.299	94.364	85.497	91.496	103.342	97.036	
9	T	11.9255	16.8739	16.6102	11.5252	8.6725	83.3478	
	S	115.490	94.107	85.832	92.406	105.506	97.529	
10	T	11.9599	16.7450	16.5017	11.5162	8.7037	83.2690	
	S	115.158	94.832	86.396	92.478	105.128	97.621	
11	T	12.0134	16.8341	16.4393	11.4444	8.7114	83.2188	
	S	114.645	94.330	86.724	93.059	105.035	97.680	
12	T	12.0212	16.7625	16.4329	11.6080	8.6549	83.1511	
	S	114.570	94.733	86.758	91.747	105.720	97.759	
13	T	12.0721	16.7164	16.4765	11.5812	8.6970	83.2957	
	S	114.087	94.994	86.528	91.959	105.209	97.590	
14	T	11.9155	16.7276	16.5200	11.4847	8.7102	83.2170	
	S	115.587	94.930	86.300	92.732	105.049	97.682	
15	T	11.9538	16.7347	16.4756	11.4560	8.6772	83.2335	
	S	115.216	94.890	86.533	92.964	105.449	97.663	

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 4 - Cane, Jordan (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
16	T	4.6445	7.2606	4.7708	8.2780	8.3854	2.8533	6.9417	5.0390	4.3795	5.2706	6.2620	3.4838	5.1636	5.4578	4.8412
	S	110.982	110.340	120.763	74.870	115.460	134.294	100.873	76.179	77.998	96.763	88.630	109.207	103.522	75.705	92.248
17	T	4.6523	7.2144	4.8001	8.4552	8.4350	2.8619	7.3876	5.1253	4.4182	5.5184	6.8915	4.7412	6.7460	5.9360	6.3117
	S	110.796	111.047	120.026	73.301	114.781	133.891	94.784	74.896	77.314	92.418	80.534	80.244	79.239	69.606	70.756
18	T	7.8137	10.0492	9.7510	10.1130	15.1478	5.9778	13.5977	5.6333	5.9602	9.4950	11.7238	7.5960	7.3297	7.1276	8.3238
	S	65.968	79.721	59.085	61.285	63.916	64.101	51.496	68.142	57.312	53.712	47.340	50.086	72.929	57.969	53.652
19	T	8.0160	12.3101	9.7263	10.6670	14.7887	6.2426	13.1025	6.2897	6.2607	9.9122	10.1118	7.2098	9.4440	7.8375	7.9281
	S	64.303	65.080	59.235	58.102	65.468	61.382	53.442	61.031	54.561	51.452	54.886	52.769	56.602	52.719	56.330
20	T	9.6946														
	S	53.169														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9230	8.6594	5.0747	8.9958	8.4933	2.8712	7.8774	5.5263	4.7855	5.5841	6.5412	3.6159	5.5210	5.8625	4.9606
	S	87.026	92.516	113.531	68.896	113.994	133.457	88.891	69.461	71.380	91.331	84.847	105.217	96.820	70.479	90.028
2	T	4.7175	7.5245	4.8753	8.8526	8.5225	2.9114	7.5121	5.3983	4.4616	5.9400	7.9815	3.8148	7.3225	7.9234	6.6484
	S	109.264	106.470	118.175	70.010	113.603	131.614	93.213	71.108	76.562	85.859	69.536	99.731	73.000	52.147	67.173
3	T	7.8323	13.1167	9.4181	10.2767	16.0882	6.3615	12.5061	7.6851	5.6544	9.6780	10.3475	6.6875	10.2699	7.4982	8.8396
	S	65.811	61.078	61.173	60.309	60.180	60.235	55.991	49.949	60.412	52.697	53.636	56.890	52.050	55.104	50.522
4	T	9.0841	12.1669	10.9772	10.4120	15.4213	6.4660	12.4771	7.0082	6.6304	8.3188	10.4651	6.2082	8.9759	7.7549	8.4568
	S	56.743	65.846	52.485	59.525	62.782	59.261	56.121	54.773	51.519	61.307	53.033	61.283	59.553	53.280	52.808
5	T	5.4081	8.2640	4.9831	8.8298	8.5638	2.8964	7.6465	5.4459	4.7582	5.4107	6.5950	3.5610	5.6028	5.7936	4.8716
	S	95.312	96.943	115.618	70.191	113.055	132.296	91.575	70.487	71.790	94.258	84.155	106.839	95.407	71.317	91.672
6	T	4.7017	7.5127	4.8566	8.5047	8.5494	2.9067	7.1385	5.3538	4.4623	5.3309	6.4542	3.5621	5.3232	5.6107	4.8805
	S	109.632	106.638	118.630	72.874	113.246	131.827	98.092	71.699	76.550	95.669	85.991	106.806	100.418	73.642	91.505
7	T	4.6759	7.2461	4.7933	8.4401	8.5056	2.9083	7.0781	5.2211	4.4048	5.2886	6.3712	3.5314	5.1924	5.4929	4.8680
	S	110.236	110.561	120.196	73.432	113.829	131.755	98.929	73.522	77.550	96.434	87.111	107.735	102.948	75.221	91.740
8	T	4.6625	7.2492	4.7748	8.2917	8.5030	2.9036	7.0378	5.1998	4.3527	5.2619	6.2836	3.5288	5.1499	5.4460	4.8539
	S	110.553	110.514	120.662	74.746	113.864	131.968	99.495	73.823	78.478	96.923	88.325	107.814	103.797	75.869	92.007
9	T	4.6558	7.1847	4.7816	8.2718	8.5330	2.9065	7.0055	5.1613	4.3604	5.2431	6.2243	3.5130	5.1324	5.4143	4.8631
	S	110.712	111.506	120.490	74.926	113.463	131.836	99.954	74.373	78.339	97.271	89.167	108.299	104.151	76.313	91.833
10	T	4.6523	7.1516	4.8008	8.2608	8.4998	2.8934	6.9416	5.1520	4.3631	5.2660	6.1715	3.5181	5.1203	5.3324	4.8512
	S	110.796	112.022	120.008	75.026	113.906	132.433	100.874	74.508	78.291	96.848	89.930	108.142	104.397	77.485	92.058
11	T	4.6503	7.1003	4.7856	8.2417	8.5007	2.8915	6.9143	5.1081	4.2946	5.2428	6.2573	3.5270	5.1207	5.4056	4.8507
	S	110.843	112.831	120.390	75.200	113.894	132.520	101.272	75.148	79.540	97.276	88.696	107.869	104.389	76.436	92.067
12	T	4.6367	7.1009	4.7903	8.2371	8.4798	2.8838	6.9105	5.1131	4.3287	5.2621	6.2121	3.5148	5.0642	5.3797	4.8315
	S	111.168	112.822	120.271	75.242	114.175	132.874	101.328	75.075	78.913	96.919	89.342	108.244	105.554	76.804	92.433
13	T	4.6477	7.1573	4.8197	8.2770	8.4846	2.8879	6.9122	5.1498	4.3169	5.2479	6.2246	3.5133	5.0960	5.3742	4.9003
	S	110.905	111.933	119.538	74.879	114.110	132.685	101.303	74.540	79.129	97.182	89.162	108.290	104.895	76.882	91.135
14	T	4.6697	7.0864	4.8020	8.2627	8.4620	2.8861	6.9051	5.1432	4.2896	5.2435	6.1806	3.5012	5.2713	5.6121	4.8673
	S	110.383	113.053	119.978	75.008	114.415	132.768	101.407	74.635	79.632	97.263	89.797	108.664	101.407	73.623	91.753

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 4 - Cane, Jordan (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
16	T	12.0314	16.6634	16.3602	11.5326	8.6474	83.0318	
	S	114.473	95.296	87.143	92.347	105.812	97.900	
17	T	12.0145	16.8902	16.9311	12.4099	11.4872	89.4948	
	S	114.634	94.016	84.205	85.819	79.654	90.830	
18	T	19.8002	25.2608	25.1912	21.2188	14.9257	135.6396	
	S	69.559	62.862	56.594	50.191	61.304	59.929	
19	T	22.0364	25.4557	25.6529	20.0240	16.6538	139.8470	
	S	62.500	62.381	55.576	53.186	54.942	58.126	
20	T							
	S							

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.7341	17.4891	18.1892	12.1253	9.1369	90.2919	135.6215
	S	100.281	90.797	78.381	87.833	100.143	90.028	56.141
2	T	12.3998	17.3751	17.3720	13.9215	11.1373	94.4064	
	S	111.072	91.393	82.068	76.500	82.156	86.104	
3	T	22.5348	26.3649	25.8456	20.0255	16.9574	142.2598	
	S	61.118	60.230	55.161	53.182	53.959	57.141	
4	T	23.1441	25.8333	26.1157	18.7839	15.1841	140.8229	
	S	59.509	61.469	54.591	56.697	60.260	57.724	
5	T	13.2471	17.3936	17.8506	12.0057	9.1638	88.6305	
	S	103.968	91.295	79.867	88.708	99.849	91.716	
6	T	12.3693	17.0541	16.9546	11.7851	8.8853	85.1480	
	S	111.346	93.113	84.088	90.368	102.979	95.467	
7	T	12.0394	16.9457	16.7040	11.6598	8.7238	84.0178	
	S	114.397	93.708	85.350	91.339	104.885	96.751	
8	T	12.0240	16.7947	16.5903	11.5455	8.6787	83.4992	
	S	114.544	94.551	85.935	92.244	105.431	97.352	
9	T	11.9663	16.8048	16.5272	11.4674	8.6454	83.2508	
	S	115.096	94.494	86.263	92.872	105.837	97.642	
10	T	11.9524	16.7606	16.4567	11.4375	8.6384	82.9749	
	S	115.230	94.743	86.632	93.115	105.922	97.967	
11	T	11.8859	16.7424	16.3170	11.5001	8.6477	82.8912	
	S	115.875	94.846	87.374	92.608	105.808	98.066	
12	T	11.8912	16.7169	16.3523	11.4742	8.5790	82.7453	
	S	115.823	94.991	87.185	92.817	106.656	98.239	
13	T	11.9770	16.7616	16.3789	11.4725	8.6093	83.0094	
	S	114.993	94.738	87.044	92.831	106.280	97.926	
14	T	11.8884	16.7247	16.3379	11.4241	8.7725	83.1828	
	S	115.850	94.947	87.262	93.224	104.303	97.722	

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 5 - McCusker, Austin (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
15	T	4.6668	7.1399	4.8217	8.2429	8.4619	2.8946	6.9013	5.1149	4.3190	5.2527	6.1370	3.4995	5.0657	5.3061	4.8479
	S	110.451	112.206	119.488	75.189	114.417	132.378	101.463	75.048	79.090	97.093	90.435	108.717	105.523	77.869	92.120
16	T	4.6528	7.0950	4.8083	8.2202	8.4629	2.9012	6.8887	5.0801	4.3318	5.2708	6.3389	3.5442	5.0853	5.3550	4.8531
	S	110.784	112.916	119.821	75.396	114.403	132.077	101.649	75.562	78.857	96.760	87.555	107.346	105.116	77.158	92.022
17	T	4.6677	7.1122	4.8061	8.1842	8.4672	2.9057	7.4511	5.2609	4.4063	5.6215	8.0676	5.8741	6.9049	6.1700	6.4978
	S	110.430	112.643	119.876	75.728	114.345	131.872	93.976	72.965	77.523	90.723	68.794	64.768	77.415	66.966	68.730
18	T	7.6126	9.6862	10.1975	10.2186	15.0433	6.0198	13.3465	5.8269	6.2394	9.2817	11.5035	7.6283	7.5507	7.2425	8.0881
	S	67.711	82.709	56.498	60.651	64.360	63.654	52.465	65.878	54.747	54.947	48.246	49.874	70.794	57.050	55.216
19	T	7.8350	12.7259	9.6794	10.5715	14.3931	6.7907	13.0968	6.2814	6.2878	9.7851	10.1340	7.0975	9.6205	7.6586	8.0558
	S	65.789	62.953	59.522	58.627	67.267	56.427	53.466	61.111	54.326	52.120	54.766	53.604	55.563	53.950	55.437
20	T	9.5981														
	S	53.704														
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9693	8.8922	5.2916	9.5682	8.6748	2.8937	7.9114	5.5166	4.7895	5.4739	6.7745	3.5745	5.8541	6.0009	4.9734
	S	86.351	90.094	108.878	64.774	111.609	132.419	88.509	69.583	71.321	93.169	81.925	106.436	91.311	68.853	89.796
2	T	4.7641	7.7275	4.8979	8.8097	8.5210	2.8404	7.2689	5.3138	4.5816	6.3213	7.8111	3.9479	6.7143	8.7228	6.9994
	S	108.196	103.673	117.629	70.351	113.623	134.904	96.332	72.239	74.557	80.680	71.053	96.369	79.613	47.368	63.804
3	T	7.8814	12.5277	10.0745	9.9014	16.4481	6.1407	12.3378	7.2128	6.2092	9.4433	10.4055	6.6382	10.5969	7.5937	8.3447
	S	65.401	63.949	57.188	62.594	58.863	62.400	56.755	53.220	55.014	54.007	53.337	57.313	50.444	54.411	53.518
4	T	9.5976	12.2503	10.3459	10.5212	16.1809	6.2283	12.5002	6.5100	6.7177	7.9160	10.2104	6.4208	8.0196	7.5518	7.5991
	S	53.707	65.397	55.687	58.907	59.835	61.523	56.017	58.965	50.849	64.426	54.356	59.253	66.655	54.713	58.769
5	T	5.3612	8.4859	5.0539	8.8580	8.6646	2.8922	7.6341	5.5049	4.8014	5.4030	6.5872	3.5697	5.6985	5.7524	4.9535
	S	96.145	94.408	113.998	69.968	111.740	132.488	91.724	69.731	71.144	94.392	84.254	106.579	93.805	71.828	90.157
6	T	4.7304	7.6291	4.8719	8.7170	8.5802	2.8975	7.3325	5.2486	4.5654	5.3573	6.4823	3.5692	5.6263	5.6602	4.9293
	S	108.966	105.011	118.257	71.099	112.839	132.246	95.496	73.136	74.822	95.197	85.618	106.594	95.008	72.998	90.599
7	T	4.7447	7.5577	4.8593	8.6504	8.5315	2.9005	7.2154	5.2021	4.4795	5.2769	6.3881	3.5459	5.4752	5.5830	4.8846
	S	108.638	106.003	118.564	71.647	113.483	132.109	97.046	73.790	76.256	96.648	86.880	107.294	97.630	74.007	91.428
8	T	4.6873	7.3106	4.7673	8.5212	8.5289	2.8861	7.4285	5.1977	4.4558	5.2607	6.3804	3.5409	5.2545	5.5479	4.8826
	S	109.968	109.586	120.852	72.733	113.518	132.768	94.262	73.853	76.662	96.945	86.985	107.446	101.731	74.475	91.466
9	T	4.6813	7.2895	4.7812	8.4726	8.5238	2.8832	7.0723	5.0901	4.4491	5.2681	6.3661	3.5253	5.2866	5.4649	4.8661
	S	110.109	109.903	120.500	73.150	113.586	132.902	99.010	75.414	76.778	96.809	87.181	107.921	101.113	75.606	91.776
10	T	4.6665	7.2600	4.7994	8.4061	8.4984	2.8740	7.0205	5.0839	4.3672	5.2586	6.2780	3.5155	5.2010	5.4653	4.8819
	S	110.458	110.349	120.043	73.729	113.925	133.327	99.740	75.506	78.217	96.984	88.404	108.222	102.777	75.601	91.479
11	T	4.6812	7.2236	4.7786	8.4667	8.5202	2.8750	7.0072	5.1134	4.3771	5.2472	6.3355	3.5296	5.1756	5.4766	4.8445
	S	110.112	110.905	120.566	73.201	113.634	133.281	99.930	75.070	78.040	97.195	87.602	107.790	103.282	75.445	92.185
12	T	4.6569	7.1172	4.7635	8.3680	8.4900	2.8740	6.9899	5.1103	4.3589	5.2390	6.2739	3.5064	5.1272	5.4167	4.8610
	S	110.686	112.563	120.948	74.065	114.038	133.327	100.177	75.116	78.366	97.347	88.462	108.503	104.257	76.279	91.872
13	T	4.6475	7.1276	4.7742	8.3961	8.4797	2.8671	7.1289	5.0847	4.3476	5.2578	6.3483	3.5211	5.1922	5.4590	4.8629
	S	110.910	112.399	120.677	73.817	114.176	133.648	98.224	75.494	78.570	96.999	87.425	108.050	102.952	75.688	91.836

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 5 - McCusker, Austin (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
15	T	11.9616	16.7048	16.3352	11.3897	8.5652	82.6719	
	S	115.141	95.060	87.277	93.506	106.828	98.326	
16	T	11.9033	16.6831	16.3006	11.6097	8.6295	82.8883	
	S	115.705	95.183	87.462	91.734	106.032	98.069	
17	T	11.9183	16.6514	17.1183	13.6891	12.7790	92.3973	
	S	115.559	95.365	83.284	77.799	71.602	87.977	
18	T	19.8837	25.2619	25.4128	20.7852	15.1790	135.4856	
	S	69.266	62.860	56.101	51.238	60.281	59.998	
19	T	22.4053	24.9646	25.6660	19.9191	16.7180	140.0131	
	S	61.471	63.608	55.547	53.466	54.731	58.057	
20	T							
	S							
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	14.1838	18.2430	18.2175	12.2484	9.4286	92.1586	130.1523
	S	97.102	87.045	78.259	86.950	97.045	88.204	58.500
2	T	12.6254	17.3307	17.1643	14.1324	10.6622	95.2417	
	S	109.087	91.627	83.061	75.359	85.817	85.349	
3	T	22.6022	26.3495	25.7598	19.8488	17.2351	141.7559	
	S	60.935	60.265	55.345	53.656	53.089	57.344	
4	T	22.5962	26.7021	25.7279	18.1264	14.4404	138.5698	
	S	60.952	59.469	55.414	58.754	63.364	58.662	
5	T	13.5398	17.5226	17.9404	11.9902	9.2682	89.2205	
	S	101.720	90.623	79.468	88.823	98.725	91.109	
6	T	12.5010	17.2972	17.1465	11.8396	9.1955	86.1972	
	S	110.173	91.804	83.147	89.952	99.505	94.305	
7	T	12.4170	17.1819	16.8970	11.6650	9.0211	85.2948	
	S	110.918	92.420	84.375	91.299	101.429	95.302	
8	T	12.0779	17.0501	17.0820	11.6411	8.7954	84.6504	
	S	114.032	93.135	83.461	91.486	104.032	96.028	
9	T	12.0707	16.9964	16.6115	11.6342	8.8119	84.0202	
	S	114.100	93.429	85.825	91.540	103.837	96.748	
10	T	12.0594	16.9045	16.4716	11.5366	8.7165	83.5763	
	S	114.207	93.937	86.554	92.315	104.973	97.262	
11	T	12.0022	16.9869	16.4977	11.5827	8.7052	83.6520	
	S	114.752	93.481	86.417	91.947	105.110	97.174	
12	T	11.8807	16.8580	16.4591	11.5129	8.6336	83.1529	
	S	115.925	94.196	86.620	92.505	105.981	97.757	
13	T	11.9018	16.8758	16.5612	11.6061	8.7133	83.4947	
	S	115.720	94.097	86.086	91.762	105.012	97.357	

Event: **Allied Building Products GP of Mid-Ohio**
Track: **Mid-Ohio Sports Car Course**
Report: **Section Data Report**
Session: **Race 1**

Round **12 / 13 / 14**
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
14	T	4.6733	7.1250	4.7628	8.3989	8.4663	2.8722	6.9768	5.0890	4.3360	5.2280	6.3286	3.5252	5.1438	5.4359	4.8175
	S	110.298	112.440	120.966	73.792	114.357	133.411	100.365	75.430	78.780	97.552	87.697	107.924	103.920	76.010	92.702
15	T	4.6553	7.1298	4.8020	8.4335	8.4685	2.8707	7.2576	12.5244	6.1120	6.1943	6.7304	3.6261	5.6303	5.5123	4.9428
	S	110.724	112.364	119.978	73.489	114.327	133.480	96.482	30.649	55.889	82.334	82.462	104.921	94.941	74.956	90.352
16	T	4.7502	7.5574	4.8720	8.4058	8.4914	2.8937	7.2175	5.0791	4.3759	5.2822	6.4338	3.5523	5.3691	5.4421	4.8890
	S	108.512	106.007	118.255	73.732	114.019	132.419	97.018	75.577	78.062	96.551	86.263	107.101	99.560	75.923	91.346
17	T	4.7271	7.4204	4.8866	8.4787	8.5320	2.9070	7.3718	5.2582	4.4621	5.5201	6.9975	4.0631	6.0979	5.8294	5.0218
	S	109.042	107.964	117.901	73.098	113.477	131.813	94.987	73.003	76.554	92.390	79.314	93.637	87.661	70.879	88.930
18	T	4.8113	7.7337	4.9699	8.5746	12.5146	5.9137	13.4368	5.7934	5.1939	9.6793	11.6832	7.7452	7.2737	6.8072	8.4489
	S	107.134	103.590	115.925	72.280	77.364	64.796	52.113	66.259	65.768	52.690	47.504	49.121	73.490	60.698	52.858
19	T	8.6269	11.9320	10.2933	10.3442	14.1805	6.6163	13.2313	6.1151	6.0875	9.8744	10.4025	7.5347	8.8681	7.7335	8.2148
	S	59.750	67.142	55.972	59.915	68.276	57.915	52.922	62.773	56.113	51.649	53.353	50.494	60.277	53.428	54.364
20	T	9.8359														
	S	52.405														
1	T	6.0202	9.0655	5.4149	9.6262	8.7972	2.8775	8.1651	5.5148	4.8169	5.5317	6.7584	3.6175	5.9850	6.1529	5.1560
	S	85.621	88.372	106.398	64.384	110.056	133.165	85.759	69.606	70.915	92.196	82.120	105.171	89.314	67.152	86.616
2	T	4.9827	7.7436	4.9502	8.8131	8.5749	2.8700	7.5268	5.4346	4.7065	6.3608	8.4628	4.5920	6.6334	7.5728	8.2864
	S	103.449	103.458	116.386	70.324	112.909	133.513	93.031	70.633	72.579	80.179	65.581	82.852	80.584	54.561	53.894
3	T	8.5988	10.1567	10.3829	9.3835	16.9142	5.9672	12.6733	6.4817	6.1164	10.6759	9.6770	7.1730	9.9489	7.7471	9.0038
	S	59.945	78.878	55.489	66.049	57.241	64.215	55.252	59.223	55.848	47.771	57.352	53.040	53.729	53.334	49.600
4	T	9.2882	11.4608	11.3390	9.4522	16.4980	6.2572	12.1405	6.4389	6.7535	8.2451	10.4012	6.4889	8.1311	6.6393	6.5126
	S	55.496	69.902	50.810	65.569	58.685	61.239	57.677	59.616	50.580	61.855	53.359	58.632	65.741	62.233	68.573
5	T	5.3017	8.7590	5.0640	9.1477	8.5462	2.8631	7.6719	5.5452	4.8032	5.5520	6.7081	3.6030	5.7993	5.7970	4.9861
	S	97.224	91.464	113.771	67.752	113.288	133.835	91.272	69.224	71.117	91.859	82.736	105.594	92.174	71.275	89.567
6	T	4.8447	8.1755	5.0340	36.0693	8.7489	2.9535	7.5434	5.3293	4.6218	5.3741	6.5432	3.5610	5.4520	5.6060	4.9085
	S	106.396	97.992	114.449	17.183	110.663	129.738	92.826	72.029	73.909	94.900	84.821	106.839	98.046	73.703	90.983
7	T	4.7375	7.3516	4.8262	8.4532	8.5686	2.9247	7.2624	5.2007	4.5066	5.3401	6.3233	3.5491	5.2991	5.4808	4.9200
	S	108.803	108.974	119.377	73.318	112.992	131.016	96.418	73.810	75.798	95.504	87.771	107.197	100.875	75.387	90.771
8	T	4.7134	7.2880	4.7931	8.3612	8.5918	2.9233	7.1635	5.2026	4.4926	5.3082	6.3056	3.5258	5.2290	5.4352	4.8895
	S	109.359	109.925	120.201	74.125	112.687	131.079	97.749	73.783	76.034	96.078	88.017	107.906	102.227	76.020	91.337
9	T	4.6882	7.2293	4.7831	8.3990	8.6084	2.9135	7.0902	5.1962	4.5172	5.3163	6.3631	3.5392	5.2755	5.5143	4.9414
	S	109.947	110.818	120.453	73.791	112.469	131.519	98.760	73.874	75.620	95.931	87.222	107.497	101.326	74.929	90.377
10	T	4.6982	7.2224	4.8057	8.4100	8.5747	2.9018	7.0881	5.1186	4.4418	5.3247	6.2748	3.5239	5.1985	5.4366	4.9214
	S	109.713	110.924	119.886	73.695	112.911	132.050	98.789	74.994	76.904	95.780	88.449	107.964	102.827	76.000	90.745
11	T	4.7057	7.3064	4.8357	8.3615	8.5568	2.9017	7.0721	5.1175	4.3939	5.3113	6.3434	3.5479	5.1880	5.4597	4.8827
	S	109.538	109.649	119.142	74.122	113.148	132.054	99.013	75.010	77.742	96.022	87.493	107.234	103.035	75.678	91.464
12	T	4.6838	7.2456	4.8292	8.3753	8.5340	2.8989	7.0446	5.0673	4.3787	5.3038	6.3223	3.5365	5.2150	5.4550	4.8796
	S	110.051	110.569	119.303	74.000	113.450	132.182	99.399	75.753	78.012	96.157	87.785	107.579	102.502	75.744	91.522

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 72 - Ottis, Tazio (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
14	T	11.8878	16.8652	16.4018	11.5566	8.6690	83.1793	
	S	115.856	94.156	86.922	92.155	105.549	97.726	
15	T	11.9318	16.9020	25.8940	12.9247	9.2564	94.8900	
	S	115.429	93.951	55.058	82.400	98.851	85.666	
16	T	12.4294	16.8972	16.6725	11.7160	8.9214	84.6115	
	S	110.808	93.977	85.511	90.901	102.562	96.072	
17	T	12.3070	17.0107	17.0921	12.5176	10.1610	87.5737	
	S	111.910	93.350	83.412	85.080	90.050	92.822	
18	T	12.7036	21.0892	24.4241	21.3625	15.0189	120.5794	
	S	108.416	75.297	58.372	49.854	60.923	67.415	
19	T	22.2253	24.5247	25.4339	20.2769	16.4028	140.0551	
	S	61.969	64.749	56.054	52.523	55.783	58.040	
20	T							
	S							

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	14.4804	18.4234	18.4968	12.2901	9.6025	93.4998	126.7739
	S	95.113	86.192	77.077	86.655	95.288	86.939	60.059
2	T	12.6938	17.3880	17.6679	14.8236	11.2254	97.5106	
	S	108.500	91.325	80.693	71.845	81.512	83.363	
3	T	20.5396	26.2977	25.2714	20.3529	17.1219	140.9004	
	S	67.055	60.384	56.415	52.327	53.440	57.692	
4	T	22.7998	25.9502	25.3329	18.6463	14.6200	136.0465	
	S	60.407	61.192	56.278	57.116	62.585	59.750	
5	T	13.8230	17.6939	18.0203	12.2601	9.4023	90.1475	
	S	99.636	89.746	79.115	86.867	97.317	90.172	
6	T	13.2095	44.8182	17.4945	11.9173	9.0130	114.7652	
	S	104.264	35.431	81.493	89.366	101.520	70.830	
7	T	12.1778	17.0218	16.9697	11.6634	8.8482	84.7439	
	S	113.097	93.289	84.013	91.311	103.411	95.922	
8	T	12.0811	16.9530	16.8587	11.6138	8.7548	84.2228	
	S	114.002	93.668	84.567	91.701	104.514	96.515	
9	T	12.0124	17.0074	16.8036	11.6794	8.8147	84.3749	
	S	114.654	93.368	84.844	91.186	103.804	96.341	
10	T	12.0281	16.9847	16.6485	11.5995	8.7224	83.9412	
	S	114.505	93.493	85.634	91.814	104.902	96.839	
11	T	12.1421	16.9183	16.5835	11.6547	8.7359	83.9843	
	S	113.430	93.860	85.970	91.379	104.740	96.790	
12	T	12.0748	16.9093	16.4906	11.6261	8.7515	83.7696	
	S	114.062	93.910	86.454	91.604	104.554	97.038	

Event: **Allied Building Products GP of Mid-Ohio**
Track: **Mid-Ohio Sports Car Course**
Report: **Section Data Report**
Session: **Race 1**

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 77 - Chastain, Sam (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
13	T	4.6906	7.3185	4.8634	8.3689	8.5570	2.9083	7.0608	5.1272	4.3872	5.2992	6.3029	3.5217	5.2061	5.3633	4.8803
	S	109.891	109.467	118.464	74.057	113.145	131.755	99.171	74.868	77.861	96.241	88.055	108.032	102.677	77.039	91.509
14	T	4.6989	7.2595	4.8414	8.4206	8.5474	2.8989	7.0355	5.1434	4.3917	5.2928	6.2940	3.5259	5.2037	5.4213	4.9317
	S	109.697	110.357	119.002	73.602	113.272	132.182	99.528	74.632	77.781	96.357	88.179	107.903	102.724	76.215	90.555
15	T	4.7010	7.2859	4.8568	8.2869	8.5267	2.9054	6.9902	5.1215	4.4498	5.3399	6.3210	3.5422	5.2837	5.4393	4.9072
	S	109.648	109.957	118.625	74.789	113.547	131.886	100.173	74.951	76.765	95.507	87.803	107.406	101.169	75.962	91.007
16	T	4.7033	7.2502	4.8489	8.4489	8.5490	2.9075	7.0063	5.1030	4.3841	5.2802	6.2764	3.5277	5.3378	5.5422	4.9244
	S	109.594	110.499	118.818	73.355	113.251	131.791	99.943	75.223	77.916	96.587	88.426	107.848	100.143	74.552	90.689
17	T	4.7369	7.4943	4.8750	8.3999	8.5594	2.9164	7.1194	5.1170	4.4127	5.3175	6.5565	3.6003	5.6705	5.4596	4.8973
	S	108.817	106.899	118.182	73.783	113.113	131.389	98.355	75.017	77.411	95.910	84.649	105.673	94.268	75.680	91.191
18	T	4.7011	7.3319	4.8356	8.3726	8.5128	2.9085	8.0906	5.5047	5.1846	8.4161	12.3372	8.7046	8.0293	6.2187	7.1354
	S	109.646	109.267	119.145	74.024	113.732	131.746	86.548	69.734	65.886	60.598	44.986	43.707	66.574	66.442	62.588
19	T	9.3028	11.7479	10.8443	11.1010	15.2112	6.3814	13.0778	6.2280	5.4529	8.8177	9.9787	7.5348	8.5287	7.4850	7.9353
	S	55.409	68.194	53.128	55.830	63.649	60.047	53.543	61.635	62.644	57.838	55.618	50.493	62.676	55.201	56.279
1	T	5.8642	8.6694	5.2422	9.3937	8.7033	2.9170	7.8272	5.5580	4.7786	5.4832	6.8463	3.6031	5.8632	5.9255	5.0126
	S	87.899	92.410	109.904	65.977	111.243	131.362	89.461	69.065	71.483	93.011	81.066	105.591	91.170	69.729	89.094
2	T	4.7841	7.7696	4.8825	8.8297	8.6110	2.9177	7.4884	5.6871	4.5248	6.5478	8.1002	3.9555	6.6023	8.6913	6.8197
	S	107.743	103.112	118.000	70.192	112.435	131.330	93.508	67.497	75.493	77.889	68.517	96.184	80.964	47.540	65.485
3	T	8.0721	12.2985	10.1063	9.8886	16.5910	6.0920	12.2290	7.2253	6.1446	9.9942	9.8962	6.9980	10.4096	7.5199	8.5729
	S	63.856	65.141	57.008	62.675	58.356	62.899	57.260	53.128	55.592	51.030	56.082	54.366	51.351	54.945	52.093
4	T	9.3229	12.2110	10.6469	9.8508	16.6788	6.1559	12.3185	6.5707	6.7243	8.2722	10.4638	6.3215	8.5415	6.6189	7.0893
	S	55.289	65.608	54.113	62.916	58.049	62.246	56.844	58.421	50.799	61.652	53.040	60.184	62.582	62.425	62.995
5	T	5.4486	8.8281	5.1334	9.7048	8.6437	2.9242	7.7795	5.5496	4.8287	5.5423	6.5968	3.5885	5.6813	5.6883	4.9310
	S	94.603	90.748	112.233	63.862	112.010	131.038	90.009	69.170	70.742	92.020	84.132	106.020	94.089	72.637	90.568
6	T	4.7894	7.9120	4.9172	9.8160	8.6043	2.9142	7.4978	5.3407	4.8505	5.6344	6.5712	3.5662	5.6754	5.6942	4.9092
	S	107.624	101.256	117.168	63.139	112.523	131.488	93.391	71.875	70.424	90.515	84.459	106.683	94.186	72.562	90.970
7	T	4.7155	8.0465	4.9673	8.5754	8.6272	2.9253	7.2902	5.2468	4.7320	5.4588	6.4510	3.5413	5.5665	5.6271	4.8909
	S	109.311	99.563	115.986	72.273	112.224	130.989	96.050	73.161	72.187	93.427	86.033	107.434	96.029	73.427	91.311
8	T	4.7505	7.5977	4.8655	8.5504	8.6324	2.9165	7.3770	5.3898	4.4018	5.3075	6.3620	3.5418	5.4529	5.5211	4.9381
	S	108.505	105.445	118.413	72.485	112.157	131.384	94.920	71.220	77.603	96.090	87.237	107.418	98.030	74.837	90.438
9	T	4.7691	7.6266	4.8524	8.4304	8.5628	2.9001	7.1537	5.2751	4.3737	5.3725	6.3457	3.5299	5.4415	5.5643	4.9244
	S	108.082	105.045	118.732	73.516	113.068	132.127	97.883	72.769	78.101	94.928	87.461	107.781	98.235	74.256	90.689
10	T	4.6981	7.6892	4.8897	8.4545	8.5941	2.9018	7.0636	5.2547	4.3635	5.3541	6.3797	3.5475	5.4912	5.5792	4.8470
	S	109.716	104.190	117.827	73.307	112.657	132.050	99.132	73.051	78.284	95.254	86.995	107.246	97.346	74.058	92.138
11	T	4.7134	7.3395	4.8280	8.4631	8.6064	2.9006	7.0748	5.1953	4.3212	5.3315	6.2731	3.5174	5.3105	5.6341	4.8495
	S	109.359	109.154	119.332	73.232	112.496	132.104	98.975	73.887	79.050	95.658	88.473	108.164	100.658	73.336	92.090
12	T	4.7330	7.6439	4.9776	8.5665	8.7034	2.9112	7.3093	5.3107	4.5205	5.3852	6.4692	3.5609	5.7209		
	S	108.907	104.807	115.746	72.348	111.242	131.623	95.799	72.281	75.565	94.704	85.791	106.842	93.437		

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 77 - Chastain, Sam (R)

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
13	T	12.1819	16.9259	16.5752	11.6021	8.7278	83.8554	
	S	113.059	93.818	86.013	91.794	104.837	96.938	
14	T	12.1009	16.9680	16.5706	11.5868	8.7296	83.9067	
	S	113.816	93.585	86.037	91.915	104.816	96.879	
15	T	12.1427	16.8136	16.5615	11.6609	8.8259	83.9575	
	S	113.424	94.445	86.084	91.331	103.672	96.820	
16	T	12.0991	16.9979	16.4934	11.5566	8.8655	84.0899	
	S	113.833	93.421	86.440	92.155	103.209	96.668	
17	T	12.3693	16.9593	16.6491	11.8740	9.2708	85.1327	
	S	111.346	93.633	85.631	89.692	98.697	95.484	
18	T	12.1675	16.8854	18.7799	20.7533	16.7339	106.2837	
	S	113.193	94.043	75.915	51.317	54.679	76.482	
19	T	22.5922	26.3122	24.7587	18.7964	16.0635	139.6275	
	S	60.962	60.351	57.583	56.660	56.961	58.218	

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
1	T	13.9116	18.0970	18.1638	12.3295	9.4663	91.6875		128.2238	
	S	99.002	87.747	78.490	86.378	96.659	88.658		59.379	
2	T	12.6521	17.4407	17.7003	14.6480	10.5578	96.2117			
	S	108.857	91.049	80.546	72.706	86.666	84.489			
3	T	22.4048	26.4796	25.5989	19.8904	17.4076	142.0382			
	S	61.472	59.969	55.693	53.543	52.563	57.230			
4	T	22.8579	26.5296	25.6135	18.7360	14.8630	137.7870			
	S	60.254	59.856	55.661	56.842	61.562	58.995			
5	T	13.9615	18.3485	18.1578	12.1391	9.2698	90.8688			
	S	98.648	86.544	78.516	87.733	98.708	89.456			
6	T	12.8292	18.4203	17.6890	12.2056	9.2416	88.6927			
	S	107.355	86.207	80.597	87.255	99.009	91.651			
7	T	13.0138	17.2026	17.2690	11.9098	9.1078	86.6618			
	S	105.832	92.309	82.557	89.422	100.463	93.799			
8	T	12.4632	17.1828	17.1686	11.6695	8.9947	85.6050			
	S	110.507	92.415	83.040	91.264	101.727	94.957			
9	T	12.4790	16.9932	16.8025	11.7182	8.9714	85.1222			
	S	110.367	93.446	84.849	90.884	101.991	95.496			
10	T	12.5789	17.0486	16.6818	11.7338	9.0387	85.1079			
	S	109.491	93.143	85.463	90.763	101.231	95.512			
11	T	12.1675	17.0695	16.5913	11.6046	8.8279	84.3584			
	S	113.193	93.029	85.929	91.774	103.649	96.360			
12	T	12.6215	17.2699	17.1405	11.8544	9.2818	96.1513	26.9824		83.7432
	S	109.121	91.949	83.176	89.840	98.580	84.542	33.279		91.742

Event: **Allied Building Products GP of Mid-Ohio**
Track: **Mid-Ohio Sports Car Course**
Report: **Section Data Report**
Session: **Race 1**

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 8 - Martin, Anthony

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
13	T			5.2392	8.9371	8.6945	2.9265	7.2921	5.3764	4.5956	5.4481	6.6436	3.5816	5.7662	5.6390	4.9883
	S			109.966	69.348	111.356	130.935	96.025	71.398	74.330	93.611	83.539	106.225	92.703	73.272	89.528
14	T	4.7686	7.9684	4.9790	8.4927	8.6372	2.9196	7.2635	5.2587	4.4113	5.4254	6.4472	3.5550	5.7484	5.5591	4.9921
	S	108.093	100.539	115.713	72.977	112.094	131.245	96.404	72.996	77.435	94.002	86.084	107.020	92.990	74.325	89.460
15	T	4.7553	7.4894	4.8747	8.4770	8.5964	2.9227	7.1798	5.4143	4.5986	5.5714	7.3255	3.8173	5.9572	5.6279	5.1459
	S	108.396	106.969	118.189	73.112	112.626	131.105	97.527	70.898	74.282	91.539	75.763	99.666	89.731	73.417	86.786
16	T	4.8543	7.7477	5.0035	8.5739	8.6903	2.9699	7.3745	5.4079	4.4515	5.5589	6.7299	3.7744	6.0706	5.8994	5.5396
	S	106.185	103.403	115.147	72.286	111.409	129.022	94.953	70.982	76.736	91.745	82.468	100.799	88.055	70.038	80.618
17	T	5.1712	7.9078	5.4062	9.1836	8.8692	3.2464	8.6241	5.7468	4.7517	5.5136	7.4389	4.8017	7.0661	5.9547	5.3266
	S	99.678	101.310	106.570	67.487	109.162	118.033	81.194	66.796	71.888	92.499	74.608	79.233	75.649	69.388	83.842
18	T	4.9883	8.2101	5.1800	8.7526	8.6496	2.9450	7.7095	5.4329	4.6534	5.5402	6.7836	3.6313	6.2588	5.9132	5.7900
	S	103.333	97.579	111.223	70.810	111.934	130.113	90.827	70.655	73.407	92.054	81.815	104.771	85.407	69.874	77.131
19	T	5.0356	7.9078	7.2083	11.0207	15.2634	6.6702	13.3490	6.5560	5.3437	8.0132	10.1714	7.4100	9.0365	7.1164	8.0533
	S	102.362	101.310	79.927	56.237	63.432	57.447	52.455	58.552	63.924	63.645	54.565	51.343	59.154	58.061	55.454
1	T	6.0099	7.8255	4.9045	8.6584	8.6051	2.9240	7.1047	5.3424	4.5264	5.3328	6.6024	3.5709	5.4206	5.7246	4.8386
	S	85.768	102.375	117.471	71.581	112.513	131.047	98.558	71.852	75.466	95.635	84.060	106.543	98.614	72.177	92.298
2	T	4.6766	7.3770	4.7971	8.4781	8.5586	2.9087	7.0638	5.2246	4.4739	5.3927	7.0227	4.5972	8.2221	6.1424	7.7673
	S	110.220	108.599	120.101	73.103	113.124	131.736	99.129	73.472	76.352	94.572	79.029	82.758	65.013	67.267	57.496
3	T	8.8546	12.5748	8.7487	11.8926	15.5910	6.1604	13.1041	6.8905	6.4741	8.6133	10.6311	6.8147	9.9094	8.3276	7.9189
	S	58.213	63.710	65.854	52.114	62.099	62.201	53.436	55.709	52.763	59.211	52.205	55.829	53.943	49.616	56.396
4	T	8.8713	13.2957	8.9210	12.0643	15.4047	6.0475	13.0924	6.7748	6.7165	8.3056	10.5633	6.9299	9.9316	8.3302	9.5050
	S	58.104	60.255	64.582	51.372	62.850	63.362	53.483	56.661	50.858	61.404	52.540	54.900	53.823	49.600	46.985
5	T	5.7068	7.4418	4.7990	8.3663	8.5668	2.9121	6.9633	5.1730	4.3830	5.2331	6.3625	3.5253	5.2127	5.4276	4.8746
	S	90.323	107.654	120.053	74.080	113.016	131.583	100.560	74.205	77.935	97.457	87.230	107.921	102.547	76.126	91.616
6	T	4.6502	7.2185	4.7433	8.3527	8.5064	2.8975	6.9392	5.2130	4.3457	5.2354	6.3115	3.5149	5.1749	5.5517	4.8262
	S	110.846	110.984	121.463	74.200	113.818	132.246	100.909	73.636	78.604	97.414	87.935	108.241	103.296	74.424	92.535
7	T	4.6382	7.2072	4.7346	8.3019	8.4809	2.8952	7.0160	5.1320	4.3740	5.2417	6.2847	3.4950	5.1463	5.3646	4.9030
	S	111.132	111.158	121.686	74.654	114.160	132.351	99.804	74.798	78.096	97.297	88.310	108.857	103.870	77.020	91.085
8	T	4.6491	7.1297	4.7244	8.2120	8.4687	2.8851	6.8305	5.0793	4.3099	5.2367	6.2126	3.4845	5.0223	5.2585	4.8851
	S	110.872	112.366	121.949	75.472	114.325	132.814	102.515	75.574	79.257	97.390	89.335	109.185	106.434	78.574	91.419
9	T	4.6290	7.1168	4.7048	8.1924	8.4714	2.8787	6.8884	5.0875	4.3150	5.2109	6.2301	3.4955	5.0584	5.2676	4.8786
	S	111.353	112.570	122.457	75.652	114.288	133.109	101.653	75.452	79.164	97.872	89.084	108.841	105.675	78.438	91.541
10	T	4.6326	7.0912	4.7082	8.1903	8.4739	2.8704	6.7732	5.0581	4.2684	5.2088	6.2084	3.4740	5.0246	5.2489	4.8643
	S	111.267	112.976	122.369	75.672	114.255	133.494	103.382	75.891	80.028	97.911	89.395	109.515	106.386	78.718	91.810
11	T	4.6301	7.1130	4.7283	8.2306	8.4788	2.8689	6.7834	5.0129	4.2454	5.1987	6.1926	3.4789	5.0425	5.2583	4.8635
	S	111.327	112.630	121.849	75.301	114.189	133.564	103.227	76.575	80.461	98.101	89.623	109.361	106.008	78.577	91.825
12	T	4.6108	7.0970	4.7322	8.1689	8.4324	2.8582	6.7524	5.0346	4.2601	5.1917	6.1963	3.4756	5.0195	5.2734	4.8223
	S	111.793	112.884	121.748	75.870	114.817	134.064	103.701	76.245	80.184	98.234	89.570	109.464	106.494	78.352	92.610

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 8 - Martin, Anthony

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
13	T		17.6316	17.2641	12.0917	9.3478	99.3754		84.8011
	S		90.063	82.581	88.077	97.884	81.799		89.785
14	T	12.9474	17.1299	16.9335	11.8726	9.3034	86.4262		
	S	106.374	92.701	84.193	89.702	98.351	94.055		
15	T	12.3641	17.0734	17.1927	12.8969	9.7745	87.7534		
	S	111.393	93.008	82.924	82.578	93.611	92.632		
16	T	12.7512	17.2642	17.2339	12.2888	9.8450	88.6463		
	S	108.011	91.980	82.725	86.664	92.941	91.699		
17	T	13.3140	18.0528	19.1226	12.9525	11.8678	95.0086		
	S	103.445	87.962	74.555	82.224	77.099	85.559		
18	T	13.3901	17.4022	17.7958	12.3238	9.8901	90.4385		
	S	102.858	91.250	80.113	86.418	92.517	89.882		
19	T	15.1161	26.2841	25.2487	18.1846	16.4465	128.1555		
	S	91.113	60.415	56.466	58.566	55.635	63.429		

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	12.7300	17.2635	16.9735	11.9352	8.9915	87.3908
	S	108.191	91.983	83.995	89.232	101.763	93.017
2	T	12.1741	17.0367	16.7623	12.4154	12.8193	92.7028
	S	113.131	93.208	85.053	85.781	71.377	87.687
3	T	21.3235	27.4836	26.4687	19.2444	16.7241	142.5058
	S	64.589	57.778	53.863	55.341	54.711	57.042
4	T	22.2167	27.4690	26.5837	18.8689	16.8615	144.7538
	S	61.993	57.809	53.630	56.442	54.266	56.156
5	T	12.2408	16.9331	16.5193	11.5956	8.7380	84.9479
	S	112.515	93.778	86.304	91.845	104.715	95.692
6	T	11.9618	16.8591	16.4979	11.5469	8.6898	83.4811
	S	115.139	94.190	86.416	92.233	105.296	97.373
7	T	11.9418	16.7828	16.5220	11.5264	8.6413	83.2153
	S	115.332	94.618	86.290	92.397	105.887	97.684
8	T	11.8541	16.6807	16.2197	11.4493	8.5068	82.3884
	S	116.185	95.197	87.898	93.019	107.561	98.664
9	T	11.8216	16.6638	16.2909	11.4410	8.5539	82.4251
	S	116.505	95.294	87.514	93.086	106.969	98.620
10	T	11.7994	16.6642	16.0997	11.4172	8.4986	82.0953
	S	116.724	95.291	88.553	93.280	107.665	99.017
11	T	11.8413	16.7094	16.0417	11.3913	8.5214	82.1259
	S	116.311	95.034	88.873	93.492	107.377	98.980
12	T	11.8292	16.6013	16.0471	11.3880	8.4951	81.9254
	S	116.430	95.652	88.844	93.519	107.709	99.222

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 80 - Megennis, Robert (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
13	T	4.6081	7.0455	4.7237	8.1706	8.4381	2.8627	6.8388	4.9952	4.2788	5.2060	6.1947	3.4692	5.0158	5.2579	4.8165
	S	111.858	113.709	121.967	75.854	114.739	133.853	102.390	76.846	79.833	97.964	89.593	109.666	106.572	78.583	92.721
14	T	4.6049	7.0063	4.7153	8.1402	8.4255	2.8622	6.7587	5.0232	4.2724	5.2068	6.2368	3.4779	5.0659	5.2965	4.8599
	S	111.936	114.345	122.184	76.137	114.911	133.877	103.604	76.418	79.953	97.949	88.988	109.392	105.518	78.010	91.893
15	T	4.6228	7.0467	4.7310	8.2393	8.4242	2.8680	6.8134	5.0846	4.3073	5.2088	6.2081	3.4723	5.0500	5.3029	4.8580
	S	111.503	113.690	121.779	75.222	114.929	133.606	102.772	75.495	79.305	97.911	89.399	109.568	105.851	77.916	91.929
16	T	4.6249	7.1496	4.7609	8.2251	8.3973	2.8665	6.8218	4.9868	4.2889	5.2185	6.3055	3.4902	5.1016	5.3536	4.8532
	S	111.452	112.053	121.014	75.351	115.297	133.676	102.646	76.976	79.645	97.729	88.018	109.007	104.780	77.178	92.020
17	T	4.6346	7.0840	4.7491	8.1991	8.4002	2.8672	7.7972	5.8503	5.3940	8.3003	10.0780	5.3435	8.2561	6.5705	6.3394
	S	111.219	113.091	121.315	75.590	115.257	133.643	89.805	65.614	63.328	61.444	55.070	71.200	64.746	62.884	70.447
18	T	7.2485	11.0330	8.5964	11.9906	15.3273	6.1299	13.3371	6.5855	6.4188	8.6744	10.7604	5.9890	9.4448	7.4820	7.4726
	S	71.112	72.613	67.021	51.688	63.167	62.510	52.502	58.289	53.217	58.794	51.578	63.526	56.597	55.223	59.764
19	T	8.4792	12.6250	9.7006	11.3566	14.8309	6.2833	12.6248	6.9276	6.5510	8.6900	10.4596	6.5520	9.7513	7.8645	7.6515
	S	60.790	63.456	59.392	54.574	65.281	60.984	55.464	55.411	52.143	58.688	53.061	58.067	54.818	52.538	58.366
20	T	7.2733	13.8624													
	S	70.869	57.792													
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.0370	10.1018	5.2693	9.1107	8.6584	2.9473	7.3043	5.4066	4.4896	5.4829	6.3972	3.5843	5.3233	5.5943	4.8903
	S	85.383	79.306	109.338	68.027	111.820	130.011	95.865	70.999	76.085	93.016	86.757	106.145	100.416	73.858	91.322
2	T	4.6747	7.2866	4.7953	8.3350	8.5315	2.9131	7.0497	5.3107	4.3609	5.3311	6.1819	3.5209	5.1472	5.4130	4.8418
	S	110.265	109.947	120.146	74.358	113.483	131.537	99.327	72.281	78.330	95.665	89.778	108.056	103.852	76.331	92.237
3	T	4.6403	7.2311	4.7652	8.3737	8.5399	2.9033	6.9283	5.0932	4.2782	5.3219	6.1937	3.5201	5.1525	5.4126	4.9514
	S	111.082	110.790	120.905	74.014	113.372	131.981	101.068	75.368	79.845	95.830	89.607	108.081	103.745	76.337	90.195
4	T	4.6684	7.1180	4.7309	8.4122	8.5410	2.8924	6.9217	5.0940	4.2942	5.3388	6.1953	3.5264	5.1190	5.2575	4.9047
	S	110.414	112.551	121.782	73.675	113.357	132.479	101.164	75.356	79.547	95.527	89.584	107.888	104.424	78.589	91.054
5	T	4.6433	7.1149	4.7467	8.3658	8.5133	2.8933	6.9018	5.0256	4.2749	5.3283	6.1783	3.5219	5.0859	5.2959	4.8759
	S	111.010	112.600	121.376	74.084	113.726	132.438	101.456	76.382	79.906	95.715	89.831	108.025	105.103	78.019	91.591
6	T	4.6278	7.1405	4.7681	8.3170	8.4910	2.8784	6.8241	5.0310	4.2726	5.3107	6.1590	3.5297	5.1047	5.2916	4.8675
	S	111.382	112.196	120.831	74.519	114.024	133.123	102.611	76.300	79.949	96.033	90.112	107.787	104.716	78.083	91.750
7	T	4.6322	7.1305	4.7676	8.2311	8.4601	2.8784	6.8111	4.9897	4.2722	5.3090	6.1512	3.4994	5.0879	5.2299	4.9212
	S	111.276	112.353	120.844	75.296	114.441	133.123	102.807	76.931	79.957	96.063	90.226	108.720	105.062	79.004	90.748
8	T	4.6486	7.0847	4.7418	8.2541	8.4683	2.8842	6.7759	5.1812	4.2769	5.3400	6.1548	3.5193	5.0488	5.2371	4.8604
	S	110.884	113.080	121.502	75.087	114.330	132.855	103.341	74.088	79.869	95.506	90.174	108.105	105.876	78.895	91.884
9	T	4.6401	7.1220	4.7665	8.2608	8.4491	2.8830	6.8015	5.0036	4.2731	5.3072	6.1576	3.5242	5.0805	5.4821	4.7942
	S	111.087	112.488	120.872	75.026	114.590	132.911	102.952	76.717	79.940	96.096	90.133	107.955	105.215	75.369	93.152
10	T	4.6163	7.0897	4.7474	8.1749	8.4168	2.8767	6.8492	5.0643	4.2897	5.3081	6.1862	3.5202	5.0968	5.3209	4.8663
	S	111.660	113.000	121.358	75.814	115.030	133.202	102.235	75.798	79.630	96.080	89.716	108.078	104.879	77.653	91.772
11	T	4.6548	7.1371	4.7671	8.1900	8.4272	2.8830	6.8669	5.0064	4.6549	5.4905	6.4187	3.5487	5.1921	5.3820	4.8885
	S	110.736	112.250	120.857	75.674	114.888	132.911	101.971	76.675	73.383	92.888	86.466	107.210	102.954	76.771	91.355

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 80 - Megennis, Robert (R)

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
13	T	11.7692	16.6087	16.1128	11.4007	8.4850	81.9216
	S	117.023	95.610	88.481	93.415	107.837	99.227
14	T	11.7216	16.5657	16.0543	11.4436	8.5438	81.9525
	S	117.499	95.858	88.804	93.065	107.095	99.189
15	T	11.7777	16.6635	16.2053	11.4169	8.5223	82.2374
	S	116.939	95.295	87.976	93.283	107.365	98.846
16	T	11.9105	16.6224	16.0975	11.5240	8.5918	82.4444
	S	115.635	95.531	88.565	92.416	106.497	98.597
17	T	11.8331	16.5993	19.0415	18.3783	13.5996	99.8635
	S	116.392	95.664	74.872	57.949	67.281	81.399
18	T	19.6294	27.3179	26.3414	19.4348	15.4338	136.4903
	S	70.164	58.129	54.123	54.799	59.285	59.556
19	T	22.3256	26.1875	26.1034	19.1496	16.3033	140.3479
	S	61.690	60.638	54.617	55.615	56.124	57.919
20	T						
	S						

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI	
1	T	16.9321	17.7691	17.2005	11.8801	8.9076	708.0272	321.3448	84.5027	302.1797
	S	81.341	89.366	82.886	89.646	102.721	11.481	2.794	90.102	25.424
2	T	12.0819	16.8665	16.7213	11.5130	8.6681	83.6934			
	S	113.995	94.148	85.261	92.504	105.559	97.126			
3	T	11.9963	16.9136	16.2997	11.5156	8.6726	83.3054			
	S	114.808	93.886	87.467	92.483	105.505	97.578			
4	T	11.8489	16.9532	16.3099	11.5341	8.6454	83.0145			
	S	116.236	93.667	87.412	92.335	105.837	97.920			
5	T	11.8616	16.8791	16.2023	11.5066	8.6078	82.7658			
	S	116.112	94.078	87.993	92.556	106.299	98.214			
6	T	11.9086	16.8080	16.1277	11.4697	8.6344	82.6137			
	S	115.654	94.476	88.400	92.853	105.971	98.395			
7	T	11.8981	16.6912	16.0730	11.4602	8.5873	82.3715			
	S	115.756	95.137	88.700	92.930	106.553	98.685			
8	T	11.8265	16.7224	16.2340	11.4948	8.5681	82.4761			
	S	116.456	94.960	87.821	92.651	106.791	98.559			
9	T	11.8885	16.7099	16.0782	11.4648	8.6047	82.5455			
	S	115.849	95.031	88.672	92.893	106.337	98.477			
10	T	11.8371	16.5917	16.2032	11.4943	8.6170	82.4235			
	S	116.352	95.708	87.988	92.655	106.185	98.622			
11	T	11.9042	16.6172	16.5282	11.9092	8.7408	83.5079			
	S	115.696	95.561	86.258	89.427	104.681	97.342			

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 9 - Franzoni, Victor

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
12	T	4.6477	7.8312	5.2864	8.8019	8.5880	2.8967	8.2086	5.4028	4.6922	6.1705	7.7217	4.5039	7.4298	6.4587	6.2237
	S	110.905	102.301	108.985	70.414	112.737	132.282	85.304	71.049	72.800	82.651	71.875	84.472	71.946	63.973	71.756
13	T	5.2105	7.7683	5.1840	8.7459	8.5522	2.9015	7.3798	5.1894	4.3558	5.3848	6.5325	3.6029	5.5728	6.0635	6.1925
	S	98.926	103.129	111.137	70.864	113.209	132.063	94.884	73.971	78.422	94.711	84.960	105.597	95.920	68.142	72.118
14	T	5.2744	7.5766	7.1843	11.5150	14.8360	6.6779	13.6947	5.9970	5.5545	8.0511	10.2623	7.1866	9.0227	6.9582	8.4261
	S	97.728	105.738	80.194	53.823	65.259	57.381	51.131	64.009	61.498	63.345	54.081	52.939	59.245	59.381	53.001
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	5.9968	8.1028	4.9860	8.7600	8.5461	2.8860	7.6511	5.4215	4.7447	5.4515	6.6305	3.6182	5.4216	5.6680	4.9467
	S	85.955	98.872	115.551	70.750	113.289	132.773	91.520	70.804	71.994	93.552	83.704	105.150	98.596	72.897	90.281
2	T	4.7044	7.4337	4.8078	8.5855	8.5467	2.9031	7.2353	5.2576	4.5248	5.6131	6.8980	4.1900	7.8322	6.6800	6.9532
	S	109.569	107.771	119.834	72.188	113.281	131.991	96.779	73.011	75.493	90.859	80.458	90.801	68.250	61.854	64.228
3	T	8.6080	13.2575	8.4270	11.3676	16.0741	5.8915	12.7437	7.0375	6.3375	8.9028	10.7267	6.6145	10.2338	8.1252	8.0902
	S	59.881	60.429	68.368	54.521	60.232	65.040	54.947	54.545	53.900	57.285	51.740	57.518	52.233	50.852	55.201
4	T	8.5505	13.3154	9.4762	11.6800	15.5126	6.0435	12.8699	6.7074	6.6013	8.2647	10.7451	6.8417	9.6571	8.1569	9.3210
	S	60.284	60.166	60.798	53.063	62.413	63.404	54.408	57.230	51.746	61.708	51.651	55.608	55.353	50.654	47.912
5	T	5.6377	7.8908	4.8821	8.5269	8.5723	2.8995	7.1131	5.2236	4.5215	5.3360	6.4362	3.5431	5.3160	5.6143	4.8479
	S	91.430	101.528	118.010	72.684	112.943	132.154	98.442	73.486	75.548	95.577	86.231	107.379	100.554	73.595	92.120
6	T	4.6341	7.2516	4.7905	8.3957	8.4973	2.8815	7.0159	5.1399	4.4614	5.3043	6.3206	3.5252	5.3182	5.5918	4.8252
	S	111.231	110.477	120.266	73.820	113.940	132.980	99.806	74.683	76.566	96.148	87.808	107.924	100.512	73.891	92.554
7	T	4.6391	7.1834	4.7700	8.3766	8.4757	2.8819	6.9686	5.1292	4.3675	5.2737	6.2458	3.5207	5.1100	5.4898	4.8036
	S	111.111	111.526	120.783	73.989	114.230	132.962	100.483	74.839	78.212	96.706	88.860	108.062	104.608	75.264	92.970
8	T	4.6238	7.0556	4.7152	8.2866	8.4577	2.8783	6.8993	5.0590	4.2682	5.2573	6.2318	3.5140	5.0599	5.4545	4.8231
	S	111.479	113.546	122.187	74.792	114.473	133.128	101.493	75.877	80.032	97.008	89.059	108.268	105.643	75.751	92.594
9	T	4.6191	7.0483	4.7070	8.3002	8.4809	2.8760	6.8709	5.0369	4.2595	5.2610	6.2169	3.5108	5.0410	5.4319	4.8100
	S	111.592	113.664	122.400	74.670	114.160	133.234	101.912	76.210	80.195	96.940	89.273	108.367	106.040	76.066	92.846
10	T	4.6170	7.0559	4.7208	8.2139	8.5003	2.8737	6.8123	5.0414	4.2674	5.2527	6.1783	3.5000	5.0627	5.4076	4.8279
	S	111.643	113.541	122.042	75.454	113.900	133.341	102.789	76.142	80.047	97.093	89.831	108.701	105.585	76.408	92.502
11	T	4.6243	7.0255	4.7287	8.2076	8.4861	2.8689	6.8112	5.0089	4.3008	5.2568	6.1968	3.5005	5.0563	5.3880	4.7968
	S	111.467	114.033	121.838	75.512	114.090	133.564	102.805	76.636	79.425	97.017	89.562	108.686	105.719	76.686	93.102
12	T	4.6002	7.0399	4.7386	8.2145	8.4346	2.8602	6.7353	4.9929	4.2370	5.2146	6.2062	3.5092	5.0018	5.3644	4.8187
	S	112.050	113.799	121.584	75.449	114.787	133.970	103.964	76.882	80.621	97.802	89.427	108.416	106.871	77.023	92.679
13	T	4.6117	7.0270	4.7364	8.1651	8.4293	2.8569	6.7418	5.1487	4.2778	5.2434	6.1498	3.4816	5.0329	5.3467	4.7912
	S	111.771	114.008	121.640	75.905	114.859	134.125	103.864	74.555	79.852	97.265	90.247	109.276	106.210	77.278	93.211
14	T	4.6047	6.9783	4.7246	8.1530	8.4128	2.8636	6.8775	5.0744	4.7172	5.4164	6.2825	3.4981	5.0784	5.4476	4.7897
	S	111.941	114.804	121.944	76.018	115.084	133.811	101.814	75.647	72.414	94.158	88.341	108.760	105.259	75.847	93.240
15	T	4.6152	7.0683	4.7551	8.1468	8.4305	2.8699	6.8460	5.0629	4.2956	5.2242	6.1685	3.4921	5.0212	5.4052	4.7966
	S	111.686	113.342	121.162	76.076	114.843	133.517	102.283	75.819	79.521	97.623	89.973	108.947	106.458	76.442	93.106
16	T	4.6225	7.1231	4.7783	8.1466	8.4067	2.8717	6.8556	5.0016	4.2662	5.2124	6.2319	3.4984	5.0374	5.4508	4.7898
	S	111.510	112.470	120.574	76.077	115.168	133.434	102.139	76.748	80.069	97.844	89.058	108.751	106.115	75.802	93.238

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 9 - Franzoni, Victor

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PI to PO	PO to SF	SF to PI
12	T	13.1176	17.3899	18.3036	13.8922	11.9337	94.8638		
	S	104.994	91.315	77.891	76.662	76.674	85.689		
13	T	12.9523	17.2981	16.9250	11.9173	9.1757	88.6364		
	S	106.334	91.799	84.235	89.366	99.720	91.710		
14	T	14.7609	26.3510	25.2462	18.3134	16.2093	128.2174		
	S	93.305	60.262	56.471	58.154	56.449	63.399		

Lap	T/S I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.0888	17.3061	17.8173	12.0820	9.0398	88.8315
	S	105.225	91.757	80.017	88.148	101.219	91.508
2	T	12.2415	17.1322	17.0177	12.5111	12.0222	92.1654
	S	112.508	92.688	83.776	85.124	76.109	88.198
3	T	21.6845	27.4417	26.1187	19.6295	16.8483	142.4376
	S	63.514	57.866	54.585	54.255	54.308	57.069
4	T	22.7916	27.1926	26.1786	19.0098	16.4988	143.7433
	S	60.429	58.397	54.460	56.024	55.459	56.551
5	T	12.7729	17.0992	16.8582	11.7722	8.8591	86.3610
	S	107.828	92.867	84.569	90.467	103.284	94.126
6	T	12.0421	16.8930	16.6172	11.6249	8.8434	83.9532
	S	114.371	94.001	85.796	91.614	103.467	96.825
7	T	11.9534	16.8523	16.4653	11.5195	8.6307	83.2356
	S	115.220	94.228	86.587	92.452	106.017	97.660
8	T	11.7708	16.7443	16.2265	11.4891	8.5739	82.5843
	S	117.008	94.836	87.861	92.697	106.719	98.430
9	T	11.7553	16.7811	16.1673	11.4779	8.5518	82.4704
	S	117.162	94.628	88.183	92.787	106.995	98.566
10	T	11.7767	16.7142	16.1211	11.4310	8.5627	82.3319
	S	116.949	95.006	88.436	93.168	106.859	98.732
11	T	11.7542	16.6937	16.1209	11.4536	8.5568	82.2572
	S	117.173	95.123	88.437	92.984	106.932	98.822
12	T	11.7785	16.6491	15.9652	11.4208	8.5110	81.9681
	S	116.931	95.378	89.299	93.251	107.508	99.170
13	T	11.7634	16.5944	16.1683	11.3932	8.5145	82.0403
	S	117.081	95.692	88.178	93.477	107.464	99.083
14	T	11.7029	16.5658	16.6691	11.6989	8.5765	82.9188
	S	117.686	95.857	85.528	91.034	106.687	98.033
15	T	11.8234	16.5773	16.2045	11.3927	8.5133	82.1981
	S	116.487	95.791	87.981	93.481	107.479	98.893
16	T	11.9014	16.5533	16.1234	11.4443	8.5358	82.2930
	S	115.724	95.930	88.423	93.059	107.196	98.779

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 1

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 July 29, 2016



Section Data for Car 91 - Gabin, Luke

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
17	T	4.6242	7.0603	4.7447	8.1838	8.4221	2.8869	7.4241	5.3840	4.8320	7.2319	9.9796	5.2715	8.0419	6.3468	6.5249
	S	111.469	113.471	121.427	75.732	114.957	132.731	94.318	71.297	70.693	70.521	55.613	72.172	66.470	65.101	68.444
18	T	7.2330	11.2905	8.5967	11.8312	14.9735	6.4597	13.0712	6.4937	6.3349	8.8297	10.8868	6.0114	9.5203	7.4133	7.4367
	S	71.264	70.957	67.018	52.385	64.660	59.319	53.570	59.113	53.922	57.760	50.979	63.289	56.148	55.735	60.052
19	T	8.1874	12.9140	9.3191	11.7134	14.6219	6.3608	12.7168	6.9525	6.3932	8.9080	10.5075	6.3799	9.8612	7.7374	8.0299
	S	62.957	62.036	61.823	52.911	66.215	60.241	55.063	55.212	53.430	57.252	52.819	59.633	54.207	53.401	55.616
20	T	7.5461	12.5342													
	S	68.307	63.916													
Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
1	T	6.0439	8.4969	4.9753	8.8338	8.4900	2.8792	7.5872	5.4797	4.7323	5.4401	6.6482	3.5636	5.7037	5.6241	4.9729
	S	85.285	94.286	115.799	70.159	114.038	133.086	92.291	70.052	72.183	93.748	83.481	106.761	93.719	73.466	89.805
2	T	4.6958	7.5737	4.8265	8.4861	8.5106	2.8749	7.1970	5.3860	4.5334	6.0383	7.2086	4.2018	7.9114	7.2571	6.6356
	S	109.769	105.779	119.369	73.034	113.762	133.285	97.294	71.271	75.350	84.461	76.991	90.546	67.566	56.935	67.302
3	T	8.0027	13.3074	8.9470	10.6116	16.0689	6.3739	12.0163	7.1641	6.7248	9.5119	10.3214	6.7678	10.2140	7.7903	8.4790
	S	64.410	60.202	64.394	58.405	60.252	60.117	58.273	53.582	50.796	53.617	53.772	56.215	52.335	53.038	52.670
4	T	8.8876	12.5686	10.6715	10.5181	15.5084	6.2808	12.4934	7.1608	6.3096	8.3841	10.6462	6.7438	9.3159	7.9130	8.8690
	S	57.997	63.741	53.988	58.924	62.430	61.008	56.048	53.606	54.138	60.829	52.131	56.415	57.380	52.216	50.354
5	T	5.5458	8.0955	4.9187	8.5435	8.4775	2.8690	7.2129	5.2603	4.4862	5.3436	6.4316	3.5319	5.4180	5.4984	4.8549
	S	92.945	98.961	117.132	72.543	114.206	133.559	97.080	72.974	76.143	95.441	86.293	107.720	98.661	75.146	91.988
6	T	4.6336	7.3497	4.7655	8.4199	8.5022	2.8727	7.0891	5.2835	4.4548	5.2627	6.3132	3.5087	5.3214	5.5001	4.8504
	S	111.243	109.003	120.897	73.608	113.874	133.387	98.775	72.653	76.679	96.908	87.911	108.432	100.452	75.123	92.073
7	T	4.6318	7.2706	4.7715	8.4217	8.4939	2.8837	6.9678	5.1852	4.3371	5.2090	6.2565	3.5011	5.2558	5.3692	4.8558
	S	111.286	110.188	120.745	73.592	113.986	132.879	100.495	74.031	78.760	97.907	88.708	108.667	101.706	76.954	91.971
8	T	4.6366	7.1842	4.7346	8.3273	8.4812	2.8817	6.9135	5.0752	4.3102	5.2232	6.2674	3.5009	5.2078	5.5043	4.8336
	S	111.171	111.514	121.686	74.427	114.156	132.971	101.284	75.635	79.252	97.641	88.553	108.673	102.643	75.065	92.393
9	T	4.6256	7.1206	4.7134	8.2964	8.5163	2.8965	6.8822	5.0659	4.2348	5.2003	6.2437	3.5068	5.1284	5.3467	4.8293
	S	111.435	112.510	122.234	74.704	113.686	132.291	101.745	75.774	80.663	98.071	88.890	108.491	104.232	77.278	92.475
10	T	4.6328	7.1062	4.7336	8.2217	8.4815	2.8719	6.8512	5.1157	4.2627	5.2298	6.1932	3.4961	5.0690	5.3597	4.8060
	S	111.262	112.738	121.712	75.383	114.152	133.424	102.205	75.036	80.135	97.518	89.614	108.823	105.454	77.090	92.924
11	T	4.5970	7.0526	4.7285	8.3332	8.4945	2.8685	6.9109	5.0680	4.2325	5.1899	6.1857	3.5156	5.0987	5.3679	4.8128
	S	112.128	113.594	121.843	74.374	113.977	133.583	101.322	75.743	80.707	98.268	89.723	108.219	104.840	76.973	92.792
12	T	4.5990	7.0651	4.7518	8.2536	8.4585	2.8603	6.8493	5.1078	4.2217	5.2046	6.1684	3.4971	5.0552	5.3540	4.8327
	S	112.080	113.393	121.246	75.091	114.463	133.966	102.233	75.152	80.913	97.990	89.975	108.791	105.742	77.173	92.410
13	T	4.6236	7.0414	4.7528	8.2092	8.4461	2.8596	6.7844	5.0304	4.2256	5.1955	6.2102	3.4985	5.0997	5.3459	4.8092
	S	111.483	113.775	121.220	75.497	114.631	133.998	103.211	76.309	80.838	98.162	89.369	108.748	104.819	77.289	92.862
14	T	4.6156	7.0305	4.7378	8.1984	8.4403	2.8615	6.8240	5.0654	4.3077	5.3908	6.7024	3.5627	5.1933	5.4059	4.8473
	S	111.677	113.952	121.604	75.597	114.709	133.909	102.612	75.782	79.298	94.606	82.806	106.788	102.930	76.432	92.132
15	T	4.6242	7.0811	4.7512	8.2394	8.4519	2.8697	6.8257	5.0007	4.2733	5.1782	6.1957	3.4888	5.2113	5.3267	4.8347
	S	111.469	113.137	121.261	75.221	114.552	133.527	102.587	76.762	79.936	98.490	89.578	109.050	102.574	77.568	92.372

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 91 - Gabin, Luke

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
17	T	11.8050	16.6059	17.6401	17.2115	13.3134	96.9587	
	S	116.669	95.626	80.821	61.877	68.728	83.838	
18	T	19.8872	26.8047	25.8998	19.7165	15.5317	136.3826	
	S	69.254	59.242	55.046	54.016	58.912	59.603	
19	T	22.2331	26.3353	26.0625	19.4155	16.2411	140.6030	
	S	61.947	60.298	54.702	54.853	56.339	57.814	
20	T							
	S							
Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
1	T	13.4722	17.3238	17.7992	12.0883	9.2673	89.4709	140.9947
	S	102.231	91.663	80.098	88.102	98.734	90.854	54.001
2	T	12.4002	16.9967	17.1164	13.2469	12.1132	93.3368	
	S	111.069	93.427	83.293	80.396	75.537	87.091	
3	T	22.2544	26.6805	25.9052	19.8333	16.9818	142.3011	
	S	61.888	59.517	55.035	53.698	53.881	57.124	
4	T	23.2401	26.0265	25.9638	19.0303	16.0597	142.2708	
	S	59.263	61.013	54.910	55.963	56.975	57.136	
5	T	13.0142	17.0210	16.9594	11.7752	8.9499	86.4878	
	S	105.828	93.294	84.064	90.444	102.236	93.988	
6	T	12.1152	16.9221	16.8274	11.5759	8.8301	84.1275	
	S	113.681	93.839	84.724	92.001	103.623	96.625	
7	T	12.0421	16.9156	16.4901	11.4655	8.7569	83.4107	
	S	114.371	93.875	86.457	92.887	104.489	97.455	
8	T	11.9188	16.8085	16.2989	11.4906	8.7087	83.0817	
	S	115.555	94.473	87.471	92.684	105.067	97.841	
9	T	11.8340	16.8127	16.1829	11.4440	8.6352	82.6069	
	S	116.383	94.450	88.098	93.062	105.962	98.403	
10	T	11.8398	16.7032	16.2296	11.4230	8.5651	82.4311	
	S	116.326	95.069	87.845	93.233	106.829	98.613	
11	T	11.7811	16.8277	16.2114	11.3756	8.6143	82.4563	
	S	116.905	94.366	87.943	93.621	106.219	98.583	
12	T	11.8169	16.7121	16.1788	11.3730	8.5523	82.2791	
	S	116.551	95.018	88.120	93.643	106.989	98.795	
13	T	11.7942	16.6553	16.0404	11.4057	8.5982	82.1321	
	S	116.775	95.342	88.881	93.374	106.418	98.972	
14	T	11.7683	16.6387	16.1971	12.0932	8.7560	83.1836	
	S	117.032	95.437	88.021	88.066	104.500	97.721	
15	T	11.8323	16.6913	16.0997	11.3739	8.7001	82.3526	
	S	116.399	95.137	88.553	93.635	105.171	98.707	

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 1

Round 12 / 13 / 14
2.258 mile(s)
USF2000
July 29, 2016



Section Data for Car 91 - Gabin, Luke

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6A	I6A to I6	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	
16	T	4.6258	7.2561	4.8132	8.2816	8.3925	2.8652	6.9103	5.0823	4.2878	5.1926	6.2774	3.5015	5.2779	5.3228	4.8412
	S	111.430	110.409	119.699	74.837	115.363	133.736	101.331	75.530	79.666	98.217	88.412	108.655	101.280	77.625	92.248
17	T	4.6328	7.1638	4.7940	8.2925	8.4547	2.8758	7.0929	5.2194	4.4857	6.0294	9.4102	5.0647	8.2318	6.1178	6.5426
	S	111.262	111.831	120.179	74.739	114.514	133.244	98.722	73.546	76.151	84.586	58.979	75.119	64.937	67.538	68.259
18	T	7.4277	11.4516	8.9994	11.1719	14.6820	6.5644	13.0475	6.8531	6.1741	8.8241	11.1109	6.3804	8.9587	7.3789	7.4889
	S	69.396	69.958	64.019	55.476	65.943	58.373	53.668	56.013	55.326	57.796	49.951	59.629	59.668	55.995	59.634
19	T	7.9388	13.3240	9.2036	11.6780	14.6078	6.3647	12.9304	6.8961	6.0978	9.1284	10.4866	6.3204	10.0949	7.3710	8.5321
	S	64.929	60.127	62.599	53.072	66.278	60.204	54.154	55.664	56.019	55.870	52.925	60.195	52.952	56.055	52.342
20	T	7.8962	12.1166													
	S	65.279	66.119													

Report Support Information

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
I1 to I2	0.382576 miles
I2 to I3	0.441098 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

Track Map

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000


Session: Race 1

July 29, 2016

Section Data for Car 91 - Gabin, Luke

Lap	T/S	I1 to I2	I2 to I3	I4 to I5	I5 to I6	I6 to I7	Lap	PO to SF
16	T	12.0693	16.6741	16.2804	11.4700	8.7794	82.9282	
	S	114.114	95.235	87.570	92.851	104.221	98.022	
17	T	11.9578	16.7472	16.7980	15.4396	13.2965	94.4081	
	S	115.178	94.819	84.872	68.978	68.815	86.103	
18	T	20.4510	25.8539	26.0747	19.9350	15.3391	136.5136	
	S	67.345	61.420	54.677	53.424	59.651	59.546	
19	T	22.5276	26.2858	25.9243	19.6150	16.4153	140.9746	
	S	61.137	60.411	54.994	54.295	55.741	57.661	
20	T							
	S							

I4 to I5	0.396023 miles
I5 to I6	0.295833 miles
I6 to I7	0.254167 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles
SF to PI	2.134091 miles
PO to I2	0.382576 miles
I7 to PI	0.114773 miles
PO to PI	2.008712 miles



Timing and Scoring
INDYCAR

Mid-Ohio Sports Car Course - 2.258 Miles

Revised July 30th, 2014