

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 10 - Mayer, Alex (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	6.9958	15.8219	9.4847	6.3372	17.7329	9.1630	8.5699	2.8241	19.4556	8.2252	5.8915	5.3389	13.7993	6.1224	7.6769
	S	73.681	87.049	84.466	90.913	89.548	67.639	112.975	135.683	73.279	85.132	65.156	63.982	77.178	83.301	72.295
2	T	4.9024	12.7633	7.8369	4.9264	17.2724	8.8224	8.4500	2.8342	18.0168	7.6080	5.5375	4.8713	12.5406	5.6194	6.9212
	S	105.143	107.909	102.226	116.949	91.936	70.250	114.578	135.199	79.131	92.038	69.321	70.123	84.924	90.757	80.188
3	T	4.7756	12.6667	7.7255	4.9412	17.1748	8.6610	8.5138	2.8651	17.6981	7.6025	5.4270	4.6686	12.1373	5.4129	6.7244
	S	107.935	108.732	103.700	116.598	92.458	71.559	113.719	133.741	80.556	92.105	70.732	73.168	87.746	94.219	82.535
4	T	4.7847	12.3659	7.4959	4.8700	17.1521	8.6258	8.5263	2.8857	17.6077	7.4450	5.4820	4.6807	12.2728	5.4828	6.7900
	S	107.730	111.377	106.877	118.303	92.581	71.851	113.552	132.786	80.969	94.053	70.023	72.979	86.777	93.018	81.738
5	T	4.8895	12.6244	7.6260	4.9984	17.0623	8.5682	8.4941	2.8954	17.5977	7.5477	5.4901	4.5599	11.9584	5.3990	6.5594
	S	105.421	109.096	105.053	115.264	93.068	72.334	113.983	132.342	81.015	92.774	69.919	74.912	89.059	94.462	84.611
6	T	4.7296	12.3120	7.3678	4.9442	17.2810	8.7882	8.4928	2.8615	17.4245	7.4193	5.3861	4.6191	12.0488	5.4407	6.6081
	S	108.985	111.864	108.735	116.528	91.890	70.523	114.000	133.909	81.821	94.379	71.269	73.952	88.391	93.738	83.988
7	T	4.7505	12.0001	7.2238	4.7763	17.1365	8.5513	8.5852	2.8976	17.1824	7.2725	5.3728	4.5371	11.8635	5.3477	6.5158
	S	108.505	114.772	110.902	120.624	92.665	72.477	112.773	132.241	82.973	96.284	71.446	75.288	89.771	95.368	85.178
8	T	4.7334	11.9368	7.1648	4.7720	17.4433	8.8910	8.5523	2.9006	17.1301	7.2074	5.3507	4.5720	11.7628	5.3173	6.4455
	S	108.897	115.380	111.816	120.733	91.035	69.708	113.207	132.104	83.227	97.154	71.741	74.714	90.540	95.913	86.107
9	T	4.7361	12.4645	7.5928	4.8717	17.0408	8.5003	8.5405	2.8995	17.0256	7.1476	5.3480	4.5300	11.8349	5.3226	6.5123
	S	108.835	110.496	105.513	118.262	93.185	72.912	113.364	132.154	83.738	97.967	71.777	75.406	89.988	95.818	85.223
10	T	4.7532	12.1821	7.2718	4.9103	17.0841	8.5077	8.5764	2.9120	17.1246	7.1599	5.3971	4.5676	11.8961	5.3993	6.4968
	S	108.444	113.057	110.170	117.332	92.949	72.848	112.889	131.587	83.253	97.798	71.124	74.786	89.525	94.457	85.427
11	T	4.7692	12.2158	7.3423	4.8735	17.2034	8.6219	8.5815	2.9072	17.2297	7.2868	5.3533	4.5896	11.8659	5.3609	6.5050
	S	108.080	112.745	109.112	118.218	92.305	71.884	112.822	131.804	82.746	96.095	71.706	74.427	89.753	95.133	85.319
12	T	4.7781	12.0796	7.2884	4.7912	17.0356	8.4970	8.5386	2.9072	17.0390	7.2074	5.3607	4.4709	11.8594	5.3829	6.4765
	S	107.879	114.016	109.919	120.249	93.214	72.940	113.389	131.804	83.672	97.154	71.607	76.403	89.802	94.744	85.694
13	T	4.7535	12.1236	7.2793	4.8443	17.0682	8.5135	8.5547	2.9087	16.9073	7.1183	5.2755	4.5135	11.7072	5.2945	6.4127
	S	108.437	113.603	110.057	118.931	93.036	72.799	113.175	131.736	84.323	98.370	72.763	75.682	90.970	96.326	86.547
14	T	4.7462	12.0047	7.1991	4.8056	17.0133	8.4544	8.5589	2.9109	16.8989	7.1523	5.2888	4.4578	11.7731	5.3191	6.4540
	S	108.604	114.728	111.283	119.889	93.336	73.308	113.120	131.637	84.365	97.902	72.580	76.628	90.460	95.881	85.993
15	T	4.7545	12.0783	7.2588	4.8195	16.8729	8.3467	8.5262	2.9121	17.0085	7.1966	5.2719	4.5400	11.9561	5.2951	6.6610
	S	108.414	114.029	110.368	119.543	94.113	74.254	113.554	131.583	83.822	97.300	72.813	75.240	89.076	96.315	83.321
16	T	4.7681	12.2355	7.3677	4.8678	17.0852	8.4856	8.5996	2.9242	17.0166	7.2410	5.2652	4.5104	11.9495	5.2822	6.6673
	S	108.105	112.564	108.736	118.357	92.943	73.038	112.585	131.038	83.782	96.703	72.906	75.734	89.125	96.551	83.242
17	T	4.8221	12.5442	7.6182	4.9260	17.4608	8.8403	8.6205	2.9183	17.3054	7.4485	5.2209	4.6360	12.0505	5.2988	6.7517
	S	106.894	109.794	105.161	116.958	90.944	70.108	112.312	131.303	82.384	94.009	73.524	73.682	88.378	96.248	82.202
18	T	4.8373	13.0831	7.6477	5.4354	17.2028	8.5880	8.6148	2.9310	17.1059	7.4303	5.1875	4.4881	11.8288	5.3660	6.4628
	S	106.558	105.271	104.755	105.997	92.308	72.167	112.386	130.734	83.344	94.239	73.998	76.110	90.034	95.043	85.876
19	T	4.7685	12.1347	7.3260	4.8087	17.0879	8.5825	8.5054	2.8871	22.8080	10.4570	7.4851	4.8659	15.3711	7.4941	7.8770
	S	108.096	113.499	109.355	119.811	92.929	72.214	113.831	132.722	62.508	66.963	51.284	70.201	69.286	68.054	70.458

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 10 - Mayer, Alex (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.7284	3.7027	6.0257	5.9643	97.4398	115.9182
	S	94.055	102.751	88.711	69.276	83.424	65.683
2	T	9.3582	3.6313	5.7269	5.9797	88.6099	
	S	97.775	104.771	93.339	69.097	91.737	
3	T	9.5143	3.6158	5.8985	5.8248	87.7134	
	S	96.171	105.220	90.624	70.935	92.675	
4	T	9.1250	3.6115	5.5135	5.6999	86.8098	
	S	100.274	105.345	96.952	72.489	93.639	
5	T	8.9453	3.5808	5.3645	5.6206	86.5172	
	S	102.288	106.248	99.645	73.512	93.956	
6	T	9.0154	3.6009	5.4145	5.6539	86.2752	
	S	101.493	105.655	98.725	73.079	94.219	
7	T	8.8696	3.6130	5.2566	5.5905	85.1808	
	S	103.161	105.302	101.690	73.908	95.430	
8	T	8.8248	3.5648	5.2600	5.6627	85.2988	
	S	103.685	106.725	101.625	72.966	95.298	
9	T	8.9918	3.6181	5.3737	5.7892	85.7051	
	S	101.759	105.153	99.474	71.371	94.846	
10	T	9.0794	3.6088	5.4706	5.7500	85.6927	
	S	100.778	105.424	97.712	71.858	94.860	
11	T	9.0449	3.5939	5.4510	5.6304	85.8188	
	S	101.162	105.861	98.064	73.384	94.721	
12	T	9.0166	3.5829	5.4337	5.6254	85.2414	
	S	101.479	106.186	98.376	73.449	95.362	
13	T	8.9582	3.5878	5.3704	5.8037	85.1539	
	S	102.141	106.041	99.536	71.193	95.460	
14	T	8.9006	3.5701	5.3305	5.6223	84.7997	
	S	102.802	106.567	100.281	73.490	95.859	
15	T	9.1944	3.6827	5.5117	5.8939	85.6968	
	S	99.517	103.309	96.984	70.103	94.855	
16	T	9.0132	3.6336	5.3796	5.6526	85.5705	
	S	101.518	104.705	99.365	73.096	94.995	
17	T	9.1588	3.6350	5.5238	5.7035	86.9065	
	S	99.904	104.664	96.771	72.444	93.535	
18	T	9.0663	3.5954	5.4709	5.6537	86.6733	
	S	100.923	105.817	97.707	73.082	93.787	
19	T	12.3173	4.4923	7.8250	6.7203	99.1310	
	S	74.286	84.690	68.313	61.483	82.001	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 10 - Mayer, Alex (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.8181	12.4175	7.5493	4.8682	17.0924	8.5770	8.5154	2.8754	17.0599	7.1820	5.2576	4.6203	12.0453	5.4308	6.6145
	S	106.983	110.914	106.121	118.347	92.904	72.260	113.698	133.262	83.569	97.498	73.011	73.933	88.416	93.909	83.907
21	T	4.7089	12.3978	7.5731	4.8247	17.0014	8.4683	8.5331	2.8758	17.2837	7.1871	5.3749	4.7217	12.0124	5.4117	6.6007
	S	109.464	111.090	105.787	119.414	93.401	73.187	113.462	133.244	82.487	97.428	71.418	72.345	88.658	94.240	84.082
22	T	4.8732	13.4508	7.7989	5.6519		9.7040									
	S	105.773	102.393	102.724	101.937		63.868									

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 10 - Mayer, Alex (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.1122	3.5812	5.5310	5.7067	4.9246	86.0521	
	S	100.415	106.237	96.645	72.403	90.686	94.464	
21	T	9.2915	3.6210	5.6705	5.7226	5.0957	86.3898	
	S	98.477	105.069	94.268	72.202	87.641	94.094	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 16 - Dayson, James

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	6.4784	15.8691	9.5230	6.3461	18.1176	9.4309	8.6867	2.8720	18.8703	8.0470	5.7783	5.0450	13.7163	6.1491	7.5672
	S	79.565	86.790	84.126	90.786	87.647	65.717	111.456	133.420	75.552	87.017	66.432	67.709	77.645	82.939	73.343
2	T	4.8238	13.0772	7.9995	5.0777	17.6698	9.0298	8.6400	2.9107	18.0349	7.5545	5.6253	4.8551	12.5692	5.7384	6.8308
	S	106.857	105.319	100.148	113.464	89.868	68.636	112.058	131.646	79.051	92.690	68.239	70.357	84.731	88.875	81.250
3	T	4.7796	12.7443	7.7272	5.0171	17.4121	8.8004	8.6117	2.9294	17.5521	7.4048	5.5122	4.6351	12.1692	5.4462	6.7230
	S	107.845	108.070	103.677	114.835	91.198	70.426	112.426	130.806	81.226	94.564	69.639	73.697	87.516	93.643	82.552
4	T	4.7626	12.3278	7.4175	4.9103	17.3452	8.7645	8.5807	2.9046	17.5001	7.3821	5.4529	4.6651	12.2100	5.5409	6.6691
	S	108.230	111.721	108.006	117.332	91.550	70.714	112.832	131.922	81.467	94.855	70.396	73.223	87.224	92.043	83.220
5	T	4.7790	18.0646	11.7276	6.3370	17.2844	8.6839	8.6005	2.9108	17.3685	7.3053	5.4277	4.6355	12.4703	5.5040	6.9663
	S	107.858	76.242	68.312	90.916	91.872	71.370	112.573	131.641	82.084	95.852	70.723	73.690	85.403	92.660	79.669
6	T	4.7636	12.2545	7.3717	4.8828	17.1511	8.5710	8.5801	2.9117	17.2114	7.3053	5.3925	4.5136	11.9956	5.4281	6.5675
	S	108.207	112.389	108.677	117.993	92.586	72.310	112.840	131.601	82.834	95.852	71.185	75.680	88.783	93.956	84.507
7	T	4.7699	12.3008	7.4262	4.8746	17.1864	8.6112	8.5752	2.9015	17.0118	7.1749	5.3531	4.4838	11.9627	5.4192	6.5435
	S	108.064	111.966	107.880	118.192	92.396	71.973	112.905	132.063	83.805	97.594	71.709	76.183	89.027	94.110	84.817
8	T	4.7690	12.4901	7.5374	4.9527	17.2767	8.6698	8.6069	2.9112	17.0706	7.1499	5.4179	4.5028	11.8566	5.3979	6.4587
	S	108.084	110.269	106.288	116.328	91.913	71.486	112.489	131.623	83.517	97.935	70.851	75.862	89.823	94.481	85.931
9	T	4.7501	12.0795	7.2726	4.8069	17.1776	8.6523	8.5253	2.9046	17.1089	7.1195	5.3758	4.6136	11.9726	5.4761	6.4965
	S	108.514	114.017	110.158	119.856	92.443	71.631	113.566	131.922	83.330	98.353	71.406	74.040	88.953	93.132	85.431
10	T	4.7530	12.1638	7.3328	4.8310	16.9238	8.3780	8.5458	2.9133	16.8774	7.0979	5.3494	4.4301	11.9421	5.4271	6.5150
	S	108.448	113.227	109.254	119.258	93.830	73.976	113.293	131.528	84.473	98.653	71.758	77.107	89.180	93.973	85.188
11	T	4.7387	12.0833	7.2714	4.8119	17.0011	8.4920	8.5091	2.9035	16.9552	7.1031	5.2842	4.5679	11.9416	5.4418	6.4998
	S	108.776	113.982	110.176	119.732	93.403	72.983	113.782	131.972	84.085	98.581	72.644	74.781	89.184	93.719	85.387
12	T	4.7714	11.9975	7.1914	4.8061	16.9211	8.3841	8.5370	2.9055	16.8118	7.1406	5.2219	4.4493	11.7857	5.3496	6.4361
	S	108.030	114.797	111.402	119.876	93.845	73.922	113.410	131.882	84.802	98.063	73.510	76.774	90.364	95.334	86.232
13	T	4.7560	12.1603	7.3134	4.8469	16.9434	8.4017	8.5417	2.9053	16.8266	7.0842	5.2956	4.4468	11.8109	5.3677	6.4432
	S	108.380	113.260	109.544	118.867	93.721	73.768	113.348	131.891	84.728	98.844	72.487	76.817	90.171	95.013	86.137
14	T	4.7272	12.0365	7.2307	4.8058	16.9207	8.3886	8.5321	2.8978	16.8562	7.0642	5.2549	4.5371	11.9673	5.4635	6.5038
	S	109.040	114.425	110.797	119.884	93.847	73.883	113.475	132.232	84.579	99.123	73.049	75.288	88.993	93.347	85.335
15	T	4.7467	12.0117	7.2198	4.7919	17.0049	8.4829	8.5220	2.9039	16.7977	7.0680	5.2953	4.4344	11.9157	5.3771	6.5386
	S	108.592	114.661	110.964	120.231	93.382	73.061	113.610	131.954	84.874	99.070	72.491	77.032	89.378	94.847	84.881
16	T	4.7437	12.0016	7.1824	4.8192	17.0723	8.5124	8.5599	2.9060	16.7628	7.0951	5.2671	4.4006	11.8978	5.3827	6.5151
	S	108.661	114.757	111.542	119.550	93.014	72.808	113.107	131.859	85.050	98.692	72.880	77.624	89.512	94.748	85.187
17	T	4.8002	12.5883	7.6317	4.9566	16.9010	8.3582	8.5428	2.9081	16.8193	7.1241	5.2555	4.4397	11.8285	5.3767	6.4518
	S	107.382	109.409	104.975	116.236	93.956	74.151	113.333	131.764	84.765	98.290	73.040	76.940	90.037	94.854	86.023
18	T	4.8248	12.7366	7.5824	5.1542	17.4190	8.8329	8.5861	2.9248	16.9713	7.1533	5.3218	4.4962	11.9227	5.3921	6.5306
	S	106.834	108.135	105.657	111.780	91.162	70.166	112.762	131.011	84.005	97.889	72.130	75.973	89.325	94.583	84.985
19	T	4.7412	12.1927	7.3255	4.8672	16.9597	8.4109	8.5488	2.8965	20.5054	7.7961	7.8131	4.8962	14.2684	6.2533	8.0151
	S	108.718	112.959	109.363	118.371	93.631	73.687	113.254	132.291	69.527	89.818	49.131	69.767	74.640	81.557	69.244

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 16 - Dayson, James

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	10.3896	3.7907	6.5989	5.9792	5.1375	97.4300	115.7466
	S	88.069	100.365	81.005	69.103	86.928	83.432	65.780
2	T	9.5026	3.6511	5.8515	5.9359	5.0552	89.5793	
	S	96.289	104.203	91.352	69.607	88.343	90.744	
3	T	9.2740	3.6171	5.6569	5.8531	4.9496	87.6634	
	S	98.663	105.182	94.494	70.592	90.228	92.727	
4	T	9.1668	3.6181	5.5487	5.7697	5.0324	87.0192	
	S	99.817	105.153	96.337	71.612	88.743	93.414	
5	T	9.4178	3.6521	5.7657	5.8122	4.9801	93.0877	
	S	97.156	104.174	92.711	71.089	89.675	87.324	
6	T	9.1410	3.5909	5.5501	5.7235	5.0058	86.1582	
	S	100.098	105.950	96.313	72.190	89.215	94.347	
7	T	9.0111	3.6014	5.4097	5.6741	4.9767	85.7950	
	S	101.541	105.641	98.812	72.819	89.736	94.747	
8	T	8.9755	3.5731	5.4024	5.5567	4.9714	85.8778	
	S	101.944	106.477	98.946	74.357	89.832	94.655	
9	T	8.9750	3.6078	5.3672	5.5903	4.9613	85.5199	
	S	101.950	105.453	99.595	73.910	90.015	95.052	
10	T	8.9537	3.6057	5.3480	5.6755	4.9337	85.1363	
	S	102.192	105.515	99.952	72.801	90.518	95.480	
11	T	8.9658	3.6065	5.3593	5.5935	5.0091	85.1918	
	S	102.054	105.491	99.742	73.868	89.156	95.418	
12	T	8.9221	3.5772	5.3449	5.5850	4.9680	84.6681	
	S	102.554	106.355	100.010	73.981	89.894	96.008	
13	T	8.9080	3.5926	5.3154	5.5527	4.9338	84.7970	
	S	102.717	105.900	100.565	74.411	90.517	95.862	
14	T	8.8233	3.5778	5.2455	5.5611	4.9912	84.7813	
	S	103.703	106.338	101.906	74.299	89.476	95.880	
15	T	8.9668	3.6047	5.3621	5.5807	4.9742	84.9023	
	S	102.043	105.544	99.690	74.038	89.781	95.743	
16	T	9.0264	3.6057	5.4207	5.6797	5.0299	85.1202	
	S	101.369	105.515	98.612	72.747	88.787	95.498	
17	T	9.0717	3.5920	5.4797	5.7797	4.9778	85.6746	
	S	100.863	105.917	97.550	71.488	89.717	94.880	
18	T	9.0443	3.6178	5.4265	5.6364	4.9521	86.4320	
	S	101.169	105.162	98.506	73.306	90.182	94.049	
19	T	11.8482	4.1153	7.7329	6.9201	5.0364	95.3686	
	S	77.227	92.449	69.126	59.707	88.673	85.236	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 16 - Dayson, James

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.7612	12.3528	7.4664	4.8864	17.0524	8.5670	8.4854	2.8571	17.2856	7.3438	5.4392	4.5026	12.1397	5.5144	6.6253
	S	108.261	111.495	107.299	117.906	93.122	72.344	114.100	134.116	82.478	95.349	70.574	75.865	87.729	92.485	83.770
21	T	4.7006	11.9805	7.2052	4.7753	17.1445	8.5942	8.5503	2.8540	44.0403	7.3188	31.5452	5.1763	13.3688	6.2794	7.0894
	S	109.657	114.960	111.189	120.649	92.622	72.115	113.234	134.261	32.372	95.675	12.169	65.991	79.663	81.218	78.286

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 16 - Dayson, James

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.0930	3.6387	5.4543	5.6716	4.9761	86.1895	
	S	100.627	104.558	98.004	72.851	89.747	94.313	
21	T	10.0968	3.7722	6.3246	6.0140	5.2888	115.4883	
	S	90.623	100.857	84.518	68.703	84.441	70.386	

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 17 - Fielding, Sennan (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.8008	16.2408	9.5703	6.6705	19.1929	10.3244	8.8685	2.8868	18.6575	7.7946	5.7745	5.0884	12.6174	5.7638	6.8536
	S	66.077	84.803	83.711	86.371	82.737	60.030	109.171	132.736	76.413	89.835	66.476	67.131	84.407	88.483	80.979
2	T	4.7918	12.7270	7.8098	4.9172	17.2656	8.7795	8.4861	2.8546	17.9129	7.4738	5.5427	4.8964	12.1867	5.4878	6.6989
	S	107.570	108.217	102.581	117.168	91.972	70.593	114.090	134.233	79.590	93.691	69.256	69.764	87.390	92.933	82.849
3	T	4.7507	12.4036	7.4975	4.9061	17.2371	8.7279	8.5092	2.8814	17.2438	7.1874	5.4177	4.6387	11.9474	5.4096	6.5378
	S	108.501	111.038	106.854	117.433	92.124	71.011	113.781	132.985	82.678	97.424	70.854	73.639	89.141	94.277	84.891
4	T	4.7192	12.2546	7.3902	4.8644	17.0816	8.5961	8.4855	2.8815	17.0057	7.1213	5.3517	4.5327	11.8234	5.3372	6.4862
	S	109.225	112.388	108.405	118.439	92.963	72.099	114.098	132.980	83.836	98.329	71.727	75.361	90.076	95.556	85.566
5	T	4.7285	12.0686	7.2300	4.8386	16.9306	8.4150	8.5156	2.8867	16.9467	7.1022	5.3322	4.5123	11.7881	5.3484	6.4397
	S	109.010	114.120	110.807	119.071	93.792	73.651	113.695	132.740	84.127	98.593	71.990	75.702	90.345	95.356	86.184
6	T	4.6900	12.0490	7.2035	4.8455	16.8984	8.4042	8.4942	2.8834	16.9584	7.1347	5.3096	4.5141	11.7447	5.3090	6.4357
	S	109.905	114.306	111.215	118.901	93.971	73.746	113.982	132.892	84.069	98.144	72.296	75.672	90.679	96.063	86.238
7	T	4.7312	12.1276	7.2645	4.8631	16.8227	8.3186	8.5041	2.8880	16.7807	7.0526	5.2976	4.4305	11.7030	5.2994	6.4036
	S	108.948	113.565	110.281	118.471	94.394	74.504	113.849	132.681	84.960	99.286	72.460	77.100	91.002	96.237	86.670
8	T	4.7325	11.9554	7.1404	4.8150	16.8116	8.3105	8.5011	2.8929	16.6508	7.0141	5.1781	4.4586	11.6599	5.2900	6.3699
	S	108.918	115.201	112.198	119.654	94.456	74.577	113.889	132.456	85.622	99.831	74.132	76.614	91.339	96.408	87.129
9	T	4.7078	11.9599	7.1548	4.8051	16.8156	8.3224	8.4932	2.8837	16.7016	7.0063	5.3129	4.3824	11.6490	5.2797	6.3693
	S	109.489	115.158	111.972	119.901	94.433	74.470	113.995	132.879	85.362	99.943	72.251	77.946	91.424	96.596	87.137
10	T	4.7520	11.9779	7.1711	4.8068	16.8036	8.3189	8.4847	2.8911	16.7585	7.0230	5.2332	4.5023	11.7570	5.3115	6.4455
	S	108.471	114.984	111.717	119.859	94.501	74.502	114.109	132.538	85.072	99.705	73.352	75.870	90.584	96.018	86.107
11	T	4.7101	11.9505	7.1500	4.8005	16.8095	8.3208	8.4887	2.8907	16.6765	6.9758	5.2491	4.4516	11.6439	5.3029	6.3410
	S	109.436	115.248	112.047	120.016	94.468	74.485	114.055	132.557	85.490	100.379	73.129	76.734	91.464	96.174	87.526
12	T	4.7280	11.8868	7.1003	4.7865	16.7997	8.2971	8.5026	2.8891	16.6936	6.9693	5.2767	4.4476	11.6908	5.2737	6.4171
	S	109.022	115.866	112.831	120.367	94.523	74.698	113.869	132.630	85.403	100.473	72.747	76.803	91.097	96.706	86.488
13	T	4.7253	12.0309	7.1939	4.8370	16.8154	8.3122	8.5032	2.8876	16.6215	6.9335	5.2284	4.4596	11.6861	5.3043	6.3818
	S	109.084	114.478	111.363	119.110	94.435	74.562	113.861	132.699	85.773	100.992	73.419	76.597	91.134	96.148	86.966
14	T	4.7129	11.8840	7.0826	4.8014	16.7734	8.2996	8.4738	2.8935	16.5634	6.9804	5.1739	4.4091	11.6453	5.2835	6.3618
	S	109.371	115.893	113.113	119.993	94.671	74.675	114.256	132.428	86.074	100.313	74.192	77.474	91.453	96.527	87.239
15	T	4.6989	11.9405	7.1356	4.8049	16.8450	8.3461	8.4989	2.8931	16.5968	6.9638	5.2062	4.4268	11.6378	5.2861	6.3517
	S	109.697	115.345	112.273	119.906	94.269	74.259	113.918	132.447	85.901	100.552	73.732	77.164	91.512	96.479	87.378
16	T	4.7162	11.9389	7.1280	4.8109	16.8290	8.3222	8.5068	2.8938	16.6150	6.9791	5.2202	4.4157	11.6725	5.2814	6.3911
	S	109.294	115.360	112.393	119.756	94.358	74.472	113.813	132.415	85.807	100.332	73.534	77.358	91.240	96.565	86.840
17	T	4.7255	11.9374	7.1539	4.7835	16.7611	8.2747	8.4864	2.8876	16.8025	7.1232	5.2828	4.3965	11.7439	5.2969	6.4470
	S	109.079	115.375	111.986	120.442	94.740	74.900	114.086	132.699	84.849	98.302	72.663	77.696	90.685	96.283	86.087
18	T	4.7322	13.5560	7.6481	5.9079	18.8446	8.5200	10.3246	4.5286	20.2762	10.2958	5.3880	4.5924	13.1551	5.6005	7.5546
	S	108.925	101.599	104.750	97.520	84.266	72.743	93.774	84.614	70.313	68.011	71.244	74.382	80.957	91.063	73.465
19	T	6.8021	17.3969	10.2083	7.1886	19.8486	8.9649	10.8837	4.6783	25.9371	14.0855	6.9734	4.8782	16.7452	8.3226	8.4226
	S	75.779	79.168	78.479	80.146	80.003	69.133	88.957	81.906	54.967	49.713	55.047	70.024	63.600	61.279	65.894

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 17 - Fielding, Sennan (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	9.2230	3.6010	5.6220	5.8883	5.0957	97.6032	116.8993
	S	99.209	105.652	95.081	70.170	87.641	83.284	65.132
2	T	9.1498	3.5845	5.5653	5.7604	4.9686	87.6174	
	S	100.002	106.139	96.050	71.728	89.883	92.776	
3	T	8.9857	3.5541	5.4316	5.5972	4.9741	86.0210	
	S	101.828	107.047	98.414	73.819	89.783	94.498	
4	T	8.9122	3.5506	5.3616	5.5710	4.9290	85.1782	
	S	102.668	107.152	99.699	74.167	90.605	95.433	
5	T	8.7865	3.5293	5.2572	5.6164	4.8994	84.6515	
	S	104.137	107.799	101.679	73.567	91.152	96.027	
6	T	8.7824	3.5658	5.2166	5.5241	4.9163	84.4467	
	S	104.186	106.695	102.470	74.796	90.839	96.260	
7	T	8.7492	3.5452	5.2040	5.4614	4.8975	84.1613	
	S	104.581	107.315	102.718	75.655	91.188	96.586	
8	T	8.7516	3.5309	5.2207	5.5190	4.9115	83.8852	
	S	104.552	107.750	102.390	74.865	90.928	96.904	
9	T	8.7613	3.5402	5.2211	5.4307	4.9571	83.8667	
	S	104.437	107.467	102.382	76.083	90.091	96.925	
10	T	8.7734	3.5391	5.2343	5.4600	4.9132	84.0867	
	S	104.293	107.500	102.124	75.674	90.896	96.672	
11	T	8.7589	3.5563	5.2026	5.4268	4.9382	83.8051	
	S	104.465	106.980	102.746	76.137	90.436	96.996	
12	T	8.7684	3.5535	5.2149	5.4950	4.9483	83.8997	
	S	104.352	107.065	102.503	75.192	90.251	96.887	
13	T	8.7041	3.5288	5.1753	5.4575	4.9034	83.8318	
	S	105.123	107.814	103.288	75.709	91.078	96.966	
14	T	8.7022	3.5305	5.1717	5.4713	4.9039	83.5499	
	S	105.146	107.762	103.360	75.518	91.069	97.293	
15	T	8.7401	3.5368	5.2033	5.4661	4.9682	83.7865	
	S	104.690	107.570	102.732	75.590	89.890	97.018	
16	T	8.7138	3.5621	5.1517	5.4223	4.9739	83.7754	
	S	105.006	106.806	103.761	76.200	89.787	97.031	
17	T	8.9310	3.5488	5.3822	5.4772	4.9572	84.2234	
	S	102.452	107.207	99.317	75.437	90.089	96.515	
18	T	10.7130	4.0404	6.6726	6.2246	4.9881	97.0184	
	S	85.410	94.163	80.111	66.379	89.531	83.786	
19	T	13.2729	4.8693	8.4036	6.5902	4.8797	116.1510	
	S	68.937	78.133	63.609	62.696	91.520	69.985	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 17 - Fielding, Sennan (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6695	12.2263	7.3549	4.8714	16.9007	8.4968	8.4039	2.8491	17.0610	7.1297	5.3304	4.6009	11.9473	5.3505	6.5968
	S	110.388	112.648	108.926	118.269	93.958	72.942	115.206	134.492	83.564	98.213	72.014	74.244	89.141	95.318	84.132
21	T	4.7041	12.3110	7.4447	4.8663	16.8371	8.4303	8.4068	2.8428	17.0520	7.1210	5.3096	4.6214	11.9533	5.3262	6.6271
	S	109.576	111.873	107.612	118.393	94.313	73.517	115.167	134.790	83.608	98.333	72.296	73.915	89.097	95.753	83.747
22	T	4.8894	14.1058	8.1269	5.9789		9.7411									
	S	105.423	97.639	98.578	96.362		63.625									

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 17 - Fielding, Sennan (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.2812	3.5528	5.7284	5.7613	5.0110	85.7074	
	S	98.586	107.086	93.315	71.717	89.122	94.844	
21	T	9.0406	3.5519	5.4887	5.5053	5.0443	85.2905	
	S	101.210	107.113	97.390	75.052	88.534	95.307	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 18 - Mitchell, Jack (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.2433	16.1880	9.3973	6.7907	18.0301	9.2666	8.7635	2.8561	18.8666	8.0059	5.9226	4.9381	12.9633	5.9601	7.0032
	S	71.163	85.080	85.252	84.842	88.072	66.882	110.479	134.163	75.566	87.464	64.813	69.175	82.155	85.569	79.249
2	T	4.8910	12.9143	7.8962	5.0181	17.5093	8.9758	8.5335	2.8679	17.5065	7.3680	5.4894	4.6491	12.1592	5.4599	6.6993
	S	105.388	106.647	101.458	114.812	90.692	69.049	113.457	133.611	81.437	95.036	69.928	73.475	87.588	93.408	82.844
3	T	4.7307	12.4781	7.5701	4.9080	17.1521	8.6618	8.4903	2.8828	17.3683	7.2763	5.4458	4.6462	11.9320	5.3532	6.5788
	S	108.959	110.375	105.829	117.387	92.581	71.552	114.034	132.920	82.085	96.234	70.488	73.520	89.256	95.270	84.362
4	T	4.7705	12.3267	7.4568	4.8699	17.1021	8.6052	8.4969	2.8775	17.1937	7.2603	5.4112	4.5222	11.9368	5.4259	6.5109
	S	108.050	111.731	107.437	118.306	92.851	72.023	113.945	133.165	82.919	96.446	70.939	75.536	89.220	93.994	85.242
5	T	4.7262	12.1514	7.3039	4.8475	16.8529	8.4104	8.4425	2.8656	17.0996	7.1121	5.4267	4.5608	11.8286	5.3343	6.4943
	S	109.063	113.343	109.686	118.852	94.224	73.691	114.680	133.718	83.375	98.456	70.736	74.897	90.036	95.608	85.460
6	T	4.7144	12.1851	7.3013	4.8838	16.9120	8.4552	8.4568	2.8729	16.8807	7.0815	5.3310	4.4682	11.8039	5.3002	6.5037
	S	109.336	113.029	109.725	117.969	93.895	73.301	114.486	133.378	84.456	98.881	72.006	76.449	90.224	96.223	85.336
7	T	4.7102	12.0269	7.2058	4.8211	16.8359	8.3766	8.4593	2.8754	16.7612	7.0020	5.3502	4.4090	11.7737	5.3145	6.4592
	S	109.434	114.516	111.179	119.503	94.320	73.989	114.452	133.262	85.058	100.004	71.748	77.476	90.456	95.964	85.924
8	T	4.7011	11.9984	7.2017	4.7967	16.8347	8.3729	8.4618	2.8707	16.7306	6.9984	5.3058	4.4264	11.7279	5.3045	6.4234
	S	109.646	114.788	111.243	120.111	94.326	74.021	114.418	133.480	85.214	100.055	72.348	77.171	90.809	96.145	86.403
9	T	4.7567	12.2180	7.3874	4.8306	16.8118	8.3496	8.4622	2.8843	16.8152	7.0831	5.3078	4.4243	11.7820	5.3051	6.4769
	S	108.364	112.725	108.446	119.268	94.455	74.228	114.413	132.851	84.785	98.859	72.321	77.208	90.392	96.134	85.689
10	T	4.6945	11.9885	7.1763	4.8122	16.8546	8.3732	8.4814	2.8838	16.9023	7.1589	5.3127	4.4307	11.7599	5.3079	6.4520
	S	109.800	114.883	111.636	119.724	94.215	74.019	114.154	132.874	84.348	97.812	72.254	77.096	90.562	96.083	86.020
11	T	4.6900	11.9759	7.1766	4.7993	16.8033	8.3111	8.4922	2.8960	16.7111	7.0337	5.3053	4.3721	11.7370	5.3048	6.4322
	S	109.905	115.004	111.632	120.046	94.503	74.572	114.008	132.314	85.313	99.553	72.355	78.130	90.739	96.139	86.285
12	T	4.6960	11.9304	7.1426	4.7878	16.7289	8.2815	8.4474	2.8834	16.5051	6.9322	5.2245	4.3484	11.7088	5.2837	6.4251
	S	109.765	115.442	112.163	120.334	94.923	74.838	114.613	132.892	86.378	101.011	73.474	78.556	90.957	96.523	86.380
13	T	4.6699	12.1093	7.2834	4.8259	16.7492	8.2873	8.4619	2.8869	16.5593	6.9259	5.2517	4.3817	11.6861	5.2856	6.4005
	S	110.378	113.737	109.995	119.384	94.808	74.786	114.417	132.731	86.096	101.103	73.093	77.959	91.134	96.489	86.712
14	T	4.6904	11.9644	7.1671	4.7973	16.7615	8.3218	8.4397	2.8750	16.5855	6.9112	5.2504	4.4239	11.6857	5.2697	6.4160
	S	109.896	115.114	111.780	120.096	94.738	74.476	114.718	133.281	85.960	101.318	73.111	77.215	91.137	96.780	86.502
15	T	4.6595	11.9459	7.1550	4.7909	16.6816	8.2406	8.4410	2.8872	16.6366	6.9731	5.2285	4.4350	11.6771	5.2839	6.3932
	S	110.624	115.293	111.969	120.256	95.192	75.210	114.700	132.717	85.696	100.418	73.418	77.022	91.204	96.520	86.811
16	T	4.6707	11.9303	7.1386	4.7917	16.6862	8.2308	8.4554	2.8786	16.6027	6.9989	5.2349	4.3689	11.6659	5.2445	6.4214
	S	110.359	115.443	112.226	120.236	95.166	75.299	114.505	133.114	85.870	100.048	73.328	78.187	91.292	97.245	86.430
17	T	4.6871	11.9408	7.1540	4.7868	16.8553	8.3586	8.4967	2.8869	16.8477	7.1180	5.2645	4.4652	11.9121	5.3414	6.5707
	S	109.973	115.342	111.984	120.359	94.211	74.148	113.948	132.731	84.622	98.374	72.915	76.501	89.405	95.481	84.466
18	T	5.0418	14.5918	8.6250	5.9668	17.4237	8.7725	8.6512	3.5662	19.1392	8.8736	5.5831	4.6825	12.3242	5.4377	6.8865
	S	102.236	94.387	92.885	96.557	91.138	70.649	111.913	107.448	74.490	78.911	68.755	72.951	86.415	93.790	80.592
19	T	6.7662	17.9552	9.9207	8.0345	19.0897	8.8377	10.2520	4.4445	26.6323	14.4869	7.3041	4.8413	16.4135	7.8585	8.5550
	S	76.181	76.706	80.754	71.708	83.184	70.128	94.438	86.215	53.532	48.335	52.555	70.558	64.886	64.898	64.874

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 18 - Mitchell, Jack (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.4101	3.6610	5.7491	5.8858	96.5899	117.3000
	S	97.236	103.921	92.979	70.200	84.158	64.909
2	T	9.1904	3.5984	5.5920	5.7779	87.7360	
	S	99.560	105.729	95.591	71.511	92.651	
3	T	9.0768	3.5827	5.4941	5.7703	86.3185	
	S	100.806	106.192	97.294	71.605	94.172	
4	T	8.8865	3.5488	5.3377	5.5808	85.6339	
	S	102.965	107.207	100.145	74.036	90.051	
5	T	8.8027	3.5374	5.2653	5.5526	84.8581	
	S	103.945	107.552	101.522	74.412	95.793	
6	T	8.8093	3.5567	5.2526	5.6142	84.7356	
	S	103.868	106.968	101.768	73.596	95.931	
7	T	8.7727	3.5556	5.2171	5.6459	84.2912	
	S	104.301	107.002	102.460	73.183	96.437	
8	T	8.7281	3.5411	5.1870	5.7964	84.2736	
	S	104.834	107.440	103.055	71.282	96.457	
9	T	8.7602	3.5409	5.2193	5.6429	84.5513	
	S	104.450	107.446	102.417	73.222	96.140	
10	T	8.8258	3.5395	5.2863	5.6220	84.4231	
	S	103.673	107.488	101.119	73.494	96.286	
11	T	8.6973	3.5380	5.1593	5.5596	83.9501	
	S	105.205	107.534	103.608	74.319	96.829	
12	T	8.6754	3.5279	5.1475	5.6353	83.6252	
	S	105.471	107.842	103.846	73.320	97.205	
13	T	8.6372	3.5141	5.1231	5.6050	83.7984	
	S	105.937	108.265	104.340	73.717	97.004	
14	T	8.6623	3.5278	5.1345	5.6307	83.6948	
	S	105.630	107.845	104.109	73.380	97.124	
15	T	8.6694	3.5440	5.1254	5.5838	83.6295	
	S	105.544	107.352	104.293	73.997	97.200	
16	T	8.6384	3.5227	5.1157	5.5518	83.5295	
	S	105.922	108.001	104.491	74.423	97.317	
17	T	9.0085	3.5655	5.4430	5.7739	84.9539	
	S	101.571	106.704	98.208	71.560	95.685	
18	T	10.4664	4.3520	6.1144	6.1175	93.9289	
	S	87.423	87.421	87.424	67.541	86.542	
19	T	12.6225	4.4585	8.1640	6.7277	115.4998	
	S	72.490	85.332	65.476	61.415	70.379	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 18 - Mitchell, Jack (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6499	12.2670	7.3925	4.8745	16.9398	8.5699	8.3699	2.8303	17.1481	7.1879	5.4047	4.5555	11.8518	5.3255	6.5263
	S	110.853	112.275	108.372	118.194	93.741	72.320	115.674	135.386	83.139	97.418	71.024	74.984	89.860	95.766	85.041
21	T	4.7050	12.7560	7.8050	4.9510	16.9163	8.5090	8.4073	2.8590	17.1440	7.1865	5.3918	4.5657	11.8673	5.3491	6.5182
	S	109.555	107.971	102.644	116.368	93.871	72.837	115.160	134.027	83.159	97.436	71.194	74.817	89.742	95.343	85.146
22	T	4.9050	13.6503	7.8886	5.7617		9.8145									
	S	105.088	100.897	101.556	99.994		63.149									

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 18 - Mitchell, Jack (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.2628	3.5568	5.7060	5.8648	4.9199	85.7344	
	S	98.782	106.965	93.681	70.451	90.772	94.814	
21	T	8.8716	3.5640	5.3076	5.5727	4.9567	85.6486	
	S	103.138	106.749	100.713	74.144	90.098	94.909	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 2 - Jamin, Nico

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.7036	21.3063	11.9795	9.3268	20.2551	11.1815	9.0736	2.9019	17.1729	7.2433	5.4154	4.5142	12.0257	5.4166	6.6091
	S	66.911	64.642	66.876	61.772	78.398	55.428	106.703	132.045	83.019	96.672	70.884	75.670	88.560	94.155	83.975
2	T	4.6907	12.2281	7.3743	4.8538	17.0423	8.5857	8.4566	2.8696	17.3724	7.2982	5.4376	4.6366	11.9445	5.3621	6.5824
	S	109.889	112.632	108.639	118.698	93.177	72.187	114.488	133.531	82.066	95.945	70.594	73.673	89.162	95.112	84.316
3	T	4.6647	12.1231	7.2811	4.8420	16.9201	8.4344	8.4857	2.8719	16.9490	7.1230	5.3820	4.4440	11.8602	5.3522	6.5080
	S	110.501	113.607	110.030	118.987	93.850	73.482	114.096	133.424	84.116	98.305	71.324	76.866	89.796	95.288	85.280
4	T	4.6603	11.9569	7.1739	4.7830	16.8039	8.3509	8.4530	2.8680	16.8181	7.0677	5.3155	4.4349	11.7531	5.3285	6.4246
	S	110.605	115.186	111.674	120.455	94.499	74.216	114.537	133.606	84.771	99.074	72.216	77.023	90.614	95.712	86.387
5	T	4.6534	11.8349	7.0821	4.7528	16.7449	8.3329	8.4120	2.8549	16.7051	6.9708	5.2861	4.4482	11.6576	5.2953	6.3623
	S	110.769	116.374	113.121	121.220	94.832	74.377	115.095	134.219	85.344	100.451	72.618	76.793	91.357	96.312	87.233
6	T	4.6359	11.7562	7.0141	4.7421	16.6917	8.2953	8.3964	2.8521	16.6700	6.9113	5.3671	4.3916	11.6745	5.2855	6.3890
	S	111.188	117.153	114.218	121.494	95.134	74.714	115.309	134.351	85.524	101.316	71.522	77.783	91.224	96.490	86.868
7	T	4.6737	11.8236	7.0686	4.7550	16.7165	8.2817	8.4348	2.8607	16.5876	6.9675	5.2351	4.3850	11.6218	5.2625	6.3593
	S	110.288	116.485	113.337	121.164	94.993	74.836	114.784	133.947	85.949	100.499	73.325	77.900	91.638	96.912	87.274
8	T	4.6510	11.7356	7.0064	4.7292	16.6916	8.2695	8.4221	2.8635	16.5564	6.9271	5.2459	4.3834	11.6142	5.2666	6.3476
	S	110.827	117.359	114.344	121.825	95.135	74.947	114.957	133.816	86.111	101.085	73.174	77.928	91.698	96.837	87.435
9	T	4.6366	11.7200	7.0020	4.7180	16.5704	8.1653	8.4051	2.8590	16.4806	6.9334	5.1911	4.3561	11.5539	5.2533	6.3006
	S	111.171	117.515	114.415	122.115	95.831	75.903	115.190	134.027	86.507	100.993	73.946	78.417	92.177	97.082	88.087
10	T	4.6222	11.6557	6.9520	4.7037	16.6107	8.1755	8.4352	2.8594	16.5412	6.9070	5.2723	4.3619	11.6367	5.2760	6.3607
	S	111.517	118.163	115.238	122.486	95.598	75.809	114.779	134.008	86.190	101.379	72.808	78.312	91.521	96.664	87.255
11	T	4.6410	11.7038	6.9898	4.7140	16.5953	8.1871	8.4082	2.8574	16.4423	6.8640	5.2228	4.3555	11.5442	5.2560	6.2882
	S	111.065	117.677	114.615	122.218	95.687	75.701	115.147	134.102	86.708	102.014	73.498	78.427	92.254	97.032	88.261
12	T	4.6260	11.7096	6.9904	4.7192	16.5731	8.1721	8.4010	2.8545	16.4051	6.8532	5.1999	4.3520	11.5588	5.2482	6.3106
	S	111.426	117.619	114.605	122.083	95.815	75.840	115.246	134.238	86.905	102.175	73.821	78.491	92.138	97.176	87.947
13	T	4.6155	11.6255	6.9345	4.6910	16.6016	8.1987	8.4029	2.8573	16.4615	6.8964	5.2365	4.3286	11.5492	5.2403	6.3089
	S	111.679	118.470	115.529	122.817	95.651	75.594	115.220	134.106	86.607	101.535	73.305	78.915	92.214	97.323	87.971
14	T	4.6246	11.6424	6.9385	4.7039	16.5928	8.1805	8.4123	2.8601	16.3972	6.8498	5.2159	4.3315	11.5210	5.2295	6.2915
	S	111.459	118.298	115.462	122.481	95.701	75.762	115.091	133.975	86.947	102.226	73.595	78.862	92.440	97.524	88.214
15	T	4.6091	11.6383	6.9411	4.6972	16.5408	8.1537	8.3871	2.8517	16.4286	6.8558	5.2488	4.3240	11.5096	5.2403	6.2693
	S	111.834	118.340	115.419	122.655	96.002	76.011	115.437	134.370	86.780	102.136	73.134	78.999	92.531	97.323	88.527
16	T	4.6099	11.5862	6.9039	4.6823	16.5071	8.1119	8.3952	2.8529	16.4319	6.9018	5.2136	4.3165	11.5803	5.2625	6.3178
	S	111.815	118.872	116.041	123.046	96.198	76.403	115.326	134.313	86.763	101.456	73.627	79.136	91.967	96.912	87.847
17	T	4.6439	12.0548	7.2882	4.7666	16.5873	8.1757	8.4116	2.8562	17.3732	6.8936	5.5937	4.8859	14.5414	6.4599	8.0815
	S	110.996	114.251	109.922	120.869	95.733	75.807	115.101	134.158	82.062	101.576	68.624	69.914	73.239	78.949	68.675
18	T	7.0505	17.6200	10.1398	7.4802	20.8967	9.2035	11.6932	4.4333	18.9630	8.8520	5.4536	4.6574	13.7785	6.5819	7.1966
	S	73.109	78.165	79.009	77.022	75.991	67.341	82.799	86.433	75.182	79.104	70.387	73.344	77.294	77.485	77.120
19	T	6.6392	16.9807	9.8722	7.1085	20.4122	8.6908	11.7214	4.5897	24.7527	11.7316	6.4412	6.5799	17.8209	8.5532	9.2677
	S	77.638	81.108	81.151	81.049	77.794	71.314	82.600	83.487	57.597	59.687	59.595	51.914	59.761	59.627	59.885

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 2 - Jamin, Nico

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	9.0254	3.5919	5.4335	5.7993	4.8637	101.0539	118.7470
	S	101.381	105.920	98.380	71.247	91.821	80.440	64.118
2	T	8.9600	3.5630	5.3970	5.7448	4.8493	85.7017	
	S	102.121	106.779	99.045	71.923	92.094	94.850	
3	T	8.9105	3.5470	5.3635	5.6433	4.8347	84.7775	
	S	102.688	107.261	99.664	73.216	92.372	95.884	
4	T	8.7483	3.5367	5.2116	5.5974	4.8439	84.0499	
	S	104.592	107.573	102.568	73.817	92.197	96.714	
5	T	8.7192	3.5234	5.1958	5.5305	4.8381	83.5386	
	S	104.941	107.979	102.880	74.710	92.307	97.306	
6	T	8.6972	3.5443	5.1529	5.5975	4.8156	83.3907	
	S	105.206	107.343	103.737	73.815	92.738	97.478	
7	T	8.6737	3.5146	5.1591	5.3947	4.8574	83.2097	
	S	105.491	108.250	103.612	76.590	91.940	97.691	
8	T	8.6473	3.5335	5.1138	5.4402	4.8271	83.0269	
	S	105.813	107.671	104.530	75.950	92.517	97.906	
9	T	8.6259	3.5246	5.1013	5.4900	4.8041	82.7405	
	S	106.076	107.943	104.786	75.261	92.960	98.245	
10	T	8.6422	3.5447	5.0975	5.3734	4.8530	82.7945	
	S	105.876	107.331	104.864	76.894	92.024	98.180	
11	T	8.6097	3.5281	5.0816	5.4273	4.8045	82.6255	
	S	106.275	107.836	105.192	76.130	92.953	98.381	
12	T	8.6041	3.5361	5.0680	5.5000	4.7826	82.6138	
	S	106.345	107.592	105.475	75.124	93.378	98.395	
13	T	8.6143	3.5258	5.0885	5.4675	4.8098	82.6022	
	S	106.219	107.906	105.050	75.571	92.850	98.409	
14	T	8.5917	3.5254	5.0663	5.4609	4.7906	82.4813	
	S	106.498	107.918	105.510	75.662	93.222	98.553	
15	T	8.5441	3.5055	5.0386	5.5033	4.7910	82.4165	
	S	107.091	108.531	106.090	75.079	93.215	98.631	
16	T	8.5874	3.5282	5.0592	5.4310	4.8090	82.3957	
	S	106.551	107.832	105.658	76.078	92.866	98.656	
17	T	12.9055	5.2513	7.6542	6.3306	6.0303	93.3232	
	S	70.900	72.450	69.837	65.267	74.058	87.104	
18	T	11.1351	4.6078	6.5273	5.7783	5.8317	105.4871	
	S	82.173	82.568	81.894	71.506	76.580	77.060	
19	T	14.9930	5.9856	9.0074	6.5382	4.7990	117.5256	
	S	61.028	63.562	59.345	63.195	93.059	69.166	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 2 - Jamin, Nico

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6092	11.8109	7.0651	4.7458	16.6515	8.2336	8.4179	2.8623	16.5117	6.9267	5.2348	4.3502	11.6094	5.2763	6.3331
	S	111.832	116.610	113.393	121.399	95.364	75.274	115.015	133.872	86.344	101.091	73.329	78.523	91.736	96.659	87.635
21	T	4.6232	11.7228	7.0034	4.7194	16.6400	8.2243	8.4157	2.8602	16.4823	6.9137	5.2148	4.3538	11.7133	5.2623	6.4510
	S	111.493	117.487	114.392	122.078	95.430	75.359	115.045	133.970	86.498	101.281	73.610	78.458	90.922	96.916	86.033
22	T	5.5405	17.5004	9.8704	7.6300	20.3178	9.6337	10.6841								
	S	93.034	78.699	81.166	75.509	78.156	64.334	90.619								

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 2 - Jamin, Nico

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	8.6842	3.5187	5.1655	5.4359	4.8592	83.0343	
	S	105.364	108.124	103.484	76.010	91.906	97.897	
21	T	8.6955	3.5477	5.1478	5.4591	4.8812	83.0776	
	S	105.227	107.240	103.840	75.687	91.492	97.846	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 22 - Eidson, Jake

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.8037	20.8727	11.5629	9.3098	20.2126	11.1096	9.1030	2.9660	18.1869	7.6419	5.7138	4.8312	12.2831	5.5321	6.7510
	S	66.053	65.984	69.285	61.885	78.563	55.787	106.359	129.191	78.391	91.630	67.182	70.705	86.704	92.189	82.210
2	T	4.7302	12.4308	7.5710	4.8598	17.1703	8.7103	8.4600	2.8662	17.4373	7.1887	5.5092	4.7394	12.0477	5.4223	6.6254
	S	108.971	110.795	105.816	118.551	92.483	71.154	114.442	133.690	81.760	97.407	69.677	72.075	88.399	94.056	83.769
3	T	4.6527	12.0964	7.2836	4.8128	16.9992	8.5607	8.4385	2.8616	17.2147	7.0878	5.5522	4.5747	12.0679	5.3729	6.6950
	S	110.786	113.858	109.992	119.709	93.413	72.397	114.734	133.905	82.818	98.793	69.137	74.670	88.251	94.921	82.898
4	T	4.6466	12.0885	7.2994	4.7891	16.9088	8.4816	8.4272	2.8668	17.0337	7.0783	5.4410	4.5144	11.9018	5.3682	6.5336
	S	110.932	113.932	109.754	120.302	93.913	73.073	114.888	133.662	83.698	98.926	70.550	75.667	89.482	95.004	84.946
5	T	4.6619	11.9140	7.1470	4.7670	16.8104	8.4080	8.4024	2.8527	16.8557	6.9837	5.3817	4.4903	11.7928	5.3643	6.4285
	S	110.567	115.601	112.094	120.859	94.463	73.712	115.227	134.323	84.582	100.266	71.328	76.073	90.309	95.073	86.334
6	T	4.6371	11.8099	7.0656	4.7443	16.7474	8.3466	8.4008	2.8533	16.7726	7.0099	5.3372	4.4255	11.7226	5.3041	6.4185
	S	111.159	116.620	113.385	121.438	94.818	74.255	115.249	134.294	85.001	99.891	71.922	77.187	90.850	96.152	86.469
7	T	4.6460	11.8777	7.1145	4.7632	16.7849	8.3842	8.4007	2.8553	16.7401	7.0281	5.3483	4.3637	11.6630	5.2699	6.3931
	S	110.946	115.954	112.606	120.956	94.606	73.922	115.250	134.200	85.166	99.633	71.773	78.280	91.314	96.776	86.812
8	T	4.6432	11.7662	7.0428	4.7234	16.6771	8.2662	8.4109	2.8584	16.6104	6.9427	5.2842	4.3835	11.6964	5.2748	6.4216
	S	111.013	117.053	113.753	121.975	95.218	74.977	115.110	134.055	85.831	100.858	72.644	77.927	91.054	96.686	86.427
9	T	4.6445	11.7578	7.0296	4.7282	16.6727	8.2612	8.4115	2.8610	16.6554	6.9769	5.3064	4.3721	11.6251	5.2829	6.3422
	S	110.982	117.137	113.966	121.851	95.243	75.022	115.102	133.933	85.599	100.364	72.340	78.130	91.612	96.538	87.509
10	T	4.6298	11.7907	7.0619	4.7288	16.7331	8.3290	8.4041	2.8562	16.7406	6.9941	5.3234	4.4231	11.6630	5.3016	6.3614
	S	111.334	116.810	113.445	121.836	94.899	74.411	115.204	134.158	85.163	100.117	72.109	77.229	91.314	96.197	87.245
11	T	4.6457	11.7323	7.0074	4.7249	16.6334	8.2364	8.3970	2.8532	16.5651	6.9249	5.2651	4.3751	11.5939	5.2698	6.3241
	S	110.953	117.392	114.327	121.936	95.468	75.248	115.301	134.299	86.065	101.117	72.907	78.076	91.859	96.778	87.760
12	T	4.6337	11.7249	6.9963	4.7286	16.6685	8.2621	8.4064	2.8590	16.5719	6.9569	5.2659	4.3491	11.5718	5.2522	6.3196
	S	111.240	117.466	114.509	121.841	95.267	75.014	115.172	134.027	86.030	100.652	72.896	78.543	92.034	97.102	87.822
13	T	4.6283	11.7349	7.0230	4.7119	16.6686	8.2637	8.4049	2.8610	16.6083	6.9731	5.2596	4.3756	11.6017	5.2631	6.3386
	S	111.370	117.366	114.073	122.273	95.266	74.999	115.193	133.933	85.842	100.418	72.983	78.067	91.797	96.901	87.559
14	T	4.6431	11.7278	7.0081	4.7197	16.6948	8.2769	8.4179	2.8614	16.5428	6.9191	5.2534	4.3703	11.6869	5.2781	6.4088
	S	111.015	117.437	114.316	122.071	95.117	74.880	115.015	133.914	86.181	101.202	73.070	78.162	91.128	96.626	86.600
15	T	4.6202	11.6763	6.9784	4.6979	16.6795	8.2643	8.4152	2.8602	16.4550	6.8894	5.2507	4.3149	11.5443	5.2415	6.3028
	S	111.565	117.955	114.802	122.637	95.204	74.994	115.052	133.970	86.641	101.638	73.107	79.165	92.253	97.300	88.056
16	T	4.6475	11.7177	7.0081	4.7096	16.5994	8.2260	8.3734	2.8525	16.4375	6.9097	5.2203	4.3075	11.6628	5.2801	6.3827
	S	110.910	117.538	114.316	122.332	95.663	75.343	115.626	134.332	86.733	101.340	73.533	79.301	91.316	96.589	86.954
17	T	4.6241	11.7212	7.0124	4.7088	16.6278	8.2372	8.3906	2.9097	17.5033	7.4405	5.4383	4.6245	12.6050	5.7061	6.8989
	S	111.471	117.503	114.246	122.353	95.500	75.241	115.389	131.691	81.452	94.110	70.585	73.865	84.490	89.378	80.448
18	T	6.0964	18.0232	10.8002	7.2230	20.3742	9.2552	11.1190	4.3849	19.4237	9.3818	5.3784	4.6635	13.5618	6.3576	7.2042
	S	84.551	76.417	74.178	79.764	77.939	66.965	87.075	87.387	73.399	74.637	71.371	73.248	78.529	80.219	77.038
19	T	6.4830	17.1683	9.8546	7.3137	19.9466	9.0728	10.8738	4.9274	25.9078	12.5196	6.7841	6.6041	16.4721	8.7886	7.6835
	S	79.509	80.222	81.296	78.775	79.610	68.311	89.038	77.766	55.029	55.930	56.583	51.724	64.655	58.030	72.233

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 22 - Eidson, Jake

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.2312	3.6125	5.6187	5.7443	5.0294	102.3299	118.5430
	S	99.120	105.316	95.137	71.929	88.796	79.437	64.229
2	T	8.9478	3.5656	5.3822	5.6510	4.9054	86.1867	
	S	102.260	106.701	99.317	73.117	91.041	94.316	
3	T	8.9053	3.5923	5.3130	5.5846	4.8760	85.2584	
	S	102.748	105.908	100.611	73.986	91.590	95.343	
4	T	8.8139	3.5560	5.2579	5.5470	4.9201	84.7272	
	S	103.813	106.989	101.665	74.487	90.769	95.941	
5	T	8.7490	3.5338	5.2152	5.4877	4.8933	84.0175	
	S	104.583	107.662	102.498	75.292	91.266	96.751	
6	T	8.7541	3.5476	5.2065	5.5078	4.8552	83.6600	
	S	104.522	107.243	102.669	75.018	91.982	97.165	
7	T	8.6812	3.5325	5.1487	5.5197	4.8404	83.6083	
	S	105.400	107.701	103.821	74.856	92.263	97.225	
8	T	8.6973	3.5523	5.1450	5.5196	4.8408	83.3094	
	S	105.205	107.101	103.896	74.857	92.256	97.574	
9	T	8.6458	3.5350	5.1108	5.4672	4.8421	83.1716	
	S	105.832	107.625	104.591	75.575	92.231	97.735	
10	T	8.6759	3.5392	5.1367	5.4607	4.8970	83.4470	
	S	105.465	107.497	104.064	75.665	91.197	97.413	
11	T	8.6323	3.5296	5.1027	5.5291	4.8403	83.0253	
	S	105.997	107.790	104.757	74.729	92.265	97.908	
12	T	8.7121	3.5347	5.1774	5.5224	4.8369	83.1012	
	S	105.026	107.634	103.246	74.819	92.330	97.818	
13	T	8.6363	3.5268	5.1095	5.4875	4.8328	83.0594	
	S	105.948	107.875	104.618	75.295	92.408	97.867	
14	T	8.6534	3.5552	5.0982	5.4574	4.8431	83.1107	
	S	105.739	107.014	104.850	75.710	92.212	97.807	
15	T	8.6326	3.5239	5.1087	5.4373	4.9285	82.8339	
	S	105.994	107.964	104.634	75.990	90.614	98.134	
16	T	8.6684	3.5435	5.1249	5.4436	4.8573	82.8867	
	S	105.556	107.367	104.304	75.902	91.942	98.071	
17	T	9.3881	3.6484	5.7397	5.9700	5.1303	86.4795	
	S	97.464	104.280	93.131	69.210	87.050	93.997	
18	T	11.2140	4.5218	6.6922	6.0204	5.5330	104.6316	
	S	81.594	84.138	79.876	68.630	80.714	77.690	
19	T	14.7950	5.9293	8.8657	6.7822	4.8704	117.3528	
	S	61.845	64.165	60.294	60.922	91.695	69.268	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 22 - Eidson, Jake

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6490	12.1378	7.3495	4.7883	16.7387	8.3660	8.3727	2.8410	16.8104	7.0428	5.3159	4.4517	11.8032	5.3168	6.4864
	S	110.874	113.470	109.006	120.322	94.867	74.082	115.636	134.876	84.810	99.425	72.210	76.733	90.230	95.922	85.564
21	T	4.6154	11.8738	7.1402	4.7336	16.7331	8.3341	8.3990	2.8505	16.6585	6.9892	5.2882	4.3811	11.7163	5.3121	6.4042
	S	111.681	115.993	112.201	121.712	94.899	74.366	115.273	134.426	85.583	100.187	72.589	77.969	90.899	96.007	86.662
22	T	4.7678	16.3995	8.6454	7.7541	18.9461	9.2353	9.7108								
	S	108.112	83.983	92.666	74.301	83.814	67.109	99.702								

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 22 - Eidson, Jake

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	8.7712	3.5483	5.2229	5.5600	4.8644	84.1757	
	S	104.319	107.222	102.346	74.313	91.808	96.569	
21	T	8.7957	3.5400	5.2557	5.6709	4.8568	83.7710	
	S	104.028	107.473	101.708	72.860	91.952	97.036	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 23 - Luo, Yufeng (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.8957	17.7579	10.5175	7.2404	19.5291	10.5564	8.9727	2.8827	19.0977	8.1465	5.8506	5.1006	13.5565	6.0914	7.4651
	S	65.283	77.558	76.172	79.572	81.312	58.711	107.903	132.925	74.652	85.954	65.611	66.971	78.560	83.725	74.346
2	T	4.8445	12.8468	7.8784	4.9684	17.5075	9.1598	8.3477	2.8307	18.1962	7.5954	5.6973	4.9035	12.2286	5.4661	6.7625
	S	106.400	107.207	101.688	115.960	90.701	67.662	115.982	135.366	78.351	92.191	67.376	69.663	87.091	93.302	82.070
3	T	4.7075	12.3011	7.4521	4.8490	17.1510	8.6893	8.4617	2.8648	17.5775	7.3101	5.5246	4.7428	12.0138	5.4040	6.6098
	S	109.496	111.963	107.505	118.816	92.587	71.326	114.419	133.755	81.108	95.789	69.483	72.023	88.648	94.375	83.966
4	T	4.7258	12.2403	7.4145	4.8258	17.0862	8.6368	8.4494	2.8485	17.6203	7.4300	5.4657	4.7246	11.9346	5.3591	6.5755
	S	109.072	112.520	108.050	119.387	92.938	71.760	114.586	134.521	80.911	94.243	70.231	72.300	89.236	95.165	84.404
5	T	4.6950	12.1022	7.3034	4.7988	16.8610	8.4514	8.4096	2.8476	17.1204	7.1086	5.4000	4.6118	11.8521	5.3261	6.5260
	S	109.788	113.804	109.694	120.058	94.179	73.334	115.128	134.563	83.274	98.504	71.086	74.069	89.857	95.755	85.044
6	T	4.6732	12.0170	7.2083	4.8087	16.9737	8.5295	8.4442	2.8537	17.0998	7.1211	5.4117	4.5670	11.8790	5.3251	6.5539
	S	110.300	114.610	111.141	119.811	93.554	72.662	114.656	134.275	83.374	98.331	70.932	74.795	89.654	95.773	84.682
7	T	4.6792	11.9913	7.2024	4.7889	16.9721	8.4970	8.4751	2.8588	17.0108	7.1144	5.3016	4.5948	11.8504	5.3825	6.4679
	S	110.159	114.856	111.232	120.307	93.563	72.940	114.238	134.036	83.810	98.424	72.405	74.343	89.870	94.752	85.808
8	T	4.6795	11.9159	7.1655	4.7504	16.8465	8.4128	8.4337	2.8511	16.9082	7.0430	5.3412	4.5240	11.7772	5.3044	6.4728
	S	110.152	115.583	111.805	121.282	94.260	73.670	114.799	134.398	84.319	99.422	71.868	75.506	90.429	96.147	85.743
9	T	4.6607	11.9655	7.2036	4.7619	16.7946	8.3644	8.4302	2.8531	17.0572	7.1727	5.3093	4.5752	11.8192	5.3088	6.5104
	S	110.596	115.104	111.213	120.989	94.551	74.096	114.847	134.304	83.582	97.624	72.300	74.661	90.108	96.067	85.248
10	T	4.6716	11.9693	7.2062	4.7631	16.7954	8.3590	8.4364	2.8556	16.9435	7.0434	5.3279	4.5722	11.8324	5.3204	6.5120
	S	110.338	115.067	111.173	120.958	94.547	74.144	114.762	134.186	84.143	99.416	72.048	74.710	90.007	95.857	85.227
11	T	4.7188	11.9979	7.2175	4.7804	16.9371	8.5020	8.4351	2.8529	16.8395	7.0117	5.2964	4.5314	11.8165	5.2939	6.5226
	S	109.234	114.793	110.999	120.521	93.756	72.897	114.780	134.313	84.663	99.866	72.476	75.383	90.128	96.337	85.089
12	T	4.6866	11.9710	7.1948	4.7762	16.7890	8.3652	8.4238	2.8589	16.8830	7.0131	5.3236	4.5463	11.7884	5.3051	6.4833
	S	109.985	115.051	111.349	120.627	94.583	74.089	114.934	134.031	84.445	99.846	72.106	75.136	90.343	96.134	85.605
13	T	4.6902	11.9722	7.1870	4.7852	16.7642	8.3704	8.3938	2.8311	16.9557	7.0898	5.3317	4.5342	11.7307	5.2936	6.4371
	S	109.900	115.039	111.470	120.400	94.723	74.043	115.345	135.347	84.083	98.765	71.996	75.337	90.787	96.343	86.219
14	T	4.6920	11.8552	7.1486	4.7066	16.6645	8.2391	8.4254	2.8795	16.8473	7.0182	5.2512	4.5779	11.7234	5.2866	6.4368
	S	109.858	116.175	112.069	122.410	95.290	75.223	114.912	133.072	84.624	99.773	73.100	74.617	90.844	96.470	86.223
15	T	4.6935	11.9093	7.1341	4.7752	16.7913	8.3684	8.4229	2.8741	16.7323	6.9974	5.2366	4.4983	11.7670	5.2774	6.4896
	S	109.823	115.647	112.297	120.652	94.570	74.061	114.946	133.322	85.205	100.070	73.304	75.938	90.507	96.638	85.521
16	T	4.7074	11.9354	7.1639	4.7715	16.8028	8.3478	8.4550	2.8783	16.7197	7.0040	5.2172	4.4985	11.6745	5.2538	6.4207
	S	109.499	115.394	111.830	120.745	94.505	74.244	114.510	133.128	85.270	99.975	73.577	75.934	91.224	97.073	86.439
17	T	4.6735	11.9395	7.1330	4.8065	17.0178	8.4191	8.5987	2.8982	17.2041	7.3396	5.3510	4.5135	11.6531	5.2575	6.3956
	S	110.293	115.354	112.314	119.866	93.311	73.615	112.596	132.214	82.869	95.404	71.737	75.682	91.392	97.004	86.778
18	T	4.8420	12.5067	7.5442	4.9625	16.8977	8.3892	8.5085	2.8865	18.0097	7.8099	5.5639	4.6359	12.3216	5.5428	6.7788
	S	106.455	110.123	106.192	116.098	93.975	73.877	113.790	132.750	79.162	89.659	68.992	73.684	86.434	92.011	81.873
19	T	6.5444	18.0468	9.9864	8.0604	19.0649	8.8416	10.2233	4.6429	26.2039	14.3058	7.1553	4.7428	16.1468	7.7543	8.3925
	S	78.763	76.317	80.223	71.477	83.292	70.097	94.703	82.531	54.407	48.947	53.647	72.023	65.957	65.770	66.130

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 23 - Luo, Yufeng (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	9.4952	3.6802	5.8150	6.1313	5.0173	101.3634	116.0222
	S	96.364	103.379	91.925	67.389	89.010	80.195	65.624
2	T	9.2897	3.5817	5.7080	5.9729	4.9754	88.6923	
	S	98.496	106.222	93.648	69.176	89.760	91.652	
3	T	9.1062	3.5630	5.5432	5.8132	4.9278	86.4629	
	S	100.481	106.779	96.433	71.076	90.627	94.015	
4	T	9.1237	3.5472	5.5765	5.7951	4.9101	86.2846	
	S	100.288	107.255	95.857	71.298	90.954	94.209	
5	T	8.9110	3.5332	5.3778	5.6781	4.9120	84.9794	
	S	102.682	107.680	99.399	72.768	90.918	95.656	
6	T	8.9361	3.5501	5.3860	5.6308	4.8806	84.9439	
	S	102.394	107.167	99.247	73.379	91.503	95.696	
7	T	8.8940	3.5496	5.3444	5.5826	4.8763	84.7155	
	S	102.878	107.182	100.020	74.012	91.584	95.954	
8	T	8.9103	3.5429	5.3674	5.6541	4.8717	84.4145	
	S	102.690	107.385	99.591	73.076	91.670	96.296	
9	T	8.8988	3.5561	5.3427	5.5256	4.8674	84.4421	
	S	102.823	106.986	100.052	74.776	91.751	96.265	
10	T	8.9318	3.5586	5.3732	5.5278	4.9916	84.5190	
	S	102.443	106.911	99.484	74.746	89.468	96.177	
11	T	8.8681	3.5653	5.3028	5.5261	4.9013	84.4582	
	S	103.179	106.710	100.804	74.769	91.117	96.246	
12	T	8.9327	3.5649	5.3678	5.5504	4.9003	84.3603	
	S	102.433	106.722	99.584	74.442	91.135	96.358	
13	T	8.8931	3.5525	5.3406	5.5440	4.9036	84.2848	
	S	102.889	107.095	100.091	74.528	91.074	96.444	
14	T	8.9076	3.5486	5.3590	5.4709	4.9287	83.9691	
	S	102.721	107.213	99.747	75.524	90.610	96.807	
15	T	8.9415	3.5667	5.3748	5.5766	4.9767	84.2623	
	S	102.332	106.669	99.454	74.092	89.736	96.470	
16	T	8.8682	3.5468	5.3214	5.5063	4.8614	83.9540	
	S	103.178	107.267	100.452	75.038	91.865	96.824	
17	T	9.0158	3.5473	5.4685	5.6102	5.0029	85.0151	
	S	101.488	107.252	97.750	73.648	89.266	95.616	
18	T	10.4106	4.3731	6.0375	6.1036	5.0767	89.0551	
	S	87.891	86.999	88.538	67.695	87.969	91.278	
19	T	12.2516	4.6129	7.6387	6.8287	4.8673	114.5973	
	S	74.684	82.476	69.979	60.507	91.753	70.934	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 23 - Luo, Yufeng (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6692	12.1675	7.3251	4.8424	17.0585	8.6185	8.4400	2.8713	17.1519	7.2190	5.3557	4.5772	11.7960	5.2988	6.4972
	S	110.395	113.193	109.369	118.977	93.089	71.912	114.713	133.452	83.121	96.998	71.674	74.629	90.285	96.248	85.421
21	T	4.7142	12.3884	7.5803	4.8081	17.4768	9.0842	8.3926	2.7921	17.5104	7.4260	5.4030	4.6814	11.8819	5.3359	6.5460
	S	109.341	111.174	105.687	119.826	90.861	68.225	115.361	137.238	81.419	94.294	71.046	72.968	89.632	95.579	84.785
22	T	5.1681	14.0379	8.0638	5.9741		9.1902									
	S	99.738	98.111	99.350	96.439		67.438									

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 23 - Luo, Yufeng (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.0016	3.5490	5.4526	5.9418	4.8824	85.5402	
	S	101.649	107.200	98.035	69.538	91.470	95.029	
21	T	8.9475	3.5619	5.3856	5.6493	4.9075	86.2681	
	S	102.263	106.812	99.255	73.139	91.002	94.227	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 3 - Telitz, Aaron

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.7879	20.7972	11.5729	9.2243	20.0296	11.0172	9.0124	2.8920	17.8805	7.5898	5.5676	4.7231	12.1999	5.4793	6.7206
	S	66.187	66.224	69.225	62.459	79.280	56.255	107.428	132.497	79.734	92.259	68.946	72.323	87.296	93.078	82.582
2	T	4.6852	12.2635	7.4496	4.8139	17.1472	8.7098	8.4374	2.8442	17.5189	7.3477	5.4986	4.6726	11.9732	5.3779	6.5953
	S	110.018	112.307	107.541	119.682	92.607	71.158	114.749	134.724	81.380	95.299	69.811	73.105	88.949	94.833	84.151
3	T	4.6434	12.0666	7.2953	4.7713	16.9793	8.5613	8.4180	2.8430	17.1527	7.2092	5.4058	4.5377	11.8448	5.3212	6.5236
	S	111.008	114.139	109.815	120.750	93.523	72.392	115.013	134.781	83.117	97.130	71.010	75.278	89.913	95.843	85.076
4	T	4.6324	11.9072	7.1671	4.7401	16.9189	8.5119	8.4070	2.8420	16.9538	7.1191	5.3486	4.4861	11.8382	5.3473	6.4909
	S	111.272	115.667	111.780	121.545	93.857	72.813	115.164	134.828	84.092	98.359	71.769	76.144	89.963	95.375	85.504
5	T	4.6353	12.0192	7.2483	4.7709	16.8041	8.4274	8.3767	2.8327	16.8511	7.0863	5.3341	4.4307	11.7572	5.3086	6.4486
	S	111.202	114.589	110.527	120.761	94.498	73.543	115.580	135.271	84.605	98.814	71.964	77.096	90.583	96.071	86.065
6	T	4.6106	11.8939	7.1430	4.7509	16.7651	8.3989	8.3662	2.8349	16.7488	6.9914	5.3803	4.3771	11.7314	5.2852	6.4462
	S	111.798	115.797	112.157	121.269	94.718	73.792	115.725	135.166	85.121	100.156	71.346	78.040	90.782	96.496	86.097
7	T	4.6415	11.8084	7.0827	4.7257	16.7795	8.3936	8.3859	2.8405	16.6369	6.9739	5.2811	4.3819	11.7414	5.2740	6.4674
	S	111.053	116.635	113.112	121.916	94.637	73.839	115.454	134.899	85.694	100.407	72.686	77.955	90.705	96.701	85.815
8	T	4.6356	11.6883	6.9996	4.6887	16.6422	8.2690	8.3732	2.8397	16.6731	6.9804	5.2738	4.4189	11.6187	5.2706	6.3481
	S	111.195	117.833	114.455	122.878	95.417	74.951	115.629	134.937	85.508	100.313	72.787	77.302	91.663	96.763	87.428
9	T	4.6218	11.7312	7.0310	4.7002	16.6806	8.3107	8.3699	2.8386	16.6062	6.9818	5.2274	4.3970	11.6191	5.2594	6.3597
	S	111.527	117.403	113.943	122.577	95.198	74.575	115.674	134.990	85.852	100.293	73.433	77.687	91.659	96.969	87.268
10	T	4.6376	11.6368	6.9667	4.6701	16.6605	8.2794	8.3811	2.8420	16.5633	6.9653	5.2419	4.3561	11.6685	5.2458	6.4227
	S	111.147	118.355	114.995	123.367	95.313	74.857	115.520	134.828	86.075	100.531	73.230	78.417	91.271	97.221	86.412
11	T	4.6289	11.6914	7.0043	4.6871	16.7114	8.3453	8.3661	2.8387	16.5790	6.9687	5.2818	4.3285	11.6232	5.2587	6.3645
	S	111.356	117.802	114.378	122.920	95.022	74.266	115.727	134.985	85.993	100.482	72.677	78.917	91.627	96.982	87.202
12	T	4.6148	11.7214	7.0141	4.7073	16.6797	8.3058	8.3739	2.8423	16.4937	6.9191	5.2646	4.3100	11.6020	5.2455	6.3565
	S	111.696	117.501	114.218	122.392	95.203	74.619	115.619	134.814	86.438	101.202	72.914	79.255	91.795	97.226	87.312
13	T	4.6332	11.6577	6.9778	4.6799	16.6127	8.2663	8.3464	2.8357	16.4666	6.9034	5.2038	4.3594	11.6048	5.2580	6.3468
	S	111.252	118.143	114.812	123.109	95.587	74.976	116.000	135.128	86.580	101.432	73.766	78.357	91.772	96.995	87.446
14	T	4.6217	11.7037	7.0022	4.7015	16.6633	8.3096	8.3537	2.8359	16.4977	6.9076	5.2399	4.3502	11.6046	5.2412	6.3634
	S	111.529	117.678	114.412	122.543	95.297	74.585	115.899	135.118	86.417	101.371	73.258	78.523	91.774	97.306	87.218
15	T	4.6134	11.7181	7.0156	4.7025	16.6079	8.2567	8.3512	2.8409	16.5041	6.9452	5.2525	4.3064	11.6098	5.2514	6.3584
	S	111.730	117.534	114.194	122.517	95.614	75.063	115.933	134.880	86.383	100.822	73.082	79.322	91.733	97.117	87.286
16	T	4.6125	11.7061	7.0163	4.6898	16.6067	8.2559	8.3508	2.8348	16.4266	6.8964	5.2326	4.2976	11.6837	5.2870	6.3967
	S	111.752	117.654	114.182	122.849	95.621	75.070	115.939	135.171	86.791	101.535	73.360	79.484	91.153	96.463	86.763
17	T	4.6100	11.9013	7.1709	4.7304	16.7337	8.3280	8.4057	2.8453	17.5278	7.4011	5.4175	4.7092	12.8401	5.6907	7.1494
	S	111.812	115.725	111.720	121.794	94.896	74.420	115.182	134.672	81.338	94.611	70.856	72.537	82.943	89.620	77.629
18	T	6.5714	17.7325	10.1769	7.5556	20.6702	9.3957	11.2745	4.3928	19.3055	9.3126	5.3603	4.6326	13.6488	6.5577	7.0911
	S	78.439	77.669	78.721	76.253	76.823	65.963	85.874	87.230	73.848	75.191	71.612	73.736	78.029	77.771	78.267
19	T	6.6148	17.0579	9.8363	7.2216	20.1821	8.9658	11.2163	4.6605	25.0840	12.5684	6.4849	6.0307	17.5071	8.2308	9.2763
	S	77.924	80.741	81.447	79.780	78.681	69.126	86.319	82.219	56.836	55.713	59.193	56.642	60.832	61.962	59.830

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 3 - Telitz, Aaron

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.1574	3.5934	5.5640	5.7679	4.9073	101.4197	117.8091
	S	99.919	105.876	96.072	71.635	91.005	80.150	64.629
2	T	8.9670	3.5515	5.4155	5.7429	4.9029	86.0450	
	S	102.041	107.125	98.707	71.947	91.087	94.471	
3	T	8.9526	3.5294	5.4232	5.6728	4.8765	85.0317	
	S	102.205	107.796	98.566	72.836	91.580	95.597	
4	T	8.8104	3.5308	5.2796	5.6020	4.8629	84.3678	
	S	103.855	107.753	101.247	73.756	91.836	96.350	
5	T	8.7336	3.5175	5.2161	5.6525	4.8089	84.0946	
	S	104.768	108.160	102.480	73.097	92.868	96.663	
6	T	8.7407	3.5211	5.2196	5.5439	4.8669	83.7362	
	S	104.683	108.050	102.411	74.529	91.761	97.076	
7	T	8.7378	3.5383	5.1995	5.4830	4.8595	83.5285	
	S	104.717	107.525	102.807	75.357	91.901	97.318	
8	T	8.6660	3.4983	5.1677	5.5120	4.8444	83.1200	
	S	105.585	108.754	103.440	74.960	92.187	97.796	
9	T	8.6539	3.5121	5.1418	5.4983	4.8916	83.1413	
	S	105.733	108.327	103.961	75.147	91.298	97.771	
10	T	8.6946	3.5491	5.1455	5.5336	4.8624	83.0993	
	S	105.238	107.197	103.886	74.668	91.846	97.820	
11	T	8.6876	3.5354	5.1522	5.5080	4.8245	83.0927	
	S	105.323	107.613	103.751	75.015	92.567	97.828	
12	T	8.6298	3.4990	5.1308	5.4673	4.9084	82.9594	
	S	106.028	108.732	104.184	75.573	90.985	97.985	
13	T	8.6453	3.4960	5.1493	5.5518	4.8547	82.8625	
	S	105.838	108.826	103.809	74.423	91.991	98.100	
14	T	8.6435	3.5170	5.1265	5.5011	4.8641	82.9356	
	S	105.860	108.176	104.271	75.109	91.814	98.013	
15	T	8.6805	3.5146	5.1659	5.5409	4.8433	82.9589	
	S	105.409	108.250	103.476	74.569	92.208	97.986	
16	T	8.6917	3.5239	5.1678	5.5186	4.8188	82.8995	
	S	105.273	107.964	103.438	74.871	92.677	98.056	
17	T	9.6400	3.7181	5.9219	6.1897	5.3834	87.6713	
	S	94.917	102.325	90.266	66.753	82.957	92.719	
18	T	11.0997	4.4917	6.6080	5.9563	5.6028	104.9800	
	S	82.435	84.702	80.894	69.369	79.709	77.432	
19	T	14.9034	5.9342	8.9692	6.6622	4.8373	117.5093	
	S	61.395	64.112	59.598	62.019	92.322	69.176	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 3 - Telitz, Aaron

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6348	12.1212	7.3546	4.7666	16.7993	8.4111	8.3882	2.8415	16.7461	7.0596	5.2996	4.3869	11.7445	5.2755	6.4690
	S	111.214	113.625	108.930	120.869	94.525	73.685	115.422	134.852	85.135	99.188	72.433	77.866	90.681	96.673	85.794
21	T	4.6010	11.8507	7.1312	4.7195	16.6570	8.2881	8.3689	2.8380	16.5381	6.9684	5.2378	4.3319	11.7504	5.2664	6.4840
	S	112.031	116.219	112.342	122.076	95.333	74.779	115.688	135.018	86.206	100.486	73.287	78.855	90.635	96.840	85.595
22	T	4.7797	15.8368	8.7030	7.1338	19.3932	9.3121	10.0811								
	S	107.842	86.967	92.053	80.761	81.882	66.556	96.039								

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 3 - Telitz, Aaron

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	8.7215	3.5328	5.1887	5.6208	4.8420	84.0717	
	S	104.913	107.692	103.021	73.509	92.233	96.689	
21	T	8.8263	3.5397	5.2866	5.6115	4.8695	83.5425	
	S	103.667	107.482	101.113	73.631	91.712	97.301	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 3

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 August 1, 2015



Section Data for Car 33 - Martin, Anthony (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.5787	20.4122	11.7795	8.6327	20.0201	11.0171	9.0030	2.9222	18.3535	7.7929	5.7165	4.8441	12.3923	5.6101	6.7822
	S	68.014	67.473	68.011	66.739	79.318	56.256	107.540	131.128	77.679	89.855	67.150	70.517	85.940	90.907	81.832
2	T	4.7075	12.5944	7.7003	4.8941	17.2491	8.8080	8.4411	2.8473	17.4819	7.3203	5.5000	4.6616	12.1455	5.4446	6.7009
	S	109.496	109.356	104.040	117.721	92.060	70.365	114.699	134.577	81.552	95.656	69.793	73.278	87.687	93.671	82.825
3	T	4.6887	12.2102	7.3890	4.8212	16.9819	8.5093	8.4726	2.8565	17.1896	7.2368	5.3490	4.6038	11.9975	5.3589	6.6386
	S	109.935	112.797	108.423	119.501	93.509	72.835	114.272	134.144	82.939	96.759	71.764	74.198	88.768	95.169	83.602
4	T	4.6756	12.1154	7.3165	4.7989	16.8720	8.4407	8.4313	2.8510	17.0901	7.1580	5.3518	4.5803	11.9052	5.4300	6.4752
	S	110.244	113.680	109.497	120.056	94.118	73.427	114.832	134.403	83.422	97.824	71.726	74.578	89.457	93.923	85.712
5	T	4.6644	11.9945	7.2246	4.7699	16.7367	8.3516	8.3851	2.8376	16.9122	7.0777	5.3122	4.5223	11.6789	5.3134	6.3655
	S	110.508	114.825	110.890	120.786	94.879	74.210	115.465	135.037	84.299	98.934	72.261	75.535	91.190	95.984	87.189
6	T	4.6449	11.9289	7.1672	4.7617	16.7542	8.3493	8.4049	2.8400	16.7386	7.0041	5.2779	4.4566	11.6844	5.2940	6.3904
	S	110.972	115.457	111.778	120.994	94.779	74.231	115.193	134.923	85.173	99.974	72.730	76.648	91.147	96.335	86.849
7	T	4.6620	11.8451	7.0961	4.7490	16.6279	8.2338	8.3941	2.8392	16.7422	7.0330	5.2504	4.4588	11.7391	5.2812	6.4579
	S	110.565	116.274	112.898	121.317	95.499	75.272	115.341	134.961	85.155	99.563	73.111	76.611	90.722	96.569	85.941
8	T	4.6448	11.8435	7.1125	4.7310	16.5918	8.2041	8.3877	2.8400	16.6054	6.9555	5.2513	4.3986	11.6324	5.2686	6.3638
	S	110.975	116.289	112.638	121.779	95.707	75.544	115.429	134.923	85.857	100.672	73.099	77.659	91.555	96.800	87.212
9	T	4.6457	11.8114	7.0849	4.7265	16.5960	8.2182	8.3778	2.8337	16.6445	6.8971	5.2294	4.5180	11.7181	5.3043	6.4138
	S	110.953	116.605	113.077	121.895	95.683	75.415	115.565	135.223	85.655	101.525	73.405	75.607	90.885	96.148	86.532
10	T	4.6576	11.8219	7.0989	4.7230	16.6364	8.2499	8.3865	2.8372	16.6246	6.9450	5.2201	4.4595	11.6503	5.2876	6.3627
	S	110.670	116.502	112.854	121.985	95.451	75.125	115.445	135.056	85.757	100.825	73.536	76.598	91.414	96.452	87.227
11	T	4.6640	11.7958	7.0821	4.7137	16.6273	8.2679	8.3594	2.8334	16.6001	6.9054	5.2270	4.4677	11.6109	5.2631	6.3478
	S	110.518	116.760	113.121	122.226	95.503	74.961	115.820	135.237	85.884	101.403	73.439	76.458	91.724	96.901	87.432
12	T	4.6401	11.8312	7.1125	4.7187	16.7012	8.3175	8.3837	2.8378	16.5571	6.9243	5.2154	4.4174	11.5663	5.2355	6.3308
	S	111.087	116.410	112.638	122.096	95.080	74.514	115.484	135.028	86.107	101.126	73.602	77.328	92.078	97.412	87.667
13	T	4.6388	11.7568	7.0523	4.7045	16.5343	8.1764	8.3579	2.8313	16.6183	6.9820	5.2024	4.4339	11.9125	5.2633	6.6492
	S	111.118	117.147	113.599	122.465	96.040	75.800	115.840	135.338	85.790	100.290	73.786	77.041	89.402	96.897	83.469
14	T	4.6629	11.8840	7.1392	4.7448	16.6715	8.2729	8.3986	2.8435	16.6083	6.9490	5.2425	4.4168	11.6510	5.2469	6.4041
	S	110.544	115.893	112.217	121.425	95.250	74.916	115.279	134.757	85.842	100.767	73.221	77.339	91.408	97.200	86.663
15	T	4.6498	11.8342	7.0932	4.7410	16.5666	8.1829	8.3837	2.8439	16.5527	6.8953	5.2236	4.4338	11.5914	5.2523	6.3391
	S	110.855	116.381	112.944	121.522	95.853	75.740	115.484	134.738	86.130	101.551	73.486	77.042	91.878	97.100	87.552
16	T	4.6537	11.8052	7.0798	4.7254	16.6617	8.2543	8.4074	2.8423	16.5576	6.9588	5.1916	4.4072	11.6730	5.2372	6.4358
	S	110.762	116.667	113.158	121.923	95.306	75.085	115.158	134.814	86.104	100.625	73.939	77.507	91.236	97.380	86.236
17	T	4.6684	12.0565	7.2695	4.7870	16.6983	8.2804	8.4179	2.9398	18.5295	8.1977	5.5821	4.7497	12.6986	5.7838	6.9148
	S	110.414	114.235	110.205	120.354	95.097	74.848	115.015	130.343	76.941	85.418	68.767	71.918	83.868	88.177	80.263
18	T	5.2553	16.1683	9.2242	6.9441	19.9727	9.2090	10.7637	4.4604	19.9103	9.6592	5.5933	4.6578	13.1395	5.7817	7.3578
	S	98.083	85.184	86.852	82.968	79.506	67.301	89.949	85.908	71.605	72.493	68.629	73.337	81.053	88.209	75.430
19	T	6.6354	16.9842	10.0575	6.9267	19.8599	9.2063	10.6536	4.9450	26.2899	12.5787	7.0587	6.6525	16.1833	8.4991	7.6842
	S	77.683	81.091	79.656	83.176	79.958	67.321	90.878	77.489	54.229	55.668	54.382	51.348	65.809	60.006	72.226

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 33 - Martin, Anthony (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	9.1799	3.5915	5.5884	5.8247	4.9488	101.6324	117.2152
	S	99.674	105.932	95.653	70.936	90.242	79.982	64.956
2	T	9.0608	3.5722	5.4886	5.8630	4.8790	86.8285	
	S	100.984	106.504	97.392	70.473	91.533	93.619	
3	T	8.9894	3.5684	5.4210	5.5889	4.8889	85.3916	
	S	101.787	106.618	98.606	73.929	91.348	95.194	
4	T	8.8154	3.5418	5.2736	5.5374	4.8545	84.7166	
	S	103.796	107.418	101.363	74.617	91.995	95.953	
5	T	8.7020	3.5111	5.1909	5.5807	4.8674	83.9744	
	S	105.148	108.358	102.977	74.038	91.751	96.801	
6	T	8.7032	3.5327	5.1705	5.5107	4.8506	83.6555	
	S	105.134	107.695	103.384	74.978	92.069	97.170	
7	T	8.6806	3.5206	5.1600	5.6117	4.7967	83.5445	
	S	105.407	108.065	103.594	73.629	93.104	97.299	
8	T	8.6927	3.5212	5.1715	5.5508	4.8464	83.2478	
	S	105.261	108.047	103.364	74.436	92.149	97.646	
9	T	8.6761	3.5567	5.1194	5.5638	4.8784	83.3677	
	S	105.462	106.968	104.416	74.263	91.545	97.505	
10	T	8.6474	3.5195	5.1279	5.4444	4.9250	83.2448	
	S	105.812	108.099	104.243	75.891	90.678	97.649	
11	T	8.6419	3.5457	5.0962	5.5991	4.8383	83.2108	
	S	105.879	107.300	104.891	73.794	92.303	97.689	
12	T	8.6350	3.5367	5.0983	5.4854	4.8388	83.0929	
	S	105.964	107.573	104.848	75.324	92.294	97.828	
13	T	8.8029	3.5931	5.2098	5.5441	4.8901	83.5291	
	S	103.943	105.885	102.604	74.526	91.326	97.317	
14	T	8.7168	3.5572	5.1596	5.4799	4.8752	83.3931	
	S	104.970	106.953	103.602	75.400	91.605	97.476	
15	T	8.6408	3.5260	5.1148	5.5568	4.8786	83.1148	
	S	105.893	107.900	104.510	74.356	91.541	97.802	
16	T	8.6560	3.5481	5.1079	5.4256	4.9082	83.1833	
	S	105.707	107.228	104.651	76.154	90.989	97.722	
17	T	9.4043	3.6696	5.7347	5.6051	5.1459	87.7464	
	S	97.296	103.677	93.212	73.715	86.786	92.640	
18	T	11.1698	4.3775	6.7923	5.9890	5.3647	101.4300	
	S	81.917	86.911	78.699	68.990	83.246	80.142	
19	T	14.6550	5.8309	8.8241	6.7644	4.8742	117.1913	
	S	62.436	65.248	60.578	61.082	91.623	69.364	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 33 - Martin, Anthony (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6540	12.1252	7.3267	4.7985	16.8190	8.4570	8.3620	2.8286	16.8638	7.0856	5.2709	4.5073	11.7383	5.2911	6.4472
	S	110.755	113.588	109.345	120.066	94.414	73.285	115.784	135.467	84.541	98.824	72.827	75.786	90.729	96.388	86.084
21	T	4.6169	11.9052	7.1727	4.7325	16.6956	8.3056	8.3900	2.8392	16.7133	7.0302	5.2468	4.4363	11.7176	5.2662	6.4514
	S	111.645	115.687	111.692	121.740	95.112	74.621	115.397	134.961	85.302	99.603	73.161	76.999	90.889	96.844	86.028
22	T	5.1365	16.2544	8.6485	7.6059	19.2632	9.4183	9.8449								
	S	100.351	84.732	92.633	75.749	82.435	65.805	98.343								

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 33 - Martin, Anthony (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	8.7788	3.5193	5.2595	5.6585	4.8494	84.3156	
	S	104.228	108.105	101.634	73.020	92.092	96.409	
21	T	8.7293	3.5164	5.2129	5.6798	4.8638	83.7607	
	S	104.819	108.194	102.543	72.746	91.819	97.048	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 5 - Andres Soori, Keyvan

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.7419	16.2297	9.4928	6.7369	18.8638	10.0210	8.8428	2.8529	19.2856	8.3507	5.8009	5.1340	13.1481	5.9034	7.2447
	S	66.580	84.861	84.394	85.520	84.180	61.847	109.488	134.313	73.925	83.853	66.173	66.535	81.000	86.391	76.608
2	T	4.8302	12.7356	7.8072	4.9284	17.5579	9.0269	8.5310	2.8625	17.9052	7.4845	5.5605	4.8602	12.1477	5.4074	6.7403
	S	106.715	108.144	102.615	116.901	90.441	68.658	113.490	133.863	79.624	93.557	69.034	70.283	87.671	94.315	82.341
3	T	4.7089	12.3795	7.5259	4.8536	17.3293	8.8858	8.4435	2.8842	17.7423	7.4697	5.4605	4.8121	12.0594	5.3511	6.7083
	S	109.464	111.254	106.451	118.703	91.634	69.749	114.666	132.855	80.355	93.742	70.298	70.986	88.313	95.308	82.733
4	T	4.7273	12.3199	7.4656	4.8543	17.1672	8.6448	8.5224	2.8879	17.4043	7.3190	5.3758	4.7095	11.8884	5.3025	6.5859
	S	109.038	111.793	107.310	118.686	92.499	71.693	113.604	132.685	81.915	95.673	71.406	72.532	89.583	96.181	84.271
5	T	4.7134	12.2104	7.3761	4.8343	17.0122	8.5302	8.4820	2.8768	17.0619	7.0887	5.3021	4.6711	11.8348	5.3032	6.5316
	S	109.359	112.795	108.612	119.177	93.342	72.656	114.145	133.197	83.559	98.781	72.398	73.129	89.989	96.168	84.972
6	T	4.7033	12.1100	7.2755	4.8345	16.9923	8.4909	8.5014	2.8799	17.0468	7.1084	5.3129	4.6255	11.8447	5.3106	6.5341
	S	109.594	113.730	110.114	119.172	93.451	72.993	113.885	133.054	83.633	98.507	72.251	73.850	89.914	96.034	84.939
7	T	4.7031	12.1202	7.2935	4.8267	16.8352	8.3451	8.4901	2.8774	16.9538	7.0375	5.2830	4.6333	11.8318	5.2959	6.5359
	S	109.599	113.634	109.843	119.364	94.323	74.268	114.037	133.169	84.092	99.499	72.660	73.725	90.012	96.301	84.916
8	T	4.7192	12.0460	7.2514	4.7946	16.8390	8.3272	8.5118	2.8830	16.8830	7.0100	5.2605	4.6125	11.7855	5.3024	6.4831
	S	109.225	114.334	110.480	120.164	94.302	74.428	113.746	132.911	84.445	99.890	72.971	74.058	90.365	96.183	85.607
9	T	4.6910	12.0283	7.2466	4.7817	16.7674	8.2977	8.4697	2.8756	16.9911	7.0719	5.2826	4.6366	11.7823	5.2760	6.5063
	S	109.882	114.503	110.553	120.488	94.705	74.692	114.311	133.253	83.908	99.015	72.666	73.673	90.390	96.664	85.302
10	T	4.7089	11.9991	7.2382	4.7609	16.7763	8.2906	8.4857	2.8829	16.9363	7.0574	5.3064	4.5725	11.8137	5.3133	6.5004
	S	109.464	114.781	110.682	121.014	94.655	74.756	114.096	132.915	84.179	99.219	72.340	74.706	90.150	95.986	85.379
11	T	4.7047	12.1369	7.3048	4.8321	16.9350	8.4519	8.4831	2.8758	16.7993	6.9827	5.2615	4.5551	11.7601	5.2906	6.4695
	S	109.562	113.478	109.673	119.231	93.768	73.329	114.131	133.244	84.866	100.280	72.957	74.991	90.560	96.397	85.787
12	T	4.7098	12.0134	7.2125	4.8009	16.7563	8.2887	8.4676	2.8786	16.8590	7.0137	5.2991	4.5462	11.7644	5.2878	6.4766
	S	109.443	114.645	111.076	120.006	94.768	74.773	114.340	133.114	84.565	99.837	72.439	75.138	90.527	96.448	85.693
13	T	4.6911	12.2071	7.3646	4.8425	16.7636	8.2744	8.4892	2.8787	16.7144	6.9775	5.2597	4.4772	11.7462	5.2793	6.4669
	S	109.879	112.826	108.782	118.975	94.726	74.902	114.049	133.109	85.297	100.355	72.982	76.296	90.668	96.604	85.822
14	T	4.6879	12.3154	7.4222	4.8932	16.8735	8.4388	8.4347	2.8651	17.0230	7.1868	5.2992	4.5370	11.7960	5.3010	6.4950
	S	109.954	111.833	107.938	117.742	94.109	73.443	114.786	133.741	83.750	97.432	72.438	75.290	90.285	96.208	85.450
15	T	4.7013	12.3026	7.3945	4.9081	17.3614	8.5973	8.7641	2.9055	17.0846	6.9690	5.4487	4.6669	12.3923	5.5642	6.8281
	S	109.641	111.950	108.342	117.385	91.465	72.089	110.471	131.882	83.448	100.477	70.450	73.194	85.940	91.657	81.282
16	T	6.1183		14.1452												
	S	84.248		56.637												

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 3

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 August 1, 2015



Section Data for Car 5 - Andres Soori, Keyvan

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.4029	3.6520	5.7509	6.0433	5.0938	98.6620	117.1105
	S	97.310	104.177	92.950	68.370	87.673	82.390	65.014
2	T	9.1970	3.5722	5.6248	5.9594	4.8884	88.0839	
	S	99.489	106.504	95.034	69.333	91.357	92.285	
3	T	9.0838	3.5757	5.5081	5.7597	4.9677	86.9148	
	S	100.729	106.400	97.047	71.737	89.899	93.526	
4	T	9.0093	3.5430	5.4663	5.6901	4.8811	85.9755	
	S	101.562	107.382	97.789	72.614	91.494	94.548	
5	T	8.9044	3.5316	5.3728	5.5914	4.8841	85.0894	
	S	102.758	107.729	99.491	73.896	91.438	95.532	
6	T	8.9512	3.5533	5.3979	5.6082	4.8586	84.9950	
	S	102.221	107.071	99.028	73.675	91.918	95.639	
7	T	8.9297	3.5631	5.3666	5.5894	4.8657	84.7063	
	S	102.467	106.776	99.606	73.922	91.783	95.965	
8	T	8.8577	3.5467	5.3110	5.6899	4.8211	84.5244	
	S	103.300	107.270	100.649	72.617	92.633	96.171	
9	T	8.8683	3.5510	5.3173	5.5968	4.8491	84.4499	
	S	103.176	107.140	100.529	73.825	92.098	96.256	
10	T	8.8426	3.5492	5.2934	5.6152	4.8560	84.4310	
	S	103.476	107.194	100.983	73.583	91.967	96.277	
11	T	8.9043	3.5411	5.3632	5.6123	4.8578	84.5862	
	S	102.759	107.440	99.669	73.621	91.933	96.101	
12	T	8.8754	3.5466	5.3288	5.6391	4.8453	84.3413	
	S	103.094	107.273	100.313	73.271	92.170	96.380	
13	T	8.8606	3.5359	5.3247	5.6692	4.8493	84.3802	
	S	103.266	107.598	100.390	72.882	92.094	96.335	
14	T	8.9189	3.5501	5.3688	5.6140	4.9510	85.0448	
	S	102.591	107.167	99.565	73.598	90.202	95.583	
15	T	9.2034	3.7896	5.4138	5.8192	5.5996	87.3699	
	S	99.420	100.394	98.738	71.003	79.754	93.039	
16	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 6 - Hanratty, Max (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.0394	15.9709	9.5349	6.4360	17.9759	9.2453	8.7306	2.8700	19.6688	8.2910	6.0249	5.3529	13.6020	6.0728	7.5292
	S	73.224	86.236	84.021	89.518	88.338	67.037	110.895	133.513	72.484	84.456	63.713	63.814	78.297	83.981	73.713
2	T	4.8291	12.8512	7.8237	5.0275	17.4759	8.9333	8.5426	2.8662	17.8961	7.4653	5.5403	4.8905	12.3792	5.6126	6.7666
	S	106.739	107.171	102.399	114.597	90.865	69.378	113.336	133.690	79.664	93.798	69.286	69.848	86.031	90.867	82.021
3	T	4.7732	12.6486	7.6782	4.9704	17.6131	8.9430	8.6701	2.9100	17.3699	7.2855	5.3961	4.6883	12.4892	5.4903	6.9989
	S	107.989	108.887	104.339	115.913	90.158	69.303	111.669	131.678	82.078	96.112	71.137	72.860	85.274	92.891	79.298
4	T	4.7949	12.2408	7.3863	4.8545	17.2702	8.6915	8.5787	2.9230	17.5831	7.4620	5.4445	4.6766	12.0121	5.4658	6.5463
	S	107.501	112.515	108.462	118.681	91.948	71.308	112.859	131.092	81.083	93.839	70.505	73.043	88.661	93.307	84.781
5	T	4.7706	12.2224	7.3449	4.8775	17.2307	8.6640	8.5667	2.9126	17.1241	7.2443	5.3895	4.4903	12.1912	5.4657	6.7255
	S	108.048	112.684	109.074	118.121	92.158	71.534	113.017	131.560	83.256	96.659	71.224	76.073	87.358	93.309	82.522
6	T	4.7838	12.2872	7.3509	4.9363	17.1066	8.5298	8.5768	2.9147	16.8595	7.1130	5.2801	4.4664	11.9421	5.3546	6.5875
	S	107.750	112.090	108.985	116.714	92.827	72.660	112.884	131.465	84.563	98.443	72.700	76.480	89.180	95.245	84.250
7	T	4.7749	12.4993	7.5476	4.9517	17.0455	8.4605	8.5850	2.9144	16.9804	7.1271	5.4511	4.4022	11.9401	5.3850	6.5551
	S	107.951	110.188	106.145	116.351	93.160	73.255	112.776	131.479	83.960	98.249	70.419	77.595	89.195	94.708	84.667
8	T	4.7818	12.1511	7.2785	4.8726	17.0513	8.4848	8.5665	2.9119	16.9502	7.1839	5.3009	4.4654	11.9091	5.3976	6.5115
	S	107.795	113.346	110.069	118.240	93.128	73.045	113.020	131.592	84.110	97.472	72.415	76.497	89.427	94.486	85.234
9	T	4.7463	12.0847	7.2308	4.8539	17.0520	8.4652	8.5868	2.9188	17.0869	7.3245	5.2551	4.5073	11.8838	5.3467	6.5371
	S	108.601	113.968	110.795	118.696	93.124	73.214	112.752	131.281	83.437	95.601	73.046	75.786	89.618	95.386	84.900
10	T	4.7516	12.5991	7.6305	4.9686	17.1479	8.5244	8.6235	2.9291	16.9726	7.2059	5.3208	4.4459	11.8178	5.3410	6.4768
	S	108.480	109.315	104.991	115.955	92.603	72.706	112.272	130.819	83.999	97.174	72.144	76.833	90.118	95.488	85.690
11	T	4.7431	12.2667	7.3720	4.8947	17.1358	8.5320	8.6038	2.9183	16.8401	7.1528	5.2470	4.4403	11.8785	5.3427	6.5358
	S	108.675	112.277	108.673	117.706	92.669	72.641	112.530	131.303	84.660	97.896	73.159	76.930	89.658	95.457	84.917
12	T	4.7795	12.1277	7.2663	4.8614	17.0746	8.4807	8.5939	2.9223	16.7831	7.1520	5.2026	4.4285	11.8222	5.3092	6.5130
	S	107.847	113.564	110.254	118.512	93.001	73.080	112.659	131.123	84.947	97.906	73.783	77.135	90.085	96.060	85.214
13	T	4.7736	12.1229	7.2549	4.8680	17.1542	8.5267	8.6275	2.9266	16.7878	7.1552	5.2123	4.4203	11.7894	5.3109	6.4785
	S	107.980	113.609	110.427	118.352	92.569	72.686	112.220	130.931	84.924	97.863	73.646	77.278	90.335	96.029	85.668
14	T	4.7466	12.0836	7.2242	4.8594	16.9409	8.3863	8.5546	2.9161	16.8293	7.1792	5.2069	4.4432	11.9725	5.4176	6.5549
	S	108.594	113.979	110.896	118.561	93.735	73.903	113.177	131.402	84.714	97.536	73.722	76.879	88.954	94.138	84.669
15	T	4.7388	12.1668	7.2469	4.9199	17.0523	8.4716	8.5807	2.9214	16.8294	7.1943	5.2189	4.4162	11.8252	5.3438	6.4814
	S	108.773	113.199	110.549	117.103	93.123	73.159	112.832	131.164	84.714	97.331	73.553	77.350	90.062	95.438	85.630
16	T	4.7530	12.1715	7.2885	4.8830	17.1163	8.5394	8.5769	2.9170	16.9307	7.2493	5.2218	4.4596	11.8766	5.3287	6.5479
	S	108.448	113.156	109.918	117.988	92.774	72.578	112.882	131.362	84.207	96.592	73.512	76.597	89.672	95.708	84.760
17	T	4.8544	12.5622	7.5957	4.9665	17.1883	8.5918	8.5965	2.9230	17.2332	7.3808	5.4018	4.4506	12.2048	5.4978	6.7070
	S	106.183	109.636	105.472	116.005	92.386	72.135	112.625	131.092	82.729	94.871	71.062	76.752	87.261	92.764	82.749
18	T	4.8695	12.9466	7.7675	5.1791	17.3815	8.7589	8.6226	2.9251	17.4304	7.5537	5.2898	4.5869	12.2944	5.5640	6.7304
	S	105.854	106.381	103.140	111.243	91.359	70.759	112.284	130.998	81.793	92.700	72.567	74.471	86.625	91.661	82.462
19	T	4.8587	12.6797	7.6808	4.9989	17.2550	8.6245	8.6305	3.1846	25.2088	12.7375	7.6368	4.8345	15.4397	7.3891	8.0506
	S	106.089	108.620	104.304	115.253	92.029	71.862	112.181	120.323	56.555	54.974	50.265	70.657	68.978	69.021	68.939

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 3

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 August 1, 2015



Section Data for Car 6 - Hanratty, Max (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.6497	3.7192	5.9305	5.9265	5.1146	97.8178
	S	94.822	102.295	90.135	69.718	87.317	83.101
2	T	9.2142	3.6054	5.6088	5.7891	4.9880	88.2890
	S	99.303	105.524	95.305	71.372	89.533	92.070
3	T	9.4606	3.7111	5.7495	5.5741	5.0489	87.8876
	S	96.717	102.518	92.973	74.125	88.453	92.491
4	T	9.0691	3.5907	5.4784	5.6882	4.9367	86.5181
	S	100.892	105.956	97.573	72.638	90.463	93.955
5	T	9.0404	3.6376	5.4028	5.5571	5.0306	86.0797
	S	101.212	104.589	98.939	74.352	88.775	94.433
6	T	8.9908	3.6174	5.3734	5.3936	4.9935	85.2718
	S	101.771	105.173	99.480	76.606	89.434	95.328
7	T	8.9233	3.5830	5.3403	5.5211	4.9639	85.5629
	S	102.541	106.183	100.097	74.837	89.968	95.004
8	T	8.9432	3.5870	5.3562	5.5183	4.9805	85.1974
	S	102.312	106.065	99.799	74.875	89.668	95.411
9	T	8.9936	3.6102	5.3834	5.5013	4.9777	85.2451
	S	101.739	105.383	99.295	75.106	89.718	95.358
10	T	8.9977	3.5800	5.4177	5.5020	4.9378	85.6556
	S	101.693	106.272	98.666	75.097	90.443	94.901
11	T	9.0609	3.6084	5.4525	5.4370	5.0052	85.2856
	S	100.983	105.436	98.037	75.994	89.225	95.313
12	T	9.0106	3.6163	5.3943	5.3923	4.9482	84.8605
	S	101.547	105.205	99.094	76.624	90.253	95.790
13	T	8.9151	3.5904	5.3247	5.4828	4.9367	84.8891
	S	102.635	105.964	100.390	75.360	90.463	95.758
14	T	8.9111	3.5994	5.3117	5.4674	4.9280	84.7955
	S	102.681	105.699	100.635	75.572	90.623	95.864
15	T	8.9078	3.5897	5.3181	5.3935	4.9740	84.8092
	S	102.719	105.985	100.514	76.607	89.785	95.848
16	T	8.9370	3.6193	5.3177	5.4742	4.9392	85.1155
	S	102.383	105.118	100.522	75.478	90.418	95.503
17	T	9.2064	3.6289	5.5775	5.6626	5.0067	86.8416
	S	99.387	104.840	95.840	72.967	89.199	93.605
18	T	9.3084	3.6310	5.6774	5.6807	5.1207	87.9573
	S	98.298	104.780	94.153	72.734	87.213	92.418
19	T	12.1967	4.4834	7.7133	6.7299	5.0459	102.5990
	S	75.020	84.858	69.302	61.395	88.506	79.229

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 6 - Hanratty, Max (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.7956	12.3727	7.4802	4.8925	17.0710	8.4982	8.5728	2.9105	16.8747	7.1546	5.2634	4.4567	11.9901	5.4368	6.5533
	S	107.485	111.315	107.101	117.759	93.021	72.930	112.936	131.655	84.486	97.871	72.931	76.647	88.823	93.805	84.690
21	T	4.7388	12.3691	7.4874	4.8817	17.1135	8.6738	8.4397	2.8374	17.5296	7.3762	5.5357	4.6177	12.0010	5.3909	6.6101
	S	108.773	111.348	106.998	118.020	92.790	71.453	114.718	135.047	81.330	94.931	69.343	73.974	88.743	94.604	83.962
22	T	4.9362	13.9391	7.9731	5.9660		9.4580									
	S	104.423	98.806	100.480	96.570		65.529									

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 6 - Hanratty, Max (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.0997	3.6259	5.4738	5.5268	5.0222	85.6633	
	S	100.553	104.927	97.655	74.760	88.923	94.892	
21	T	9.1860	3.6356	5.5504	5.4947	5.1176	86.3877	
	S	99.608	104.647	96.308	75.196	87.266	94.097	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 61 - List, Andrew

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	6.8016	15.2123	9.2561	5.9562	18.2498	9.5118	8.7380	2.8668	18.9852	8.1079	5.7927	5.0846	13.4601	6.1491	7.3110
	S	75.784	90.537	86.552	96.729	87.012	65.158	110.801	133.662	75.094	86.364	66.267	67.181	79.123	82.939	75.913
2	T	4.8944	13.2122	8.1010	5.1112	17.7894	9.0773	8.7121	2.9158	17.9671	7.5685	5.4891	4.9095	12.6496	5.7474	6.9022
	S	105.315	104.242	98.894	112.720	89.264	68.277	111.131	131.416	79.350	92.519	69.932	69.578	84.192	88.736	80.409
3	T	4.8521	12.8450	7.7976	5.0474	17.4755	8.8058	8.6697	2.9319	17.4593	7.3447	5.3991	4.7155	12.3344	5.5871	6.7473
	S	106.233	107.222	102.741	114.145	90.867	70.382	111.674	130.694	81.657	95.338	71.098	72.440	86.344	91.282	82.255
4	T	4.8364	12.9631	7.9285	5.0346	17.4358	8.7886	8.6472	2.9321	17.2961	7.3404	5.3051	4.6506	12.2517	5.6037	6.6480
	S	106.578	106.246	101.045	114.435	91.074	70.520	111.965	130.685	82.428	95.394	72.357	73.451	86.927	91.011	83.484
5	T	4.8498	13.8313	8.5532	5.2781	17.4830	8.8497	8.6333	2.9269	17.3876	7.3449	5.4079	4.6348	12.0772	5.4739	6.6033
	S	106.284	99.577	93.665	109.156	90.828	70.033	112.145	130.917	81.994	95.335	70.982	73.701	88.183	93.169	84.049
6	T	4.8184	12.6359	7.6354	5.0005	17.4993	8.8520	8.6473	2.9304	17.2602	7.3365	5.3103	4.6134	12.0740	5.4462	6.6278
	S	106.976	108.997	104.924	115.216	90.744	70.015	111.963	130.761	82.599	95.444	72.287	74.043	88.206	93.643	83.738
7	T	4.7988	12.5144	7.5733	4.9411	17.3124	8.6957	8.6167	2.9296	17.2374	7.3106	5.3431	4.5837	12.0842	5.4944	6.5898
	S	107.413	110.055	105.784	116.601	91.724	71.273	112.361	130.797	82.709	95.782	71.843	74.523	88.132	92.822	84.221
8	T	4.8337	13.2627	8.0599	5.2028	17.7567	9.0963	8.6604	2.9149	17.4303	7.4672	5.3975	4.5656	12.1349	5.4874	6.6475
	S	106.638	103.846	99.398	110.736	89.428	68.135	111.794	131.456	81.793	93.774	71.119	74.818	87.763	92.940	83.490
9	T	4.8020	12.7039	7.7046	4.9993	17.2623	8.6560	8.6063	2.9212	17.0245	7.2073	5.2196	4.5976	12.0138	5.4559	6.5579
	S	107.342	108.413	103.982	115.243	91.990	71.600	112.497	131.173	83.743	97.155	73.543	74.298	88.648	93.477	84.631
10	T	4.8102	12.4498	7.5099	4.9399	17.3078	8.7090	8.5988	2.9249	17.1101	7.2914	5.2815	4.5372	12.1035	5.5000	6.6035
	S	107.159	110.626	106.677	116.629	91.748	71.165	112.595	131.007	83.324	96.035	72.681	75.287	87.991	92.727	84.046
11	T	4.8503	12.5173	7.5652	4.9521	17.3216	8.6964	8.6252	2.9289	17.0782	7.2606	5.2585	4.5591	12.0294	5.4258	6.6036
	S	106.273	110.030	105.898	116.342	91.675	71.268	112.250	130.828	83.480	96.442	72.999	74.925	88.533	93.995	84.045
12	T	4.8418	12.5153	7.5741	4.9412	17.3996	8.7649	8.6347	2.9304	17.0034	7.2560	5.1860	4.5614	12.1228	5.4923	6.6305
	S	106.459	110.047	105.773	116.598	91.264	70.711	112.127	130.761	83.847	96.503	74.019	74.887	87.851	92.857	83.704
13	T	4.8132	12.3627	7.4304	4.9323	17.3522	8.7155	8.6367	2.9330	16.9759	7.2508	5.2092	4.5159	11.9485	5.3989	6.5496
	S	107.092	111.405	107.819	116.809	91.513	71.112	112.101	130.645	83.983	96.572	73.690	75.642	89.133	94.464	84.738
14	T	4.8252	12.4562	7.4881	4.9681	17.3873	8.7610	8.6263	2.9364	17.0739	7.4163	5.2241	4.4335	12.0126	5.4413	6.5713
	S	106.826	110.569	106.988	115.967	91.328	70.742	112.236	130.494	83.501	94.417	73.479	77.048	88.657	93.728	84.458
15	T	4.8150	12.3654	7.4448	4.9206	17.4081	8.7665	8.6416	2.9354	17.0046	7.3451	5.2206	4.4389	12.0550	5.4257	6.6293
	S	107.052	111.381	107.610	117.087	91.219	70.698	112.037	130.538	83.841	95.333	73.529	76.954	88.345	93.997	83.719
16	T	4.7898	12.4582	7.5320	4.9262	17.2802	8.6507	8.6295	2.9273	16.7953	7.2228	5.1699	4.4026	12.2693	5.4618	6.8075
	S	107.615	110.552	106.364	116.954	91.894	71.644	112.194	130.899	84.886	96.947	74.250	77.588	86.802	93.376	81.528
17	T	4.9176	13.1490	8.0667	5.0823	17.4976	8.8220	8.6756	2.9448	17.4101	7.3748	5.2220	4.8133	12.4976	5.6440	6.8536
	S	104.818	104.744	99.314	113.361	90.753	70.253	111.598	130.122	81.888	94.949	73.509	70.968	85.216	90.361	80.979
18	T	5.0279	14.0109	8.1999	5.8110	17.6314	8.9191	8.7123	2.9440	17.2335	7.4296	5.2545	4.5494	12.1094	5.4897	6.6197
	S	102.519	98.300	97.701	99.146	90.064	69.488	111.128	130.157	82.727	94.248	73.054	75.085	87.948	92.901	83.841
19	T	4.8169	12.7371	7.7355	5.0016	17.1768	8.5898	8.5870	2.9185	17.0753	7.3499	5.1880	4.5374	12.0115	5.4173	6.5942
	S	107.010	108.131	103.566	115.190	92.448	72.152	112.750	131.294	83.494	95.270	73.991	75.283	88.665	94.143	84.165

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 61 - List, Andrew

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	10.8077	3.7245	7.0832	6.2016	5.1296	97.7147	110.0573
	S	84.662	102.149	75.467	66.625	87.062	83.189	69.181
2	T	9.5044	3.6698	5.8346	5.9306	5.0596	89.9231	
	S	96.271	103.672	91.616	69.669	88.266	90.397	
3	T	9.2501	3.6388	5.6113	5.8888	5.0155	88.0526	
	S	98.918	104.555	95.262	70.164	89.042	92.318	
4	T	9.3690	3.6220	5.7470	5.7984	5.0113	87.8939	
	S	97.663	105.040	93.013	71.258	89.117	92.484	
5	T	9.1816	3.6087	5.5729	5.6876	4.9336	88.3586	
	S	99.656	105.427	95.919	72.646	90.520	91.998	
6	T	9.1363	3.6175	5.5188	5.7298	4.8961	86.9804	
	S	100.150	105.171	96.859	72.111	91.214	93.456	
7	T	9.1700	3.6242	5.5458	5.7678	4.9181	86.7327	
	S	99.782	104.976	96.387	71.636	90.806	93.722	
8	T	9.1623	3.6174	5.5449	5.5419	4.9869	88.0243	
	S	99.866	105.173	96.403	74.556	89.553	92.347	
9	T	9.1224	3.6169	5.5055	5.6687	4.9567	86.4755	
	S	100.303	105.188	97.093	72.888	90.098	94.001	
10	T	9.1161	3.6272	5.4889	5.6636	5.0089	86.4949	
	S	100.372	104.889	97.387	72.954	89.159	93.980	
11	T	9.1824	3.6246	5.5578	5.8036	4.9409	86.6526	
	S	99.647	104.965	96.179	71.194	90.387	93.809	
12	T	9.1337	3.6060	5.5277	5.7002	4.9133	86.5605	
	S	100.178	105.506	96.703	72.485	90.894	93.909	
13	T	9.1450	3.6179	5.5271	5.7280	4.9919	86.2504	
	S	100.055	105.159	96.714	72.134	89.463	94.247	
14	T	8.9777	3.5961	5.3816	5.6526	4.9363	86.2582	
	S	101.919	105.796	99.328	73.096	90.471	94.238	
15	T	9.0525	3.6146	5.4379	5.5728	4.8840	86.0928	
	S	101.077	105.255	98.300	74.143	91.440	94.419	
16	T	9.2183	3.6259	5.5924	5.6486	4.9831	86.3701	
	S	99.259	104.927	95.584	73.148	89.621	94.116	
17	T	9.2244	3.6188	5.6056	5.7132	4.9979	88.3522	
	S	99.193	105.133	95.359	72.321	89.356	92.005	
18	T	9.1729	3.6162	5.5567	5.6149	4.9518	88.6967	
	S	99.750	105.208	96.198	73.587	90.188	91.647	
19	T	9.2141	3.6068	5.6073	5.6800	4.9168	86.5470	
	S	99.304	105.483	95.330	72.743	90.830	93.924	

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 61 - List, Andrew

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.7761	12.3926	7.4822	4.9104	17.2143	8.6145	8.5998	2.9216	16.8713	7.1856	5.1847	4.5010	12.4137	5.6134	6.8003
	S	107.924	111.137	107.072	117.330	92.246	71.945	112.582	131.155	84.503	97.449	74.038	75.892	85.792	90.854	81.614
21	T	4.8091	12.4451	7.5200	4.9251	17.1831	8.5962	8.5869	2.9180	17.1196	7.3098	5.2617	4.5481	12.0189	5.4830	6.5359
	S	107.183	110.668	106.534	116.980	92.414	72.098	112.751	131.317	83.278	95.793	72.954	75.106	88.610	93.015	84.916
22	T	5.0204	13.2952	8.2197	5.0755											
	S	102.672	103.592	97.465	113.513											

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 61 - List, Andrew

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.2743	3.5988	5.6755	5.7526	4.9482	86.5647	
	S	98.660	105.717	94.185	71.825	90.253	93.904	
21	T	9.0371	3.5890	5.4481	5.7075	4.9696	86.2080	
	S	101.249	106.006	98.116	72.393	89.865	94.293	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 80 - Thompson, Parker (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.5804	18.2423	10.9750	7.2673	19.6126	10.6935	8.9191	2.8314	18.4727	7.9847	5.6971	4.7909	12.3426	5.4806	6.8620
	S	67.998	75.499	72.996	79.278	80.966	57.958	108.552	135.333	77.178	87.696	67.379	71.300	86.287	93.056	80.880
2	T	4.7322	12.7105	7.7566	4.9539	17.2580	8.7611	8.4969	2.8778	17.4480	7.3025	5.5005	4.6450	12.0130	5.3921	6.6209
	S	108.925	108.357	103.284	116.300	92.013	70.741	113.945	133.151	81.710	95.889	69.787	73.539	88.654	94.583	83.825
3	T	4.6951	12.3593	7.4608	4.8985	17.2042	8.6748	8.5294	2.8848	17.1419	7.1454	5.4049	4.5916	11.9301	5.3749	6.5552
	S	109.786	111.436	107.379	117.615	92.300	71.445	113.511	132.828	83.169	97.997	71.021	74.395	89.270	94.885	84.666
4	T	4.7212	12.2315	7.3706	4.8609	16.9679	8.4962	8.4717	2.8773	16.7909	7.0610	5.2750	4.4549	11.9001	5.3965	6.5036
	S	109.179	112.600	108.694	118.525	93.586	72.947	114.284	133.174	84.908	99.168	72.770	76.678	89.495	94.506	85.337
5	T	4.7018	12.1654	7.3216	4.8438	16.8313	8.3180	8.5133	2.8838	16.7688	6.9930	5.2670	4.5088	11.8403	5.3650	6.4753
	S	109.629	113.212	109.421	118.943	94.345	74.510	113.726	132.874	85.020	100.133	72.881	75.761	89.947	95.061	85.710
6	T	4.6838	12.0452	7.2145	4.8307	16.8478	8.3420	8.5058	2.8856	16.6661	6.9905	5.2615	4.4141	11.7066	5.3266	6.3800
	S	110.051	114.342	111.045	119.266	94.253	74.295	113.826	132.791	85.544	100.168	72.957	77.386	90.974	95.746	86.991
7	T	4.7088	11.9576	7.1327	4.8249	16.7822	8.2863	8.4959	2.8882	16.4954	6.9281	5.2051	4.3622	11.6865	5.3061	6.3804
	S	109.466	115.180	112.319	119.409	94.621	74.795	113.959	132.671	86.429	101.071	73.748	78.307	91.131	96.116	86.985
8	T	4.7044	11.8745	7.0771	4.7974	16.7760	8.2880	8.4880	2.8840	16.5199	6.9459	5.2128	4.3612	11.7114	5.3044	6.4070
	S	109.569	115.986	113.201	120.093	94.656	74.780	114.065	132.865	86.301	100.812	73.639	78.325	90.937	96.147	86.624
9	T	4.7020	11.9064	7.1163	4.7901	16.7306	8.2551	8.4755	2.8860	16.5348	6.9628	5.2172	4.3548	11.7144	5.3127	6.4017
	S	109.625	115.675	112.578	120.276	94.913	75.078	114.233	132.773	86.223	100.567	73.577	78.440	90.914	95.996	86.696
10	T	4.6977	11.9880	7.1938	4.7942	16.7242	8.2328	8.4914	2.8883	16.4226	6.8995	5.1971	4.3260	11.6133	5.2834	6.3299
	S	109.725	114.888	111.365	120.174	94.950	75.281	114.019	132.667	86.812	101.490	73.861	78.962	91.705	96.529	87.679
11	T	4.7046	11.9447	7.1466	4.7981	16.7592	8.2793	8.4799	2.8849	16.4285	6.9196	5.1471	4.3618	11.6182	5.2740	6.3442
	S	109.564	115.304	112.100	120.076	94.751	74.858	114.174	132.823	86.781	101.195	74.579	78.314	91.667	96.701	87.481
12	T	4.7197	11.9436	7.1553	4.7883	16.7069	8.2222	8.4847	2.8915	16.4500	6.9188	5.1819	4.3493	11.6278	5.2813	6.3465
	S	109.213	115.315	111.964	120.322	95.048	75.378	114.109	132.520	86.668	101.206	74.078	78.539	91.591	96.567	87.450
13	T	4.7015	11.9130	7.1283	4.7847	16.7816	8.2585	8.5231	2.8955	16.4228	6.9230	5.1674	4.3324	11.5893	5.2592	6.3301
	S	109.636	115.611	112.388	120.412	94.625	75.047	113.595	132.337	86.811	101.145	74.286	78.846	91.895	96.973	87.676
14	T	4.7030	11.8752	7.0988	4.7764	16.7660	8.2673	8.4987	2.8893	16.3845	6.9037	5.1783	4.3025	11.5830	5.2921	6.2909
	S	109.601	115.979	112.855	120.621	94.713	74.967	113.921	132.621	87.014	101.428	74.129	79.394	91.945	96.370	88.223
15	T	4.6969	11.8506	7.0768	4.7738	16.7508	8.2432	8.5076	2.8873	16.3791	6.8826	5.1522	4.3443	11.6692	5.2632	6.4060
	S	109.744	116.220	113.206	120.687	94.799	75.186	113.802	132.713	87.043	101.739	74.505	78.630	91.266	96.899	86.638
16	T	4.6970	11.9204	7.1407	4.7797	16.6591	8.1884	8.4707	2.8813	16.4661	6.9577	5.1703	4.3381	11.6161	5.2690	6.3471
	S	109.741	115.539	112.193	120.538	95.321	75.689	114.298	132.989	86.583	100.641	74.244	78.742	91.683	96.793	87.442
17	T	4.7130	11.9325	7.1477	4.7848	16.8825	8.2198	8.6627	3.1021	17.7611	7.7137	5.5253	4.5221	12.0659	5.3828	6.6831
	S	109.369	115.422	112.083	120.410	94.059	75.400	111.764	123.523	80.270	90.777	69.474	75.538	88.265	94.746	83.045
18	T	4.9484	15.4164	8.7352	6.6812	20.2313	8.9922	11.2391	4.4073	19.8014	9.6584	5.3773	4.7657	12.8867	6.0759	6.8108
	S	104.166	89.338	91.714	86.232	78.490	68.923	86.144	86.943	71.999	72.499	71.386	71.677	82.643	83.938	81.488
19	T	6.5143	16.9459	10.2154	6.7305	19.7069	9.1868	10.5201	4.9372	26.3550	14.1825	5.6216	6.5509	16.7639	8.4886	8.2753
	S	79.127	81.275	78.424	85.601	80.579	67.463	92.032	77.611	54.095	49.373	68.284	52.144	63.529	60.081	67.067

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 80 - Thompson, Parker (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.3108	3.6125	5.6983	5.8333	5.0131	99.2392	116.2112
	S	98.273	105.316	93.808	70.832	89.085	81.911	65.517
2	T	9.0381	3.5699	5.4682	5.8258	4.9326	86.8360	
	S	101.238	106.573	97.755	70.923	90.539	93.611	
3	T	9.0228	3.5959	5.4269	5.6824	4.9274	85.8480	
	S	101.410	105.802	98.499	72.713	90.634	94.688	
4	T	8.8967	3.5981	5.2986	5.5800	4.8827	84.8483	
	S	102.847	105.738	100.884	74.047	91.464	95.804	
5	T	8.7875	3.5677	5.2198	5.5721	4.8591	84.4101	
	S	104.125	106.639	102.407	74.152	91.908	96.301	
6	T	8.7874	3.5750	5.2124	5.4966	4.8496	83.9687	
	S	104.126	106.421	102.553	75.170	92.088	96.808	
7	T	8.7228	3.5550	5.1678	5.5072	4.8617	83.6104	
	S	104.898	107.020	103.438	75.026	91.859	97.222	
8	T	8.7013	3.5706	5.1307	5.4970	4.8603	83.5288	
	S	105.157	106.552	104.186	75.165	91.885	97.317	
9	T	8.7332	3.5881	5.1451	5.4888	4.8617	83.5579	
	S	104.773	106.032	103.894	75.277	91.859	97.283	
10	T	8.6966	3.5818	5.1148	5.4828	4.8798	83.3933	
	S	105.214	106.219	104.510	75.360	91.518	97.475	
11	T	8.7504	3.5736	5.1768	5.5014	4.8871	83.4790	
	S	104.567	106.463	103.258	75.105	91.382	97.375	
12	T	8.6908	3.5785	5.1123	5.6090	4.8472	83.4865	
	S	105.284	106.317	104.561	73.664	92.134	97.367	
13	T	8.7095	3.5615	5.1480	5.5206	4.8736	83.4074	
	S	105.058	106.824	103.836	74.844	91.635	97.459	
14	T	8.6799	3.5626	5.1173	5.4721	4.8953	83.2483	
	S	105.416	106.791	104.458	75.507	91.229	97.645	
15	T	8.7335	3.6005	5.1330	5.4325	4.8831	83.2830	
	S	104.769	105.667	104.139	76.057	91.456	97.605	
16	T	8.7301	3.5723	5.1578	5.4373	4.8969	83.3043	
	S	104.810	106.501	103.638	75.990	91.199	97.580	
17	T	9.2111	3.6291	5.5820	5.6457	4.9827	86.2966	
	S	99.337	104.834	95.762	73.185	89.628	94.196	
18	T	11.4590	4.5200	6.9390	6.0576	5.1252	100.3333	
	S	79.850	84.171	77.035	68.209	87.136	81.018	
19	T	14.0270	5.4203	8.6067	6.6863	4.9131	116.8496	
	S	65.231	70.191	62.108	61.795	90.898	69.566	

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 3

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 August 1, 2015



Section Data for Car 80 - Thompson, Parker (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6988	12.2137	7.3891	4.8246	16.9631	8.4998	8.4633	2.8679	17.0443	7.2082	5.3279	4.5082	12.0076	5.3339	6.6737
	S	109.699	112.765	108.421	119.416	93.612	72.916	114.398	133.611	83.646	97.143	72.048	75.771	88.694	95.615	83.162
21	T	4.7492	12.1990	7.3775	4.8215	17.0095	8.5292	8.4803	2.8750	16.9230	7.0831	5.2295	4.6104	11.8740	5.3123	6.5617
	S	108.535	112.900	108.592	119.493	93.357	72.665	114.168	133.281	84.245	98.859	73.404	74.091	89.692	96.004	84.582
22	T	4.9096	13.9824	7.7685	6.2139	19.1892	9.0217	10.1675								
	S	104.989	98.500	103.126	92.717	82.753	68.698	95.223								

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 80 - Thompson, Parker (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.6407	3.6404	6.0003	5.6827	5.0301	86.1489	
	S	94.910	104.509	89.086	72.709	88.784	94.358	
21	T	8.8120	3.5765	5.2355	5.4002	5.0581	84.9000	
	S	103.836	106.376	102.100	76.512	88.292	95.746	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 81 - Agren, Ayla (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.3706	19.4215	11.4861	7.9354	19.8655	10.7842	9.0813	2.9330	18.9951	8.1084	5.9195	4.9672	12.8557	5.8651	6.9906
	S	69.934	70.915	69.748	72.603	79.935	57.470	106.613	130.645	75.055	86.358	64.847	68.769	82.843	86.955	79.392
2	T	5.0344	12.7693	7.8874	4.8819	17.2344	8.7684	8.4660	2.8671	17.6253	7.3052	5.5745	4.7456	12.0410	5.3858	6.6552
	S	102.386	107.858	101.572	118.015	92.139	70.683	114.361	133.648	80.888	95.853	68.861	71.981	88.448	94.693	83.393
3	T	4.6998	12.3928	7.5592	4.8336	17.1546	8.6898	8.4648	2.8509	17.5117	7.2437	5.5406	4.7274	12.1240	5.3688	6.7552
	S	109.676	111.135	105.982	119.194	92.567	71.322	114.377	134.407	81.413	96.667	69.282	72.258	87.842	94.993	82.159
4	T	4.7177	12.1889	7.3889	4.8000	17.2069	8.7249	8.4820	2.8651	17.2110	7.1772	5.4848	4.5490	11.7313	5.3307	6.4006
	S	109.260	112.994	108.424	120.028	92.286	71.035	114.145	133.741	82.836	97.563	69.987	75.091	90.783	95.672	86.711
5	T	4.6806	12.3543	7.4907	4.8636	17.0469	8.6008	8.4461	2.8639	17.0905	7.1942	5.4207	4.4756	11.6989	5.3194	6.3795
	S	110.126	111.481	106.951	118.459	93.152	72.060	114.631	133.797	83.420	97.332	70.814	76.323	91.034	95.875	86.997
6	T	4.6712	12.1902	7.3463	4.8439	16.9652	8.5208	8.4444	2.8647	16.8693	7.1088	5.3844	4.3761	11.6925	5.3584	6.3341
	S	110.347	112.982	109.053	118.941	93.601	72.736	114.654	133.760	84.513	98.501	71.292	78.058	91.084	95.178	87.621
7	T	4.6742	12.0293	7.2203	4.8090	16.8979	8.4528	8.4451	2.8657	16.8328	7.0231	5.3564	4.4533	11.7376	5.3412	6.3964
	S	110.277	114.493	110.956	119.804	93.973	73.322	114.644	133.713	84.697	99.703	71.664	76.705	90.734	95.484	86.768
8	T	4.6931	11.9834	7.2094	4.7740	16.7697	8.3177	8.4520	2.8653	16.7291	7.0302	5.2992	4.3997	11.6524	5.3073	6.3451
	S	109.832	114.932	111.124	120.682	94.692	74.513	114.551	133.732	85.222	99.603	72.438	77.640	91.397	96.094	87.469
9	T	4.6768	12.0281	7.2271	4.8010	16.7910	8.3418	8.4492	2.8716	16.8137	7.0143	5.3768	4.4226	11.6403	5.3036	6.3367
	S	110.215	114.505	110.852	120.003	94.572	74.297	114.589	133.438	84.793	99.829	71.393	77.238	91.492	96.161	87.585
10	T	4.6829	12.0148	7.2058	4.8090	16.8394	8.3845	8.4549	2.8960	16.9547	7.1418	5.3952	4.4177	11.6286	5.3001	6.3285
	S	110.072	114.631	111.179	119.804	94.300	73.919	114.511	132.314	84.088	98.046	71.149	77.323	91.585	96.225	87.699
11	T	4.6774	12.1739	7.3372	4.8367	16.9211	8.4643	8.4568	2.8713	16.7440	7.0586	5.3157	4.3697	11.6339	5.2873	6.3466
	S	110.201	113.133	109.188	119.118	93.845	73.222	114.486	133.452	85.146	99.202	72.213	78.173	91.543	96.458	87.448
12	T	4.6892	11.9686	7.1848	4.7838	16.7255	8.2734	8.4521	2.8721	16.6761	7.0133	5.3193	4.3435	11.6348	5.2621	6.3727
	S	109.924	115.074	111.504	120.435	94.942	74.911	114.549	133.415	85.493	99.843	72.164	78.644	91.536	96.919	87.090
13	T	4.6731	11.9658	7.1854	4.7804	16.7372	8.2827	8.4545	2.8674	16.6274	7.0176	5.2744	4.3354	11.5970	5.2767	6.3203
	S	110.302	115.101	111.495	120.521	94.876	74.827	114.517	133.634	85.743	99.782	72.779	78.791	91.834	96.651	87.812
14	T	4.6780	11.9557	7.1774	4.7783	16.7528	8.3181	8.4347	2.8640	16.6416	7.0064	5.2904	4.3448	11.6304	5.2951	6.3353
	S	110.187	115.198	111.619	120.574	94.787	74.509	114.786	133.793	85.670	99.941	72.559	78.621	91.570	96.315	87.604
15	T	4.6608	12.0502	7.2629	4.7873	16.6787	8.2397	8.4390	2.8722	16.6127	6.9440	5.2991	4.3696	11.5919	5.2647	6.3272
	S	110.594	114.295	110.305	120.347	95.209	75.218	114.727	133.411	85.819	100.839	72.439	78.174	91.874	96.872	87.717
16	T	4.6621	11.9994	7.2306	4.7688	16.6571	8.2282	8.4289	2.8699	16.5286	6.9960	5.2279	4.3047	11.6187	5.2541	6.3646
	S	110.563	114.778	110.798	120.814	95.332	75.323	114.865	133.517	86.255	100.090	73.426	79.353	91.663	97.067	87.201
17	T	4.6820	12.0996	7.2958	4.8038	16.8462	8.3967	8.4495	2.8664	16.9160	7.1788	5.2850	4.4522	11.7126	5.3133	6.3993
	S	110.093	113.828	109.808	119.933	94.262	73.811	114.585	133.681	84.280	97.541	72.633	76.724	90.928	95.986	86.728
18	T	4.7175	12.5228	7.5211	5.0017	18.3882	8.7059	9.6823	4.4763	20.5116	10.0380	5.7293	4.7443	12.5588	5.4475	7.1113
	S	109.264	109.981	106.519	115.188	86.357	71.190	99.995	85.602	69.506	69.758	67.000	72.000	84.801	93.621	78.045
19	T	6.4902	17.4822	10.2649	7.2173	19.9574	9.2187	10.7387	4.4622	26.1142	14.2535	7.1531	4.7076	16.7438	8.3183	8.4255
	S	79.420	78.781	78.046	79.827	79.567	67.230	90.158	85.873	54.594	49.127	53.664	72.562	63.606	61.311	65.871

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 81 - Agren, Ayla (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.4032	3.6345	5.7687	5.8074	5.4145	102.0665	116.0330
	S	97.307	104.679	92.663	71.147	82.481	79.642	65.618
2	T	9.0958	3.5931	5.5027	5.7241	4.9191	87.3105	
	S	100.596	105.885	97.142	72.183	90.787	93.102	
3	T	9.1217	3.6115	5.5102	5.5647	4.9743	86.3945	
	S	100.310	105.345	97.010	74.251	89.780	94.089	
4	T	8.9416	3.5587	5.3829	5.5556	4.9125	85.3306	
	S	102.331	106.908	99.304	74.372	90.909	95.262	
5	T	8.9259	3.5348	5.3911	5.5436	4.8914	85.0960	
	S	102.511	107.631	99.153	74.533	91.301	95.525	
6	T	8.8435	3.5409	5.3026	5.5620	4.8522	84.5108	
	S	103.466	107.446	100.808	74.287	92.039	96.187	
7	T	8.9331	3.5561	5.3770	5.6117	4.8772	84.4595	
	S	102.428	106.986	99.413	73.629	91.567	96.245	
8	T	8.8330	3.5412	5.2918	5.4830	4.8968	83.9058	
	S	103.589	107.437	101.014	75.357	91.201	96.880	
9	T	8.8455	3.5252	5.3203	5.5346	4.8829	84.0845	
	S	103.442	107.924	100.473	74.654	91.460	96.674	
10	T	8.8160	3.5455	5.2705	5.4998	4.8630	84.1952	
	S	103.789	107.306	101.422	75.127	91.834	96.547	
11	T	8.8394	3.5703	5.2691	5.4544	4.9066	84.2220	
	S	103.514	106.561	101.449	75.752	91.018	96.516	
12	T	8.7739	3.5622	5.2117	5.4912	4.8902	83.7216	
	S	104.287	106.803	102.566	75.244	91.324	97.093	
13	T	8.7651	3.5094	5.2557	5.4264	4.8937	83.5531	
	S	104.391	108.410	101.708	76.143	91.258	97.289	
14	T	8.8006	3.5527	5.2479	5.4483	4.8601	83.6315	
	S	103.970	107.089	101.859	75.837	91.889	97.198	
15	T	8.7924	3.5216	5.2708	5.5336	4.8848	83.6773	
	S	104.067	108.035	101.416	74.668	91.425	97.145	
16	T	8.7991	3.5483	5.2508	5.4576	4.8875	83.4800	
	S	103.988	107.222	101.803	75.708	91.374	97.374	
17	T	8.9365	3.5175	5.4190	5.5914	4.9099	84.5606	
	S	102.389	108.160	98.643	73.896	90.957	96.130	
18	T	10.6951	4.1724	6.5227	6.2463	5.0857	95.2023	
	S	85.553	91.184	81.952	66.148	87.813	85.384	
19	T	13.0626	4.7600	8.3026	6.6397	4.8691	115.8214	
	S	70.047	79.927	64.383	62.229	91.719	70.184	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 81 - Agren, Ayla (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6747	12.4272	7.5470	4.8802	16.8471	8.4547	8.3924	2.8407	17.0400	7.2070	5.3122	4.5208	11.9311	5.3035	6.6276
	S	110.265	110.827	106.153	118.056	94.257	73.305	115.364	134.890	83.667	97.159	72.261	75.560	89.263	96.163	83.741
21	T	4.7559	13.2212	8.1945	5.0267	17.2443	8.8034	8.4409	2.8447	17.2127	7.2858	5.3815	4.5454	11.7294	5.3131	6.4163
	S	108.382	104.172	97.765	114.615	92.086	70.402	114.701	134.700	82.827	96.108	71.330	75.151	90.797	95.989	86.498
22	T	4.7636	13.6682	7.8261	5.8421		9.8024									
	S	108.207	100.765	102.367	98.618		63.227									

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 81 - Agren, Ayla (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.2980	3.5646	5.7334	5.8155	5.0558	85.9301	
	S	98.408	106.731	93.234	71.048	88.332	94.598	
21	T	9.0403	3.5464	5.4939	5.4820	5.0215	86.5520	
	S	101.213	107.279	97.298	75.371	88.936	93.918	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 82 - Gabin, Luke (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.6564	19.5154	11.4725	8.0429	19.9883	10.9575	9.0308	2.9035	18.8199	8.1686	5.7274	4.9239	12.9334	5.9170	7.0164
	S	67.323	70.574	69.831	71.633	79.444	56.562	107.209	131.972	75.754	85.722	67.022	69.374	82.345	86.192	79.100
2	T	4.6661	12.6345	7.6883	4.9462	17.1050	8.7117	8.3933	2.8336	17.8007	7.4934	5.4643	4.8430	12.1370	5.3685	6.7685
	S	110.468	109.009	104.202	116.481	92.836	71.143	115.352	135.228	80.091	93.446	70.249	70.533	87.748	94.999	81.997
3	T	4.6541	12.1932	7.3596	4.8336	17.1193	8.7252	8.3941	2.8252	17.7725	7.5661	5.5564	4.6500	11.8947	5.3641	6.5306
	S	110.753	112.954	108.856	119.194	92.758	71.032	115.341	135.630	80.218	92.548	69.085	73.460	89.536	95.077	84.985
4	T	4.6787	12.1355	7.2616	4.8739	17.0262	8.5384	8.4878	2.8555	16.9688	7.1539	5.3105	4.5044	11.7947	5.3425	6.4522
	S	110.170	113.491	110.325	118.208	93.265	72.587	114.067	134.191	84.018	97.880	72.284	75.835	90.295	95.461	86.017
5	T	4.6694	12.0289	7.2048	4.8241	16.9341	8.4645	8.4696	2.8463	16.8121	7.0299	5.3057	4.4765	11.8820	5.3374	6.5446
	S	110.390	114.497	111.195	119.429	93.773	73.220	114.313	134.625	84.801	99.607	72.349	76.308	89.631	95.552	84.803
6	T	4.6615	11.8749	7.0926	4.7823	16.7728	8.3687	8.4041	2.8401	16.8428	7.0569	5.3230	4.4629	11.7868	5.3311	6.4557
	S	110.577	115.982	112.954	120.473	94.674	74.058	115.204	134.918	84.646	99.226	72.114	76.540	90.355	95.665	85.971
7	T	4.6671	11.8772	7.1119	4.7653	16.7292	8.2790	8.4502	2.8501	16.5702	6.9295	5.2561	4.3846	11.7846	5.3107	6.4739
	S	110.444	115.959	112.647	120.902	94.921	74.861	114.575	134.445	86.039	101.050	73.032	77.907	90.372	96.033	85.729
8	T	4.6941	11.8664	7.0807	4.7857	16.7047	8.2682	8.4365	2.8497	16.5868	6.8929	5.2755	4.4184	11.6590	5.3056	6.3534
	S	109.809	116.065	113.144	120.387	95.060	74.959	114.761	134.464	85.953	101.587	72.763	77.311	91.346	96.125	87.355
9	T	4.6722	11.7589	7.0168	4.7421	16.7069	8.2652	8.4417	2.8443	16.5745	6.9060	5.2817	4.3868	11.6309	5.2955	6.3354
	S	110.324	117.126	114.174	121.494	95.048	74.986	114.690	134.719	86.017	101.394	72.678	77.868	91.566	96.308	87.603
10	T	4.6539	11.9723	7.2010	4.7713	16.6773	8.2375	8.4398	2.8509	16.5403	6.9416	5.2338	4.3649	11.7700	5.3001	6.4699
	S	110.758	115.038	111.253	120.750	95.217	75.238	114.716	134.407	86.194	100.874	73.343	78.259	90.484	96.225	85.782
11	T	4.6762	11.8569	7.0828	4.7741	16.6860	8.2420	8.4440	2.8496	16.4833	6.8999	5.2623	4.3211	11.7235	5.3164	6.4071
	S	110.229	116.158	113.110	120.680	95.167	75.197	114.659	134.469	86.492	101.484	72.946	79.052	90.843	95.930	86.623
12	T	4.6779	11.8884	7.1090	4.7794	16.6732	8.2342	8.4390	2.8465	16.5422	6.9364	5.2726	4.3332	11.6331	5.2769	6.3562
	S	110.189	115.850	112.693	120.546	95.240	75.268	114.727	134.615	86.185	100.950	72.803	78.831	91.549	96.648	87.316
13	T	4.6500	11.8424	7.0815	4.7609	16.7490	8.3047	8.4443	2.8495	16.5743	6.9428	5.2390	4.3925	11.6317	5.2774	6.3543
	S	110.850	116.300	113.131	121.014	94.809	74.629	114.655	134.473	86.018	100.857	73.270	77.767	91.560	96.638	87.342
14	T	4.6831	11.6919	6.9796	4.7123	16.8619	8.4216	8.4403	2.8540	16.6106	6.9632	5.2788	4.3686	11.6593	5.2822	6.3771
	S	110.067	117.797	114.783	122.262	94.174	73.593	114.709	134.261	85.830	100.561	72.718	78.192	91.343	96.551	87.030
15	T	4.6697	11.7210	6.9962	4.7248	16.7104	8.2765	8.4339	2.8420	16.5477	6.8730	5.3010	4.3737	11.6957	5.3173	6.3784
	S	110.383	117.505	114.510	121.939	95.028	74.883	114.796	134.828	86.156	101.881	72.413	78.101	91.059	95.913	87.012
16	T	4.6470	11.9804	7.1854	4.7950	16.6957	8.2798	8.4159	2.8375	16.5044	6.8981	5.2141	4.3922	11.6478	5.2825	6.3653
	S	110.922	114.960	111.495	120.154	95.112	74.854	115.042	135.042	86.382	101.510	73.620	77.772	91.434	96.545	87.191
17	T	4.7014	11.8231	7.0732	4.7499	16.7545	8.2730	8.4815	3.0634	18.2153	7.9188	5.4592	4.8373	12.8890	5.9330	6.9560
	S	109.639	116.490	113.264	121.294	94.778	74.915	114.152	125.084	78.268	88.426	70.315	70.616	82.629	85.960	79.787
18	T	5.1475	13.4759	7.9568	5.5191	19.4372	8.5785	10.8587	4.4036	19.9712	9.9692	5.3758	4.6262	13.0017	5.7539	7.2478
	S	100.137	102.203	100.686	104.390	81.697	72.247	89.162	87.016	71.387	70.239	71.406	73.838	81.912	88.636	76.575
19	T	6.8786	16.9415	10.1105	6.8310	20.0845	8.7935	11.2910	4.4339	26.1197	14.3478	6.8580	4.9139	16.8317	8.6332	8.1985
	S	74.936	81.296	79.238	84.341	79.064	70.481	85.748	86.421	54.583	48.804	55.973	69.515	63.273	59.074	67.695

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 3

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 August 1, 2015



Section Data for Car 82 - Gabin, Luke (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.2081	3.5960	5.6121	5.8486	4.9740	101.8476
	S	99.369	105.799	95.249	70.646	89.785	79.813
2	T	9.0590	3.5829	5.4761	5.7868	4.8913	86.9140
	S	101.005	106.186	97.614	71.401	91.303	93.527
3	T	8.9654	3.5474	5.4180	5.6520	4.9018	85.9782
	S	102.059	107.249	98.661	73.104	91.108	94.545
4	T	8.9367	3.5507	5.3860	5.5596	4.9021	84.8578
	S	102.387	107.149	99.247	74.319	91.102	95.793
5	T	8.8470	3.5324	5.3146	5.5897	4.9236	84.5331
	S	103.425	107.704	100.581	73.918	90.704	96.161
6	T	8.7783	3.5632	5.2151	5.5965	4.8930	84.0467
	S	104.234	106.773	102.500	73.829	91.271	96.718
7	T	8.7550	3.5485	5.2065	5.5719	4.9160	83.7213
	S	104.512	107.216	102.669	74.155	90.844	97.094
8	T	8.7336	3.5371	5.1965	5.4663	4.9323	83.4929
	S	104.768	107.561	102.866	75.587	90.544	97.359
9	T	8.7398	3.5333	5.2065	5.3785	4.8827	83.1887
	S	104.693	107.677	102.669	76.821	91.464	97.715
10	T	8.8605	3.6186	5.2419	5.4732	4.9122	83.7106
	S	103.267	105.139	101.976	75.492	90.915	97.106
11	T	8.8288	3.5545	5.2743	5.5519	4.9343	83.5905
	S	103.638	107.035	101.349	74.422	90.507	97.246
12	T	8.7871	3.5358	5.2513	5.4742	4.8695	83.3921
	S	104.130	107.601	101.793	75.478	91.712	97.477
13	T	8.7054	3.5114	5.1940	5.4233	4.9656	83.3912
	S	105.107	108.348	102.916	76.186	89.937	97.478
14	T	8.7919	3.5459	5.2460	5.3646	4.9138	83.4311
	S	104.073	107.294	101.896	77.020	90.885	97.431
15	T	8.7354	3.5517	5.1837	5.3845	4.8992	83.2056
	S	104.746	107.119	103.120	76.735	91.156	97.695
16	T	8.7221	3.5467	5.1754	5.3723	4.9921	83.3993
	S	104.906	107.270	103.286	76.910	89.460	97.468
17	T	9.9592	4.0019	5.9573	5.5824	5.6037	88.5920
	S	91.875	95.068	89.729	74.015	79.696	91.755
18	T	11.1281	4.4675	6.6606	6.0691	5.1078	97.7421
	S	82.224	85.161	80.255	68.080	87.433	83.166
19	T	13.5731	5.1242	8.4489	6.5917	4.8605	116.3152
	S	67.413	74.247	63.268	62.682	91.882	69.886

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 82 - Gabin, Luke (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6554	12.2282	7.3254	4.9028	16.8646	8.4725	8.3921	2.8299	17.1649	7.1142	5.3907	4.6600	11.9529	5.3877	6.5652
	S	110.722	112.631	109.364	117.512	94.159	73.151	115.368	135.405	83.058	98.427	71.208	73.303	89.100	94.660	84.537
21	T	4.7028	12.1736	7.3132	4.8604	16.8351	8.4322	8.4029	2.8232	17.1356	7.2427	5.2187	4.6742	11.8635	5.3777	6.4858
	S	109.606	113.136	109.547	118.537	94.324	73.501	115.220	135.726	83.200	96.680	73.555	73.080	89.771	94.836	85.572
22	T	4.9835	14.0387	7.9456	6.0931	19.3829	9.2216	10.1613								
	S	103.432	98.105	100.828	94.556	81.926	67.209	95.281								

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 82 - Gabin, Luke (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.3524	3.5702	5.7822	5.7216	5.0387	85.8086	
	S	97.836	106.564	92.447	72.214	88.632	94.732	
21	T	9.0145	3.5518	5.4627	5.3593	5.0472	84.9548	
	S	101.503	107.116	97.854	77.096	88.483	95.684	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 83 - Rickards, Garth (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.6143	20.0517	11.6520	8.3997	19.8714	10.8885	8.9829	2.8700	18.7544	7.9184	5.7865	5.0495	12.3688	5.6692	6.6996
	S	67.696	68.686	68.755	68.590	79.912	56.920	107.781	133.513	76.019	88.430	66.338	67.648	86.104	89.960	82.841
2	T	4.6961	12.6973	7.8162	4.8811	17.2273	8.8185	8.4088	2.8230	17.7995	7.4630	5.5862	4.7503	12.1290	5.4527	6.6763
	S	109.762	108.470	102.497	118.034	92.177	70.281	115.139	135.736	80.097	93.827	68.716	71.909	87.806	93.532	83.130
3	T	4.7144	12.4236	7.4930	4.9306	16.9839	8.5924	8.3915	2.8447	17.5708	7.5444	5.4360	4.5904	11.9207	5.2853	6.6354
	S	109.336	110.859	106.918	116.849	93.498	72.130	115.376	134.700	81.139	92.814	70.615	74.414	89.340	96.494	83.642
4	T	4.6790	12.1697	7.3348	4.8349	16.8291	8.4463	8.3828	2.8304	16.9826	7.0760	5.4155	4.4911	11.9055	5.3927	6.5128
	S	110.163	113.172	109.224	119.162	94.358	73.378	115.496	135.381	83.950	98.958	70.882	76.060	89.454	94.572	85.217
5	T	4.6690	12.0127	7.2564	4.7563	16.8455	8.4436	8.4019	2.8340	16.9827	7.0362	5.3904	4.5561	11.7183	5.3194	6.3989
	S	110.399	114.651	110.404	121.131	94.266	73.401	115.234	135.209	83.949	99.518	71.212	74.974	90.883	95.875	86.734
6	T	4.6340	11.9174	7.1337	4.7837	16.8418	8.4684	8.3734	2.8272	16.8933	7.1172	5.3510	4.4251	11.6509	5.3096	6.3413
	S	111.233	115.568	112.303	120.437	94.287	73.187	115.626	135.534	84.393	98.385	71.737	77.194	91.409	96.052	87.521
7	T	4.6358	11.9347	7.1709	4.7638	16.6833	8.3132	8.3701	2.8339	16.7478	7.0411	5.3051	4.4016	11.7270	5.3309	6.3961
	S	111.190	115.401	111.720	120.941	95.182	74.553	115.671	135.214	85.127	99.449	72.357	77.606	90.816	95.669	86.772
8	T	4.6288	11.9028	7.1392	4.7636	16.6262	8.2822	8.3440	2.8213	16.7070	6.9530	5.3229	4.4311	11.6670	5.2796	6.3874
	S	111.358	115.710	112.217	120.946	95.509	74.832	116.033	135.817	85.334	100.709	72.116	77.089	91.283	96.598	86.890
9	T	4.6372	11.9501	7.1864	4.7637	16.5750	8.2213	8.3537	2.8257	16.6482	6.9658	5.2785	4.4039	11.6627	5.2754	6.3873
	S	111.156	115.252	111.480	120.943	95.804	75.386	115.899	135.606	85.636	100.524	72.722	77.566	91.317	96.675	86.891
10	T	4.6425	11.9747	7.1983	4.7764	16.7239	8.3478	8.3761	2.8294	16.6734	6.9865	5.2679	4.4190	11.6372	5.3125	6.3247
	S	111.030	115.015	111.295	120.621	94.951	74.244	115.589	135.429	85.506	100.226	72.868	77.300	91.517	96.000	87.751
11	T	4.6338	11.8937	7.1383	4.7554	16.6916	8.3310	8.3606	2.8249	16.6689	7.0113	5.2726	4.3850	11.7381	5.3476	6.3905
	S	111.238	115.799	112.231	121.154	95.135	74.394	115.803	135.644	85.529	99.871	72.803	77.900	90.730	95.370	86.848
12	T	4.6319	11.9486	7.1922	4.7564	16.5572	8.2304	8.3268	2.8251	16.6489	7.0273	5.2755	4.3461	11.6362	5.2622	6.3740
	S	111.284	115.266	111.390	121.129	95.907	75.303	116.273	135.635	85.632	99.644	72.763	78.597	91.525	96.918	87.072
13	T	4.6180	11.8375	7.0977	4.7398	16.6919	8.3549	8.3370	2.8258	16.6867	7.0126	5.3052	4.3689	11.6489	5.2977	6.3512
	S	111.619	116.348	112.873	121.553	95.133	74.181	116.131	135.601	85.438	99.853	72.356	78.187	91.425	96.268	87.385
14	T	4.6799	11.8636	7.1197	4.7439	16.5041	8.1786	8.3255	2.8274	16.7010	7.0416	5.2692	4.3902	11.8115	5.3678	6.4437
	S	110.142	116.092	112.524	121.448	96.216	75.780	116.291	135.524	85.365	99.442	72.850	77.808	90.166	95.011	86.131
15	T	4.6054	11.7696	7.0631	4.7065	16.6228	8.2415	8.3813	2.8307	16.6540	6.9571	5.3482	4.3487	11.7197	5.2750	6.4447
	S	111.924	117.020	113.426	122.413	95.529	75.201	115.517	135.366	85.606	100.649	71.774	78.550	90.873	96.682	86.117
16	T	4.6233	12.0122	7.2316	4.7806	16.6260	8.2739	8.3521	2.8293	16.5524	6.9493	5.2210	4.3821	11.6211	5.2197	6.4014
	S	111.491	114.656	110.783	120.515	95.510	74.907	115.921	135.433	86.131	100.762	73.523	77.951	91.644	97.707	86.700
17	T	4.6566	11.9865	7.2389	4.7476	16.7155	8.3299	8.3856	3.1592	17.8210	7.7820	5.4369	4.6021	12.4030	5.5714	6.8316
	S	110.693	114.902	110.671	121.353	94.999	74.403	115.458	121.291	80.000	89.980	70.603	74.225	85.866	91.539	81.240
18	T	4.8040	15.4374	8.5971	6.8403	20.2266	8.9405	11.2861	4.2973	19.5823	9.5107	5.5129	4.5587	13.0844	6.0775	7.0069
	S	107.297	89.217	93.187	84.227	78.508	69.322	85.785	89.168	72.805	73.625	69.630	74.932	81.395	83.916	79.208
19	T	7.0242	16.7214	10.1216	6.5998	20.0785	8.9382	11.1403	4.5388	26.2601	14.6914	6.6257	4.9430	16.7919	8.7151	8.0768
	S	73.383	82.366	79.151	87.296	79.087	69.340	86.908	84.424	54.291	47.662	57.936	69.106	63.423	58.519	68.715

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 83 - Rickards, Garth (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.4495	3.5252	5.9243	5.8094	4.9984	101.7879	116.3843
	S	96.831	107.924	90.229	71.123	89.347	79.860	65.420
2	T	8.9797	3.5370	5.4427	5.8392	4.8938	87.0849	
	S	101.896	107.564	98.213	70.760	91.256	93.343	
3	T	9.0025	3.5389	5.4636	5.6484	4.8990	86.0080	
	S	101.638	107.506	97.838	73.150	91.160	94.512	
4	T	8.9250	3.5436	5.3814	5.6256	4.8386	84.7855	
	S	102.521	107.364	99.332	73.447	92.298	95.875	
5	T	8.8384	3.5013	5.3371	5.6301	4.8299	84.3606	
	S	103.526	108.661	100.157	73.388	92.464	96.358	
6	T	8.8169	3.5007	5.3162	5.5974	4.8205	83.9994	
	S	103.778	108.680	100.550	73.817	92.644	96.772	
7	T	8.7940	3.5174	5.2766	5.5381	4.7993	83.6939	
	S	104.048	108.164	101.305	74.607	93.053	97.125	
8	T	8.7883	3.5008	5.2875	5.5174	4.8460	83.5048	
	S	104.116	108.676	101.096	74.887	92.157	97.345	
9	T	8.7521	3.5247	5.2274	5.4518	4.7866	83.2894	
	S	104.546	107.940	102.258	75.788	93.300	97.597	
10	T	8.7427	3.5048	5.2379	5.4053	4.8739	83.5030	
	S	104.659	108.552	102.053	76.440	91.629	97.347	
11	T	8.8995	3.5258	5.3737	5.4741	4.8366	83.6612	
	S	102.815	107.906	99.474	75.479	92.336	97.163	
12	T	8.7913	3.5146	5.2767	5.5371	4.8423	83.4186	
	S	104.080	108.250	101.303	74.621	92.227	97.446	
13	T	8.7959	3.5001	5.2958	5.5179	4.8135	83.4361	
	S	104.026	108.698	100.938	74.880	92.779	97.425	
14	T	8.7389	3.5368	5.2021	5.4845	4.8103	83.4212	
	S	104.704	107.570	102.756	75.336	92.841	97.443	
15	T	8.7665	3.5305	5.2360	5.4178	4.8470	83.2335	
	S	104.375	107.762	102.090	76.264	92.138	97.663	
16	T	8.7140	3.5199	5.1941	5.4411	4.7991	83.2185	
	S	105.003	108.087	102.914	75.937	93.057	97.680	
17	T	9.0921	3.6094	5.4827	5.5670	5.0324	86.4333	
	S	100.637	105.407	97.497	74.220	88.743	94.047	
18	T	11.4237	4.4919	6.9318	6.0342	4.9973	99.8872	
	S	80.097	84.698	77.115	68.473	89.366	81.380	
19	T	13.8881	5.2826	8.6055	6.5776	4.8258	116.7064	
	S	65.884	72.020	62.117	62.817	92.542	69.652	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 83 - Rickards, Garth (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6674	12.2949	7.4461	4.8488	16.7825	8.4594	8.3231	2.7937	17.3417	7.1729	5.5709	4.5979	11.7869	5.3134	6.4735
	S	110.437	112.020	107.591	118.820	94.620	73.264	116.325	137.159	82.211	97.621	68.905	74.293	90.355	95.984	85.734
21	T	4.7762	12.3334	7.5315	4.8019	16.5868	8.3059	8.2809	2.7831	17.2866	7.2561	5.4371	4.5934	11.8271	5.3149	6.5122
	S	107.921	111.670	106.371	119.981	95.736	74.618	116.917	137.682	82.473	96.502	70.601	74.366	90.047	95.957	85.225
22	T	4.8686	13.9412	8.0242	5.9170		9.6039									
	S	105.873	98.792	99.840	97.370		64.533									

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 83 - Rickards, Garth (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.6317	3.5238	6.1079	6.0883	5.3575	86.7446	
	S	94.999	107.967	87.517	67.865	83.358	93.710	
21	T	9.0627	3.4856	5.5771	5.5212	4.9661	85.1432	
	S	100.963	109.150	95.846	74.836	89.928	95.472	
22	T							
	S							

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 84 - Lastochkin, Nikita (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	7.7471	16.1579	9.6519	6.5060	18.6882	9.7454	8.9428	2.8931	19.3846	8.2846	5.8441	5.2559	13.2592	5.9775	7.2817
	S	66.535	85.238	83.003	88.555	84.971	63.596	108.264	132.447	73.547	84.522	65.684	64.992	80.322	85.320	76.218
2	T	4.8095	12.7245	7.8693	4.8552	17.3666	8.8843	8.4823	2.8796	17.7632	7.4482	5.5571	4.7579	12.1479	5.4907	6.6572
	S	107.174	108.238	101.805	118.664	91.437	69.760	114.141	133.068	80.260	94.013	69.076	71.794	87.669	92.884	83.368
3	T	4.7404	12.2318	7.4523	4.7795	17.1542	8.6431	8.5111	2.8900	17.3656	7.3208	5.4278	4.6170	11.8850	5.3783	6.5067
	S	108.737	112.598	107.502	120.543	92.569	71.707	113.755	132.589	82.098	95.649	70.722	73.985	89.609	94.826	85.297
4	T	4.7162	12.3502	7.5168	4.8334	17.0370	8.5816	8.4554	2.8628	17.0624	7.2152	5.3276	4.5196	11.9830	5.4469	6.5361
	S	109.294	111.518	106.579	119.199	93.206	72.221	114.505	133.849	83.557	97.049	72.052	75.580	88.876	93.631	84.913
5	T	4.7016	12.2298	7.4195	4.8103	16.9380	8.4942	8.4438	2.8613	16.9206	7.1271	5.3234	4.4701	11.9277	5.3520	6.5757
	S	109.634	112.616	107.977	119.771	93.751	72.964	114.662	133.919	84.257	98.249	72.109	76.417	89.288	95.291	84.402
6	T	4.6794	12.1102	7.3116	4.7986	16.7655	8.3546	8.4109	2.8553	16.8442	7.1028	5.3016	4.4398	11.8259	5.3525	6.4734
	S	110.154	113.728	109.571	120.063	94.716	74.183	115.110	134.200	84.639	98.585	72.405	76.938	90.057	95.283	85.735
7	T	4.6851	12.0718	7.3150	4.7568	16.7361	8.3432	8.3929	2.8325	16.9850	7.1010	5.2800	4.6040	11.7402	5.2994	6.4408
	S	110.020	114.090	109.520	121.118	94.882	74.285	115.357	135.280	83.938	98.610	72.701	74.194	90.714	96.237	86.169
8	T	4.6883	12.0347	7.2894	4.7453	16.6877	8.2781	8.4096	2.8425	16.7609	7.0699	5.2182	4.4728	11.8284	5.3564	6.4720
	S	109.945	114.442	109.904	121.412	95.157	74.869	115.128	134.805	85.060	99.043	73.562	76.371	90.038	95.213	85.754
9	T	4.7208	11.9997	7.2494	4.7503	16.8613	8.4529	8.4084	2.8588	16.8166	7.0803	5.2552	4.4811	11.9222	5.3470	6.5752
	S	109.188	114.776	110.511	121.284	94.177	73.321	115.145	134.036	84.778	98.898	73.045	76.229	89.329	95.381	84.408
10	T	4.6843	11.8262	7.1197	4.7065	16.7206	8.3095	8.4111	2.8305	17.0511	7.1857	5.3529	4.5125	11.8685	5.3732	6.4953
	S	110.039	116.459	112.524	122.413	94.970	74.586	115.108	135.376	83.612	97.447	71.711	75.699	89.733	94.916	85.446
11	T	4.7267	11.8599	7.1526	4.7073	16.6889	8.2791	8.4098	2.8487	16.8370	7.0729	5.2906	4.4735	11.8852	5.3795	6.5057
	S	109.052	116.129	112.006	122.392	95.150	74.860	115.125	134.511	84.676	99.001	72.556	76.359	89.607	94.804	85.310
12	T	4.6690	11.9599	7.2358	4.7241	16.7936	8.3532	8.4404	2.8803	16.6205	6.9890	5.2199	4.4116	11.8755	5.3197	6.5558
	S	110.399	115.158	110.718	121.957	94.557	74.196	114.708	133.035	85.779	100.190	73.539	77.430	89.680	95.870	84.658
13	T	4.6933	11.9094	7.1664	4.7430	16.6896	8.2583	8.4313	2.8672	16.6431	6.9847	5.2878	4.3706	11.5866	5.2645	6.3221
	S	109.828	115.646	111.791	121.471	95.146	75.048	114.832	133.643	85.662	100.252	72.594	78.157	91.917	96.875	87.787
14	T	4.6764	11.8548	7.1411	4.7137	16.8685	8.4167	8.4518	2.8697	16.7294	7.1218	5.2221	4.3855	11.7754	5.3300	6.4454
	S	110.225	116.178	112.187	122.226	94.137	73.636	114.553	133.527	85.220	98.322	73.508	77.891	90.443	95.685	86.108
15	T	4.6673	11.8334	7.1129	4.7205	16.7096	8.2661	8.4435	2.8770	16.6233	7.0457	5.2434	4.3342	11.7988	5.3146	6.4842
	S	110.440	116.389	112.631	122.050	95.032	74.978	114.666	133.188	85.764	99.384	73.209	78.813	90.263	95.962	85.593
16	T	4.6493	11.8254	7.1107	4.7147	16.6962	8.2480	8.4482	2.8822	16.5622	6.9748	5.2021	4.3853	11.7429	5.3325	6.4104
	S	110.867	116.467	112.666	122.200	95.109	75.142	114.602	132.948	86.080	100.394	73.790	77.895	90.693	95.640	86.578
17	T	4.7159	12.0239	7.2584	4.7655	17.1714	8.6588	8.5126	2.8831	17.0888	7.3019	5.2695	4.5174	11.8684	5.3287	6.5397
	S	109.301	114.545	110.374	120.897	92.477	71.577	113.735	132.906	83.428	95.897	72.846	75.617	89.734	95.708	84.866
18	T	4.7902	13.6071	7.7380	5.8691	17.4617	8.8977	8.5640	3.3633	19.1717	8.8965	5.4784	4.7968	12.3903	5.4458	6.9445
	S	107.606	101.217	103.533	98.164	90.939	69.655	113.053	113.930	74.364	78.708	70.069	71.212	85.954	93.650	79.919
19	T	6.7619	18.0160	9.8754	8.1406	18.8790	8.6877	10.1913	4.5198	26.7080	14.7971	7.1479	4.7630	16.3096	8.0643	8.2453
	S	76.229	76.447	81.124	70.773	84.112	71.339	95.001	84.778	53.380	47.322	53.703	71.718	65.299	63.242	67.311

Event: Allied Building Products GP of Mid-Ohio
Track: Mid-Ohio Sports Car Course
Report: Section Data Report
Session: Race 3

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 84 - Lastochkin, Nikita (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	9.6007	3.6636	5.9371	6.0425	5.0393	98.8126	117.3682
	S	95.306	103.847	90.035	68.379	88.622	82.265	64.872
2	T	9.2608	3.5499	5.7109	5.9627	4.8858	87.8006	
	S	98.804	107.173	93.601	69.294	91.406	92.583	
3	T	9.0498	3.5502	5.4996	5.6636	4.8829	85.8633	
	S	101.107	107.164	97.197	72.954	91.460	94.671	
4	T	8.9186	3.5509	5.3677	5.6252	4.9193	85.4747	
	S	102.595	107.143	99.586	73.452	90.783	95.102	
5	T	8.9309	3.5267	5.4042	5.5873	4.9131	85.0103	
	S	102.453	107.878	98.913	73.950	90.898	95.621	
6	T	8.9015	3.5312	5.3703	5.5686	4.8600	84.4106	
	S	102.792	107.741	99.537	74.199	91.891	96.301	
7	T	8.8937	3.5356	5.3581	5.5982	4.8612	84.4038	
	S	102.882	107.607	99.764	73.806	91.868	96.308	
8	T	8.8316	3.5523	5.2793	5.6390	5.0169	84.3300	
	S	103.605	107.101	101.253	73.272	89.017	96.393	
9	T	8.8187	3.5756	5.2431	5.6102	4.9237	84.5320	
	S	103.757	106.403	101.952	73.648	90.702	96.162	
10	T	8.7944	3.5502	5.2442	5.6116	5.0033	84.3905	
	S	104.043	107.164	101.931	73.630	89.259	96.324	
11	T	8.7522	3.5499	5.2023	5.5890	4.8909	84.0785	
	S	104.545	107.173	102.752	73.928	91.311	96.681	
12	T	8.8154	3.5348	5.2806	5.6184	4.8724	84.1050	
	S	103.796	107.631	101.228	73.541	91.657	96.651	
13	T	8.7679	3.5138	5.2541	5.5180	4.8995	83.5746	
	S	104.358	108.274	101.739	74.879	91.150	97.264	
14	T	8.7736	3.5617	5.2119	5.5767	4.8665	83.9910	
	S	104.290	106.818	102.562	74.091	91.768	96.782	
15	T	8.8595	3.5740	5.2855	5.5769	4.8538	83.7996	
	S	103.279	106.451	101.134	74.088	92.009	97.003	
16	T	8.7235	3.5278	5.1957	5.5084	4.8747	83.4648	
	S	104.889	107.845	102.882	75.009	91.614	97.392	
17	T	9.1461	3.5670	5.5791	5.6580	4.9463	85.5019	
	S	100.043	106.660	95.812	73.026	90.288	95.072	
18	T	10.5352	4.3836	6.1516	6.1750	5.1400	92.6345	
	S	86.852	86.790	86.895	66.912	86.885	87.751	
19	T	12.4879	4.4059	8.0820	6.8391	4.8604	115.3817	
	S	73.271	86.351	66.140	60.415	91.884	70.451	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 84 - Lastochkin, Nikita (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.6390	12.1800	7.3829	4.7971	16.9948	8.6111	8.3837	2.8377	17.0878	7.1332	5.3150	4.6396	11.8989	5.3846	6.5143
	S	111.113	113.077	108.512	120.101	93.438	71.974	115.484	135.033	83.433	98.165	72.223	73.625	89.504	94.715	85.197
21	T	4.6734	12.6479	7.7414	4.9065	17.0971	8.7301	8.3670	2.8334	17.1851	7.2707	5.3387	4.5757	11.8751	5.3862	6.4889
	S	110.295	108.893	103.487	117.423	92.879	70.993	115.714	135.237	82.960	96.308	71.902	74.653	89.683	94.686	85.531
22	T	4.7790	13.6033	7.7862	5.8171		9.7767									
	S	107.858	101.245	102.892	99.042		63.393									

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 84 - Lastochkin, Nikita (R)

Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.1093	3.5232	5.5861	5.9229	4.8612	85.5316	
	S	100.447	107.986	95.692	69.760	91.868	95.039	
21	T	9.0233	3.5406	5.4827	5.6175	4.9722	85.9250	
	S	101.404	107.455	97.497	73.553	89.818	94.603	
22	T							
	S							

Event: **Allied Building Products GP of Mid-Ohio**
Track: **Mid-Ohio Sports Car Course**
Report: **Section Data Report**
Session: **Race 3**

Round 12 / 13 / 14
2.258 mile(s)
USF2000
August 1, 2015



Section Data for Car 9 - McMahan, Clint (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
1	T	6.9181	15.9059	9.5769	6.3290	17.9168	9.2971	8.6197	2.8737	19.1691	8.0507	5.8545	5.2639	13.5635	5.9999	7.5636
	S	74.508	86.589	83.653	91.031	88.629	66.663	112.322	133.341	74.374	86.977	65.567	64.893	78.520	85.001	73.378
2	T	4.8091	13.0113	8.0027	5.0086	17.5237	8.9455	8.5782	2.8947	17.7134	7.4797	5.4908	4.7429	12.3232	5.5801	6.7431
	S	107.183	105.852	100.108	115.029	90.618	69.283	112.865	132.374	80.486	93.617	69.910	72.022	86.422	91.396	82.306
3	T	4.7633	12.6213	7.6824	4.9389	17.2504	8.6718	8.5786	2.9079	17.6971	7.4581	5.6114	4.6276	12.2398	5.5531	6.6867
	S	108.214	109.123	104.282	116.653	92.053	71.470	112.860	131.773	80.560	93.888	68.408	73.816	87.011	91.841	83.001
4	T	4.8025	12.5540	7.6018	4.9522	17.6068	8.8909	8.7159	2.9417	17.8031	7.5967	5.4586	4.7478	12.1791	5.4855	6.6936
	S	107.330	109.708	105.388	116.339	90.190	69.709	111.082	130.259	80.081	92.175	70.323	71.947	87.445	92.972	82.915
5	T	4.7923	12.6160	7.6543	4.9617	17.2389	8.5970	8.6419	2.9286	17.1458	7.2615	5.4194	4.4649	11.9269	5.3924	6.5345
	S	107.559	109.169	104.665	116.117	92.115	72.092	112.033	130.841	83.150	96.430	70.831	76.506	89.294	94.578	84.934
6	T	4.7608	12.4867	7.5166	4.9701	17.3112	8.6877	8.6235	2.9265	17.0707	7.1195	5.4588	4.4924	11.8509	5.4035	6.4474
	S	108.271	110.299	106.582	115.920	91.730	71.339	112.272	130.935	83.516	98.353	70.320	76.038	89.867	94.383	86.081
7	T	4.8094	12.2597	7.3627	4.8970	17.5699	8.8044	8.7655	2.8711	17.4902	7.5347	5.4363	4.5192	11.9708	5.4151	6.5557
	S	107.176	112.341	108.810	117.651	90.379	70.394	110.454	133.462	81.513	92.934	70.611	75.587	88.966	94.181	84.659
8	T	4.7596	12.2632	7.3634	4.8998	17.2587	8.6332	8.6255	2.9145	17.0270	7.2095	5.3395	4.4780	11.8274	5.3820	6.4454
	S	108.298	112.309	108.800	117.584	92.009	71.789	112.246	131.474	83.731	97.126	71.891	76.282	90.045	94.760	86.108
9	T	4.7765	12.2811	7.3743	4.9068	17.2881	8.6739	8.6142	2.9247	17.1653	7.1584	5.4276	4.5793	11.8939	5.4039	6.4900
	S	107.915	112.146	108.639	117.416	91.852	71.453	112.394	131.016	83.056	97.819	70.724	74.595	89.542	94.376	85.516
10	T	4.7793	12.3366	7.3978	4.9388	17.3797	8.6428	8.7369	2.9492	17.0412	7.1426	5.3675	4.5311	11.8173	5.4030	6.4143
	S	107.851	111.641	108.294	116.655	91.368	71.710	110.815	129.927	83.661	98.035	71.516	75.388	90.122	94.392	86.525
11	T	4.7491	12.2678	7.3558	4.9120	17.1138	8.5034	8.6104	2.9213	16.7443	7.0571	5.2838	4.4034	11.8326	5.3994	6.4332
	S	108.537	112.267	108.912	117.292	92.788	72.885	112.443	131.168	85.144	99.223	72.649	77.574	90.006	94.455	86.271
12	T	4.7653	12.3238	7.4031	4.9207	17.0618	8.4497	8.6121	2.9255	16.7308	7.0731	5.2613	4.3964	11.7799	5.3674	6.4125
	S	108.168	111.757	108.216	117.084	93.071	73.348	112.421	130.980	85.213	98.999	72.960	77.698	90.408	95.018	86.550
13	T	4.7733	12.3193	7.3972	4.9221	17.1068	8.4752	8.6316	2.9280	16.7300	7.0469	5.2419	4.4412	11.7246	5.3530	6.3716
	S	107.987	111.798	108.303	117.051	92.826	73.128	112.167	130.868	85.217	99.367	73.230	76.914	90.835	95.274	87.105
14	T	4.7272	12.1529	7.2830	4.8699	17.1717	8.5317	8.6400	2.9242	16.6500	7.0102	5.2437	4.3961	11.9594	5.3900	6.5694
	S	109.040	113.329	110.001	118.306	92.475	72.644	112.058	131.038	85.627	99.887	73.205	77.703	89.051	94.620	84.483
15	T	4.7418	12.1575	7.2852	4.8723	17.1829	8.5603	8.6226	2.9366	16.8616	7.1553	5.2929	4.4134	11.9539	5.4186	6.5353
	S	108.704	113.286	109.968	118.247	92.415	72.401	112.284	130.485	84.552	97.861	72.524	77.399	89.092	94.120	84.923
16	T	4.7514	12.1279	7.2502	4.8777	17.2640	8.6127	8.6513	2.9266	16.9900	7.1486	5.2482	4.5932	11.9612	5.4410	6.5202
	S	108.485	113.562	110.499	118.116	91.981	71.960	111.912	130.931	83.913	97.953	73.142	74.369	89.038	93.733	85.120
17	T	4.8222	12.4715	7.5284	4.9431	17.1126	8.5124	8.6002	2.9167	17.1534	7.3634	5.1937	4.5963	12.0003	5.3678	6.6325
	S	106.892	110.434	106.415	116.554	92.794	72.808	112.577	131.375	83.114	95.096	73.909	74.319	88.748	95.011	83.679
18	T	4.7853	13.0803	7.6109	5.4694	17.5860	8.8982	8.6878	2.9268	16.9020	7.2653	5.1937	4.4430	12.1889	5.6284	6.5605
	S	107.716	105.294	105.262	105.338	90.297	69.651	111.442	130.922	84.350	96.380	73.909	76.883	87.375	90.612	84.597
19	T	4.7744	12.5766	7.6281	4.9485	17.2490	8.6113	8.6377	2.9270	22.9501	9.8769	8.1737	4.8995	14.2928	6.3086	7.9842
	S	107.962	109.511	105.024	116.426	92.061	71.972	112.088	130.913	62.121	70.895	46.963	69.720	74.513	80.842	69.512

Event: Allied Building Products GP of Mid-Ohio
 Track: Mid-Ohio Sports Car Course
 Report: Section Data Report
 Session: Race 3

Round 12 / 13 / 14
 2.258 mile(s)
 USF2000
 August 1, 2015



Section Data for Car 9 - McMahan, Clint (R)

Lap	T/S I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	9.5300	3.7481	5.7819	5.9262	96.8328	116.1468
	S	96.013	101.506	92.452	69.721	83.947	65.554
2	T	9.3006	3.6307	5.6699	5.8613	88.5194	
	S	98.381	104.788	94.278	70.493	91.831	
3	T	9.2003	3.6530	5.5473	5.6617	87.4740	
	S	99.453	104.149	96.361	72.978	92.928	
4	T	9.1150	3.6161	5.4989	5.7168	87.7926	
	S	100.384	105.211	97.210	72.275	92.591	
5	T	8.9954	3.6256	5.3698	5.5895	86.2900	
	S	101.719	104.936	99.547	73.921	94.203	
6	T	9.0127	3.6210	5.3917	5.5169	86.0855	
	S	101.523	105.069	99.142	74.894	94.427	
7	T	9.0877	3.6291	5.4586	5.6632	86.7259	
	S	100.686	104.834	97.927	72.959	93.730	
8	T	8.9095	3.6251	5.2844	5.5543	85.6293	
	S	102.699	104.950	101.155	74.390	94.930	
9	T	9.3319	3.6156	5.7163	5.5508	86.2616	
	S	98.051	105.226	93.512	74.436	94.234	
10	T	8.9415	3.6019	5.3396	5.5552	85.7744	
	S	102.332	105.626	100.110	74.377	94.770	
11	T	8.9532	3.6524	5.3008	5.5407	85.1747	
	S	102.198	104.166	100.842	74.572	95.437	
12	T	8.8725	3.6139	5.2586	5.7468	85.2526	
	S	103.128	105.275	101.652	71.898	95.350	
13	T	8.8445	3.5931	5.2514	5.5416	84.9042	
	S	103.454	105.885	101.791	74.560	95.741	
14	T	8.8793	3.6541	5.2252	5.5605	85.0235	
	S	103.049	104.117	102.301	74.307	95.607	
15	T	8.9608	3.6890	5.2718	5.5790	85.4026	
	S	102.111	103.132	101.397	74.060	95.182	
16	T	8.9292	3.6257	5.3035	5.4888	85.5771	
	S	102.473	104.933	100.791	75.277	94.988	
17	T	9.1661	3.6297	5.5364	5.7502	86.3541	
	S	99.824	104.817	96.551	71.855	94.133	
18	T	9.0972	3.6143	5.4829	5.5515	87.1334	
	S	100.580	105.264	97.493	74.427	93.291	
19	T	12.1368	4.2998	7.8370	6.7848	98.7765	
	S	75.391	88.482	68.208	60.898	82.295	

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 9 - McMahan, Clint (R)

Lap	T/SF to I1	I1 to I2	I1 to I2A	I2A to I2	I2 to I3	I2 to I3A	I3A to I3	I3 to I4	I4 to I5	I4 to I5A	I5A to I5B	I5B to I5	I5 to I6	I5 to I6A	I6A to I6	
20	T	4.7632	12.4827	7.5377	4.9450	17.0813	8.4922	8.5891	2.9139	17.1848	7.0928	5.4861	4.6059	11.9512	5.4512	6.5000
	S	108.216	110.335	106.284	116.509	92.965	72.981	112.722	131.501	82.962	98.724	69.970	74.164	89.112	93.557	85.385
21	T	4.7411	12.4091	7.5228	4.8863	17.1160	8.5403	8.5757	2.9214		7.4081					
	S	108.720	110.989	106.494	117.909	92.776	72.570	112.898	131.164		94.522					

Event: Allied Building Products GP of Mid-Ohio

Round 12 / 13 / 14

Track: Mid-Ohio Sports Car Course

2.258 mile(s)



Report: Section Data Report

USF2000

Session: Race 3

August 1, 2015

Section Data for Car 9 - McMahan, Clint (R)






Lap	T/S	I6 to I7	I6 to I7A	I7A to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	9.0050	3.6344	5.3706	5.5343	5.0507	85.9671	
	S	101.610	104.682	99.532	74.658	88.422	94.557	
21	T							
	S							


Event:
Track:
Report: Section Data Report
Session:

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.143182 miles
I1 to I2	0.382576 miles
I1 to I2A	0.222538 miles
I2A to I2	0.160038 miles
I2 to I3	0.441098 miles
I2 to I3A	0.172159 miles
I3A to I3	0.268939 miles
I3 to I4	0.106439 miles
I4 to I5	0.396023 miles
I4 to I5A	0.194508 miles
I5A to I5B	0.106629 miles
I5B to I5	0.094886 miles
I5 to I6	0.295833 miles
I5 to I6A	0.141667 miles
I6A to I6	0.154167 miles
I6 to I7	0.254167 miles
I6 to I7A	0.105682 miles
I7A to I7	0.148485 miles
I7 to I8	0.114773 miles
I8 to SF	0.124053 miles
Lap	2.258000 miles
PI to PO	0.249432 miles
PO to SF	2.114962 miles
SF to PI	2.134091 miles
I7 to PI	0.114773 miles
PO to I2	0.382576 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data



PO to PI	2.008712 miles
----------	----------------