

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 10 - Nepveu, Thomas

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0270	13.1486	8.9251	6.6671	9.9518	9.3077	5.2647	7.3794	7.0400	6.6500	11.1959	88.5573	138.3135
	S	100.460	78.923	107.562	60.030	104.275	69.810	103.606	122.238	101.692	90.533	95.124	93.499	57.232
2	T	2.4371	11.7980	8.8283	6.2377	9.9885	8.7493	5.1894	7.2797	6.9087	6.4417	11.0603	84.9187	
	S	124.776	87.958	108.741	64.163	103.892	74.266	105.109	123.912	103.624	93.461	96.290	97.505	
3	T	2.4402	11.6140	8.7627	6.2061	9.7536	8.4751	5.2012	7.2773	6.8240	6.4342	11.0314	84.0198	
	S	124.617	89.351	109.555	64.489	106.394	76.668	104.871	123.953	104.910	93.570	96.543	98.548	
4	T	2.4405	11.5935	8.8115	6.1672	9.7487	8.2999	5.1981	7.2820	6.7287	6.3629	11.0087	83.6417	
	S	124.602	89.509	108.949	64.896	106.448	78.287	104.933	123.873	106.396	94.618	96.742	98.994	
5	T	2.4394	11.4926	8.7803	6.1348	9.7407	8.3101	5.1900	7.2743	6.6634	6.3130	10.9817	83.3203	
	S	124.658	90.295	109.336	65.239	106.535	78.191	105.097	124.004	107.439	95.366	96.980	99.376	
6	T	2.4363	11.5713	8.8330	6.1440	9.7477	8.3238	5.2081	7.3023	6.6563	6.3397	10.9764	83.5389	
	S	124.817	89.681	108.683	65.141	106.459	78.062	104.732	123.529	107.554	94.964	97.026	99.116	
7	T	2.4487	11.4979	8.8066	6.1084	9.7531	8.2366	5.2086	7.2878	6.6053	6.3096	10.9801	83.2427	
	S	124.185	90.254	109.009	65.521	106.400	78.888	104.722	123.775	108.384	95.417	96.994	99.468	
8	T	2.4338			6.1582	9.7397	8.2699	5.2165	7.2701	6.6667	6.2619	11.0242	83.3509	
	S	124.945			64.991	106.546	78.571	104.563	124.076	107.386	96.144	96.606	99.339	
9	T	2.4603	11.5330	8.7910	6.1212	9.8256	8.2970	5.2153	7.2820	6.5984	6.3607	10.9968	83.4813	
	S	123.599	89.979	109.203	65.384	105.615	78.314	104.587	123.873	108.497	94.651	96.846	99.184	
10	T	2.4680	11.5062	8.7916	6.1096	9.8019	8.1589	5.2015	7.2789	6.6525	6.2870	11.0172	83.2733	
	S	123.213	90.189	109.195	65.508	105.870	79.640	104.865	123.926	107.615	95.760	96.667	99.432	
11	T	2.4780	11.5301	8.8181	6.0602	9.7934	8.2794	5.2220	7.2885	6.5713	6.2518	11.0593	83.3521	
	S	122.716	90.002	108.867	66.042	105.962	78.481	104.453	123.763	108.945	96.300	96.299	99.338	
12	T	2.4719	11.4923	8.7675	6.1333	9.7746	8.2208	5.2218	7.2900	6.5675	6.1887	11.0856	83.2140	
	S	123.019	90.298	109.495	65.255	106.166	79.040	104.457	123.737	109.008	97.281	96.071	99.502	
13	T	2.4576	11.4721	8.7245	6.0819	9.7251	8.2885	5.2051	7.2554	6.6399	6.3844	10.9726	83.2071	
	S	123.735	90.457	110.035	65.806	106.706	78.394	104.792	124.327	107.819	94.299	97.060	99.511	
14	T	2.4567	11.5757	8.7805	6.1001	9.7230	8.3181	5.2083	7.2736	6.8102	6.3436	11.0241	83.6139	
	S	123.780	89.647	109.333	65.610	106.729	78.116	104.728	124.016	105.123	94.906	96.607	99.027	
15	T	2.4520	11.4822	8.7653	6.1241	9.6915	8.2608	5.1781	7.2718	6.6353	6.3176	11.0507	83.2294	
	S	124.017	90.377	109.523	65.353	107.076	78.657	105.339	124.047	107.894	95.297	96.374	99.484	
16	T	2.4464	11.5364	8.7784	6.1608	9.6907	8.3087	5.1769	7.2879	6.6126	6.2528	11.0125	83.2641	
	S	124.301	89.952	109.359	64.964	107.085	78.204	105.363	123.773	108.264	96.284	96.708	99.443	
17	T	2.4427	11.5308	8.8072	6.0734	9.6934	8.3248	5.2917	7.6133	7.3607	6.3603	11.8009	85.2992	
	S	124.490	89.996	109.002	65.898	107.055	78.053	103.077	118.483	97.261	94.657	90.247	97.070	
18	T	2.5068	11.7074	8.8042	6.1060	9.7035	8.2992	5.2147	7.2968	6.6066	6.2478	11.0473	83.5403	
	S	121.306	88.639	109.039	65.547	106.944	78.293	104.599	123.622	108.363	96.361	96.404	99.114	
19	T	2.4357	11.5696	8.8274	6.1306	9.7364	8.1959	5.2165	7.2896	6.6015	6.3457	11.0031	83.3520	
	S	124.847	89.694	108.752	65.284	106.582	79.280	104.563	123.744	108.446	94.875	96.791	99.338	

Event:	Cooper Tires Grand Prix of Alabama	Round 3 / 4
Track:	Barber Motorsports Park	2.3 mile(s)
Report:	Section Data Report	USF2000 Championship
Session:	Race 1	April 30, 2022



Section Data for Car 10 - Nepveu, Thomas

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4425	11.4788	8.7943	6.1773	9.7589	8.2285	5.2001	7.2777	6.6040	6.3527	11.0406	83.3554
	S	124.500	90.404	109.162	64.790	106.337	78.966	104.893	123.947	108.405	94.770	96.462	99.334
21	T	2.5938	14.6121	13.7908	7.5407								
	S	117.238	71.018	69.612	53.076								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 11 - Christie, Dylan

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1056	12.9054	9.0488	6.6486	10.0485	9.7569	5.3153	7.4574	7.0426	6.5157	11.2402	89.0850	133.7364
	S	97.917	80.410	106.091	60.197	103.272	66.596	102.620	120.960	101.654	92.399	94.749	92.945	59.190
2	T	2.4544	11.9014	8.8167	6.3580	9.7950	13.5220	5.2845	7.5482	7.0554	6.6898	11.0949	90.5203	
	S	123.896	87.194	108.884	62.949	105.945	48.053	103.218	119.505	101.470	89.995	95.990	91.471	
3	T	2.4423	11.6810	8.7809	6.1055	9.7595	8.3769	5.1900	7.3028	6.9084	6.4258	11.1707	84.1438	
	S	124.510	88.839	109.328	65.552	106.330	77.567	105.097	123.520	103.629	93.692	95.339	98.403	
4	T	2.4350	11.6466	8.7561	6.1048	9.7807	8.6024	5.2084	7.2521	6.7720	6.3367	11.0873	83.9821	
	S	124.883	89.101	109.638	65.559	106.099	75.534	104.726	124.384	105.716	95.009	96.056	98.592	
5	T	2.4196	11.8516	8.8562	6.1976	9.6863	8.4817	5.1975	7.2747	6.8829	6.3905	11.0566	84.2952	
	S	125.678	87.560	108.399	64.578	107.134	76.609	104.946	123.998	104.013	94.209	96.323	98.226	
6	T	2.4365			6.0736	9.7289	8.4488	5.2047	7.2719	6.6507	6.3749	11.1492	83.9697	
	S	124.806			65.896	106.664	76.907	104.800	124.045	107.644	94.440	95.523	98.607	
7	T	2.4257	11.7004	8.7464	6.1201	9.7176	8.4157	5.2179	7.2813	6.6794	6.3150	11.1432	83.7627	
	S	125.362	88.692	109.759	65.396	106.788	77.210	104.535	123.885	107.182	95.336	95.574	98.851	
8	T	2.4309	11.7064	8.8155	6.0541	9.7154	8.4018	5.2102	7.2622	6.6592	6.3612	11.0527	83.6696	
	S	125.094	88.646	108.899	66.108	106.813	77.337	104.690	124.211	107.507	94.643	96.357	98.961	
9	T	2.4377			6.1450	9.7285	8.3754	5.2003	7.2663	6.8969	6.5180	11.2766	84.3035	
	S	124.745			65.131	106.669	77.581	104.889	124.141	103.802	92.367	94.443	98.217	
10	T	2.4524	11.7955	8.7539	6.0821	9.7647	8.4345	5.2207	7.2656	6.5978	6.3620	11.1049	83.8341	
	S	123.997	87.977	109.665	65.804	106.273	77.037	104.479	124.153	108.507	94.631	95.904	98.766	
11	T	2.4580	11.6831	8.8150	6.0455	9.6834	8.3518	5.2130	7.2482	6.6037	6.5000	11.2185	83.8202	
	S	123.715	88.823	108.905	66.203	107.166	77.800	104.634	124.451	108.410	92.622	94.932	98.783	
12	T	2.4443	11.7957	8.8201	6.0633	9.6971	8.3513	5.2034	7.2546	6.6579	6.3648	11.0924	83.7449	
	S	124.408	87.975	108.842	66.008	107.014	77.805	104.827	124.341	107.528	94.590	96.012	98.872	
13	T	2.4331			6.0819	9.6736	8.3215	5.2045	7.2576	6.6396	6.3587	11.1931	83.7187	
	S	124.981			65.806	107.274	78.084	104.804	124.290	107.824	94.681	95.148	98.903	
14	T	2.4536	11.4949	8.7618	6.0594	9.7187	8.3342	5.2491	7.3271	6.6677	6.3688	10.9946	83.4299	
	S	123.937	90.277	109.567	66.051	106.776	77.965	103.914	123.111	107.370	94.530	96.866	99.245	
15	T	2.4534	11.5424	8.7520	6.0497	9.7200	8.3288	5.1854	7.2828	6.5245	6.3142	11.0345	83.1877	
	S	123.947	89.906	109.689	66.157	106.762	78.015	105.190	123.860	109.726	95.348	96.515	99.534	
16	T	2.4428	11.5031	8.7745	6.0334	9.6836	8.2881	5.1817	7.2689	6.5735	6.3663	10.9365	83.0524	
	S	124.485	90.213	109.408	66.335	107.163	78.398	105.266	124.097	108.908	94.568	97.380	99.696	
17	T	2.4462	11.5373	8.7437	6.1183	9.6818	8.3265	5.2122	7.2841	6.5664	6.2837	11.0291	83.2293	
	S	124.312	89.945	109.793	65.415	107.183	78.037	104.650	123.838	109.026	95.811	96.563	99.484	
18	T	2.4405	11.5730	8.8261	6.2012	9.7330	8.2737	5.2163	7.2466	6.6167	6.2613	11.0877	83.4761	
	S	124.602	89.668	108.768	64.540	106.619	78.535	104.567	124.478	108.197	96.153	96.052	99.190	
19	T	2.4418			6.1400	9.6854	8.2700	5.2094	7.2614	6.6440	6.3169	11.1178	83.4525	
	S	124.536			65.184	107.143	78.570	104.706	124.225	107.753	95.307	95.792	99.218	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 11 - Christie, Dylan

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4369	11.5258	8.7576	6.1418	9.6970	8.2569	5.1886	7.2289	6.6903	6.3539	11.0199	83.2976
	S	124.786	90.035	109.619	65.164	107.015	78.695	105.126	124.783	107.007	94.752	96.643	99.403
21	T	2.7804	13.9504	12.9644									
	S	109.369	74.387	74.049									

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 12 - Garg, Bijoy

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0313	12.9219	8.9763	6.8594	10.0222	9.2884	5.2551	7.3748	7.1836	6.5355	11.1461	88.5946	144.9122
	S	100.317	80.308	106.948	58.347	103.543	69.955	103.795	122.315	99.659	92.119	95.549	93.459	54.626
2	T	2.4290	11.8188	8.8547	6.5229	9.8569	8.6073	5.2072	7.2988	6.8214	6.3772	11.0067	84.8009	
	S	125.192	87.803	108.417	61.357	105.279	75.491	104.750	123.588	104.950	94.406	96.759	97.640	
3	T	2.4235			6.1991	9.7062	8.5570	5.1847	7.3025	6.7278	6.3445	11.0187	83.9739	
	S	125.476			64.562	106.914	75.935	105.205	123.526	106.411	94.892	96.654	98.602	
4	T	2.4287	11.5752	8.7945	6.2389	9.6947	8.3846	5.1830	7.2591	6.7046	6.3245	10.9280	83.5158	
	S	125.207	89.651	109.159	64.150	107.041	77.496	105.239	124.264	106.779	95.193	97.456	99.143	
5	T	2.4327			6.1778	9.6986	8.3624	5.1914	7.2972	6.6400	6.2561	11.0017	83.4969	
	S	125.001			64.785	106.998	77.702	105.069	123.615	107.818	96.233	96.803	99.165	
6	T	2.4325	11.5369	8.8436	6.1953	9.7157	8.2799	5.2041	7.3029	6.6058	6.2643	11.0273	83.4083	
	S	125.012	89.949	108.553	64.602	106.809	78.476	104.812	123.519	108.376	96.107	96.578	99.271	
7	T	2.4323	11.6167	8.7368	6.0856	9.6841	8.2783	5.2305	7.3231	6.5686	6.2313	11.0298	83.2171	
	S	125.022	89.331	109.880	65.766	107.158	78.491	104.283	123.178	108.990	96.616	96.557	99.499	
8	T	2.4351	11.6063	8.7095	6.0827	9.7659	8.2502	5.2156	7.3027	6.5192	6.2004	11.0399	83.1275	
	S	124.878	89.411	110.224	65.798	106.260	78.758	104.581	123.522	109.815	97.098	96.468	99.606	
9	T	2.4414	11.5274	8.7969	6.1015	9.7502	8.3253	5.2307	7.3314	6.5501	6.2159	11.0535	83.3243	
	S	124.556	90.023	109.129	65.595	106.431	78.048	104.279	123.039	109.297	96.856	96.350	99.371	
10	T	2.4586			6.0761	9.7865	8.2671	5.2164	7.3210	6.5539	6.2125	11.0437	83.2423	
	S	123.685			65.869	106.037	78.597	104.565	123.213	109.234	96.909	96.435	99.469	
11	T	2.4627	11.5659	8.7798	6.1060	9.7796	8.2878	5.2456	7.3386	6.5070	6.1821	11.1816	83.4367	
	S	123.479	89.723	109.342	65.547	106.111	78.401	103.983	122.918	110.021	97.385	95.246	99.237	
12	T	2.4687	11.6326	8.7763	6.0876	9.8051	8.2338	5.2661	7.4089	6.5443	6.1944	11.0594	83.4772	
	S	123.179	89.209	109.386	65.745	105.835	78.915	103.578	121.752	109.394	97.192	96.298	99.189	
13	T	2.4697			6.0845	9.8503	8.2872	5.2780	7.3506	6.5080	6.2485	11.0638	83.4817	
	S	123.129			65.778	105.350	78.407	103.345	122.717	110.004	96.350	96.260	99.183	
14	T	2.4719	11.5217	8.8184	6.0921	9.8370	8.2378	5.2652	7.4129	6.5047	6.2006	11.0298	83.3921	
	S	123.019	90.067	108.863	65.696	105.492	78.877	103.596	121.686	110.060	97.095	96.557	99.290	
15	T	2.4786	11.4796	8.8328	6.1200	9.8191	8.2278	5.2607	7.4367	6.5942	6.2154	11.0464	83.5113	
	S	122.687	90.398	108.686	65.397	105.685	78.973	103.685	121.296	108.566	96.864	96.412	99.148	
16	T	2.4670	11.4684	8.7709	6.0712	9.8438	8.1751	5.2514	7.4124	6.4430	6.1593	11.0632	83.1257	
	S	123.263	90.486	109.453	65.922	105.419	79.482	103.868	121.694	111.114	97.746	96.265	99.608	
17	T	2.4776	11.4821	8.8209	6.0883	9.8414	8.2219	5.3039	7.8711	6.6137	6.2244	11.0236	83.9689	
	S	122.736	90.378	108.832	65.737	105.445	79.030	102.840	114.602	108.246	96.723	96.611	98.608	
18	T	2.4816			6.0673	9.8587	8.2298	5.3004	7.4690	6.5156	6.1640	11.0584	83.4544	
	S	122.538			65.965	105.260	78.954	102.908	120.772	109.876	97.671	96.307	99.216	
19	T	2.4773	11.4958	8.8572	6.0603	9.8180	8.2289	5.2947	7.4461	6.5019	6.1848	11.0226	83.3876	
	S	122.751	90.270	108.386	66.041	105.696	78.962	103.019	121.143	110.108	97.343	96.620	99.295	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 12 - Garg, Bijoy

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4741			6.0460	9.8289	8.2273	5.2613	7.4180	6.5379	6.1864	11.1273	83.5385
	S	122.910			66.197	105.579	78.978	103.673	121.602	109.501	97.318	95.711	99.116
21	T	2.6117	14.9636	13.9622	8.2564								
	S	116.434	69.350	68.757	48.475								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 19 - Sikes, Simon

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0669	12.6816	9.0385	6.6435	9.8696	8.6624	5.2402	7.4055	6.9131	6.3468	11.0760	86.9441	142.5791
	S	99.153	81.829	106.212	60.243	105.144	75.011	104.090	121.808	103.558	94.858	96.154	95.234	55.519
2	T	2.4381	11.7868	8.8421	6.1994	9.7706	8.5001	5.2139	7.4193	6.8415	6.4169	10.9821	84.4108	
	S	124.725	88.041	108.571	64.559	106.209	76.443	104.615	121.581	104.642	93.822	96.976	98.092	
3	T	2.4225	11.7228	8.7906	6.1847	9.7834	8.4607	5.2003	7.3221	6.7631	6.3838	11.0729	84.1069	
	S	125.528	88.522	109.208	64.712	106.070	76.799	104.889	123.195	105.855	94.308	96.181	98.446	
4	T	2.4254	11.5530	8.7876	6.1312	9.7612	8.3360	5.1950	7.3067	6.6847	6.3181	10.9384	83.4373	
	S	125.378	89.823	109.245	65.277	106.311	77.948	104.996	123.455	107.097	95.289	97.363	99.236	
5	T	2.4298	11.5887	8.8321	6.0868	9.7106	8.3581	5.2041	7.3211	6.6615	6.3069	10.9527	83.4524	
	S	125.151	89.546	108.694	65.753	106.865	77.742	104.812	123.212	107.470	95.458	97.236	99.218	
6	T	2.4403	11.5325	8.8165	6.0947	9.7274	8.2837	5.2182	7.3392	6.6135	6.3888	10.9230	83.3778	
	S	124.612	89.983	108.887	65.668	106.681	78.440	104.529	122.908	108.250	94.235	97.501	99.307	
7	T	2.4359	11.4458	8.7844	6.0759	9.6640	8.3069	5.2348	7.3436	6.6117	6.3526	10.9728	83.2284	
	S	124.837	90.664	109.285	65.871	107.381	78.221	104.198	122.834	108.279	94.772	97.058	99.485	
8	T	2.4342	11.4865	8.7902	6.0381	9.7676	8.2447	5.2248	7.3207	6.5562	6.2800	11.0116	83.1546	
	S	124.924	90.343	109.213	66.284	106.242	78.811	104.397	123.218	109.196	95.867	96.716	99.574	
9	T	2.4434	11.5348	8.7669	6.1351	9.7421	8.2605	5.2449	7.3477	6.5552	6.2377	11.0256	83.2939	
	S	124.454	89.965	109.503	65.236	106.520	78.660	103.997	122.766	109.212	96.517	96.593	99.407	
10	T	2.4582	11.4794	8.7686	6.0383	9.7326	8.2153	5.2270	7.3333	6.5657	6.2426	11.1271	83.1881	
	S	123.705	90.399	109.482	66.281	106.624	79.093	104.353	123.007	109.038	96.441	95.712	99.533	
11	T	2.4661	11.4430	8.7900	6.0899	9.7173	8.2460	5.2296	7.3505	6.5810	6.2733	11.0476	83.2343	
	S	123.308	90.687	109.215	65.720	106.792	78.799	104.301	122.719	108.784	95.969	96.401	99.478	
12	T	2.4559	11.4703	8.7994	6.0859	9.7425	8.2138	5.2180	7.3364	6.5097	6.2441	11.0222	83.0982	
	S	123.821	90.471	109.098	65.763	106.516	79.107	104.533	122.955	109.976	96.418	96.623	99.641	
13	T	2.4482	11.4307	8.7546	6.0649	9.6831	8.2394	5.2306	7.3419	6.5923	6.3634	10.9634	83.1125	
	S	124.210	90.784	109.657	65.991	107.169	78.862	104.281	122.863	108.598	94.611	97.141	99.624	
14	T	2.4550	11.3923	8.7908	6.0810	9.6582	8.2003	5.2306	7.3417	6.5168	6.2406	11.0120	82.9193	
	S	123.866	91.090	109.205	65.816	107.445	79.238	104.281	122.866	109.856	96.472	96.713	99.856	
15	T	2.4574	11.4378	8.7912	6.1200	9.6634	8.2107	5.2212	7.3397	6.5300	6.3164	10.9367	83.0245	
	S	123.745	90.728	109.200	65.397	107.387	79.137	104.469	122.899	109.634	95.315	97.379	99.730	
16	T	2.4452	11.4071	8.8242	6.0651	9.6865	8.2496	5.2043	7.3377	6.4954	6.2568	11.0231	82.9950	
	S	124.362	90.972	108.792	65.989	107.131	78.764	104.808	122.933	110.218	96.223	96.615	99.765	
17	T	2.4478	11.3930	8.8009	6.1883	9.7892			8.0103	7.3736	6.3807	11.4826	89.5849	
	S	124.230	91.085	109.080	64.675	106.007			112.611	97.091	94.354	92.749	92.426	
18	T	2.4907	11.5567	8.8267	6.0454	9.6962	8.2101	5.2305	7.3476	6.4883	6.2206	10.9611	83.0739	
	S	122.091	89.794	108.761	66.204	107.024	79.143	104.283	122.767	110.338	96.783	97.162	99.670	
19	T	2.4352	11.4102	8.8352	6.0738	9.7201	8.1872	5.2133	7.3071	6.5105	6.3137	11.0964	83.1027	
	S	124.873	90.947	108.656	65.894	106.761	79.364	104.627	123.448	109.962	95.355	95.977	99.636	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 19 - Sikes, Simon

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4355	11.5989	8.8295	6.0969	9.7027	8.2248	5.1992	7.2964	6.5607	6.2022	11.0090	83.1558
	S	124.858	89.468	108.726	65.644	106.952	79.002	104.911	123.629	109.121	97.070	96.739	99.572
21	T	2.5569	14.8223	14.1910	7.8941								
	S	118.930	70.011	67.649	50.700								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 2 - Lee, Jackson

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.1468	14.0424	8.9838	6.4430	9.7790	9.6120	5.3020	7.6906	7.5180	6.6995	11.3607	90.5778		128.2825
	S	96.635	73.900	106.859	62.118	106.118	67.600	102.877	117.292	95.226	89.864	93.744	91.413		61.707
2	T	2.5059	12.0570	8.6909	6.3510	9.8280	9.1112	5.2054	7.2978	7.0156	6.4725	11.0930	85.6283		
	S	121.350	86.068	110.460	63.018	105.589	71.316	104.786	123.605	102.045	93.016	96.006	96.697		
3	T	2.4102	11.8010	8.8101	6.1818	9.7367	8.3922	5.1979	7.2940	6.8590	6.4210	11.0745	84.1784		
	S	126.168	87.936	108.966	64.743	106.579	77.426	104.937	123.670	104.375	93.762	96.167	98.363		
4	T	2.4130	11.6928	8.7679	6.1757	9.7102	8.3315	5.2061	7.2628	6.7997	6.3863	11.0309	83.7769		
	S	126.022	88.749	109.490	64.807	106.870	77.990	104.772	124.201	105.285	94.271	96.547	98.834		
5	T	2.4277	11.7206	8.7819	6.1673	9.6483	8.3370	5.1837	7.2632	6.7371		99.2127	26.3947		81.9847
	S	125.259	88.539	109.316	64.895	107.555	77.938	105.225	124.194	106.264		83.457	33.116		93.227
6	T			8.8962	6.1623	9.7234	8.3583	5.1912	7.3001	6.8615	6.4566	11.1414	93.8355		84.6688
	S			107.911	64.948	106.725	77.740	105.073	123.566	104.337	93.245	95.589	88.240		93.493
7	T	2.4289	11.6809	8.7103	6.1587	9.7472	8.4381	5.2514	7.3461	6.7937	6.4112	10.9691	83.9356		
	S	125.197	88.840	110.214	64.986	106.464	77.005	103.868	122.792	105.378	93.905	97.091	98.647		
8	T	2.4534	11.6319	8.7991	6.1186	9.8045	8.3896	5.2503	7.3249	6.8181	6.4314	10.8549	83.8767		
	S	123.947	89.214	109.102	65.412	105.842	77.450	103.890	123.148	105.001	93.610	98.112	98.716		
9	T	2.4556	11.5357	8.7605	6.1211	9.7843	8.2411	5.2311	7.3209	6.6256	6.3944	10.8964	83.3667		
	S	123.836	89.958	109.583	65.385	106.060	78.845	104.271	123.215	108.052	94.152	97.739	99.320		
10	T	2.4643	11.5329	8.7793	6.0907	9.7584	8.2396	5.2210	7.3184	6.6858	6.3439	11.0234	83.4577		
	S	123.398	89.980	109.348	65.711	106.342	78.860	104.473	123.257	107.079	94.901	96.613	99.212		
11	T	2.4602	11.4804	8.8053	6.0796	9.7287	8.2573	5.2330	7.3197	6.6259	6.3958	10.9829	83.3688		
	S	123.604	90.391	109.025	65.831	106.667	78.691	104.234	123.235	108.047	94.131	96.969	99.318		
12	T	2.4554			6.1001	9.7475	8.2241	5.2257	7.3235	6.6391	6.3256	10.9693	83.3071		
	S	123.846			65.610	106.461	79.008	104.379	123.171	107.832	95.176	97.089	99.391		
13	T	2.4558	11.4295	8.7650	6.0691	9.7554	8.2452	5.2320	7.3334	6.6193	6.3595	10.9493	83.2135		
	S	123.826	90.794	109.527	65.945	106.375	78.806	104.254	123.005	108.155	94.669	97.266	99.503		
14	T	2.4559			6.0946	9.7320	8.1901	5.2411	7.3411	6.5950	6.2010	11.1038	83.1958		
	S	123.821			65.669	106.630	79.336	104.073	122.876	108.553	97.088	95.913	99.524		
15	T	2.4486			6.1138	9.7465	8.1913	5.2197	7.3316	6.6112	6.3274	10.9599	83.1961		
	S	124.190			65.463	106.472	79.325	104.499	123.035	108.287	95.149	97.172	99.524		
16	T	2.4484			6.0690	9.7302	8.1740	5.2273	7.3402	6.5934	6.2780	10.9519	83.0620		
	S	124.200			65.946	106.650	79.493	104.347	122.891	108.580	95.898	97.243	99.685		
17	T	2.4502			6.1336	9.7235	8.2228	5.2530	7.3638	6.5677	6.3466	10.8806	83.1814		
	S	124.109			65.252	106.724	79.021	103.837	122.497	109.005	94.861	97.881	99.541		
18	T	2.4444			6.1337	9.6920	8.1691	5.2465	7.3474	6.5196	6.3240	10.9388	83.0545		
	S	124.403			65.251	107.070	79.540	103.965	122.771	109.809	95.200	97.360	99.694		
19	T	2.4406			6.1449	9.7917	8.2472	5.2394	7.3204	6.5602	6.3144	11.1818	83.4902		
	S	124.597			65.132	105.980	78.787	104.106	123.224	109.129	95.345	95.244	99.173		

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 2 - Lee, Jackson

Lap	T/S	SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.4420			6.1070	9.7298	8.2038	5.2377	7.3316	6.5586	6.3590	10.9164	83.1803			
	S	124.525			65.536	106.655	79.204	104.140	123.035	109.156	94.676	97.560	99.543			
21	T	2.4827	12.5418													
	S	122.484	82.741													

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 22 - Rowe, Myles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0228		17.3330	6.3643	10.0291	8.7525	5.3314	7.4800	6.8045	6.2797	11.0087	86.7366	146.2085
	S	100.599		55.386	62.886	103.472	74.239	102.310	120.594	105.211	95.872	96.742	95.461	54.141
2	T	2.4593	11.9029	8.8535	6.1579	9.8418	8.5191	5.2740	7.4094	6.7124	6.2861	11.0678	84.4842	
	S	123.649	87.183	108.432	64.994	105.441	76.272	103.423	121.743	106.655	95.774	96.225	98.006	
3	T	2.4600	11.6623	8.8699	6.1434	9.8084	8.4621	5.2553	7.3997	6.6228	6.2701	11.0353	83.9893	
	S	123.614	88.981	108.231	65.148	105.800	76.786	103.791	121.903	108.098	96.018	96.508	98.584	
4	T	2.4492	11.6284	8.8235	6.0735	9.8202	8.2894	5.2335	7.3642	6.5765	6.2338	10.9691	83.4613	
	S	124.159	89.241	108.800	65.897	105.673	78.386	104.224	122.491	108.859	96.578	97.091	99.208	
5	T	2.4665	11.6048	8.8554	6.0820	9.7635	8.2577	5.2437	7.3831	6.4917	6.2007	10.9364	83.2855	
	S	123.288	89.422	108.408	65.805	106.286	78.687	104.021	122.177	110.281	97.093	97.381	99.417	
6	T	2.4567	11.5383	8.8491	6.0668	9.7515	8.2271	5.2385	7.3674	6.5297	6.2505	10.9619	83.2375	
	S	123.780	89.938	108.486	65.970	106.417	78.980	104.124	122.437	109.639	96.320	97.155	99.474	
7	T	2.4544	11.4763	8.8227	6.0381	9.7893	8.2417	5.2375	7.3555	6.5089	6.2186	10.9940	83.1370	
	S	123.896	90.424	108.810	66.284	106.006	78.840	104.144	122.636	109.989	96.814	96.871	99.595	
8	T	2.4531			6.0156	9.8051	8.2444	5.2306	7.3417	6.5015	6.2139	10.9811	83.1138	
	S	123.962			66.532	105.835	78.814	104.281	122.866	110.114	96.887	96.985	99.622	
9	T	2.4613	11.4761	8.7660	6.0630	9.8017	8.2552	5.2333	7.3335	6.4868	6.1990	10.9491	83.0250	
	S	123.549	90.425	109.514	66.011	105.872	78.711	104.228	123.003	110.364	97.120	97.268	99.729	
10	T	2.4681	11.5448	8.7820	6.0441	9.7559	8.2819	5.2391	7.3357	6.4775	6.1908	10.9697	83.0896	
	S	123.209	89.887	109.315	66.218	106.369	78.457	104.112	122.967	110.522	97.248	97.086	99.651	
11	T	2.4778	11.4941	8.8133	6.0433	9.7916	8.1931	5.2204	7.3329	6.5353	6.2608	11.0047	83.1673	
	S	122.726	90.283	108.926	66.227	105.981	79.307	104.485	123.013	109.545	96.161	96.777	99.558	
12	T	2.4726	11.4898	8.8073	6.0788	9.7963	8.2736	5.2299	7.3442	6.5032	6.2156	10.9934	83.2047	
	S	122.984	90.317	109.000	65.840	105.931	78.536	104.295	122.824	110.086	96.860	96.876	99.514	
13	T	2.4632	11.4378	8.7565	5.9933	9.7890	8.1555	5.2311	7.3191	6.4997	6.2411	11.0226	82.9089	
	S	123.454	90.728	109.633	66.779	106.010	79.673	104.271	123.245	110.145	96.465	96.620	99.869	
14	T	2.4704	11.5431	8.8180	6.0814	9.8033	8.1788	5.2458	7.3470	6.4329	6.2366	10.9444	83.1017	
	S	123.094	89.900	108.868	65.812	105.855	79.446	103.979	122.777	111.289	96.534	97.310	99.637	
15	T	2.4627	11.5047	8.8261	6.1095	9.8010	8.2270	5.2318	7.3496	6.5130	6.1453	10.9037	83.0744	
	S	123.479	90.200	108.768	65.509	105.880	78.981	104.258	122.734	109.920	97.968	97.673	99.670	
16	T	2.4585	11.4740	8.8163	6.0528	9.7579	8.2401	5.2047	7.3506	6.4834	6.1484	10.9217	82.9084	
	S	123.690	90.442	108.889	66.123	106.347	78.855	104.800	122.717	110.422	97.919	97.512	99.869	
17	T	2.4646	11.4826	8.7983	6.0275	9.7555	8.2326	5.2285	7.3485	6.5300	6.2258	10.9236	83.0175	
	S	123.383	90.374	109.112	66.400	106.374	78.927	104.323	122.752	109.634	96.702	97.495	99.738	
18	T	2.4614	11.4795	8.8200	6.0491	9.7378	8.3084	5.2743	7.3751	6.4869	6.1636	11.0460	83.2021	
	S	123.544	90.398	108.844	66.163	106.567	78.207	103.417	122.310	110.362	97.678	96.415	99.517	
19	T	2.4568	11.5267	8.8662	6.0301	9.7348	8.1981	5.2277	7.3502	6.4751	6.1935	10.9425	83.0017	
	S	123.775	90.028	108.276	66.372	106.600	79.259	104.339	122.724	110.563	97.206	97.327	99.757	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 22 - Rowe, Myles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4521	11.5386	8.8340	6.0284	9.7727	8.2171	5.2292	7.3330	6.4654	6.1751	10.9606	83.0062
	S	124.012	89.935	108.671	66.390	106.186	79.076	104.309	123.012	110.729	97.496	97.166	99.752
21	T	2.9315	22.1412	16.5130	8.2039								
	S	103.732	46.869	58.136	48.785								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 23 - Denmark, Jace

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0623	13.0728	8.9658	6.6801	10.1057	9.9718	5.2989	7.5989	7.3219	6.7167	11.2071	90.0020	132.7487
	S	99.301	79.381	107.074	59.913	102.687	65.161	102.937	118.707	97.776	89.634	95.029	91.998	59.631
2	T	2.4483	11.8168	8.7853	6.3356	9.7638	9.3873	5.2403	7.2979	6.7678	6.4967	10.9614	85.3012	
	S	124.205	87.818	109.273	63.171	106.283	69.218	104.088	123.603	105.782	92.669	97.159	97.068	
3	T	2.4264			6.2000	9.7523	8.3757	5.1817	7.2731	6.7157	6.4608	10.9439	83.8023	
	S	125.326			64.553	106.408	77.578	105.266	124.025	106.602	93.184	97.314	98.804	
4	T	2.4248			6.2119	9.7327	8.4631	5.1958	7.2576	6.6392	6.4507	11.3933	84.2079	
	S	125.409			64.429	106.623	76.777	104.980	124.290	107.831	93.330	93.476	98.328	
5	T	2.5512	11.7391	8.8006	6.1044	9.7336	8.4156	5.1985	7.2953	6.6298	6.4127	10.9449	83.8257	
	S	119.195	88.399	109.083	65.564	106.613	77.211	104.925	123.647	107.984	93.883	97.306	98.776	
6	T	2.4250			6.1599	9.7043	8.3334	5.1844	7.2618	6.6753	6.4848	10.9016	83.5763	
	S	125.398			64.973	106.935	77.972	105.211	124.218	107.247	92.839	97.692	99.071	
7	T	2.4276	11.6158	8.7652	6.1735	9.6645	8.5383	5.2295	7.2614	6.6532	6.4133	10.8703	83.6126	
	S	125.264	89.338	109.524	64.830	107.375	76.101	104.303	124.225	107.604	93.875	97.973	99.028	
8	T	2.4212			6.2881	9.7031	8.3459	5.1917	7.2410	6.6283	6.4253	10.8792	83.6787	
	S	125.595			63.648	106.948	77.855	105.063	124.575	108.008	93.699	97.893	98.950	
9	T	2.4271			6.1954	9.7400	8.4147	5.2163	7.2597	6.6113	6.3755	10.9428	83.6448	
	S	125.290			64.601	106.543	77.219	104.567	124.254	108.286	94.431	97.324	98.990	
10	T	2.4409	11.6281	8.7395	6.0884	9.7352	8.4017	5.1669	7.2539	6.7876	6.4816	10.9986	83.7224	
	S	124.581	89.243	109.846	65.736	106.595	77.338	105.567	124.353	105.473	92.885	96.831	98.898	
11	T	2.4580			6.1912	9.6947	8.3795	5.1943	7.2226	6.6732	6.5027	10.8759	83.6992	
	S	123.715			64.645	107.041	77.543	105.010	124.892	107.281	92.584	97.923	98.926	
12	T	2.4322	11.6608	8.7533	6.1189	9.6914	8.3300	5.1905	7.2478	6.6783	6.4286	10.8721	83.4039	
	S	125.027	88.993	109.673	65.408	107.077	78.004	105.087	124.458	107.199	93.651	97.957	99.276	
13	T	2.4203			6.1650	9.7649	8.7106	5.3375	7.3060	6.5684	6.4128	10.8581	83.9110	
	S	125.642			64.919	106.271	74.596	102.193	123.466	108.993	93.882	98.083	98.676	
14	T	2.4337			6.2126	9.6732	8.2701	5.2076	7.2738	6.5987	6.3602	10.8106	83.1378	
	S	124.950			64.422	107.279	78.569	104.742	124.013	108.492	94.658	98.514	99.594	
15	T	2.4273			6.1363	9.7265	8.3513	5.1955	7.2548	6.6373	6.3705	10.8702	83.3536	
	S	125.279			65.223	106.691	77.805	104.986	124.338	107.861	94.505	97.974	99.336	
16	T	2.4221	11.5665	8.7623	6.0935	9.6987	8.2770	5.1739	7.2721	6.6425	6.3941	10.8869	83.1896	
	S	125.548	89.718	109.560	65.681	106.997	78.503	105.424	124.042	107.777	94.156	97.824	99.532	
17	T	2.4271			6.0779	9.6789	8.7507	5.3107	7.3242	6.6378	6.3800	10.8061	83.7366	
	S	125.290			65.850	107.215	74.254	102.709	123.160	107.853	94.364	98.555	98.881	
18	T	2.4346	11.5473	8.7773	6.1375	9.7090	8.2828	5.2010	7.2818	6.6463	6.3695	10.8423	83.2294	
	S	124.904	89.868	109.373	65.210	106.883	78.448	104.875	123.877	107.715	94.520	98.226	99.484	
19	T	2.4204			6.1574	9.6870	8.3141	5.1827	7.2371	6.6510	6.4079	10.8726	83.4016	
	S	125.637			64.999	107.126	78.153	105.245	124.642	107.639	93.954	97.953	99.279	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 23 - Denmark, Jace

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4324			6.2376	9.6933	8.3333	5.1999	7.2582	6.6226	6.3911	10.9361	83.6131
	S	125.017			64.164	107.056	77.973	104.897	124.279	108.101	94.201	97.384	99.028
21	T	2.6814	15.6083	13.8356	8.7824								
	S	113.408	66.486	69.386	45.572								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 3 - Jones, Jagger (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	2.9792	12.5466	9.0458	8.2801	16.8414	9.5949	5.4069	7.7046	7.1826	6.4683	11.1386	90.1802	143.7773
	S	102.071	82.710	106.127	48.336	61.618	67.721	100.881	117.079	99.673	93.076	95.613	91.816	55.057
2	T	2.4318	11.8604	8.8165	6.2501	9.6994	8.9992	5.2240	7.3246	6.8514	6.4703	10.9448	84.8725	
	S	125.048	87.495	108.887	64.035	106.989	72.203	104.413	123.153	104.491	93.048	97.306	97.558	
3	T	2.4233	11.7660	8.7350	6.1750	9.7193	8.5595	5.1982	7.2931	6.8182	6.4508	10.8838	84.0222	
	S	125.486	88.197	109.903	64.814	106.770	75.912	104.931	123.685	105.000	93.329	97.852	98.545	
4	T	2.4163	11.6803	8.7696	6.1583	9.7083	8.4652	5.1700	7.2398	6.8569	6.4271	10.9254	83.8172	
	S	125.850	88.844	109.469	64.990	106.891	76.758	105.504	124.595	104.407	93.673	97.479	98.786	
5	T	2.4166	11.5766	8.7447			8.4383	5.1851	7.2928	6.7166	6.3653	10.9486	84.2032	
	S	125.834	89.640	109.781			77.003	105.197	123.690	106.588	94.582	97.273	98.334	
6	T	2.4165	11.5407	8.7888	6.1020	9.6440	8.3798	5.1868	7.2767	6.8394	6.4084	10.8762	83.4593	
	S	125.839	89.919	109.230	65.590	107.603	77.540	105.162	123.964	104.674	93.946	97.920	99.210	
7	T	2.4107	11.6123	8.7667	6.1678	9.6538	8.3329	5.1803	7.2482	6.7249	6.3810	10.9324	83.4110	
	S	126.142	89.364	109.505	64.890	107.494	77.977	105.294	124.451	106.456	94.350	97.417	99.267	
8	T	2.4005	11.7551	8.7218	6.1601	9.6890	8.2598	5.1660	7.2311	6.7226	6.3510	11.0543	83.5113	
	S	126.678	88.279	110.069	64.971	107.104	78.667	105.585	124.745	106.493	94.795	96.343	99.148	
9	T	2.4222	11.6512	8.7206	6.1592	9.6653	8.3468	5.1814	7.2549	6.6727	6.3978	10.9189	83.3910	
	S	125.543	89.066	110.084	64.980	107.366	77.847	105.272	124.336	107.289	94.102	97.537	99.291	
10	T	2.4212	11.5257	8.8119	6.3792	9.8979	8.6701	5.1984	7.3638	6.8767	6.3707	11.0215	84.5371	
	S	125.595	90.036	108.944	62.739	104.843	74.944	104.927	122.497	104.106	94.502	96.629	97.945	
11	T	2.4392	11.6826	8.7507	6.1140	9.6753	8.3052	5.1909	7.3181	6.7030	6.4455	10.9354	83.5599	
	S	124.668	88.827	109.706	65.461	107.255	78.237	105.079	123.262	106.804	93.406	97.390	99.091	
12	T	2.4409	11.5709	8.7674	6.1240	9.7086	8.2831	5.1942	7.2707	6.6658	6.4477	10.8656	83.3389	
	S	124.581	89.684	109.497	65.354	106.887	78.446	105.012	124.066	107.400	93.374	98.016	99.353	
13	T	2.4246	11.6235	8.7487	6.1477	9.6555	8.3434	5.2088	7.2448	6.5693	6.3636	10.9184	83.2483	
	S	125.419	89.278	109.731	65.102	107.475	77.879	104.718	124.509	108.978	94.608	97.542	99.461	
14	T	2.4326			6.1484	9.6496	8.4079	5.2070	7.2708	6.5398	6.4117	10.9259	83.2772	
	S	125.007			65.095	107.541	77.281	104.754	124.064	109.470	93.898	97.475	99.427	
15	T	2.4252	11.5946	8.7542	6.0879	9.6556	8.2517	5.1816	7.2570	6.6234	6.3385	10.9188	83.0885	
	S	125.388	89.501	109.662	65.741	107.474	78.744	105.268	124.300	108.088	94.982	97.538	99.653	
16	T	2.4095	11.6329	8.7167	6.0744	9.6123	8.3726	5.1936	7.2552	6.6305	6.4030	10.8385	83.1392	
	S	126.205	89.206	110.133	65.888	107.958	77.607	105.024	124.331	107.972	94.026	98.261	99.592	
17	T	2.4182	11.5885	8.6766	6.2375	9.6307	8.2885	5.1757	7.2243	6.7401	6.5542	10.9023	83.4366	
	S	125.751	89.548	110.642	64.165	107.752	78.394	105.388	124.863	106.216	91.856	97.686	99.237	
18	T	2.4329	11.6261	8.7460	6.1532	9.6052	8.3303	5.1905	7.2453	6.6458	6.4005	10.9178	83.2936	
	S	124.991	89.258	109.764	65.044	108.038	78.001	105.087	124.501	107.724	94.062	97.547	99.407	
19	T	2.4142	11.6474	8.7435	6.2794	9.6956	8.3541	5.1894	7.2250	6.7003	6.4650	10.8539	83.5678	
	S	125.959	89.095	109.796	63.737	107.031	77.779	105.109	124.851	106.847	93.124	98.121	99.081	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 3 - Jones, Jagger (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4061	11.6828	8.7503	6.2701	9.6181	8.4671	5.1957	7.2130	6.6834	6.3184	11.4011	84.0061
	S	126.383	88.825	109.711	63.831	107.893	76.741	104.982	125.058	107.117	95.284	93.412	98.564
21	T	2.6571	15.1939	14.5386	8.4021								
	S	114.445	68.299	66.031	47.634								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 30 - Andersson, Viktor (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1324	13.2653	9.0683	6.6079	10.0878	9.7915	5.2835	7.6603	7.4901	6.6842	11.3227	90.3940	129.9771
	S	97.079	78.229	105.863	60.568	102.870	66.361	103.237	117.756	95.581	90.070	94.059	91.599	60.902
2	T	2.4554	12.1112	8.9146	6.3717	9.9768	9.2866	5.2342	7.3287	7.0218	6.5676	11.1089	86.3775	
	S	123.846	85.683	107.689	62.813	104.014	69.969	104.210	123.084	101.955	91.669	95.869	95.858	
3	T	2.4331	11.8557	8.8840	6.1846	9.7290	8.3813	5.2231	7.3256	6.8230	6.4055	11.0414	84.2863	
	S	124.981	87.530	108.059	64.714	106.663	77.526	104.431	123.136	104.926	93.989	96.455	98.237	
4	T	2.4240	11.7422	8.8470	6.1327	9.7040	8.3926	5.2253	7.2949	6.7248	6.3154	11.0957	83.8986	
	S	125.450	88.376	108.511	65.261	106.938	77.422	104.387	123.654	106.458	95.330	95.983	98.691	
5	T	2.4324	11.7820	8.8179	6.1587	9.7181	8.4043	5.2387	7.3142	6.7627	6.4673	10.9447	84.0410	
	S	125.017	88.077	108.869	64.986	106.783	77.314	104.120	123.328	105.861	93.091	97.307	98.523	
6	T	2.4489	11.6703	8.8455	6.1039	9.6995	8.3368	5.2554	7.3472	6.6796	6.2849	11.1030	83.7750	
	S	124.174	88.920	108.530	65.569	106.988	77.940	103.789	122.774	107.178	95.792	95.920	98.836	
7	T	2.4456	11.6870	8.8114	6.0954	9.7088	8.2403	5.2237	7.3082	6.6547	6.3462	10.9983	83.5196	
	S	124.342	88.793	108.950	65.661	106.885	78.853	104.419	123.429	107.579	94.867	96.833	99.138	
8	T	2.4469	11.6095	8.8023	6.1212	9.7317	8.4284	5.3024	7.3553	6.6802	6.3564	10.9820	83.8163	
	S	124.276	89.386	109.062	65.384	106.634	77.093	102.869	122.639	107.169	94.715	96.977	98.787	
9	T	2.4479	11.5677	8.7653	6.0773	9.7134	8.2972	5.2197	7.2836	6.7578	6.3844	10.9728	83.4871	
	S	124.225	89.709	109.523	65.856	106.835	78.312	104.499	123.846	105.938	94.299	97.058	99.177	
10	T	2.4534	11.5757	8.7344	6.1037	9.7048	8.3339	5.2071	7.2511	6.6171	6.3353	11.0298	83.3463	
	S	123.947	89.647	109.910	65.571	106.929	77.967	104.752	124.401	108.191	95.030	96.557	99.345	
11	T	2.4527	11.7350	8.8146	6.1324	9.6612	8.4233	5.2063	7.2869	6.6700	6.3865	11.0109	83.7798	
	S	123.982	88.430	108.910	65.264	107.412	77.140	104.768	123.790	107.333	94.268	96.722	98.831	
12	T	2.4421	11.6719	8.7723	6.1020	9.6519	8.3904	5.2083	7.2550	6.7722	6.3605	10.9791	83.6057	
	S	124.520	88.908	109.435	65.590	107.515	77.442	104.728	124.334	105.713	94.654	97.002	99.036	
13	T	2.4374	11.7369	8.7515	6.0776	9.6535	8.4232	5.2227	7.2578	6.7477	6.3137	10.9601	83.5821	
	S	124.760	88.416	109.695	65.853	107.498	77.141	104.439	124.286	106.097	95.355	97.171	99.064	
14	T	2.4469	11.6070	8.7841	6.1136	9.6500	8.3703	5.2070	7.2667	6.6604	6.3592	11.0544	83.5196	
	S	124.276	89.405	109.288	65.465	107.537	77.628	104.754	124.134	107.487	94.673	96.342	99.138	
15	T	2.4421	11.7037	8.7802	6.1082	9.6638	8.3441	5.2005	7.2697	6.6920	6.3941	10.9453	83.5437	
	S	124.520	88.667	109.337	65.523	107.383	77.872	104.885	124.083	106.980	94.156	97.302	99.110	
16	T	2.4443	11.7259	8.8143	6.1264	9.6186	8.3063	5.1947	7.2827	6.6357	6.3425	10.9843	83.4757	
	S	124.408	88.499	108.914	65.328	107.888	78.226	105.002	123.861	107.888	94.922	96.957	99.191	
17	T	2.4342	11.6437	8.7488	6.0824	9.6273	8.4360	5.2070	7.2622	6.7013	6.4209	11.0083	83.5721	
	S	124.924	89.123	109.729	65.801	107.790	77.024	104.754	124.211	106.831	93.763	96.745	99.076	
18	T	2.4384	11.8545	8.8532	6.0961	9.6471	8.3460	5.2130	7.2759	6.6756	6.3600	11.0492	83.8090	
	S	124.709	87.539	108.435	65.653	107.569	77.854	104.634	123.977	107.243	94.661	96.387	98.796	
19	T	2.4358	11.8044	8.8038	6.1038	9.6492	8.4674	5.2238	7.2786	6.6880	6.3860	11.0327	83.8735	
	S	124.842	87.910	109.044	65.570	107.545	76.738	104.417	123.931	107.044	94.276	96.531	98.720	

Event:	Cooper Tires Grand Prix of Alabama	Round 3 / 4
Track:	Barber Motorsports Park	2.3 mile(s)
Report:	Section Data Report	USF2000 Championship
Session:	Race 1	April 30, 2022



Section Data for Car 30 - Andersson, Viktor (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4380	11.7149	8.7730	6.1173	9.6826	8.3942	5.2281	7.2682	6.6858	6.3944	11.1542	83.8507
	S	124.730	88.582	109.427	65.425	107.174	77.407	104.331	124.109	107.079	94.152	95.480	98.747
21	T	2.8032	14.5608	13.2308	8.5837								
	S	108.480	71.269	72.558	46.626								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 32 - Weir, Christian

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	3.0793	12.8517	9.0392	6.6156	10.1441	9.3683	5.3093	7.5296	7.1205	6.5096	11.1783	88.7455
	S	98.753	80.746	106.204	60.498	102.299	69.359	102.736	119.800	100.542	92.486	95.274	93.301
2	T	2.4586	11.9037	8.8571	6.3491	9.8216	8.5649	5.1961	7.3163	6.9412	6.4310	11.1011	84.9407
	S	123.685	87.177	108.388	63.037	105.658	75.865	104.974	123.293	103.139	93.616	95.936	97.480
3	T	2.4398	11.7901	8.8438	6.2120	9.7351	8.3728	5.2043	7.3112	6.7056	6.4003	11.1287	84.1437
	S	124.638	88.017	108.551	64.428	106.596	77.605	104.808	123.379	106.763	94.065	95.699	98.403
4	T	2.4444	11.6619	8.8354	6.1849	9.7347	8.2930	5.2074	7.3138	6.6812	6.4119	11.0080	83.7766
	S	124.403	88.984	108.654	64.710	106.601	78.352	104.746	123.335	107.153	93.895	96.748	98.834
5	T	2.4495	11.5926	8.8248	6.1654	9.7601	8.3011	5.2101	7.3335	6.5880	6.2903	11.1132	83.6286
	S	124.144	89.516	108.784	64.915	106.323	78.275	104.692	123.003	108.669	95.710	95.832	99.009
6	T	2.4532	11.6099	8.8369	6.1231	9.7277	8.2697	5.2128	7.3445	6.5871	6.3636	11.0324	83.5609
	S	123.957	89.383	108.635	65.364	106.678	78.573	104.638	122.819	108.684	94.608	96.534	99.089
7	T	2.4473	11.5646	8.8239	6.1172	9.7523	8.2978	5.2256	7.3405	6.5280	6.2727	11.0004	83.3703
	S	124.256	89.733	108.795	65.427	106.408	78.307	104.381	122.886	109.667	95.979	96.815	99.316
8	T	2.4437	11.5736	8.7909	6.1104	9.7646	8.2650	5.2315	7.3314	6.5515	6.3168	11.0616	83.4410
	S	124.439	89.663	109.204	65.499	106.274	78.617	104.264	123.039	109.274	95.309	96.279	99.232
9	T	2.4549	11.6210	8.8307	6.1231	9.7704	8.3159	5.2314	7.3253	6.5996	6.3252	11.0307	83.6282
	S	123.871	89.298	108.712	65.364	106.211	78.136	104.266	123.141	108.478	95.182	96.549	99.010
10	T	2.4647	11.5681	8.7915	6.0979	9.7720	8.2778	5.2366	7.3364	6.5954	6.3107	11.1010	83.5521
	S	123.378	89.706	109.196	65.634	106.194	78.496	104.162	122.955	108.547	95.401	95.937	99.100
11	T	2.4732	11.5996	8.8497	6.0735	9.7609	8.3127	5.2360	7.3524	6.6518	6.3444	11.1039	83.7581
	S	122.954	89.462	108.478	65.897	106.315	78.166	104.174	122.687	107.626	94.894	95.912	98.856
12	T	2.4658	11.5816	8.8295	6.0417	9.7310	8.3376	5.2392	7.3547	6.5369	6.2450	11.0729	83.4359
	S	123.323	89.601	108.726	66.244	106.641	77.933	104.110	122.649	109.518	96.404	96.181	99.238
13	T	2.4593	11.6007	8.8348	6.0264	9.7519	8.3314	5.2301	7.3101	6.4785	6.2227	11.0389	83.2848
	S	123.649	89.454	108.661	66.412	106.413	77.991	104.291	123.397	110.505	96.750	96.477	99.418
14	T	2.4617	11.5603	8.8297	6.0913	9.7319	8.2467	5.2484	7.3528	6.4370	6.2288	11.0404	83.2290
	S	123.529	89.766	108.724	65.705	106.632	78.792	103.928	122.681	111.218	96.655	96.464	99.485
15	T	2.4671	11.5396	8.8347	6.0302	9.7342	8.2421	5.2068	7.3396	6.5158	6.3056	11.0295	83.2452
	S	123.258	89.927	108.662	66.370	106.606	78.836	104.758	122.901	109.873	95.478	96.559	99.465
16	T	2.4507	11.5675	8.9090	6.1288	9.7079	8.2330	5.2095	7.3348	6.5207	6.2397	11.0210	83.3226
	S	124.083	89.711	107.756	65.303	106.895	78.923	104.704	122.982	109.790	96.486	96.634	99.373
17	T	2.4512	11.5228	8.8724	6.1491	9.7829	8.3029	5.2198	7.3251	6.6064	6.3655	11.0704	83.6685
	S	124.058	90.059	108.201	65.087	106.076	78.259	104.497	123.144	108.366	94.579	96.202	98.962
18	T	2.4656	11.8439	8.8294	6.1917	9.6718	8.2450	5.1954	7.2976	6.6222	6.3067	11.1033	83.7726
	S	123.333	87.617	108.728	64.639	107.294	78.808	104.988	123.609	108.107	95.461	95.917	98.839
19	T	2.4387	11.6287	8.8507	6.1033	9.7044	8.2961	5.2120	7.3015	6.5747	6.3069	11.0902	83.5072
	S	124.694	89.238	108.466	65.576	106.934	78.323	104.654	123.542	108.888	95.458	96.031	99.153

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 32 - Weir, Christian

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4473	11.6191	8.8204	6.1233	9.6953	8.3041	5.2123	7.3183	6.5467	6.2813	11.0649	83.4330
	S	124.256	89.312	108.839	65.361	107.034	78.247	104.648	123.259	109.354	95.847	96.250	99.241
21	T	2.7684	14.4321	14.5398	8.9021								
	S	109.844	71.904	66.026	44.959								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 33 - Kohlbecker, Spike

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
1	T	3.2183	12.8575	8.9264	6.5641	10.0120	9.8288	5.3048	7.6184	7.3163	6.5610	89.4685	132.1917
	S	94.488	80.710	107.546	60.972	103.648	66.109	102.823	118.404	97.851	91.761	92.547	59.882
2	T	2.4503	11.6927	8.8316	6.3218	9.8234	9.2993	5.2544	7.3753	6.7321	6.3476	11.0237	85.1522
	S	124.104	88.750	108.701	63.309	105.638	69.873	103.809	122.306	106.343	94.846	96.610	97.238
3	T	2.4465	11.6356	8.7970	6.1659	9.7836	8.3931	5.2179	7.3389	6.6923	6.3523	11.0526	83.8757
	S	124.296	89.186	109.128	64.910	106.068	77.417	104.535	122.913	106.975	94.776	96.357	98.718
4	T	2.4387	11.6239	8.8089	6.1659	9.7621	8.3262	5.1956	7.2889	6.7432	6.3697	10.9870	83.7101
	S	124.694	89.275	108.981	64.910	106.302	78.040	104.984	123.756	106.168	94.517	96.933	98.913
5	T	2.4451	11.6207	8.8065	6.1554	9.9846	8.5626	5.2001	7.3002	6.7469	6.3779	11.0297	84.2297
	S	124.367	89.300	109.010	65.021	103.933	75.885	104.893	123.564	106.109	94.396	96.557	98.303
6	T	2.4406	11.5989	8.8501	6.1664	9.7318	8.2787	5.2154	7.3316	6.6246	6.3317	11.0220	83.5918
	S	124.597	89.468	108.473	64.905	106.633	78.487	104.585	123.035	108.068	95.084	96.625	99.053
7	T	2.4550	11.6027	8.7654	6.2173	9.7102	8.3144	5.2398	7.3323	6.6571	6.3203	11.0301	83.6446
	S	123.866	89.438	109.522	64.373	106.870	78.150	104.098	123.024	107.541	95.256	96.554	98.990
8	T	2.4498			6.1945	9.7818	8.2619	5.2274	7.3205	6.6509	6.2933	11.0083	83.7299
	S	124.129			64.610	106.088	78.647	104.345	123.222	107.641	95.665	96.745	98.889
9	T	2.4602			6.1294	9.7912	8.2192	5.2288	7.3202	6.5972	6.3259	10.9857	83.4552
	S	123.604			65.296	105.986	79.055	104.317	123.227	108.517	95.172	96.944	99.215
10	T	2.4771			6.1835	9.8051	8.3818	5.2308	7.2957	6.7092	6.3393	11.0670	83.8700
	S	122.761			64.725	105.835	77.522	104.277	123.641	106.706	94.970	96.232	98.724
11	T	2.4697	11.6333	8.8240	6.1364	9.7341	8.3483	5.2296	7.2870	6.6044	6.3751	10.9886	83.6305
	S	123.129	89.203	108.794	65.222	106.607	77.833	104.301	123.788	108.399	94.437	96.919	99.007
12	T	2.4585	11.6068	8.8063	6.0657	9.7471	8.2774	5.2171	7.3108	6.6252	6.3327	11.0055	83.4531
	S	123.690	89.407	109.013	65.982	106.465	78.500	104.551	123.385	108.058	95.069	96.770	99.217
13	T	2.4537	11.5751	8.7726	6.1835	9.7451	8.2117	5.2169	7.2803	6.6576	6.3431	11.0316	83.4712
	S	123.932	89.652	109.432	64.725	106.487	79.128	104.555	123.902	107.533	94.913	96.541	99.196
14	T	2.4743			6.0795	9.7657	8.1919	5.2367	7.3377	6.5853	6.2691	10.9951	83.3377
	S	122.900			65.832	106.262	79.319	104.160	122.933	108.713	96.034	96.861	99.355
15	T	2.4668			6.1820	9.7568	8.2030	5.2080	7.3160	6.5685	6.2698	11.0018	83.3588
	S	123.273			64.741	106.359	79.212	104.734	123.298	108.991	96.023	96.802	99.330
16	T	2.4597	11.5188	8.8442	6.1404	9.7557	8.1884	5.2118	7.3368	6.5724	6.2572	11.0378	83.3232
	S	123.629	90.090	108.546	65.179	106.371	79.353	104.658	122.948	108.927	96.216	96.487	99.372
17	T	2.4666			6.0711	9.7383	8.2260	5.2172	7.3327	6.6388	6.3138	11.0075	83.3661
	S	123.283			65.923	106.561	78.990	104.549	123.017	107.837	95.354	96.752	99.321
18	T	2.4623	11.6399	8.8893	6.1697	9.7810	8.1948	5.2396	7.3550	6.6184	6.3085	10.9810	83.6395
	S	123.499	89.153	107.995	64.870	106.096	79.291	104.102	122.644	108.170	95.434	96.986	98.996
19	T	2.4583			6.0920	9.7651	8.2185	5.2223	7.3245	6.5810	6.2929	11.0047	83.4604
	S	123.700			65.697	106.269	79.062	104.447	123.155	108.784	95.671	96.777	99.209

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 33 - Kohlbecker, Spike

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4653			6.1655	9.7708	8.2524	5.2333	7.3255	6.5962	6.2578	11.0796	83.6696
	S	123.348			64.914	106.207	78.737	104.228	123.138	108.534	96.207	96.123	98.961
21	T	2.6261	14.9354	14.7153	8.8125								
	S	115.796	69.481	65.238	45.416								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 4 - d'Orlando, Michael

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0184	12.8622	8.8945	6.6160	10.0565	9.1983	5.2582	7.4245	7.1309	6.5273	10.9994	87.9862	141.6790
	S	100.746	80.680	107.932	60.494	103.190	70.641	103.734	121.496	100.395	92.235	96.823	94.106	55.872
2	T	2.4476	11.9616	8.9829	6.3924	9.7984	8.4478	5.2348	7.3247	6.7540	6.4569	10.8897	84.6908	
	S	124.240	86.755	106.870	62.610	105.908	76.916	104.198	123.151	105.998	93.241	97.799	97.767	
3	T	2.4444	11.7689	8.8189	6.1630	9.7592	8.4138	5.2194	7.3234	6.7129	6.4159	10.9188	83.9586	
	S	124.403	88.175	108.857	64.940	106.333	77.227	104.505	123.173	106.647	93.836	97.538	98.620	
4	T	2.4354			6.1610	9.7212	8.2371	5.2096	7.2906	6.6547	6.3578	10.8637	83.4397	
	S	124.863			64.961	106.749	78.884	104.702	123.727	107.579	94.694	98.033	99.233	
5	T	2.4397			6.1488	9.7007	8.2583	5.1939	7.3020	6.6285	6.3856	10.8534	83.4048	
	S	124.643			65.090	106.974	78.681	105.018	123.534	108.005	94.282	98.126	99.275	
6	T	2.4423	11.6787	8.8695	6.1125	9.7079	8.3357	5.2350	7.3290	6.5981	6.3009	10.9271	83.5367	
	S	124.510	88.856	108.236	65.477	106.895	77.951	104.194	123.079	108.502	95.549	97.464	99.118	
7	T	2.4380	11.5227	8.7803	6.1208	9.6654	8.2035	5.2122	7.2929	6.5978	6.3413	10.9157	83.0906	
	S	124.730	90.059	109.336	65.388	107.365	79.207	104.650	123.688	108.507	94.940	97.566	99.650	
8	T	2.4355			6.0860	9.7185	8.1964	5.1989	7.2734	6.5680	6.3514	10.8939	83.0608	
	S	124.858			65.762	106.779	79.275	104.917	124.020	109.000	94.789	97.761	99.686	
9	T	2.4352			6.0824	9.7162	8.2478	5.2147	7.2794	6.5860	6.3168	10.9634	83.1568	
	S	124.873			65.801	106.804	78.781	104.599	123.918	108.702	95.309	97.141	99.571	
10	T	2.4370	11.5312	8.7681	6.0978	9.6892	8.2057	5.1884	7.2529	6.5565	6.3367	10.9043	82.9678	
	S	124.781	89.993	109.488	65.635	107.101	79.186	105.130	124.370	109.191	95.009	97.668	99.798	
11	T	2.4420			6.1263	9.6994	8.2373	5.2040	7.2760	6.5474	6.4136	10.8733	83.2348	
	S	124.525			65.329	106.989	78.882	104.814	123.975	109.343	93.870	97.946	99.478	
12	T	2.4366	11.6330	8.7645	6.0911	9.6569	8.2396	5.1764	7.2531	6.6044	6.4381	10.8992	83.1929	
	S	124.801	89.205	109.533	65.707	107.460	78.860	105.373	124.367	108.399	93.513	97.714	99.528	
13	T	2.4385			6.1342	9.7136	8.2464	5.2167	7.2606	6.5768	6.3644	10.8511	83.1682	
	S	124.704			65.245	106.832	78.795	104.559	124.238	108.854	94.596	98.147	99.557	
14	T	2.4431			6.1007	9.6801	8.2182	5.2155	7.2853	6.5404	6.3200	10.8848	83.0325	
	S	124.469			65.604	107.202	79.065	104.583	123.817	109.460	95.260	97.843	99.720	
15	T	2.4393			6.0457	9.6440	8.1850	5.1830	7.2648	6.5493	6.3915	10.8713	82.9135	
	S	124.663			66.200	107.603	79.386	105.239	124.167	109.311	94.195	97.964	99.863	
16	T	2.4278			6.0790	9.6449	8.1857	5.1759	7.2613	6.5595	6.3253	11.0403	83.0563	
	S	125.254			65.838	107.593	79.379	105.384	124.226	109.141	95.181	96.465	99.691	
17	T	2.4645	11.6130	8.7632	6.0799	9.7182	8.3087	5.2020	7.2740	6.5609	6.4039	10.8720	83.2603	
	S	123.388	89.359	109.549	65.828	106.782	78.204	104.855	124.010	109.118	94.012	97.958	99.447	
18	T	2.4212			6.1061	9.6517	8.2044	5.2061	7.2734	6.5069	6.3509	10.8817	82.9738	
	S	125.595			65.545	107.518	79.198	104.772	124.020	110.023	94.797	97.871	99.791	
19	T	2.4315			6.1144	9.6703	8.1736	5.1874	7.2600	6.5207	6.3478	10.8742	82.8961	
	S	125.063			65.457	107.311	79.497	105.150	124.249	109.790	94.843	97.938	99.884	

Event:	Cooper Tires Grand Prix of Alabama	Round 3 / 4
Track:	Barber Motorsports Park	2.3 mile(s)
Report:	Section Data Report	USF2000 Championship
Session:	Race 1	April 30, 2022



Section Data for Car 4 - d'Orlando, Michael

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4286			6.1323	9.6816	8.2282	5.1937	7.2725	6.5378	6.3464	10.8952	83.1344
	S	125.212			65.265	107.186	78.969	105.022	124.035	109.503	94.864	97.749	99.598
21	T	2.7303	18.9705	15.8783	7.5029								
	S	111.376	54.702	60.460	53.343								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 5 - Hays, Nicky (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0473	13.0607	8.9880	6.5858	10.0839	9.4844	5.2493	7.4601	7.1071	6.5661	11.2169	88.8496	135.8939
	S	99.790	79.454	106.809	60.771	102.909	68.510	103.910	120.916	100.732	91.690	94.946	93.191	58.251
2	T	2.4365	11.9302	8.8352	6.4119	9.8306	8.5772	5.2061	7.3262	6.9050	6.4627	11.0770	84.9986	
	S	124.806	86.983	108.656	62.419	105.561	75.756	104.772	123.126	103.680	93.157	96.145	97.413	
3	T	2.4433	11.7811	8.8588	6.2477	9.7762	8.4414	5.2167	7.3434	6.7294	6.3784	11.0691	84.2855	
	S	124.459	88.084	108.367	64.060	106.148	76.975	104.559	122.838	106.385	94.388	96.214	98.238	
4	T	2.4353	11.6270	8.8081	6.2247	9.7626	8.3632	5.2158	7.3248	6.6703	6.3941	10.9835	83.8094	
	S	124.868	89.252	108.991	64.297	106.296	77.694	104.577	123.149	107.328	94.156	96.964	98.796	
5	T	2.4394	11.6708	8.9021	6.2215	9.9023	8.3045	5.2191	7.3613	6.6294	6.3498	10.9574	83.9576	
	S	124.658	88.917	107.840	64.330	104.797	78.243	104.511	122.539	107.990	94.813	97.195	98.621	
6	T	2.4425			6.1810	9.7472	8.2915	5.2460	7.3689	6.6129	6.3719	10.9568	83.6264	
	S	124.500			64.751	106.464	78.366	103.975	122.412	108.259	94.484	97.200	99.012	
7	T	2.4538	11.5463	8.8565	6.1477	9.7398	8.2926	5.2301	7.3346	6.6183	6.3489	10.9769	83.5455	
	S	123.927	89.875	108.395	65.102	106.545	78.356	104.291	122.985	108.171	94.827	97.022	99.108	
8	T	2.4442	11.5107	8.8164	6.1405	9.7514	8.2280	5.2365	7.3403	6.5920	6.3358	10.9552	83.3510	
	S	124.413	90.153	108.888	65.178	106.418	78.971	104.164	122.889	108.603	95.023	97.214	99.339	
9	T	2.4515	11.5804	8.8211	6.1432	9.7471	8.2804	5.2336	7.3248	6.5388	6.3310	11.0707	83.5226	
	S	124.043	89.611	108.830	65.150	106.465	78.471	104.222	123.149	109.486	95.095	96.200	99.135	
10	T	2.4661	11.6699	8.9066	6.2171	9.9495	8.5286	5.2582	7.3616	6.6332	6.3681	10.9911	84.3500	
	S	123.308	88.923	107.785	64.375	104.299	76.188	103.734	122.534	107.928	94.541	96.897	98.162	
11	T	2.4763	11.4825	8.8290	6.1349	9.7739	8.2342	5.2298	7.3473	6.5770	6.3884	10.9895	83.4628	
	S	122.801	90.375	108.733	65.238	106.173	78.911	104.297	122.772	108.850	94.240	96.911	99.206	
12	T	2.4630	11.5327	8.8324	6.0951	9.7423	8.2012	5.2347	7.3468	6.6020	6.3584	10.9844	83.3930	
	S	123.464	89.981	108.691	65.664	106.518	79.229	104.200	122.781	108.438	94.685	96.956	99.289	
13	T	2.4565	11.4963	8.8147	6.0992	9.7213	8.2075	5.2304	7.3077	6.6036	6.3613	10.9810	83.2795	
	S	123.790	90.266	108.909	65.620	106.748	79.168	104.285	123.438	108.412	94.642	96.986	99.424	
14	T	2.4680	11.4184	8.8274	6.0990	9.7136	8.2243	5.2390	7.3584	6.5648	6.3275	10.9206	83.1610	
	S	123.213	90.882	108.752	65.622	106.832	79.006	104.114	122.587	109.053	95.147	97.522	99.566	
15	T	2.4572	11.4747	8.8150	6.0996	9.7158	8.2392	5.2178	7.3559	6.6104	6.3085	10.9662	83.2603	
	S	123.755	90.436	108.905	65.615	106.808	78.864	104.537	122.629	108.300	95.434	97.117	99.447	
16	T	2.4466	11.4931	8.8245	6.1064	9.6818	8.2367	5.2067	7.3386	6.5742	6.2504	10.9902	83.1492	
	S	124.291	90.291	108.788	65.542	107.183	78.888	104.760	122.918	108.897	96.321	96.905	99.580	
17	T	2.4497	11.4962	8.8385	6.0867	9.7027	8.2387	5.2109	7.3087	6.6055	6.3724	10.9861	83.2961	
	S	124.134	90.267	108.616	65.754	106.952	78.868	104.676	123.421	108.381	94.477	96.941	99.404	
18	T	2.4476	11.6248	8.8104	6.1460	9.6790	8.3084	5.2032	7.3019	6.6396	6.3989	10.9591	83.5189	
	S	124.240	89.268	108.962	65.120	107.214	78.207	104.831	123.536	107.824	94.086	97.180	99.139	
19	T	2.4301	11.6700	8.8223	6.1989	9.7017	8.2900	5.2068	7.2939	6.6104	6.4063	10.9822	83.6126	
	S	125.135	88.923	108.815	64.564	106.963	78.380	104.758	123.671	108.300	93.977	96.975	99.028	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 5 - Hays, Nicky (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4401	11.6103	8.8316	6.2012	9.6960	8.3049	5.2210	7.3155	6.6012	6.4176	11.0340	83.6734
	S	124.622	89.380	108.701	64.540	107.026	78.240	104.473	123.306	108.451	93.812	96.520	98.956
21	T	2.5998	14.9622	14.5048	8.5098								
	S	116.967	69.357	66.185	47.031								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 63 - Burke, Trey

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.2977	13.7095	9.1119	6.6258	10.0104	9.7772	5.3634	7.7072	7.7801	6.7619	11.2788	91.4239	126.5145
	S	92.213	75.694	105.357	60.404	103.665	66.458	101.699	117.039	92.018	89.035	94.425	90.567	62.569
2	T	2.4833	12.0968	8.8155	6.3318	9.9120	9.0683	5.2265	7.3345	7.0439	6.7052	11.0906	86.1084	
	S	122.454	85.785	108.899	63.209	104.694	71.653	104.363	122.987	101.635	89.788	96.027	96.158	
3	T	2.5135	11.8994	8.7918	6.2908	9.8591	8.4301	5.2041	7.3428	7.0680	6.4827	11.0548	84.9371	
	S	120.983	87.208	109.193	63.621	105.256	77.078	104.812	122.848	101.289	92.870	96.338	97.484	
4	T	2.4551	11.8321	8.7732	6.2124	9.8675	8.4587	5.1755	7.2320	6.9042	6.4128	11.0411	84.3646	
	S	123.861	87.704	109.424	64.424	105.166	76.817	105.392	124.730	103.692	93.882	96.458	98.145	
5	T	2.4298	11.7749	8.7369	6.3152	9.8018	8.3525	5.1848	7.2672	6.8585	6.4189	11.1372	84.2777	
	S	125.151	88.130	109.879	63.375	105.871	77.794	105.203	124.126	104.383	93.793	95.625	98.247	
6	T	2.4646			6.1145	9.8010	8.3424	5.2204	7.3201	6.7883	6.3368	11.0053	83.8859	
	S	123.383			65.455	105.880	77.888	104.485	123.229	105.462	95.008	96.772	98.706	
7	T	2.4325	11.6161	8.7822	6.1270	9.7276	8.3506	5.2028	7.2601	6.7950	6.3884	10.9702	83.6525	
	S	125.012	89.335	109.312	65.322	106.679	77.812	104.839	124.247	105.358	94.240	97.081	98.981	
8	T	2.4421	11.5952	8.7744	6.1814	9.7268	8.4367	5.2132	7.2768	6.7687	6.3509	10.9995	83.7657	
	S	124.520	89.496	109.409	64.747	106.687	77.017	104.630	123.962	105.768	94.797	96.823	98.847	
9	T	2.4476			6.1461	9.8107	8.4173	5.2499	7.2961	6.9577	6.3996	11.2312	84.4004	
	S	124.240			65.119	105.775	77.195	103.898	123.634	102.895	94.075	94.825	98.104	
10	T	2.4718	11.5759	8.7103	6.0747	9.7325	8.4280	5.2557	7.2956	6.7198	6.3308	11.0187	83.6138	
	S	123.024	89.645	110.214	65.884	106.625	77.097	103.783	123.642	106.537	95.098	96.654	99.027	
11	T	2.4668			6.1975	9.7723	8.3552	5.2389	7.3003	6.7127	6.4316	11.1066	83.9808	
	S	123.273			64.579	106.191	77.769	104.116	123.563	106.650	93.607	95.889	98.594	
12	T	2.4745			6.0439	9.7359	8.3656	5.2186	7.3162	6.7340	6.3225	11.0406	83.6389	
	S	122.890			66.220	106.588	77.672	104.521	123.294	106.313	95.223	96.462	98.997	
13	T	2.4779	11.6245	8.7364	6.0540	9.7609	8.2982	5.2349	7.2811	6.7143	6.3243	10.9648	83.4713	
	S	122.721	89.271	109.885	66.110	106.315	78.303	104.196	123.889	106.625	95.196	97.129	99.196	
14	T	2.4717	11.5649	8.7556	6.1280	9.7302	9.2357	5.3546	7.4119	6.7616	6.4074	10.9925	84.8141	
	S	123.029	89.731	109.644	65.311	106.650	70.354	101.867	121.702	105.879	93.961	96.884	97.625	
15	T	2.4467	11.5706	8.7519	6.1148	9.7456	8.4493	5.1844	7.2865	6.7235	6.3453	10.9760	83.5946	
	S	124.286	89.687	109.690	65.452	106.482	76.903	105.211	123.797	106.479	94.881	97.030	99.049	
16	T	2.4538	11.6360	8.7928	6.0859	9.8315	8.4412	5.2256	7.3285	6.8552	6.3380	10.9045	83.8930	
	S	123.927	89.182	109.180	65.763	105.551	76.976	104.381	123.087	104.433	94.990	97.666	98.697	
17	T	2.4547	11.7450	8.8951	6.0909	9.8060	8.4538	5.2674	7.3620	6.8401	6.4835	10.8808	84.2793	
	S	123.881	88.355	107.925	65.709	105.826	76.862	103.553	122.527	104.664	92.858	97.879	98.245	
18	T	2.4595	11.5993	8.7702	6.0905	9.8306	8.3476	5.2313	7.3410	6.8398	6.4810	11.0359	84.0267	
	S	123.639	89.465	109.462	65.713	105.561	77.839	104.267	122.878	104.668	92.894	96.503	98.540	
19	T	2.4642			6.1253	9.8484	8.3283	5.2322	7.3434	6.7819	6.5553	10.9780	84.1571	
	S	123.404			65.340	105.370	78.020	104.250	122.838	105.562	91.841	97.012	98.387	

Event:	Cooper Tires Grand Prix of Alabama	Round 3 / 4
Track:	Barber Motorsports Park	2.3 mile(s)
Report:	Section Data Report	USF2000 Championship
Session:	Race 1	April 30, 2022



Section Data for Car 63 - Burke, Trey

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4627	11.7875	8.7687	6.1849	9.8504	8.4826	5.2638	7.3723	7.0426	6.6309	10.9307	84.7771
	S	123.479	88.036	109.480	64.710	105.349	76.601	103.624	122.356	101.654	90.794	97.432	97.668
21	T	2.7640	14.4142	9.6462									
	S	110.018	71.993	99.521									

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 7 - Lee, Yeeroo (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1881	13.7665	9.0227	6.6611	9.9077	9.6480	5.3556	7.7664	7.6783	6.7113	11.3038	91.0095	121.7440
	S	95.383	75.381	106.398	60.084	104.739	67.348	101.848	116.147	93.238	89.706	94.216	90.980	65.021
2	T	2.4772	12.1946	8.8280	6.4239	9.9785	9.2398	5.2082	7.3446			11.7715	107.7930	
	S	122.756	85.097	108.745	62.303	103.996	70.323	104.730	122.818			90.473	76.814	
3	T	2.5166	11.9022	8.8644	6.1192	9.8009	8.3427	5.2886	7.4118	6.8632	6.3766	11.1036	84.5898	
	S	120.834	87.188	108.298	65.405	105.881	77.885	103.138	121.704	104.311	94.415	95.915	97.884	
4	T	2.4704			6.1262	9.8338	8.4832	5.3019	7.4239	6.8106	6.4182	11.0292	84.4105	
	S	123.094			65.330	105.527	76.595	102.879	121.506	105.117	93.803	96.562	98.092	
5	T	2.4613	11.6754	8.8824	6.1369	9.7825	8.3126	5.2707	7.4083	6.8215	6.4372	11.1316	84.3204	
	S	123.549	88.882	108.079	65.217	106.080	78.167	103.488	121.761	104.949	93.526	95.674	98.197	
6	T	2.4684	11.6717	8.8728	6.2029	9.7939	8.3254	5.2657	7.4162	6.7892	6.4108	11.0979	84.3149	
	S	123.194	88.910	108.196	64.523	105.956	78.047	103.586	121.632	105.448	93.911	95.964	98.203	
7	T	2.4646			6.5475	9.8125	9.1056	5.2946	7.3865	6.9528	6.4101	11.1607	85.5823	
	S	123.383			61.127	105.756	71.360	103.021	122.121	102.967	93.921	95.424	96.749	
8	T	2.4600	11.7311	8.7658	6.1648	9.8330	8.3454	5.2555	7.3868	6.7669	6.3665	11.0896	84.1654	
	S	123.614	88.460	109.517	64.921	105.535	77.860	103.787	122.116	105.796	94.565	96.036	98.378	
9	T	2.4799	11.6772	8.7845	6.1120	9.8273	8.3525	5.2481	7.3875	6.7455	6.3630	11.1322	84.1097	
	S	122.622	88.868	109.283	65.482	105.596	77.794	103.934	122.104	106.131	94.617	95.668	98.443	
10	T	2.4884	11.6745	8.8006	6.0763	9.8186	8.3187	5.2586	7.4012	6.7563	6.3248	11.1868	84.1048	
	S	122.203	88.888	109.083	65.867	105.690	78.110	103.726	121.878	105.962	95.188	95.201	98.449	
11	T	2.4914			6.1065	9.7958	8.3152	5.2807	7.4204	6.7617	6.3223	11.1583	84.1199	
	S	122.056			65.541	105.936	78.143	103.292	121.563	105.877	95.226	95.445	98.431	
12	T	2.4761	11.6994	8.8004	6.0400	9.7881	8.3811	5.3251	7.4111	6.7147	6.3238	11.0876	84.0474	
	S	122.810	88.699	109.086	66.263	106.019	77.528	102.431	121.715	106.618	95.203	96.053	98.516	
13	T	2.4796			6.0718	9.8017	8.3503	5.2820	7.4213	6.7373	6.3289	11.1176	84.1288	
	S	122.637			65.916	105.872	77.814	103.267	121.548	106.261	95.126	95.794	98.421	
14	T	2.4797			6.0947	9.8084	8.3065	5.2754	7.4157	6.7627	6.3200	11.0829	83.9875	
	S	122.632			65.668	105.800	78.225	103.396	121.640	105.861	95.260	96.094	98.586	
15	T	2.4712	11.7475	8.8176	6.1225	9.7836	8.3045	5.2560	7.4176	6.7396	6.3175	11.1245	84.1021	
	S	123.054	88.336	108.873	65.370	106.068	78.243	103.778	121.609	106.224	95.298	95.735	98.452	
16	T	2.4735	11.6529	8.7989	6.0835	9.8093	8.2548	5.2628	7.3978	6.6818	6.3610	11.0208	83.7971	
	S	122.940	89.053	109.105	65.789	105.790	78.715	103.643	121.934	107.143	94.646	96.635	98.810	
17	T	2.4679			6.1157	9.8002	8.3991	5.2845	7.4329	6.7162	6.3582	11.0736	84.1420	
	S	123.218			65.443	105.888	77.362	103.218	121.358	106.594	94.688	96.175	98.405	
18	T	2.4719	11.9725	8.9418	6.3371	9.7869	8.2387	5.2661	7.4173	6.7080	6.3295	11.1546	84.6244	
	S	123.019	86.676	107.361	63.156	106.032	78.868	103.578	121.614	106.725	95.117	95.476	97.844	
19	T	2.4687	11.8933	8.8714	6.1866	9.8150	8.3815	5.2799	7.3967	6.8955	6.3622	11.1211	84.6719	
	S	123.179	87.253	108.213	64.693	105.729	77.525	103.308	121.952	103.823	94.629	95.764	97.789	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 7 - Lee, Yeoroo (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4579	11.6358	8.8406	6.1797	9.7876	8.3494	5.2946	7.4195	6.7639	6.3591	11.1275	84.2156
	S	123.720	89.184	108.590	64.765	106.025	77.823	103.021	121.578	105.843	94.675	95.709	98.319
21	T	2.8109											
	S	108.183											

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 8 - Dyszelski, Danny (R)

Lap	T/S	SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	3.2116	13.5659	9.0494	6.7568	10.0018	9.6619	5.2743	7.6193	7.5863	6.9179	11.3453	90.9905		125.2519	
	S	94.685	76.495	106.084	59.233	103.754	67.251	103.417	118.390	94.369	87.027	93.871	90.999		63.200	
2	T	2.5009	12.1018	8.8492	6.3352	9.8476	9.2098	5.2183	7.3551	7.0130	6.7685	11.1444	86.3438			
	S	121.593	85.750	108.484	63.175	105.379	70.552	104.527	122.642	102.083	88.948	95.564	95.896			
3	T	2.4575	11.8700	8.7482	6.3031	9.7570	8.4525	5.1863	7.3898	7.0389	6.5708	11.1241	84.8982			
	S	123.740	87.424	109.737	63.497	106.357	76.873	105.172	122.066	101.708	91.624	95.738	97.529			
4	T	2.4396	11.7449	8.7929	6.2323	9.8787	8.4428	5.1966	7.2571	6.7366	6.5144	11.0898	84.3257			
	S	124.648	88.356	109.179	64.218	105.047	76.962	104.964	124.298	106.272	92.418	96.034	98.191			
5	T	2.4513	11.7766	8.7434	6.2587	9.6867	8.4036	5.2432	7.3291	6.8126			104.8323	25.2111		88.4186
	S	124.053	88.118	109.797	63.947	107.129	77.321	104.031	123.077	105.086			78.983	34.671		86.443
6	T			8.9927	6.2118	9.8694	8.5295	5.2676	7.4078	6.9040	6.4620	11.0411	93.0190		84.2216	
	S			106.753	64.430	105.146	76.179	103.549	121.770	103.695	93.167	96.458	89.014		93.989	
7	T	2.4685	11.7228	8.8245	6.0607	9.8194	8.3600	5.2841	7.3746	6.8027	6.4764	10.9449	84.1386			
	S	123.189	88.522	108.788	66.036	105.681	77.724	103.226	122.318	105.239	92.960	97.306	98.409			
8	T	2.4598	11.7775	8.8364	6.1220	9.8923	8.4472	5.2378	7.3335	6.6900	6.4504	10.8279	84.0748			
	S	123.624	88.111	108.642	65.375	104.903	76.922	104.138	123.003	107.012	93.335	98.357	98.484			
9	T	2.4763	11.7530	8.7899	6.1174	9.8606	8.4102	5.2595	7.3684	6.7757	6.4394	10.8934	84.1438			
	S	122.801	88.295	109.216	65.424	105.240	77.260	103.708	122.421	105.658	93.494	97.766	98.403			
10	T	2.4755	11.5470	8.7606	6.0596	9.8338	8.3324	5.2210	7.3527	6.9890	6.4548	10.9377	83.9641			
	S	122.840	89.870	109.582	66.048	105.527	77.981	104.473	122.682	102.434	93.271	97.370	98.614			
11	T	2.4758	11.6242	8.8066	6.0897	9.8004	8.2674	5.2259	7.3660	6.8618	6.3863	10.9574	83.8615			
	S	122.825	89.273	109.009	65.722	105.886	78.595	104.375	122.461	104.333	94.271	97.195	98.734			
12	T	2.4619	11.5486	8.7830	6.0853	9.8042	8.3564	5.2604	7.3622	6.6656	6.3648	10.9664	83.6588			
	S	123.519	89.857	109.302	65.770	105.845	77.757	103.691	122.524	107.404	94.590	97.115	98.973			
13	T	2.4578	11.6488	8.7814	6.1018	9.8563	8.3024	5.2406	7.3696	6.8175	6.5103	10.9730	84.0595			
	S	123.725	89.084	109.322	65.592	105.286	78.263	104.082	122.401	105.011	92.476	97.056	98.502			
14	T	2.4814	11.5819	8.8267	6.1297	9.8361	8.3224	5.2336	7.3718	6.6349	6.4623	10.8958	83.7766			
	S	122.548	89.599	108.761	65.293	105.502	78.075	104.222	122.364	107.901	93.163	97.744	98.834			
15	T	2.4489	11.5754	8.8269	6.0933	9.8108	8.3656	5.2354	7.3747	6.6332	6.4310	10.9186	83.7138			
	S	124.174	89.649	108.758	65.683	105.774	77.672	104.186	122.316	107.928	93.616	97.540	98.908			
16	T	2.4592	11.5849	8.8077	6.1332	9.8400	8.3419	5.2430	7.3719	6.7337	6.4441	10.9090	83.8686			
	S	123.654	89.576	108.996	65.256	105.460	77.893	104.035	122.363	106.317	93.426	97.626	98.726			
17	T	2.4630	11.6505	8.7930	5.9973	9.8037	8.3200	5.2321	7.3546	6.6133	6.4018	10.9191	83.5484			
	S	123.464	89.071	109.178	66.735	105.851	78.098	104.252	122.651	108.253	94.043	97.536	99.104			
18	T	2.4506	11.6700	8.8376	6.1466	9.8255	8.3142	5.2290	7.3486	6.7281	6.4171	10.9229	83.8902			
	S	124.088	88.923	108.627	65.114	105.616	78.152	104.313	122.751	106.406	93.819	97.502	98.700			
19	T	2.4463	11.6211	8.7930	6.1525	9.7774	8.3045	5.2508	7.3462	6.6258	6.4355	10.8848	83.6379			
	S	124.306	89.297	109.178	65.051	106.135	78.243	103.880	122.791	108.049	93.551	97.843	98.998			

Event:	Cooper Tires Grand Prix of Alabama	Round 3 / 4
Track:	Barber Motorsports Park	2.3 mile(s)
Report:	Section Data Report	USF2000 Championship
Session:	Race 1	April 30, 2022



Section Data for Car 8 - Dyszelski, Danny (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI	
20	T	2.4388	11.7070	8.8101	6.1522	9.8442	8.3463	5.2679	7.3422	6.7994	6.4978	10.9158	84.1217			
	S	124.689	88.642	108.966	65.054	105.415	77.852	103.543	122.858	105.290	92.654	97.565	98.429			
21	T	2.6975														
	S	112.731														

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 9 - Garciarce, Jorge (R)

Lap	T/S	Lap
1	T	85.3997
	S	96.956
2	T	86.3438
	S	95.896
3	T	84.8982
	S	97.529
4	T	84.0495
	S	98.513
5	T	83.3497
	S	99.340
6	T	83.9572
	S	98.622
7	T	83.2919
	S	99.409
8	T	83.5425
	S	99.111
9	T	83.7027
	S	98.922
10	T	83.7149
	S	98.907
11	T	83.6215
	S	99.018
12	T	83.4777
	S	99.188
13	T	83.3981
	S	99.283
14	T	83.8072
	S	98.798
15	T	83.3037
	S	99.395
16	T	83.7183
	S	98.903
17	T	83.4698
	S	99.198
18	T	83.7704
	S	98.842
19	T	83.8497
	S	98.748

Event: Cooper Tires Grand Prix of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)

Report: Section Data Report

USF2000 Championship

Session: Race 1

April 30, 2022



Section Data for Car 9 - Garciarce, Jorge (R)

Lap	T/S Lap	
	T	S
20	83.7857	98.824

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 90 - Douglas, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.1653	13.0766	8.9023	6.5985	9.9938	9.7891	5.3713	7.6513	7.4533	6.6682	11.2416	89.9113	127.2990
	S	96.070	79.358	107.837	60.654	103.837	66.377	101.550	117.894	96.053	90.286	94.737	92.091	62.184
2	T	2.4621	11.9028	8.8358	6.2907	9.8475	9.4831	5.2557	7.3234	6.9840	6.4437	11.0721	85.9009	
	S	123.509	87.183	108.649	63.622	105.380	68.519	103.783	123.173	102.507	93.432	96.188	96.390	
3	T	2.4648	11.6471	8.7983	6.1467	9.8114	8.3551	5.1931	7.3129	6.8305	6.4185	11.0222	84.0006	
	S	123.373	89.097	109.112	65.113	105.768	77.770	105.034	123.350	104.811	93.798	96.623	98.571	
4	T	2.4486	11.6634	8.7752	6.0983	9.7443	8.3502	5.1757	7.2693	6.7722	6.3801	10.9488	83.6261	
	S	124.190	88.973	109.399	65.629	106.496	77.815	105.388	124.090	105.713	94.363	97.271	99.012	
5	T	2.4455	11.6675	8.7611	6.1897	9.7686	8.4044	5.1580	7.2300	6.7572	6.3814	10.9104	83.6738	
	S	124.347	88.942	109.575	64.660	106.231	77.313	105.749	124.764	105.948	94.344	97.613	98.956	
6	T	2.4308	11.6571	8.7845	6.1442	9.7481	8.3691	5.1671	7.2390	6.8605	6.3946	10.9658	83.7608	
	S	125.099	89.021	109.283	65.139	106.454	77.639	105.563	124.609	104.352	94.149	97.120	98.853	
7	T	2.4358	11.6651	8.7424	6.0547	9.6788	8.4135	5.1830	7.2235	6.7606	6.4834	10.9283	83.5691	
	S	124.842	88.960	109.810	66.102	107.217	77.230	105.239	124.877	105.894	92.860	97.453	99.080	
8	T	2.4428	11.7467	8.7617	6.1793	9.7578	8.3849	5.1855	7.2343	6.7687	6.3837	10.9047	83.7501	
	S	124.485	88.342	109.568	64.769	106.348	77.493	105.188	124.690	105.768	94.310	97.664	98.866	
9	T	2.4441	11.6579	8.7496	6.1572	9.7913	8.4785	5.1939	7.2460	6.7639	6.3690	11.2589	84.1103	
	S	124.418	89.015	109.719	65.002	105.985	76.638	105.018	124.489	105.843	94.527	94.592	98.442	
10	T	2.4735	11.6953	8.7175	6.1209	9.7618	8.4497	5.2201	7.2578	6.8072	6.4141	10.9953	83.9132	
	S	122.940	88.730	110.123	65.387	106.305	76.899	104.491	124.286	105.169	93.863	96.860	98.673	
11	T	2.4764	11.6277	8.7835	6.0810	9.7179	8.4030	5.1955	7.2612	6.7819	6.5147	10.9375	83.7803	
	S	122.796	89.246	109.296	65.816	106.785	77.326	104.986	124.228	105.562	92.413	97.371	98.830	
12	T	2.4634	11.6043	8.7747	6.0698	9.7412	8.3767	5.1905	7.2762	6.7600	6.4383	10.9723	83.6674	
	S	123.444	89.426	109.405	65.937	106.530	77.569	105.087	123.972	105.904	93.510	97.063	98.963	
13	T	2.4573	11.6163	8.7404	6.0272	9.7556	8.3738	5.1849	7.2268	6.7611	6.3535	10.9953	83.4922	
	S	123.750	89.334	109.835	66.404	106.372	77.596	105.201	124.819	105.886	94.758	96.860	99.171	
14	T	2.4502	11.5885	8.7541	6.0193	9.7725	8.3626	5.1876	7.2831	6.7302	6.3489	10.9143	83.4113	
	S	124.109	89.548	109.663	66.491	106.189	77.700	105.146	123.855	106.373	94.827	97.578	99.267	
15	T	2.4518	11.5510	8.7749	6.1103	9.7276	8.2802	5.1670	7.2594	6.7351	6.3255	11.0795	83.4623	
	S	124.028	89.839	109.403	65.500	106.679	78.473	105.565	124.259	106.295	95.178	96.123	99.206	
16	T	2.4550	11.5788	8.7807	6.0766	9.7668	8.3733	5.1799	7.2767	6.7553	6.3708	10.9342	83.5481	
	S	123.866	89.623	109.331	65.864	106.250	77.601	105.302	123.964	105.977	94.501	97.401	99.105	
17	T	2.4573	11.5918	8.8225	6.0829	9.7806	8.3684	5.1885	7.2849	6.8119	6.4231	10.9275	83.7394	
	S	123.750	89.523	108.813	65.795	106.101	77.646	105.128	123.824	105.097	93.731	97.461	98.878	
18	T	2.4610	11.6049	8.8020	6.0977	9.7658	8.4133	5.2004	7.3068	6.8053	6.3593	10.9925	83.8090	
	S	123.564	89.421	109.066	65.636	106.261	77.232	104.887	123.453	105.199	94.672	96.884	98.796	
19	T	2.4500	11.6295	8.7880	6.1128	9.7935	8.3783	5.1941	7.2882	6.8337	6.3761	11.0204	83.8646	
	S	124.119	89.232	109.240	65.474	105.961	77.554	105.014	123.768	104.762	94.422	96.639	98.731	

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 90 - Douglas, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4524	11.6005	8.7644	6.0527	9.7915	8.4384	5.2036	7.2981	6.8594	6.3809	11.1155	83.9574
	S	123.997	89.455	109.534	66.124	105.982	77.002	104.823	123.600	104.369	94.351	95.812	98.621
21	T	2.8027	13.9131	13.0478	8.9652								
	S	108.499	74.586	73.576	44.642								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car 92 - Frazer, Billy

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	3.0509	12.8024	8.9322	6.6110	9.7199	9.2030	5.2956	7.4647	7.0176	6.4966	11.0941	87.6880	139.3431
	S	99.673	81.057	107.476	60.540	106.763	70.604	103.001	120.841	102.016	92.671	95.997	94.426	56.809
2	T	2.4570	11.6863	8.7524	6.1744	9.7800	8.4080	5.1849	7.2733	6.7936	6.4570	11.1099	84.0768	
	S	123.765	88.799	109.684	64.820	106.107	77.280	105.201	124.021	105.380	93.239	95.860	98.481	
3	T	2.4373	11.5803	8.7253	6.1759	9.7194	8.4927	5.1645	7.2842	6.9475	6.4305	11.0224	83.9800	
	S	124.765	89.611	110.025	64.805	106.769	76.510	105.616	123.836	103.046	93.623	96.621	98.595	
4	T	2.4164	11.6111	8.7468	6.1664	9.7307	8.3100	5.1568	7.2315	6.6811	6.4348	10.9603	83.4459	
	S	125.845	89.374	109.754	64.905	106.645	78.192	105.774	124.738	107.154	93.561	97.169	99.226	
5	T	2.4277			6.1285	9.6842	8.3013	5.1448	7.2453	6.7351	6.4703	10.9291	83.4355	
	S	125.259			65.306	107.157	78.274	106.021	124.501	106.295	93.048	97.446	99.238	
6	T	2.4231	11.5636	8.7606	6.1457	9.6795	8.3148	5.1657	7.2610	6.6662	6.3851	11.0918	83.4571	
	S	125.497	89.741	109.582	65.123	107.209	78.147	105.592	124.232	107.394	94.289	96.017	99.213	
7	T	2.4314			6.1598	9.6866	8.1846	5.1723	7.2318	6.7238	6.4302	10.9394	83.1586	
	S	125.068			64.974	107.130	79.390	105.457	124.733	106.474	93.628	97.355	99.569	
8	T	2.4209	11.4331	8.7318	6.1193	9.6952	8.2255	5.1641	7.2134	6.7339	6.3609	10.9903	83.0884	
	S	125.611	90.765	109.943	65.404	107.035	78.995	105.624	125.051	106.314	94.648	96.904	99.653	
9	T	2.4285	11.5123	8.7135	6.2437	9.6850	8.2962	5.1705	7.2289	6.6395	6.3426	11.0148	83.2755	
	S	125.218	90.141	110.174	64.101	107.148	78.322	105.494	124.783	107.826	94.921	96.688	99.429	
10	T	2.4355	11.5569	8.7521	6.1236	9.6809	8.1817	5.1470	7.2017	6.5818	6.3942	11.0688	83.1242	
	S	124.858	89.793	109.688	65.358	107.193	79.418	105.975	125.255	108.771	94.155	96.216	99.610	
11	T	2.4484			6.1222	9.6583	8.2174	5.1518	7.2220	6.7129	6.4112	10.9850	83.2517	
	S	124.200			65.373	107.444	79.073	105.876	124.902	106.647	93.905	96.950	99.457	
12	T	2.4392	11.4958	8.7287	6.1609	9.6498	8.2956	5.1465	7.1980	6.7574	6.3301	10.9728	83.1748	
	S	124.668	90.270	109.982	64.962	107.539	78.327	105.986	125.319	105.944	95.108	97.058	99.549	
13	T	2.4292	11.4413	8.6586	6.1189	9.6543	8.2489	5.1518	7.1803	6.6976	6.4604	11.0279	83.0692	
	S	125.182	90.700	110.872	65.408	107.489	78.771	105.876	125.628	106.890	93.190	96.573	99.676	
14	T	2.4325	11.4701	8.6548	6.1857	9.6422	8.1614	5.1532	7.1985	6.6383	6.4058	10.9842	82.9267	
	S	125.012	90.472	110.921	64.702	107.623	79.615	105.848	125.310	107.845	93.984	96.957	99.847	
15	T	2.4343	11.5608	8.6784	6.1301	9.5781	8.3288	5.1464	7.2256	6.6357	6.3842	10.9655	83.0679	
	S	124.919	89.763	110.619	65.289	108.344	78.015	105.988	124.840	107.888	94.302	97.123	99.677	
16	T	2.4219			6.1426	9.6437	8.2345	5.1311	7.2152	6.6341	6.3364	10.9236	82.9002	
	S	125.559			65.156	107.607	78.909	106.304	125.020	107.914	95.014	97.495	99.879	
17	T	2.4200	11.4467	8.7083	6.1231	9.7945	8.5938	5.2171	7.3170	6.6614	6.3640	10.8459	83.4918	
	S	125.657	90.657	110.240	65.364	105.950	75.609	104.551	123.281	107.471	94.602	98.194	99.171	
18	T	2.4542			6.0687	9.7193	8.1342	5.1986	7.3092	6.6421	6.3072	10.8669	82.9500	
	S	123.906			65.949	106.770	79.882	104.923	123.412	107.784	95.454	98.004	99.819	
19	T	2.4435			6.0955	9.6618	8.1630	5.1880	7.2869	6.6426	6.3331	10.8880	82.9039	
	S	124.449			65.659	107.405	79.600	105.138	123.790	107.775	95.063	97.814	99.875	

Event:	Cooper Tires Grand Prix of Alabama	Round 3 / 4
Track:	Barber Motorsports Park	2.3 mile(s)
Report:	Section Data Report	USF2000 Championship
Session:	Race 1	April 30, 2022



Section Data for Car 92 - Frazer, Billy

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF
20	T	2.4409	11.4129	8.7643	6.0879	9.6865	8.1511	5.1850	7.2792	6.7007	6.5158	10.8422	83.0665
	S	124.581	90.926	109.535	65.741	107.131	79.716	105.199	123.921	106.841	92.398	98.227	99.679
21	T	2.7164	16.4953	19.7752	8.6865								
	S	111.946	62.910	48.546	46.075								

Event: Cooper Tires Grand Prix of Alabama
Track: Barber Motorsports Park
Report: Section Data Report
Session: Race 1

Round 3 / 4
2.3 mile(s)
USF2000 Championship
April 30, 2022



Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.084470 miles
I1 to I2	0.288258 miles
I2 to I3A	0.266667 miles
I3A to I3	0.111174 miles
I3 to I4	0.288258 miles
I4 to I5A	0.180492 miles
I5A to I5	0.151515 miles
I5 to I6	0.250568 miles
I6 to I7	0.198864 miles
I7 to I8	0.167235 miles
I8 to SF	0.295833 miles
I2 to I3	0.377841 miles
I4 to I5	0.332008 miles
Lap	2.300000 miles
PI to PO	0.242803 miles
PO to SF	2.198864 miles
SF to PI	2.123106 miles
PO to I2	0.280871 miles
I7 to PI	0.302841 miles
PO to PI	2.038636 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

