

Event: Cooper Tires Grand Prix of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)

Report: Section Data Report

USF2000 Championship

Session: Race 2

May 1, 2022



Section Data for Car 10 - Nepveu, Thomas

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	
1	T			14.5422	8.6957	17.2528	12.2869	8.1739	13.4424	11.8419	12.6937	19.8859	142.1904	26.7945	133.1128
	S			66.015	46.026	60.148	52.883	66.731	67.104	60.456	47.429	53.556	58.232	32.622	59.468
2	T	3.3033	13.2338	9.2339	6.7744	10.1060	9.6486	5.2900	7.4991	7.0382	6.5108	11.3350	89.9731		
	S	92.057	78.415	103.965	59.079	102.684	67.344	103.111	120.287	101.718	92.469	93.957	92.028		
3	T	2.4806	11.9482	8.9994	6.5882	9.9065	8.6727	5.2352	7.3417	6.8917	6.5609	11.3136	85.9387		
	S	122.588	86.852	106.674	60.749	104.752	74.922	104.190	122.866	103.880	91.763	94.134	96.348		
4	T	2.4640	11.9599	8.8397	6.4260	9.9168	8.5763	5.2136	7.3721	6.8540	6.5131	11.5249	85.6604		
	S	123.414	86.767	108.601	62.282	104.643	75.764	104.621	122.359	104.451	92.436	92.409	96.661		
5	T	2.4886	11.8060	8.8370	6.3544	9.8022	8.4748	5.2393	7.3075	6.6990	6.3981	11.1974	84.6043		
	S	122.194	87.898	108.634	62.984	105.867	76.671	104.108	123.441	106.868	94.098	95.111	97.867		
6	T	2.4493	11.6296	8.8055	6.3324	9.8289	8.6025	5.1830	7.3019	7.0285	6.4259	11.0274	84.6149		
	S	124.154	89.232	109.023	63.203	105.579	75.533	105.239	123.536	101.858	93.690	96.578	97.855		
7	T	2.4209	11.7875	8.7794	6.2843	9.7078	8.3250	5.2031	7.2754	6.6500	6.3831	11.0362	83.8527		
	S	125.611	88.036	109.347	63.687	106.896	78.051	104.833	123.986	107.656	94.319	96.501	98.745		
8	T	2.4239	11.6399	8.7438	6.2747	9.7163	8.3538	5.2093	7.2681	6.7735	6.3569	11.0167	83.7769		
	S	125.455	89.153	109.792	63.784	106.803	77.782	104.708	124.110	105.693	94.707	96.671	98.834		
9	T	2.4237	11.6302	8.7733	6.2335	9.7359	8.3608	5.2585	7.3244	6.6251	6.3547	11.0594	83.7795		
	S	125.466	89.227	109.423	64.206	106.588	77.717	103.728	123.156	108.060	94.740	96.298	98.831		
10	T	2.4316	11.6029	8.7883	6.2101	9.7272	8.3844	5.2277	7.3003	6.6136	6.3506	10.9905	83.6272		
	S	125.058	89.437	109.236	64.448	106.683	77.498	104.339	123.563	108.248	94.801	96.902	99.011		
11	T	2.4202	11.5690	8.7974	6.2148	9.7417	8.3109	5.2247	7.2965	6.6000	6.3678	11.1164	83.6594		
	S	125.647	89.699	109.123	64.399	106.524	78.183	104.399	123.627	108.471	94.545	95.804	98.973		
12	T	2.4377	11.6408	8.7750	6.3037	9.6950	8.2913	5.1942	7.2871	6.6653	6.3613	10.9886	83.6400		
	S	124.745	89.146	109.402	63.491	107.037	78.368	105.012	123.787	107.408	94.642	96.919	98.996		
13	T	2.4114	11.5859	8.7393	6.2047	9.6672	8.3420	5.2285	7.3000	6.5661	6.3369	10.9720	83.3540		
	S	126.106	89.568	109.849	64.504	107.345	77.892	104.323	123.568	109.031	95.006	97.065	99.335		
14	T	2.4229	11.9001	10.7615	6.7011	10.0718	9.3330	6.8040	11.9376	14.9503	12.8252	11.1653	108.8728		
	S	125.507	87.203	89.207	59.726	103.033	69.621	80.167	75.563	47.886	46.942	95.385	76.052		
15	T	2.4948	11.9332	8.8706	6.3070	9.7484	8.3957	5.2268	7.2928	6.6683	6.3460	11.1159	84.3995		
	S	121.890	86.961	108.223	63.458	106.451	77.394	104.357	123.690	107.360	94.870	95.809	98.105		
16	T	2.4370			6.2900	9.7544	8.3800	5.2061	7.2738	6.6164	6.3808	11.0393	84.1212		
	S	124.781			63.629	106.386	77.539	104.772	124.013	108.202	94.353	96.474	98.429		
17	T	2.4211	11.7837	8.7507	6.2260	9.7002	8.3581	5.2327	7.3258	6.6547	6.3575	11.1154	83.9259		
	S	125.600	88.065	109.706	64.283	106.980	77.742	104.240	123.133	107.579	94.698	95.813	98.658		
18	T	2.7043	13.9019	11.0879	6.4142	10.7839	8.7511	5.2861							
	S	112.447	74.646	86.581	62.397	96.229	74.250	103.187							

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 11 - Christie, Dylan

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	8.0696	16.8746	19.3796	8.3086	17.8133	12.7045	7.7279	15.5134	8.4344	10.6754	19.3354	144.8367	152.6159
	S	37.684	61.496	49.537	48.170	58.256	51.145	70.583	58.146	84.880	56.396	55.080	57.168	51.868
2	T	3.3214	13.3598	9.2422	7.0246	10.3471	9.9354	5.3416	7.9586	7.6905	7.1628	11.4410	92.8250	
	S	91.555	77.675	103.871	56.975	100.292	65.400	102.114	113.342	93.090	84.052	93.086	89.200	
3	T	2.4939	11.8945	8.9344	6.4197	9.9546	8.6057	5.2573	7.3846	6.7409	6.5288	11.1189	85.3333	
	S	121.934	87.244	107.450	62.344	104.246	75.505	103.752	122.152	106.204	92.214	95.783	97.031	
4	T	2.4515	11.8115	8.8679	6.3169	9.7432	8.6473	5.2595	7.3555	6.8083	6.4690	11.1318	84.8624	
	S	124.043	87.857	108.256	63.358	106.508	75.142	103.708	122.636	105.152	93.066	95.672	97.570	
5	T	2.4526	11.8257	8.8479	6.3610	9.7488	8.4326	5.2337	7.3259	6.7130	6.4512	11.0203	84.4127	
	S	123.987	87.752	108.500	62.919	106.447	77.055	104.220	123.131	106.645	93.323	96.640	98.090	
6	T	2.4316	11.8839	8.8921	6.2851	9.7892	8.4684	5.2155	7.3009	6.7236	6.5188	11.0081	84.5172	
	S	125.058	87.322	107.961	63.679	106.007	76.729	104.583	123.553	106.477	92.355	96.747	97.968	
7	T	2.4329	11.8373	8.8291	6.2714	9.7195	8.4598	5.2274	7.2876	6.7417	6.4900	11.1902	84.4869	
	S	124.991	87.666	108.731	63.818	106.768	76.807	104.345	123.778	106.191	92.765	95.173	98.003	
8	T	2.4416			6.2038	9.7480	8.4596	5.2430	7.3204	6.7053	6.4140	11.0324	84.2636	
	S	124.546			64.513	106.455	76.809	104.035	123.224	106.768	93.864	96.534	98.263	
9	T	2.4419	11.8900	8.8644	6.3308	9.7600	8.5176	5.2179	7.3330	6.7849	6.5196	11.0862	84.7463	
	S	124.530	87.277	108.298	63.219	106.325	76.286	104.535	123.012	105.515	92.344	96.065	97.703	
10	T	2.4233	11.7167	8.8173	6.1897	9.6773	8.4152	5.1912	7.2769	6.6791	6.4395	10.9924	83.8186	
	S	125.486	88.568	108.877	64.660	107.233	77.214	105.073	123.960	107.186	93.493	96.885	98.785	
11	T	2.4158	11.7689	8.8223	6.2207	9.6805	8.4238	5.2193	7.2809	6.6061	6.4587	11.0907	83.9877	
	S	125.876	88.175	108.815	64.338	107.198	77.135	104.507	123.892	108.371	93.215	96.026	98.586	
12	T	2.4479	11.6630	8.7849	6.2044	9.7016	8.4246	5.2300	7.3307	6.6125	6.3924	11.1203	83.9123	
	S	124.225	88.976	109.278	64.507	106.965	77.128	104.293	123.050	108.266	94.181	95.771	98.674	
13	T	2.4229	11.6712	8.8386	6.1803	9.6920	8.3756	5.2112	7.3127	6.5809	6.4023	11.0688	83.7565	
	S	125.507	88.914	108.614	64.759	107.070	77.579	104.670	123.353	108.786	94.036	96.216	98.858	
14	T	2.4379	12.1322	11.2600	7.4060	10.7810	9.4222	5.6639	9.2729	13.3206	12.1666	11.1278	104.9911	
	S	124.735	85.535	85.258	54.041	96.255	68.962	96.304	97.278	53.745	49.483	95.706	78.864	
15	T	2.4807	11.9714	8.9301	6.4129	9.7260	8.5486	5.2271	7.3337	6.8056	6.5633	11.1543	85.1537	
	S	122.583	86.684	107.502	62.410	106.696	76.009	104.351	123.000	105.194	91.729	95.479	97.236	
16	T	2.4318	11.8432	8.8530	6.3819	10.0941	9.0392	5.2389	7.3750	6.9872	6.5655	11.1542	85.9640	
	S	125.048	87.622	108.438	62.713	102.805	71.884	104.116	122.311	102.460	91.698	95.480	96.319	
17	T	2.4430	11.8788	8.8601	6.2804	9.7847	8.6654	5.2267	7.3318	6.7188	6.4140	11.0480	84.6517	
	S	124.474	87.360	108.351	63.726	106.056	74.985	104.359	123.032	106.553	93.864	96.398	97.813	
18	T	2.6289	12.5275	11.9037	7.3741	13.8190								
	S	115.672	82.836	80.647	54.275	75.094								

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 12 - Garg, Bijoy

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	
1	T			15.3024	8.3831	16.2585	12.3650	8.2810	13.2206	12.2246	12.7525	19.9019	142.6242	27.2213	133.5838
	S			62.735	47.742	63.827	52.549	65.868	68.230	58.563	47.210	53.512	58.055	32.111	59.258
2	T	3.3659	13.4502	9.3596	7.1213	10.2826	10.6736	5.6075	7.8916	7.5928	7.0853	11.7695	94.1999		
	S	90.345	77.153	102.568	56.201	100.921	60.877	97.272	114.305	94.288	84.971	90.488	87.898		
3	T	2.5597	12.4253	8.8741	6.4794	9.8468	8.6615	5.2439	7.3114	6.7454	6.3979	11.2203	85.7657		
	S	118.799	83.517	108.180	61.769	105.387	75.018	104.017	123.375	106.133	94.100	94.917	96.542		
4	T	2.4636			6.3394	9.7619	8.6719	5.2419	7.3554	6.7526	6.2766	11.1368	85.2795		
	S	123.434			63.133	106.304	74.929	104.057	122.637	106.020	95.919	95.629	97.093		
5	T	2.4470			6.2434	9.7778	8.5368	5.2205	7.3253	6.8364	6.2948	11.1365	84.6531		
	S	124.271			64.104	106.131	76.114	104.483	123.141	104.720	95.642	95.631	97.811		
6	T	2.4386	11.7664	8.7759	6.2485	9.7433	8.5510	5.2440	7.3211	6.7123	6.3262	10.9939	84.1212		
	S	124.699	88.194	109.390	64.052	106.507	75.988	104.015	123.212	106.656	95.167	96.872	98.429		
7	T	2.4316			6.2576	9.7239	8.4879	5.2240	7.2807	6.7180	6.2575	11.2038	84.3205		
	S	125.058			63.959	106.719	76.553	104.413	123.895	106.566	96.212	95.057	98.197		
8	T	2.4153			6.2909	9.7603	8.6531	5.2155	7.2586	6.7682	6.3878	11.1616	84.6755		
	S	125.902			63.620	106.321	75.091	104.583	124.273	105.775	94.249	95.416	97.785		
9	T	2.4209	11.8372	8.8017	6.2802	9.7069	8.4732	5.2256	7.2848	6.7390	6.3212	11.1224	84.2131		
	S	125.611	87.667	109.070	63.728	106.906	76.686	104.381	123.826	106.234	95.242	95.753	98.322		
10	T	2.4414	11.8524	8.8060	6.2607	9.6651	8.3822	5.2081	7.2898	6.7187	6.3779	11.0345	84.0368		
	S	124.556	87.554	109.017	63.927	107.368	77.518	104.732	123.741	106.555	94.396	96.515	98.528		
11	T	2.4109			6.2375	9.6692	8.3944	5.2104	7.2734	6.6443	6.3293	11.0481	83.7694		
	S	126.132			64.165	107.323	77.405	104.686	124.020	107.748	95.120	96.397	98.843		
12	T	2.4115			6.1735	9.7052	8.4189	5.2036	7.2998	6.7103	6.3335	11.0820	83.9099		
	S	126.100			64.830	106.925	77.180	104.823	123.571	106.688	95.057	96.102	98.677		
13	T	2.4161			6.1823	9.6712	8.3757	5.2075	7.2713	6.6994	6.2839	11.0912	83.7451		
	S	125.860			64.738	107.301	77.578	104.744	124.056	106.862	95.808	96.022	98.871		
14	T	2.4273	12.6609	11.6774	6.9073	10.8360	9.0665	5.4341	9.4259	12.9529	12.1415	11.0538	104.5836		
	S	125.279	81.963	82.210	57.943	95.767	71.667	100.376	95.699	55.270	49.586	96.347	79.171		
15	T	2.5431	12.0433	8.8508	6.3028	9.7553	8.6754	5.2074	7.2698	6.7945	6.6213	11.1845	85.2482		
	S	119.575	86.166	108.465	63.500	106.376	74.898	104.746	124.081	105.366	90.926	95.221	97.128		
16	T	2.4350			6.3466	9.8511	9.1324	5.2030	7.3276	6.9970	6.6447	11.2487	85.9404		
	S	124.883			63.062	105.341	71.150	104.835	123.102	102.317	90.605	94.678	96.346		
17	T	2.4138	11.8961	8.8495	6.2109	9.8101	8.7082	5.1905	7.2708	6.8137	6.4733	11.1846	84.8215		
	S	125.980	87.233	108.481	64.439	105.782	74.616	105.087	124.064	105.069	93.004	95.220	97.617		
18	T	2.6104	12.7475	11.2383	7.4050	12.1464									
	S	116.492	81.406	85.422	54.048	85.435									

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 19 - Sikes, Simon

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	
1	T			16.5756	8.4187	17.1043	12.0423	8.5329	13.5752	12.4418	13.0029	19.9870	145.3990	26.4031	136.6873
	S			57.916	47.540	60.671	53.958	63.924	66.448	57.541	46.301	53.285	56.947	33.106	57.913
2	T	3.3121	13.5375	9.3724	6.9385	10.1005	9.7771	5.2260	7.6004	6.9956	6.5252	11.2098	90.5951		
	S	91.812	76.656	102.428	57.682	102.740	66.459	104.373	118.684	102.337	92.265	95.006	91.396		
3	T	2.4980	12.0135	8.9929	6.6127	9.9074	8.6412	5.2167	7.3936	6.8654	6.5208	11.2424	85.9046		
	S	121.734	86.380	106.751	60.524	104.743	75.195	104.559	122.004	104.278	92.327	94.731	96.386		
4	T	2.4554	12.1731	8.8315	6.3541	9.8709	8.6366	5.1857	7.2902	6.8918	6.3853	11.2984	85.3730		
	S	123.846	85.248	108.702	62.987	105.130	75.235	105.184	123.734	103.878	94.286	94.261	96.986		
5	T	2.4582	11.7003	8.8072	6.2982	9.7265	8.4700	5.1758	7.2665	6.8249	6.4370	11.0752	84.2398		
	S	123.705	88.692	109.002	63.546	106.691	76.715	105.386	124.138	104.897	93.529	96.161	98.291		
6	T	2.4189	11.8072	8.7787	6.3091	9.9297	8.6388	5.1758	7.4589	6.7936	6.3788	11.1821	84.8716		
	S	125.715	87.889	109.356	63.437	104.507	75.216	105.386	120.935	105.380	94.382	95.242	97.559		
7	T	2.4630	11.6323	8.7584	6.2214	9.7044	8.3557	5.1945	7.2734	6.7120	6.3660	11.0676	83.7487		
	S	123.464	89.211	109.609	64.331	106.934	77.764	105.006	124.020	106.661	94.572	96.227	98.867		
8	T	2.4043	11.7157	8.7434	6.2077	9.6557	8.4175	5.2224	7.2809	6.5913	6.3443	11.0197	83.6029		
	S	126.478	88.576	109.797	64.473	107.473	77.193	104.445	123.892	108.614	94.895	96.645	99.040		
9	T	2.4045	11.7234	8.7696	6.2192	9.6650	8.3559	5.2064	7.2778	6.6751	6.3673	11.0617	83.7259		
	S	126.467	88.518	109.469	64.353	107.370	77.762	104.766	123.945	107.251	94.553	96.278	98.894		
10	T	2.4294	11.6045	8.7930	6.1485	9.6510	8.3319	5.1910	7.2537	6.6002	6.3674	11.0177	83.3883		
	S	125.171	89.425	109.178	65.093	107.525	77.986	105.077	124.357	108.468	94.551	96.663	99.295		
11	T	2.3949	11.6698	8.8103	6.1779	9.6219	8.4015	5.1805	7.2548	6.6114	6.3545	11.5122	83.9897		
	S	126.974	88.924	108.963	64.784	107.851	77.340	105.290	124.338	108.284	94.743	92.511	98.584		
12	T	2.4253	11.8567	8.8347	6.1471	9.6259	8.3266	5.2138	7.3199	6.5568	6.3826	10.9278	83.6172		
	S	125.383	87.522	108.662	65.108	107.806	78.036	104.617	123.232	109.186	94.326	97.458	99.023		
13	T	2.4100	11.5681	8.7540	6.1638	9.5937	8.2697	5.1812	7.2601	6.6491	6.3760	10.9481	83.1738		
	S	126.179	89.706	109.664	64.932	108.168	78.573	105.276	124.247	107.670	94.424	97.277	99.551		
14	T	2.4116	11.6328	10.8113	6.3847	10.3566	9.8071	6.9289	11.8328	15.0796	12.9267	11.2826	109.4547		
	S	126.095	89.207	88.796	62.685	100.200	66.255	78.722	76.233	47.475	46.574	94.393	75.648		
15	T	2.4376	11.7426	8.7411	6.3036	9.7579	8.5003	5.2050	7.2710	6.7407	6.3917	11.1519	84.2434		
	S	124.750	88.373	109.826	63.492	106.347	76.441	104.794	124.061	106.207	94.192	95.499	98.287		
16	T	2.4196	11.8361	8.6977	6.3129	9.7141	8.5187	5.2045	7.2740	6.6859	6.3994	11.0369	84.0998		
	S	125.678	87.675	110.374	63.398	106.827	76.276	104.804	124.010	107.077	94.078	96.494	98.454		
17	T	2.4162	11.6602	8.7218	6.1896	9.6075	8.4077	5.1822	7.2513	6.7366	6.2978	11.2568	83.7277		
	S	125.855	88.997	110.069	64.661	108.012	77.283	105.255	124.398	106.272	95.596	94.609	98.892		
18	T	2.8397	13.1494	11.0730	6.4036	10.0330	8.4660	5.2963							
	S	107.086	78.918	86.697	62.500	103.431	76.751	102.988							

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 2 - Lee, Jackson

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	6.9784	17.5053	19.6840	9.0215	16.3442	12.6960	8.7498	12.8752	11.2562	12.6326	19.5881	147.3313	155.0996
	S	43.576	59.281	48.771	44.364	63.492	51.179	62.339	70.061	63.601	47.658	54.370	56.200	51.038
2	T	3.3142	13.7741	9.3688	7.3359	10.1479	10.0389	5.4947	8.2802	7.3826	7.1301	11.5688	93.8362	
	S	91.754	75.339	102.468	54.557	102.260	64.725	99.269	108.940	96.972	84.437	92.058	88.239	
3	T	2.4602	12.1660	8.8310	6.4926	9.7748	8.5536	5.2167	7.2669	6.8930	6.5050	11.1532	85.3130	
	S	123.604	85.297	108.708	61.644	106.164	75.965	104.559	124.131	103.860	92.551	95.488	97.054	
4	T	2.4276	11.9418	8.7740	6.4099	9.6954	8.4676	5.1913	7.2610	6.8394	6.4668	11.3726	84.8474	
	S	125.264	86.899	109.414	62.439	107.033	76.736	105.071	124.232	104.674	93.098	93.646	97.587	
5	T	2.4400			6.3638	9.6347	8.7703	5.2347	7.3045	6.8748	6.4075	11.1739	84.8319	
	S	124.627			62.891	107.707	74.088	104.200	123.492	104.135	93.959	95.311	97.605	
6	T	2.4299	11.7772	8.7784	6.3140	9.7249	8.4394	5.1945	7.2519	6.8530	6.5503	11.1908	84.5043	
	S	125.145	88.113	109.359	63.387	106.708	76.993	105.006	124.387	104.467	91.911	95.167	97.983	
7	T	2.4261	11.7757	8.7747	6.3217	9.7212	8.4108	5.2199	7.2654	6.7125	6.4443	11.0619	84.1342	
	S	125.341	88.124	109.405	63.310	106.749	77.255	104.495	124.156	106.653	93.423	96.276	98.414	
8	T	2.4003			6.4478	9.7668	8.4596	5.2212	7.2721	6.7009	6.5433	10.9915	84.6802	
	S	126.689			62.072	106.250	76.809	104.469	124.042	106.838	92.009	96.893	97.780	
9	T	2.4207	11.8947	8.7572	6.2671	9.7028	8.4776	5.2340	7.2893	6.7137	6.5164	11.0625	84.3360	
	S	125.621	87.243	109.624	63.862	106.951	76.646	104.214	123.749	106.634	92.389	96.271	98.179	
10	T	2.4136	11.7326	8.8048	6.2230	9.6783	8.4568	5.2268	7.2541	6.6535	6.4861	10.9815	83.9111	
	S	125.991	88.448	109.031	64.314	107.222	76.834	104.357	124.350	107.599	92.821	96.981	98.676	
11	T	2.4116	11.7416	8.7577	6.2062	9.6568	8.4430	5.2233	7.2515	6.6615	6.4265	11.0020	83.7817	
	S	126.095	88.380	109.618	64.488	107.461	76.960	104.427	124.394	107.470	93.682	96.801	98.828	
12	T	2.4192	11.7456	8.7778	6.1996	9.6349	8.3668	5.1937	7.2373	6.7420	6.5257	11.0305	83.8731	
	S	125.699	88.350	109.367	64.557	107.705	77.661	105.022	124.638	106.186	92.258	96.550	98.721	
13	T	2.4076	11.6791	8.7662	6.2356	9.6570	8.4311	5.2153	7.2350	6.7035	6.4149	11.0573	83.8026	
	S	126.305	88.853	109.512	64.184	107.459	77.069	104.587	124.678	106.796	93.851	96.316	98.804	
14	T	2.4149	12.6526	11.0682	6.9528	10.8042	9.2870	5.5609	9.4977	13.2289	12.2340	11.2102	104.9114	
	S	125.923	82.017	86.735	57.563	96.049	69.966	98.087	94.975	54.117	49.211	95.003	78.924	
15	T	2.4530	11.8845	8.7885	6.4874	9.7925	8.5854	5.2262	7.2792	6.8305	6.5711	11.2003	85.0986	
	S	123.967	87.318	109.234	61.693	105.972	75.683	104.369	123.921	104.811	91.620	95.087	97.299	
16	T	2.4268	11.8216	8.8120	6.3589	9.7944	9.3182	5.2210	7.3541	7.0554	6.5939	11.0758	85.8321	
	S	125.305	87.782	108.942	62.940	105.951	69.732	104.473	122.659	101.470	91.303	96.156	96.467	
17	T	2.4139	11.9095	8.8255	6.2875	9.7651	8.7875	5.2052	7.2969	6.8018	6.4546	11.0833	84.8308	
	S	125.975	87.134	108.776	63.654	106.269	73.943	104.790	123.620	105.253	93.274	96.091	97.606	
18	T	2.5351	12.7421	11.8558	7.6044	13.2997								
	S	119.952	81.441	80.973	52.631	78.026								

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 22 - Rowe, Myles

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	
1	T			15.7954	8.9973	17.0223	12.0015	8.5941	13.9601	12.9249	12.9692	20.2009	146.9915	26.3752	137.9451
	S			60.777	44.483	60.963	54.141	63.468	64.616	55.390	46.421	52.720	56.330	33.141	57.384
2	T	3.3126	13.4032	9.2981	6.8290	10.1258	9.4898	5.2366	7.5440	7.0562	6.5034	11.3019	90.1006		
	S	91.798	77.424	103.247	58.607	102.483	68.471	104.162	119.571	101.458	92.574	94.232	91.897		
3	T	2.4787	12.1901	8.9170	6.6050	9.9529	8.6377	5.2340	7.3385	6.8911	6.5746	11.2390	86.0586		
	S	122.682	85.129	107.660	60.595	104.264	75.225	104.214	122.920	103.889	91.571	94.759	96.214		
4	T	2.4538	12.0195	8.8700	6.5028	9.7576	8.6563	5.2813	7.3664	6.8145	6.4984	11.0850	85.3056		
	S	123.927	86.337	108.230	61.547	106.351	75.064	103.280	122.454	105.057	92.645	96.076	97.063		
5	T	2.4340	11.8727	8.8668	6.3878	9.7188	8.4753	5.2251	7.3063	6.7391	6.4080	11.0266	84.4605		
	S	124.935	87.404	108.269	62.655	106.775	76.667	104.391	123.461	106.232	93.952	96.585	98.034		
6	T	2.4294	11.9101	8.8309	6.4291	9.8115	8.5728	5.2297	7.3004	6.7245	6.3389	11.0369	84.6142		
	S	125.171	87.130	108.709	62.252	105.766	75.795	104.299	123.561	106.463	94.976	96.494	97.856		
7	T	2.4310	11.7702	8.7867	6.2812	9.6607	8.4448	5.2375	7.3008	6.6855	6.2966	11.0122	83.9072		
	S	125.089	88.166	109.256	63.718	107.417	76.944	104.144	123.554	107.084	95.614	96.711	98.680		
8	T	2.4294	11.7672	8.7553	6.2175	9.6214	8.3840	5.2341	7.2907	6.6611	6.3118	10.9607	83.6332		
	S	125.171	88.188	109.648	64.371	107.856	77.502	104.212	123.725	107.476	95.384	97.165	99.004		
9	T	2.4180	11.6692	8.7712	6.2037	9.6553	8.3896	5.2319	7.3044	6.6436	6.3063	11.0251	83.6183		
	S	125.761	88.929	109.449	64.514	107.477	77.450	104.256	123.493	107.759	95.467	96.598	99.021		
10	T	2.4223	11.6355	8.7420	6.2808	9.6204	8.3688	5.1944	7.2425	6.6491	6.3269	11.0027	83.4854		
	S	125.538	89.186	109.815	63.722	107.867	77.642	105.008	124.549	107.670	95.156	96.794	99.179		
11	T	2.4061	11.7624	8.7680	6.2199	9.5901	8.4118	5.1877	7.2247	6.6973	6.4086	11.0339	83.7105		
	S	126.383	88.224	109.489	64.346	108.208	77.245	105.144	124.856	106.895	93.943	96.521	98.912		
12	T	2.4224	11.6729	8.7500	6.2016	9.6073	8.3942	5.1901	7.2510	6.6629	6.2972	10.9765	83.4261		
	S	125.533	88.901	109.714	64.536	108.014	77.407	105.095	124.403	107.447	95.605	97.025	99.250		
13	T	2.4133	11.7567	8.7787	6.1821	9.6112	8.4040	5.1878	7.2517	6.6541	6.2743	10.9465	83.4604		
	S	126.006	88.267	109.356	64.740	107.971	77.317	105.142	124.391	107.589	95.954	97.291	99.209		
14	T	2.4159	11.7013	9.6194	6.7173	11.0450	9.9815	6.9941	12.0394	14.7799	13.2820	11.0869	109.6627		
	S	125.871	88.685	99.798	59.582	93.954	65.098	77.988	74.924	48.438	45.328	96.059	75.504		
15	T	2.4362	11.8756	8.8203	6.3713	9.6483	8.4146	5.2224	7.2830	6.7330	6.3231	11.2589	84.3867		
	S	124.822	87.383	108.840	62.817	107.555	77.220	104.445	123.856	106.328	95.214	94.592	98.120		
16	T	2.4407			6.3020	9.6646	8.4016	5.2147	7.2822	6.6845	6.3380	11.0056	83.9312		
	S	124.592			63.508	107.374	77.339	104.599	123.870	107.100	94.990	96.769	98.652		
17	T	2.4272	11.6811	8.7830	6.1723	9.6661	8.4584	5.2222	7.2643	6.6310	6.3464	11.2634	83.9154		
	S	125.285	88.838	109.302	64.842	107.357	76.820	104.449	124.175	107.964	94.864	94.554	98.671		
18	T	2.5697	13.2348	13.3119	7.9365	11.9107	9.4403								
	S	118.337	78.409	72.116	50.429	87.126	68.830								

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 23 - Denmark, Jace

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	6.7935	17.6443	19.8743	8.8259	16.5556	12.4864	8.6966	12.8693	11.5577	12.6483	19.7083	147.6602	159.4938
	S	44.762	58.814	48.304	45.347	62.681	52.038	62.720	70.093	61.942	47.599	54.038	56.075	49.631
2	T	3.3619	13.4216	9.2403	7.0394	10.0471	9.8639	5.2664	7.4391	7.1825	6.5998	11.2811	90.7431	
	S	90.452	77.318	103.893	56.855	103.286	65.874	103.573	121.257	99.674	91.222	94.406	91.247	
3	T	2.4611	12.0889	8.9252	6.5005	9.8049	8.6515	5.1952	7.2943	6.9538	6.5572	11.1717	85.6043	
	S	123.559	85.841	107.561	61.569	105.838	75.105	104.992	123.664	102.952	91.814	95.330	96.724	
4	T	2.4537	12.2425	8.9947	6.5155	9.9800	8.8446	5.2137	7.2898	6.8515	6.5348	11.0390	85.9598	
	S	123.932	84.764	106.730	61.427	103.981	73.465	104.619	123.741	104.489	92.129	96.476	96.324	
5	T	2.4248	11.9868	8.8282	6.3155	9.7045	8.5593	5.2050	7.2667	6.9337	6.4865	11.0077	84.7187	
	S	125.409	86.573	108.742	63.372	106.933	75.914	104.794	124.134	103.251	92.815	96.750	97.735	
6	T	2.4355	11.8772	8.8061	6.2910	9.6953	8.4179	5.1611	7.2230	6.8967	6.6743	11.1973	84.6754	
	S	124.858	87.371	109.015	63.619	107.034	77.189	105.686	124.885	103.805	90.204	95.112	97.785	
7	T	2.4511			6.2802	9.6771	8.3768	5.1857	7.2829	7.0627	6.4737	10.9886	84.4099	
	S	124.063			63.728	107.235	77.568	105.184	123.858	101.365	92.999	96.919	98.093	
8	T	2.4281	11.7784	8.7776	6.2670	9.7115	8.5053	5.2097	7.2486	6.7689	6.4000	11.0011	84.0962	
	S	125.238	88.104	109.369	63.863	106.856	76.396	104.700	124.444	105.764	94.070	96.809	98.459	
9	T	2.4257	11.8641	8.8656	6.2398	9.7083	8.4047	5.2770	7.3569	6.6205	6.3429	10.9248	84.0303	
	S	125.362	87.468	108.284	64.141	106.891	77.311	103.365	122.612	108.135	94.916	97.485	98.536	
10	T	2.4256	11.7015	8.8658	6.1675	9.7267	8.2752	5.2168	7.3133	6.5800	6.2952	10.9074	83.4750	
	S	125.367	88.683	108.281	64.893	106.689	78.520	104.557	123.343	108.801	95.636	97.640	99.191	
11	T	2.4164	11.6773	8.7992	6.1568	9.6813	8.3295	5.2235	7.2944	6.5979	6.3281	10.8905	83.3949	
	S	125.845	88.867	109.101	65.006	107.189	78.009	104.423	123.663	108.506	95.138	97.792	99.287	
12	T	2.4250	11.6405	8.8160	6.1704	9.6629	8.2561	5.2003	7.3079	6.6132	6.3106	10.9197	83.3226	
	S	125.398	89.148	108.893	64.862	107.393	78.702	104.889	123.434	108.255	95.402	97.530	99.373	
13	T	2.4179			6.1611	9.6331	8.2349	5.1941	7.2762	6.5905	6.2988	10.9663	83.1953	
	S	125.767			64.960	107.725	78.905	105.014	123.972	108.627	95.581	97.116	99.525	
14	T	2.4246	11.6195	10.6320	6.6123	10.1403	9.2208	6.8165	11.8147	14.8631	12.6790	11.3056	108.1284	
	S	125.419	89.309	90.293	60.528	102.337	70.468	80.020	76.349	48.167	47.484	94.201	76.576	
15	T	2.4700	11.9147	8.8694	6.2527	9.6712	8.5461	5.2093	7.2604	6.7027	6.4159	11.0012	84.3136	
	S	123.114	87.096	108.237	64.009	107.301	76.031	104.708	124.242	106.809	93.836	96.808	98.205	
16	T	2.4100												
	S	126.179												

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 3 - Jones, Jagger (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	7.2092	17.9443	17.0469	8.9442	17.3056	11.7077	8.6542	13.8411	12.7559	12.9409	20.0625	148.4125	164.3479
	S	42.181	57.830	56.315	44.747	59.965	55.500	63.028	65.172	56.124	46.523	53.084	55.790	48.166
2	T	3.3054	13.1256	9.2893	6.6804	10.0546	8.7603	5.3354	7.5647	6.9584	6.5041	11.1927	88.7709	
	S	91.998	79.061	103.345	59.911	103.209	74.172	102.233	119.244	102.884	92.564	95.151	93.274	
3	T	2.4697	11.8468	8.9674	6.4261	9.8901	8.6600	5.3073	7.4489	6.8701	6.4880	11.1078	85.4822	
	S	123.129	87.596	107.054	62.282	104.926	75.031	102.774	121.098	104.207	92.794	95.879	96.862	
4	T	2.4602	11.8152	8.8983	6.3459	9.8102	8.5204	5.2776	7.4277	6.7803	6.5029	11.0646	84.9033	
	S	123.604	87.830	107.886	63.069	105.780	76.261	103.353	121.443	105.587	92.581	96.253	97.523	
5	T	2.4521	11.7229	8.8697	6.3604	9.7906	8.3906	5.2439	7.3753	6.6909	6.4042	10.9625	84.2631	
	S	124.012	88.521	108.234	62.925	105.992	77.441	104.017	122.306	106.997	94.008	97.149	98.264	
6	T	2.4495	11.5982	8.8028	6.2484	9.7506	8.3368	5.2428	7.3509	6.6738	6.3919	11.0019	83.8476	
	S	124.144	89.473	109.056	64.053	106.427	77.940	104.039	122.712	107.272	94.189	96.801	98.751	
7	T	2.4346	11.6149	8.7802	6.2402	9.7646	8.3918	5.2560	7.3636	6.6573	6.3835	10.9922	83.8789	
	S	124.904	89.344	109.337	64.137	106.274	77.429	103.778	122.501	107.537	94.313	96.887	98.714	
8	T	2.4334	11.6011	8.8196	6.1876	9.7169	8.4281	5.2566	7.3561	6.6655	6.5008	10.8556	83.8213	
	S	124.965	89.451	108.848	64.682	106.796	77.096	103.766	122.626	107.405	92.611	98.106	98.782	
9	T	2.4314	11.5307	8.7889	6.2181	9.7298	8.3024	5.2489	7.3531	6.5985	6.4130	10.9086	83.5234	
	S	125.068	89.997	109.229	64.365	106.655	78.263	103.918	122.676	108.496	93.879	97.629	99.134	
10	T	2.4267	11.4861	8.7947	6.2286	9.7092	8.3363	5.2249	7.3379	6.6047	6.3484	10.8512	83.3487	
	S	125.310	90.346	109.157	64.256	106.881	77.945	104.395	122.930	108.394	94.834	98.146	99.342	
11	T	2.4207	11.5518	8.8067	6.1850	9.7405	8.3096	5.2128	7.3223	6.5982	6.3599	11.0010	83.5085	
	S	125.621	89.833	109.008	64.709	106.537	78.195	104.638	123.192	108.501	94.663	96.809	99.152	
12	T	2.4278	11.6169	8.7833	6.1391	9.7341	8.3470	5.2134	7.3364	6.5895	6.3463	10.8562	83.3900	
	S	125.254	89.329	109.298	65.193	106.607	77.845	104.625	122.955	108.644	94.866	98.101	99.292	
13	T	2.4160	11.5150	8.8107	6.1707	9.6844	8.2992	5.2145	7.3298	6.5869	6.3161	10.8978	83.2411	
	S	125.865	90.120	108.958	64.859	107.155	78.293	104.603	123.065	108.687	95.319	97.726	99.470	
14	T	2.4386	11.6122	10.2373	7.0263	12.0309	9.9818	6.7859	12.8899	15.0475	13.2059	11.0345	112.2908	
	S	124.699	89.365	93.775	56.961	86.255	65.096	80.381	69.981	47.577	45.589	96.515	73.737	
15	T	2.4580	11.7259	8.8517	6.2332	9.7579	8.3393	5.2790	7.3923	6.7103	6.4105	10.9751	84.1332	
	S	123.715	88.499	108.454	64.209	106.347	77.917	103.325	122.025	106.688	93.916	97.038	98.415	
16	T	2.4434	11.5124	8.7863	6.1713	9.7627	8.3907	5.2574	7.3644	6.6013	6.3890	10.9342	83.6131	
	S	124.454	90.140	109.261	64.853	106.295	77.440	103.750	122.487	108.450	94.232	97.401	99.028	
17	T	2.4438	11.5719	8.8116	6.1650	9.7653	8.3615	5.2375	7.3584	6.5954	6.3284	11.0783	83.7171	
	S	124.434	89.676	108.947	64.919	106.267	77.710	104.144	122.587	108.547	95.134	96.134	98.905	
18	T	2.6400	13.9257	13.8356	8.5129	13.5978	9.7812							
	S	115.186	74.519	69.386	47.014	76.316	66.431							



**Event:** Cooper Tires Grand Prix of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Race 2

**Round 3 / 4**  
**2.3 mile(s)**  
**USF2000 Championship**  
**May 1, 2022**



**Section Data for Car 30 - Andersson, Viktor (R)**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	8.0505	17.4269	19.2963	9.1714	18.0057	12.8265	6.7516	15.5382	8.7215	8.5312	18.7844	143.1042	151.3240
	S	37.773	59.547	49.750	43.639	57.633	50.659	80.789	58.053	82.086	70.570	56.696	57.860	52.311
2	T	3.3556	13.9895	9.2343	7.0497	10.2593	9.9771	5.5693	8.2024	7.8726	7.1376	11.5611	94.2085	
	S	90.622	74.179	103.960	56.772	101.150	65.126	97.940	109.973	90.937	84.348	92.119	87.890	
3	T	2.5550	12.6636	9.1220	6.6052	10.0567	9.0329	5.3014	7.6600	7.3171	6.7287	11.2174	88.2600	
	S	119.018	81.946	105.240	60.593	103.188	71.934	102.889	117.761	97.841	89.474	94.942	93.814	
4	T	2.5059	12.1872	8.9519	6.3810	9.9484	8.6358	5.2977	7.4571	7.0706	6.5442	11.2046	86.1844	
	S	121.350	85.149	107.240	62.722	104.311	75.242	102.961	120.965	101.252	91.997	95.050	96.073	
5	T	2.5247	12.2194	8.8942	6.3466	9.8733	8.5358	5.2872	7.4098	6.9185	6.3920	11.2389	85.6404	
	S	120.446	84.925	107.936	63.062	105.104	76.123	103.165	121.737	103.478	94.187	94.760	96.683	
6	T	2.5012	11.9172	8.8529	6.2860	9.8513	8.3979	5.2559	7.3730	6.7752	6.4094	11.0952	84.7152	
	S	121.578	87.078	108.439	63.670	105.339	77.373	103.779	122.344	105.666	93.932	95.987	97.739	
7	T	2.4720	11.8197	8.7817	6.1748	9.7405	8.3601	5.2517	7.3699	6.7753	6.4994	11.0915	84.3366	
	S	123.014	87.796	109.318	64.816	106.537	77.723	103.862	122.396	105.665	92.631	96.019	98.178	
8	T	2.4625	11.7212	8.7980	6.1721	9.7304	8.3550	5.2684	7.3760	6.6696	6.4805	10.9954	84.0291	
	S	123.489	88.534	109.116	64.845	106.648	77.771	103.533	122.295	107.339	92.901	96.859	98.537	
9	T	2.4652	11.7154	8.7815	6.1432	9.7325	8.3336	5.2650	7.3687	6.7208	6.3753	11.0021	83.9033	
	S	123.353	88.578	109.321	65.150	106.625	77.970	103.600	122.416	106.521	94.434	96.800	98.685	
10	T	2.4585	11.7705	8.8029	6.1351	9.6800	8.3519	5.2318	7.3493	6.6255	6.3783	10.9774	83.7612	
	S	123.690	88.163	109.055	65.236	107.203	77.799	104.258	122.739	108.054	94.390	97.018	98.852	
11	T	2.4366	11.7494	8.7987	6.1921	9.7031	8.2971	5.2315	7.3333	6.6874	6.3976	11.0287	83.8555	
	S	124.801	88.322	109.107	64.635	106.948	78.313	104.264	123.007	107.053	94.105	96.566	98.741	
12	T	2.4450	11.7797	8.7738	6.1298	9.6828	8.3129	5.2241	7.3439	6.6434	6.3889	10.9450	83.6693	
	S	124.373	88.095	109.417	65.292	107.172	78.164	104.411	122.829	107.762	94.233	97.305	98.961	
13	T	2.4423	11.8009	8.8181	6.1357	9.6922	8.4454	5.2409	7.3403	6.7983	6.4308	10.9897	84.1346	
	S	124.510	87.936	108.867	65.229	107.068	76.938	104.077	122.889	105.307	93.619	96.909	98.414	
14	T	2.6729	12.7679	11.1630	7.0024	10.8296	9.0041	5.3338	8.4355	11.9634	11.5398	11.1197	101.8321	
	S	113.768	81.276	85.998	57.156	95.823	72.164	102.264	106.934	59.842	52.171	95.776	81.310	
15	T	2.4861	11.8640	8.8551	6.2735	9.7232	8.4572	5.2454	7.3218	6.7979	6.4359	11.1576	84.6177	
	S	122.316	87.469	108.412	63.796	106.727	76.831	103.987	123.200	105.313	93.545	95.451	97.852	
16	T	2.4707	12.0839	8.9430	6.3102	9.7208	8.5365	5.2366	7.3257	6.8168	6.5393	11.1707	85.1542	
	S	123.079	85.877	107.347	63.425	106.753	76.117	104.162	123.134	105.021	92.066	95.339	97.235	
17	T	2.4494	12.0718	8.8295	6.2871	9.7046	8.6444	5.1971	7.3039	6.9599	6.4693	11.1937	85.1107	
	S	124.149	85.963	108.726	63.658	106.931	75.167	104.954	123.502	102.862	93.062	95.143	97.285	
18	T	2.7744	14.9288	12.5286	7.5320	12.4174								
	S	109.606	69.512	76.625	53.137	83.570								

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 32 - Weir, Christian

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	
1	T			17.1445	9.2547	17.0311	11.8288	8.6754	13.8772	13.4629	12.9498	20.2150	148.8895	25.7459	139.9751
	S			55.995	43.246	60.931	54.931	62.874	65.002	53.176	46.491	52.684	55.612	33.951	56.552
2	T	3.3294	13.1966	9.3486	6.8723	10.2671	9.2409	5.2858	7.4462	7.0183	6.6272	11.2232	89.8556		
	S	91.335	78.636	102.689	58.238	101.073	70.315	103.192	121.142	102.006	90.845	94.893	92.148		
3	T	2.4725	12.1023	8.9015	6.5071	9.8398	8.7238	5.2857	7.4139	7.0150	6.6442	11.0979	86.0037		
	S	122.989	85.746	107.847	61.506	105.462	74.483	103.194	121.669	102.054	90.612	95.964	96.275		
4	T	2.4621	11.8165	8.8887	6.4179	9.7789	8.5011	5.2468	7.3711	6.8800	6.5484	11.0584	84.9699		
	S	123.509	87.820	108.002	62.361	106.119	76.434	103.959	122.376	104.057	91.938	96.307	97.446		
5	T	2.4418	11.7748	8.8554	6.3802	9.8218	8.4818	5.2274	7.3628	6.7724	6.4989	10.9483	84.5656		
	S	124.536	88.131	108.408	62.730	105.656	76.608	104.345	122.514	105.710	92.638	97.275	97.912		
6	T	2.4373	11.6889	8.8282	6.3191	9.7354	8.4510	5.2391	7.3466	6.7531	6.4221	10.9485	84.1693		
	S	124.765	88.779	108.742	63.336	106.593	76.887	104.112	122.784	106.012	93.746	97.274	98.373		
7	T	2.4290	11.7081	8.8504	6.2881	9.7997	8.4001	5.2348	7.3581	6.6623	6.3627	11.0366	84.1299		
	S	125.192	88.633	108.470	63.648	105.894	77.353	104.198	122.592	107.457	94.621	96.497	98.419		
8	T	2.4383	11.5633	8.8392	6.2184	9.7485	8.3781	5.2532	7.3478	6.6544	6.3927	10.9089	83.7428		
	S	124.714	89.743	108.607	64.362	106.450	77.556	103.833	122.764	107.584	94.177	97.627	98.874		
9	T	2.4362	11.5631	8.8041	6.2044	9.7040	8.3643	5.2827	7.3828	6.6459	6.4059	10.9676	83.7610		
	S	124.822	89.745	109.040	64.507	106.938	77.684	103.253	122.182	107.722	93.983	97.104	98.853		
10	T	2.4344	11.6351	8.8457	6.1912	9.6983	8.3413	5.2403	7.3535	6.6728	6.3907	10.8678	83.6711		
	S	124.914	89.189	108.527	64.645	107.001	77.898	104.088	122.669	107.288	94.206	97.996	98.959		
11	T	2.4367	11.5099	8.8349	6.2259	9.7248	8.3883	5.2393	7.3531	6.6543	6.3586	10.9535	83.6793		
	S	124.796	90.160	108.660	64.284	106.709	77.462	104.108	122.676	107.586	94.682	97.229	98.949		
12	T	2.4364	11.5281	8.8246	6.2331	9.6875	8.3012	5.2247	7.3570	6.6451	6.3159	10.9661	83.5197		
	S	124.812	90.017	108.787	64.210	107.120	78.275	104.399	122.611	107.735	95.322	97.117	99.138		
13	T	2.4368	11.5601	8.8516	6.1868	9.6679	8.2296	5.2108	7.3372	6.5930	6.3150	10.9178	83.3066		
	S	124.791	89.768	108.455	64.691	107.337	78.956	104.678	122.941	108.586	95.336	97.547	99.392		
14	T	2.4366	11.5468	9.7433	6.5602	11.1650	10.1480	6.6168	12.4046	14.8817	13.2621	11.1499	109.9150		
	S	124.801	89.871	98.529	61.008	92.945	64.030	82.435	72.719	48.107	45.396	95.517	75.331		
15	T	2.4604	11.7036	8.8971	6.3049	9.6899	8.3801	5.2221	7.3178	6.8118	6.3790	11.1291	84.2958		
	S	123.594	88.667	107.900	63.479	107.094	77.538	104.451	123.267	105.098	94.379	95.695	98.226		
16	T	2.4526	11.5969	8.8527	6.2872	9.6734	8.4243	5.2509	7.3400	6.6603	6.3838	10.8986	83.8207		
	S	123.987	89.483	108.441	63.657	107.276	77.131	103.878	122.894	107.489	94.308	97.719	98.782		
17	T	2.4432	11.6022	8.8346	6.2190	9.6873	8.3890	5.2431	7.3453	6.7232	6.3885	10.9524	83.8278		
	S	124.464	89.442	108.664	64.356	107.122	77.455	104.033	122.806	106.483	94.239	97.239	98.774		
18	T	2.6349	13.3219	12.8943	7.4326	12.3109	10.0592								
	S	115.409	77.896	74.452	53.848	84.293	64.595								

Event: Cooper Tires Grand Prix of Alabama  
 Track: Barber Motorsports Park  
 Report: Section Data Report  
 Session: Race 2

Round 3 / 4  
 2.3 mile(s)  
 USF2000 Championship  
 May 1, 2022



Section Data for Car 33 - Kohlbecker, Spike

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	8.1883	17.6282	18.8108	9.6944	17.1581	12.7394	6.5358	15.6756	8.4001	9.9456	19.1225	143.8988	152.4131
	S	37.137	58.867	51.035	41.284	60.480	51.005	83.456	57.545	85.226	60.534	55.694	57.540	51.937
2	T	3.3097	13.7672	9.3010	6.8598	10.2586	9.9994	5.3759	7.8246	7.6914	7.2153	11.7975	93.4004	
	S	91.879	75.377	103.215	58.344	101.157	64.981	101.463	115.283	93.079	83.440	90.273	88.651	
3	T	2.5155	12.7661	8.9500	6.5273	10.0238	8.8496	5.3081	7.4261	6.8463	6.3734	11.1715	86.7577	
	S	120.887	81.288	107.263	61.316	103.526	73.424	102.759	121.470	104.569	94.462	95.332	95.438	
4	T	2.4804	11.8093	8.8652	6.3373	9.8447	8.5605	5.2600	7.3714	6.8563	6.4363	11.0996	84.9210	
	S	122.598	87.874	108.289	63.154	105.410	75.904	103.699	122.371	104.416	93.539	95.949	97.502	
5	T	2.4618	11.7756	8.8375	6.2625	9.7674	8.4309	5.2320	7.3307	6.8750	6.4382	11.0494	84.4610	
	S	123.524	88.125	108.628	63.909	106.244	77.070	104.254	123.050	104.132	93.511	96.385	98.033	
6	T	2.4595	11.7619	8.8028	6.2384	9.7614	8.3680	5.2149	7.2962	6.8180	6.4238	11.0781	84.2230	
	S	123.639	88.228	109.056	64.155	106.309	77.650	104.595	123.632	105.003	93.721	96.136	98.310	
7	T	2.4405	11.7325	8.8218	6.2596	9.7246	8.4059	5.2230	7.3165	6.8351	6.3939	11.0941	84.2475	
	S	124.602	88.449	108.821	63.938	106.712	77.300	104.433	123.289	104.740	94.159	95.997	98.282	
8	T	2.4514	11.7952	8.8113	6.3018	9.7296	8.5194	5.2246	7.3224	6.8721	6.4166	11.1392	84.5836	
	S	124.048	87.979	108.951	63.510	106.657	76.270	104.401	123.190	104.176	93.826	95.608	97.891	
9	T	2.4472	11.8235	8.7892	6.2950	9.7571	8.4359	5.2606	7.3401	6.7618	6.3857	11.1012	84.3973	
	S	124.261	87.768	109.225	63.579	106.356	77.025	103.687	122.893	105.876	94.280	95.936	98.107	
10	T	2.4518	11.7464	8.7949	6.2367	9.7229	8.3709	5.2302	7.3141	6.7597	6.3754	11.0633	84.0663	
	S	124.028	88.344	109.154	64.173	106.730	77.623	104.289	123.330	105.908	94.433	96.264	98.494	
11	T	2.4479	11.6587	8.7902	6.2246	9.7091	8.3485	5.2403	7.3385	6.7429	6.3863	10.9574	83.8444	
	S	124.225	89.009	109.213	64.298	106.882	77.831	104.088	122.920	106.172	94.271	97.195	98.754	
12	T	2.4485			6.2116	9.6908	8.3379	5.2345	7.3275	6.7155	6.4077	10.9699	83.8156	
	S	124.195			64.432	107.084	77.930	104.204	123.104	106.605	93.957	97.084	98.788	
13	T	2.4334	11.6255	8.8000	6.2567	9.6762	8.3053	5.2108	7.2985	6.6908	6.4046	11.0668	83.7686	
	S	124.965	89.263	109.091	63.968	107.245	78.236	104.678	123.593	106.999	94.002	96.234	98.844	
14	T	2.4728	12.7679	11.7700	7.1101	10.9772	8.8255	5.4124	9.2119	12.8559	11.8222	11.1970	104.4229	
	S	122.974	81.276	81.563	56.290	94.535	73.624	100.779	97.922	55.687	50.925	95.115	79.293	
15	T	2.4828	12.0228	8.8944	6.2911	9.7692	8.5633	5.2796	7.3568	6.7749	6.4888	11.2779	85.2016	
	S	122.479	86.313	107.933	63.618	106.224	75.879	103.314	122.614	105.671	92.782	94.432	97.181	
16	T	2.4584	11.8113	8.8427	6.3691	9.8519	9.0496	5.2535	7.3440	6.9362	6.6566	11.2922	85.8655	
	S	123.695	87.859	108.564	62.839	105.333	71.801	103.827	122.828	103.213	90.443	94.313	96.430	
17	T	2.4506	11.8721	8.8364	6.2561	9.7702	8.6551	5.2217	7.3119	6.7990	6.4569	11.1452	84.7752	
	S	124.088	87.409	108.642	63.974	106.214	75.074	104.459	123.367	105.296	93.241	95.557	97.670	
18	T	2.7114	13.6444	11.7551	7.0575	13.2105								
	S	112.153	76.055	81.667	56.709	78.553								

**Event:** Cooper Tires Grand Prix of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Race 2

**Round 3 / 4**  
**2.3 mile(s)**  
**USF2000 Championship**  
**May 1, 2022**



**Section Data for Car 4 - d'Orlando, Michael**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	
1	T			21.7415	8.4559	17.0180	12.1174	8.5368	13.4975	12.2765	12.8543	19.9886	143.8466	27.3457	134.6237
	S			44.155	47.331	60.978	53.623	63.894	66.831	58.315	46.836	53.280	57.561	31.964	58.800
2	T	3.2873	13.2297	9.2145	6.7857	9.9561	8.9419	5.2554	7.4132	7.1179	6.5911	11.1551	88.9479		
	S	92.505	78.439	104.184	58.981	104.230	72.666	103.789	121.681	100.579	91.342	95.472	93.088		
3	T	2.4604	11.9497	8.9139	6.4635	9.7991	8.5959	5.2463	7.3654	7.0481	6.5677	11.1356	85.5456		
	S	123.594	86.841	107.697	61.921	105.900	75.591	103.969	122.471	101.575	91.668	95.639	96.790		
4	T	2.4696	11.8938	8.9154	6.5060	9.7799	8.4862	5.2329	7.3560	6.8301	6.4770	11.0735	85.0204		
	S	123.134	87.249	107.679	61.517	106.108	76.568	104.236	122.627	104.817	92.951	96.176	97.388		
5	T	2.4517	11.9061	8.8891	6.3938	9.7185	8.4375	5.2421	7.3352	6.7511	6.4352	10.9463	84.5066		
	S	124.033	87.159	107.997	62.596	106.779	77.010	104.053	122.975	106.043	93.555	97.293	97.981		
6	T	2.4314	11.8353	8.8341	6.3252	9.6921	8.3348	5.2198	7.3202	6.6719	6.3165	11.1313	84.1126		
	S	125.068	87.681	108.670	63.275	107.069	77.959	104.497	123.227	107.302	95.313	95.676	98.439		
7	T	2.4379			6.2854	9.6892	8.3125	5.2325	7.3298	6.6657	6.3711	10.9841	83.8830		
	S	124.735			63.676	107.101	78.168	104.244	123.065	107.402	94.496	96.958	98.709		
8	T	2.4256	11.7160	8.7877	6.2086	9.6784	8.3544	5.2549	7.3348	6.6196	6.3275	11.0332	83.7407		
	S	125.367	88.574	109.244	64.463	107.221	77.776	103.799	122.982	108.150	95.147	96.527	98.877		
9	T	2.4388	11.7102	8.7763	6.2474	9.7077	8.2908	5.2455	7.3305	6.6457	6.3465	10.9722	83.7116		
	S	124.689	88.617	109.386	64.063	106.897	78.373	103.985	123.054	107.725	94.863	97.063	98.911		
10	T	2.4224	11.6394	8.8058	6.2169	9.6557	8.3006	5.2136	7.3050	6.6590	6.4112	10.8712	83.5008		
	S	125.533	89.156	109.019	64.377	107.473	78.280	104.621	123.483	107.510	93.905	97.965	99.161		
11	T	2.4170			6.1902	9.6791	8.2722	5.2208	7.3092	6.6241	6.3976	10.9105	83.4809		
	S	125.813			64.655	107.213	78.549	104.477	123.412	108.076	94.105	97.612	99.184		
12	T	2.4293			6.1650	9.6672	8.2547	5.1958	7.3093	6.6166	6.3768	10.9155	83.3183		
	S	125.176			64.919	107.345	78.715	104.980	123.411	108.199	94.412	97.568	99.378		
13	T	2.4241	11.6790	8.8213	6.2023	9.6415	8.3301	5.2297	7.3259	6.6120	6.3228	10.9116	83.5003		
	S	125.445	88.854	108.827	64.529	107.631	78.003	104.299	123.131	108.274	95.218	97.603	99.161		
14	T	2.4221	11.6327	9.8804	7.0292	11.3627	10.0890	6.7712	12.7216	14.9263	13.2225	11.1037	111.1614		
	S	125.548	89.208	97.162	56.938	91.328	64.404	80.555	70.907	47.963	45.532	95.914	74.486		
15	T	2.4447	11.8607	8.8798	6.2661	9.7444	8.3554	5.2370	7.3362	6.7155	6.4103	11.0701	84.3202		
	S	124.388	87.493	108.111	63.872	106.495	77.767	104.154	122.958	106.605	93.918	96.205	98.197		
16	T	2.4462	11.6831	8.8264	6.2095	9.6632	8.3071	5.2237	7.3105	6.6134	6.4162	10.9239	83.6232		
	S	124.312	88.823	108.765	64.454	107.390	78.219	104.419	123.390	108.251	93.832	97.493	99.016		
17	T	2.4259			6.2509	9.6554	8.3158	5.2177	7.3075	6.6142	6.3424	11.0632	83.7030		
	S	125.352			64.027	107.476	78.137	104.539	123.441	108.238	94.924	96.265	98.921		
18	T	2.5616	13.4788	11.7502	6.9640	13.6690	10.0802								
	S	118.711	76.990	81.701	57.471	75.918	64.460								

Event: Cooper Tires Grand Prix of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)

Report: Section Data Report

USF2000 Championship

Session: Race 2

May 1, 2022



Section Data for Car 5 - Hays, Nicky (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	6.6485	18.6804	19.0231	9.1432	16.6019	13.1566	7.9985	13.9445	9.9526	11.8307	19.4262	146.4062	154.3474
	S	45.738	55.552	50.465	43.773	62.507	49.388	68.195	64.688	71.932	50.888	54.823	56.555	51.286
2	T	3.2928	13.4401	9.2378	6.9041	10.2524	9.8271	5.2608	7.6977	7.1034	6.5591	11.2153	90.7906	
	S	92.350	77.211	103.921	57.970	101.218	66.120	103.683	117.184	100.784	91.788	94.960	91.199	
3	T	2.4669	11.9196	8.9008	6.4621	9.8466	8.7880	5.2570	7.3887	6.8869	6.5040	11.1706	85.5912	
	S	123.268	87.061	107.855	61.935	105.389	73.939	103.758	122.084	103.952	92.565	95.340	96.739	
4	T	2.4574	11.9565	8.8235	6.4308	9.9156	8.5846	5.2396	7.3402	6.7915	6.5187	11.1262	85.1846	
	S	123.745	86.792	108.800	62.236	104.656	75.691	104.102	122.891	105.413	92.357	95.720	97.201	
5	T	2.4523	11.8451	8.8322	6.3633	9.7530	8.4387	5.2136	7.2993	6.8054	6.4047	11.2877	84.6953	
	S	124.002	87.608	108.693	62.896	106.401	76.999	104.621	123.580	105.197	94.001	94.350	97.762	
6	T	2.4612	11.7255	8.8533	6.2984	9.7849	8.4398	5.2153	7.2981	6.8504	6.6138	11.0733	84.6140	
	S	123.554	88.502	108.434	63.544	106.054	76.989	104.587	123.600	104.506	91.029	96.177	97.856	
7	T	2.4349	11.7303	8.7994	6.2871	9.7277	8.4924	5.3033	7.3854	6.8714	6.4378	11.1335	84.6032	
	S	124.888	88.466	109.098	63.658	106.678	76.512	102.852	122.139	104.187	93.517	95.657	97.869	
8	T	2.4490	11.6360	8.8546	6.2202	9.7811	8.3352	5.2648	7.3642	6.6129	6.3810	11.1992	84.0982	
	S	124.169	89.182	108.418	64.343	106.095	77.955	103.604	122.491	108.259	94.350	95.096	98.456	
9	T	2.4437	12.8981	8.8971	6.3313	9.7606	8.5077	5.2577	7.3530	6.6759	6.4298	11.0292	85.5841	
	S	124.439	80.456	107.900	63.214	106.318	76.375	103.744	122.677	107.238	93.634	96.562	96.747	
10	T	2.4313	11.6382	8.8500	6.2245	9.7186	8.3742	5.2443	7.3492	6.6566	6.4606	10.9774	83.9249	
	S	125.073	89.166	108.475	64.299	106.777	77.592	104.009	122.741	107.549	93.187	97.018	98.660	
11	T	2.4310	11.6506	8.8242	6.1747	9.7257	8.3639	5.2366	7.3442	6.5929	6.3503	11.0198	83.7139	
	S	125.089	89.071	108.792	64.817	106.699	77.688	104.162	122.824	108.588	94.806	96.644	98.908	
12	T	2.4347	11.6177	8.8378	6.1534	9.7098	8.2749	5.2357	7.3545	6.5923	6.3961	11.0477	83.6546	
	S	124.899	89.323	108.624	65.042	106.874	78.523	104.180	122.652	108.598	94.127	96.400	98.978	
13	T	2.4453	11.6064	8.8310	6.1648	9.7318	8.2841	5.2536	7.3553	6.5967	6.3930	11.0364	83.6984	
	S	124.357	89.410	108.708	64.921	106.633	78.436	103.825	122.639	108.525	94.173	96.499	98.927	
14	T	2.4494	11.5560	11.3066	6.7224	10.5287	8.7424	5.6221	11.1198	13.9183	12.5986	11.0923	105.6566	
	S	124.149	89.800	84.906	59.536	98.562	74.324	97.020	81.121	51.437	47.787	96.013	78.367	
15	T	2.4872	11.9477	8.9570	6.4617	9.7218	8.5729	5.2644	7.3619	6.7432	6.5334	11.0959	85.1471	
	S	122.262	86.856	107.179	61.938	106.742	75.794	103.612	122.529	106.168	92.149	95.981	97.243	
16	T	2.4509	11.6388	8.8579	6.6338	10.0492	8.6960	5.2935	7.4055	6.6461	6.4087	11.0319	85.1123	
	S	124.073	89.161	108.378	60.332	103.265	74.721	103.042	121.808	107.719	93.942	96.538	97.283	
17	T	2.4614	11.5759	8.8729	6.1629	9.7309	8.3466	5.2632	7.3768	6.6028	6.4608	10.9254	83.7796	
	S	123.544	89.645	108.195	64.941	106.642	77.849	103.636	122.281	108.425	93.184	97.479	98.831	
18	T	2.6115	12.5607	11.9216	7.2445	12.5317	9.4943							
	S	116.443	82.617	80.526	55.246	82.808	68.438							

**Event:** Cooper Tires Grand Prix of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Race 2

**Round 3 / 4**  
**2.3 mile(s)**  
**USF2000 Championship**  
**May 1, 2022**



**Section Data for Car 63 - Burke, Trey**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	8.2063	17.0772	19.7289	9.6273	17.2296	12.9195	6.4587	15.8089	8.4912	8.1443	18.7673	142.4592	151.0078
	S	37.056	60.767	48.660	41.572	60.229	50.294	84.453	57.059	84.312	73.922	56.748	58.122	52.421
2	T	3.2938	13.8225	9.3508	6.9845	10.1939	9.9412	5.5512	8.3181	7.6973	7.1310	11.5551	93.8394	
	S	92.322	75.075	102.665	57.302	101.799	65.362	98.259	108.444	93.008	84.427	92.167	88.236	
3	T	2.5289	12.6000	8.9896	6.4066	9.9718	8.8366	5.4193	7.6797	7.1564	6.5373	11.2829	87.4091	
	S	120.246	82.359	106.790	62.471	104.066	73.532	100.650	117.458	100.038	92.094	94.391	94.727	
4	T	2.4955	12.0309	8.9107	6.2746	9.9031	8.5320	5.2277	7.3257	6.9765	6.4665	11.1715	85.3147	
	S	121.856	86.255	107.736	63.785	104.788	76.157	104.339	123.134	102.617	93.102	95.332	97.052	
5	T	2.4530	11.9635	8.8954	6.1930	9.8171	8.5404	5.2312	7.3168	6.9238	6.4335	11.0151	84.7828	
	S	123.967	86.741	107.921	64.626	105.706	76.082	104.269	123.284	103.398	93.580	96.685	97.661	
6	T	2.4310	12.1041	8.8243	6.3238	9.7684	8.4322	5.2266	7.3190	6.9036	6.4344	11.0912	84.8586	
	S	125.089	85.734	108.790	63.289	106.233	77.059	104.361	123.247	103.701	93.567	96.022	97.574	
7	T	2.4423			6.1560	9.7814	8.4434	5.2468	7.3353	6.8255	6.4440	10.9811	84.1559	
	S	124.510			65.014	106.092	76.956	103.959	122.973	104.887	93.427	96.985	98.389	
8	T	2.4360			6.2138	9.7248	8.4928	5.2516	7.3295	6.7344	6.3493	11.0509	84.1745	
	S	124.832			64.409	106.709	76.509	103.864	123.071	106.306	94.821	96.372	98.367	
9	T	2.4333	11.7186	8.7510	6.1969	9.8071	8.4924	5.2531	7.3217	6.8100	6.4297	11.1214	84.3352	
	S	124.971	88.554	109.702	64.585	105.814	76.512	103.835	123.202	105.126	93.635	95.761	98.180	
10	T	2.4366			6.1524	9.6862	8.5088	5.2082	7.2731	6.7996	6.3569	11.0757	84.0506	
	S	124.801			65.052	107.135	76.365	104.730	124.025	105.287	94.707	96.156	98.512	
11	T	2.4171			6.1808	9.6680	8.4735	5.2024	7.2704	6.8198	6.4168	11.1313	84.1236	
	S	125.808			64.753	107.336	76.683	104.847	124.071	104.975	93.823	95.676	98.427	
12	T	2.4368			6.1716	9.6983	8.4612	5.2202	7.3186	6.8394	6.3491	11.0885	84.0042	
	S	124.791			64.850	107.001	76.794	104.489	123.254	104.674	94.824	96.045	98.567	
13	T	2.4265	11.6502	8.8018	6.1495	9.7158	8.4025	5.2016	7.2811	6.7517	6.4106	11.0575	83.8488	
	S	125.321	89.074	109.069	65.083	106.808	77.331	104.863	123.889	106.034	93.914	96.315	98.749	
14	T	2.4452	11.8078	12.1758	6.6654	11.6050	9.0164	5.3787	8.5996	12.6106	11.8593	11.1033	103.2671	
	S	124.362	87.885	78.845	60.045	89.421	72.066	101.410	104.894	56.770	50.766	95.917	80.180	
15	T	2.4624	11.7266	8.7947	6.3270	9.7508	8.4612	5.2373	7.3330	6.7750	6.5226	11.9664	85.3570	
	S	123.494	88.493	109.157	63.257	106.425	76.794	104.148	123.012	105.669	92.301	88.999	97.004	
16	T	2.8271	11.7599	8.8214	6.2551	9.7158	8.6529	5.2170	7.3019	6.7929	6.5089	11.2020	85.0549	
	S	107.563	88.243	108.826	63.984	106.808	75.093	104.553	123.536	105.391	92.496	95.072	97.349	
17	T	2.4367	12.0710	8.8563	6.3304	9.7602	8.5436	5.2095	7.2733	6.8716	6.5410	11.2367	85.1303	
	S	124.796	85.969	108.397	63.223	106.322	76.054	104.704	124.021	104.184	92.042	94.779	97.263	
18	T	2.5300	13.8649	11.8389	6.8065	12.8112								
	S	120.194	74.846	81.089	58.801	81.002								

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 7 - Lee, Yeeroo (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	9.9016	16.4789	20.0024	9.1267	17.3220	13.8557	6.0129	15.0573	8.7239	7.8421	17.1526	141.4761	147.6350
	S	30.711	62.973	47.994	43.852	59.908	46.896	90.714	59.908	82.063	76.771	62.090	58.526	53.618
2	T	3.2735	14.1481	9.1831	7.0570	10.2595	9.9381	5.4767	8.1334	8.1005	7.1579	11.7730	94.5008	
	S	92.895	73.347	104.540	56.714	101.148	65.382	99.595	110.906	88.378	84.109	90.461	87.618	
3	T	2.5426	12.6683	9.0161	6.5962	9.9896	8.9419	5.2798	7.7102	7.4829	6.7040	11.3983	88.3299	
	S	119.598	81.915	106.476	60.675	103.881	72.666	103.310	116.994	95.673	89.804	93.435	93.739	
4	T	2.4894			6.4485	9.8326	8.7077	5.2821	7.4142	7.1171	6.6434	11.2193	86.3794	
	S	122.154			62.065	105.539	74.620	103.265	121.665	100.590	90.623	94.926	95.856	
5	T	2.4625			6.3718	9.8042	8.6475	5.2688	7.3776	7.0289	6.5449	11.1552	85.6489	
	S	123.489			62.812	105.845	75.140	103.525	122.268	101.852	91.987	95.471	96.674	
6	T	2.4399			6.3481	9.8596	8.6008	5.2541	7.3834	6.9469	6.4339	11.2103	85.4272	
	S	124.633			63.047	105.250	75.548	103.815	122.172	103.054	93.574	95.002	96.925	
7	T	2.4495			6.3382	9.7873	8.5814	5.3317	7.4325	6.9095	6.4429	11.1047	86.9874	
	S	124.144			63.145	106.028	75.719	102.304	121.365	103.612	93.443	95.905	95.186	
8	T	2.4493			6.2214	9.7315	8.6941	5.3244	7.4300	6.8153	6.3827	11.1280	84.8833	
	S	124.154			64.331	106.636	74.737	102.444	121.406	105.044	94.325	95.705	97.546	
9	T	2.4598			6.1937	9.7704	8.6070	5.3450	7.4476	6.8817	6.3582	11.1018	84.7337	
	S	123.624			64.618	106.211	75.494	102.049	121.119	104.031	94.688	95.930	97.718	
10	T	2.4637	11.7495	8.8599	6.2026	9.7193	8.7238	5.3441	7.4398	6.8492	6.3812	11.1341	84.8672	
	S	123.429	88.321	108.353	64.526	106.770	74.483	102.067	121.246	104.524	94.347	95.652	97.564	
11	T	2.4552	11.7395	8.8275	6.2157	9.7647	8.5265	5.2733	7.3993	6.8338	6.3675	11.0825	84.4855	
	S	123.856	88.396	108.751	64.390	106.273	76.206	103.437	121.910	104.760	94.550	96.097	98.005	
12	T	2.4498			6.2060	9.8058	8.5186	5.2861	7.4363	6.6967	6.3383	11.1859	84.5194	
	S	124.129			64.490	105.828	76.277	103.187	121.303	106.905	94.985	95.209	97.966	
13	T	2.4605			6.1525	9.7423	8.5220	5.2885	7.4281	6.6912	6.3588	12.0633	85.4660	
	S	123.589			65.051	106.518	76.247	103.140	121.437	106.993	94.679	88.284	96.881	
14	T	3.5869	15.2695	12.5702	6.7119	11.2898	9.0918	5.4489	8.9131	7.6764	8.0754	11.3817	100.0156	
	S	84.778	67.961	76.371	59.630	91.917	71.468	100.104	101.204	93.261	74.553	93.571	82.787	
15	T	2.4779	11.8320	8.8719	6.4165	9.9534	8.4889	5.3273	7.4395	6.7337	6.2886	11.4062	85.2359	
	S	122.721	87.705	108.207	62.375	104.259	76.544	102.389	121.251	106.317	95.736	93.370	97.142	
16	T	2.4802			6.2298	9.7918	8.5241	5.3038	7.4183	6.8119	6.3930	11.1410	84.8525	
	S	122.607			64.244	105.979	76.228	102.842	121.597	105.097	94.173	95.593	97.581	
17	T	2.4906	11.9051	8.9305	6.3173	9.7828	8.5543	5.3009	7.4292	6.8483	6.4094	11.1127	85.0811	
	S	122.095	87.167	107.497	63.354	106.077	75.959	102.898	121.419	104.538	93.932	95.836	97.319	
18	T	2.8368	13.4668	9.6532	6.9595	11.8561								
	S	107.195	77.058	99.449	57.508	87.527								

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 8 - Dyszelski, Danny (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	9.2570	16.2241	20.0618	9.6443	17.1240	13.2271	6.4371	15.5088	8.2867	8.3011	17.7186	141.7906		149.0995	
	S	32.850	63.962	47.852	41.499	60.601	49.124	84.736	58.163	86.393	72.526	60.106	58.396		53.091	
2	T	3.3050	14.2113	9.3306	6.8921	10.2841	9.9088	5.4848	8.2228	7.8362	7.1889	11.5889	94.2535			
	S	92.009	73.021	102.887	58.070	100.906	65.575	99.448	109.701	91.359	83.747	91.898	87.848			
3	T	2.5582	12.5589	9.0420	6.7220	10.0941	8.9829	5.2628	7.7009	7.4878	6.7062	11.3558	88.4716			
	S	118.869	82.629	106.171	59.540	102.805	72.334	103.643	117.135	95.610	89.774	93.785	93.589			
4	T	2.5164	12.1344	8.9691	6.4632	9.8759	8.5402	5.2618	7.6096	7.0593	6.4681	11.2373	86.1353			
	S	120.844	85.519	107.034	61.924	105.077	76.084	103.663	118.540	101.414	93.079	94.774	96.128			
5	T	2.4648	12.0552	8.7537	6.4729	9.9530	8.6383	5.2344	7.3780	7.0010	6.4272	11.2865	85.6650			
	S	123.373	86.081	109.668	61.831	104.263	75.220	104.206	122.262	102.258	93.671	94.361	96.656			
6	T	2.4632	11.8902	8.8553	6.3293	9.8199	8.4845	5.2271	7.3351	6.8006	6.4198	11.0598	84.6848			
	S	123.454	87.276	108.410	63.234	105.676	76.584	104.351	122.977	105.271	93.779	96.295	97.774			
7	T	2.4308	11.7831	8.8094	6.2035	9.7214	8.5036	5.2635	7.3563	6.8188	6.3983	11.1865	84.4752			
	S	125.099	88.069	108.975	64.516	106.747	76.411	103.630	122.622	104.990	94.095	95.204	98.017			
8	T	2.4404	11.8140	8.7952	6.1851	9.7718	8.4496	5.2702	7.3485	6.6897	6.4499	11.1537	84.3681			
	S	124.607	87.839	109.150	64.708	106.196	76.900	103.498	122.752	107.017	93.342	95.484	98.141			
9	T	2.4519	11.8680	8.8888	6.1810	9.7630	8.4696	5.2631	7.3759	6.8050	6.4664	10.9859	84.5186			
	S	124.023	87.439	108.001	64.751	106.292	76.718	103.638	122.296	105.203	93.104	96.942	97.967			
10	T	2.4393	11.8380	8.8366	6.1925	9.7529	8.4792	5.2722	7.3695	6.7261	6.4417	10.9412	84.2892			
	S	124.663	87.661	108.639	64.631	106.402	76.631	103.459	122.403	106.437	93.461	97.339	98.233			
11	T	2.4234	11.9299	8.7854	6.2056	9.7125	8.4088	5.2535	7.3519	6.6802	6.4636	11.0132	84.2280			
	S	125.481	86.985	109.272	64.495	106.845	77.273	103.827	122.696	107.169	93.144	96.702	98.305			
12	T	2.4331	11.7268	8.7933	6.2035	9.7273	8.3545	5.2417	7.3561	6.6683	6.3419	11.0333	83.8798			
	S	124.981	88.492	109.174	64.516	106.682	77.775	104.061	122.626	107.360	94.931	96.526	98.713			
13	T	2.4334	13.8516	109.4398	8.9526	15.9602	11.1812	7.4880	11.7863	9.3674			420.3750	221.8872		214.6496
	S	124.965	74.918	8.772	44.705	65.020	58.113	72.844	76.533	76.426			19.697	3.939		35.608



Event: Cooper Tires Grand Prix of Alabama

Round 3 / 4

Track: Barber Motorsports Park

2.3 mile(s)

Report: Section Data Report

USF2000 Championship

Session: Race 2

May 1, 2022



Section Data for Car 9 - Garciarce, Jorge (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	8.4959	17.0365	19.6260	9.9987	16.8751	13.1030	6.3704	15.8434	8.2931	8.1565	18.3548	142.1534	149.2765
	S	35.793	60.912	48.915	40.028	61.495	49.590	85.623	56.935	86.326	73.812	58.023	58.247	53.029
2	T	3.2713	13.7304	9.1341	7.1037	10.2929	9.9589	5.4773	8.2620	7.6090	7.0426	11.5285	93.4107	
	S	92.957	75.579	105.101	56.341	100.820	65.245	99.585	109.180	94.087	85.486	92.380	88.641	
3	T	2.5207			6.4473	9.9439	9.1867	5.3025	7.6150	7.0965	6.5231	11.3125	87.4005	
	S	120.637			62.077	104.358	70.730	102.867	118.456	100.882	92.294	94.144	94.736	
4	T	2.4656			6.4211	9.8640	8.5912	5.2470	7.3439	7.0412	6.4491	11.1780	85.3315	
	S	123.333			62.330	105.203	75.632	103.956	122.829	101.674	93.353	95.276	97.033	
5	T	2.4538			6.3294	9.8043	8.4898	5.2534	7.3405	6.8421	6.4104	11.1839	84.6859	
	S	123.927			63.233	105.844	76.536	103.829	122.886	104.633	93.917	95.226	97.773	
6	T	2.4417	11.7860	8.7338	6.3181	9.7843	8.4121	5.2478	7.3146	6.7958	6.3540	11.1007	84.2889	
	S	124.541	88.047	109.918	63.346	106.060	77.243	103.940	123.321	105.346	94.751	95.940	98.234	
7	T	2.4361			6.2503	9.7292	8.4040	5.2546	7.3143	6.7830	6.3714	11.0683	84.2028	
	S	124.827			64.033	106.661	77.317	103.805	123.326	105.545	94.492	96.221	98.334	
8	T	2.4291			6.2210	9.7107	8.4116	5.2651	7.3330	6.8929	6.2835	11.3696	84.6280	
	S	125.187			64.335	106.864	77.247	103.598	123.012	103.862	95.814	93.671	97.840	
9	T	2.4607			6.2314	9.7725	8.4451	5.2684	7.3522	6.8456	6.4784	11.1171	84.4457	
	S	123.579			64.228	106.189	76.941	103.533	122.691	104.579	92.931	95.798	98.051	
10	T	2.4417			6.2351	9.7421	8.3435	5.2264	7.3244	6.8544	6.3663	11.0357	84.0450	
	S	124.541			64.189	106.520	77.878	104.365	123.156	104.445	94.568	96.505	98.519	
11	T	2.4178			6.2364	9.7424	8.3994	5.2428	7.3251	6.8519	6.3814	11.0265	84.0607	
	S	125.772			64.176	106.517	77.359	104.039	123.144	104.483	94.344	96.585	98.500	
12	T	2.4385			6.1532	9.6941	8.3217	5.2308	7.3312	6.6986	6.3072	11.0781	83.7012	
	S	124.704			65.044	107.047	78.082	104.277	123.042	106.874	95.454	96.136	98.923	
13	T	2.4268	11.7095	8.7575	6.2461	9.7037	8.4345	5.2854	7.3527	6.8181	6.3162	11.0964	84.1469	
	S	125.305	88.623	109.620	64.076	106.941	77.037	103.200	122.682	105.001	95.318	95.977	98.399	
14	T	2.4552	11.9659	11.5576	6.7874	11.4538	8.8239	5.5654	8.8003	12.3412	11.6685	11.1668	102.5860	
	S	123.856	86.724	83.062	58.966	90.601	73.638	98.008	102.502	58.010	51.596	95.372	80.713	
15	T	2.4572	12.0781	8.9161	6.3356	9.7369	8.6078	5.2395	7.3144	6.9476	6.5043	11.0383	85.1758	
	S	123.755	85.918	107.670	63.171	106.577	75.487	104.104	123.325	103.044	92.561	96.482	97.211	
16	T	2.4528	11.9064	8.8543	6.3256	9.7659	9.0506	5.2257	7.3404	7.0387	6.6092	11.1992	85.7688	
	S	123.977	87.157	108.422	63.271	106.260	71.793	104.379	122.888	101.710	91.092	95.096	96.539	
17	T	2.4516	12.0210	8.8123	6.2997	9.7780	8.6614	5.2396	7.2912	6.8280	6.4207	11.2708	85.0743	
	S	124.038	86.326	108.939	63.531	106.129	75.019	104.102	123.717	104.849	93.766	94.492	97.327	
18	T	2.6331	13.8616	11.7113	7.0071	12.9689								
	S	115.488	74.863	81.972	57.117	80.017								

Event: Cooper Tires Grand Prix of Alabama  
Track: Barber Motorsports Park  
Report: Section Data Report  
Session: Race 2

Round 3 / 4  
2.3 mile(s)  
USF2000 Championship  
May 1, 2022



Section Data for Car 90 - Douglas, Jacob (R)

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PO to SF	
1	T	7.4717	17.3966	19.2817	8.8105	16.9367	13.0258	7.8278	14.8822	9.3510	11.0037	19.3515	145.3392	153.9060
	S	40.699	59.651	49.788	45.426	61.271	49.884	69.682	60.612	76.560	54.713	55.034	56.970	51.433
2	T	3.3319	13.7263	9.2518	6.8405	10.1798	9.7626	5.3121	7.8560	7.2826	6.6557	11.3364	91.5357	
	S	91.267	75.601	103.764	58.508	101.940	66.557	102.682	114.822	98.304	90.456	93.945	90.457	
3	T	2.4896	12.1532	8.8753	6.4267	9.8343	8.7484	5.2461	7.5252	7.0425	6.5472	11.2092	86.0977	
	S	122.144	85.387	108.165	62.276	105.521	74.273	103.973	119.870	101.656	91.955	95.011	96.170	
4	T	2.4751	11.8280	8.8528	6.3733	9.7754	8.7373	5.2544	7.3013	6.8827	6.4615	11.1253	85.0671	
	S	122.860	87.735	108.440	62.797	106.157	74.368	103.809	123.546	104.016	93.174	95.728	97.335	
5	T	2.4531	11.8011	8.7893	6.2863	9.7215	8.5479	5.2082	7.2802	6.8870	6.5230	11.1028	84.6004	
	S	123.962	87.935	109.224	63.667	106.746	76.015	104.730	123.904	103.951	92.296	95.922	97.872	
6	T	2.4390	11.7473	8.7742	6.2831	9.7240	8.4961	5.1858	7.2451	6.8946	6.4868	10.9963	84.2723	
	S	124.679	88.338	109.412	63.699	106.718	76.479	105.182	124.504	103.836	92.811	96.851	98.253	
7	T	2.4522	11.8217	8.8093	6.3136	9.7463	8.5404	5.2155	7.2669	6.9054	6.4678	10.9885	84.5276	
	S	124.007	87.782	108.976	63.391	106.474	76.082	104.583	124.131	103.674	93.083	96.920	97.956	
8	T	2.4283	11.7921	8.7534	6.2949	9.7335	8.5229	5.2029	7.2405	6.8631	6.4253	11.0051	84.2620	
	S	125.228	88.002	109.672	63.580	106.614	76.238	104.837	124.583	104.313	93.699	96.773	98.265	
9	T	2.4271	11.8989	8.7754	6.2988	9.7208	8.4704	5.2257	7.2834	6.7786	6.3642	10.9699	84.2132	
	S	125.290	87.212	109.397	63.540	106.753	76.711	104.379	123.850	105.613	94.599	97.084	98.322	
10	T	2.4238	11.6602	8.7319	6.2026	9.6766	8.4469	5.1920	7.2644	6.7721	6.3673	10.9519	83.6897	
	S	125.460	88.997	109.942	64.526	107.241	76.924	105.057	124.173	105.714	94.553	97.243	98.937	
11	T	2.4133	11.5894	8.7483	6.1621	9.6578	8.3925	5.2101	7.2648	6.7272	6.3971	10.9135	83.4761	
	S	126.006	89.541	109.736	64.950	107.450	77.423	104.692	124.167	106.420	94.112	97.586	99.190	
12	T	2.4160	11.5969	8.7118	6.1676	9.6674	8.3885	5.1925	7.2818	6.7222	6.3126	10.9166	83.3739	
	S	125.865	89.483	110.195	64.892	107.343	77.460	105.047	123.877	106.499	95.372	97.558	99.312	
13	T	2.4066	11.5369	8.7402	6.1662	9.6411	8.3568	5.1768	7.2552	6.7003	6.3807	10.9028	83.2636	
	S	126.357	89.949	109.837	64.907	107.636	77.754	105.365	124.331	106.847	94.354	97.681	99.443	
14	T	2.4120	11.6311	10.3691	7.0181	10.3528	9.0874	6.1163	11.7198	14.6336	12.6328	11.1729	107.1459	
	S	126.074	89.220	92.583	57.028	100.236	71.503	89.180	76.968	48.922	47.657	95.320	77.278	
15	T	2.4673	11.9809	9.0120	6.3743	9.6986	8.5452	5.2025	7.2642	6.7586	6.3788	10.9335	84.6159	
	S	123.248	86.615	106.525	62.788	106.998	76.039	104.845	124.177	105.926	94.382	97.407	97.854	
16	T	2.4179	11.6418	8.7610	7.5962	10.1464	9.0065	5.2433	7.3382	7.0885	6.4869	10.9881	86.7148	
	S	125.767	89.138	109.577	52.688	102.275	72.145	104.029	122.925	100.996	92.809	96.923	95.485	
17	T	2.4568	11.6627	8.7980	6.1945	9.7705	8.5005	5.2000	7.2811	6.8108	6.4675	10.9772	84.1196	
	S	123.775	88.978	109.116	64.610	106.210	76.439	104.895	123.889	105.114	93.088	97.019	98.431	
18	T	2.6010	13.0053	11.7925	7.2516	12.3489	9.6717							
	S	116.913	79.793	81.408	55.192	84.034	67.183							

**Event:** Cooper Tires Grand Prix of Alabama  
**Track:** Barber Motorsports Park  
**Report:** Section Data Report  
**Session:** Race 2

**Round 3 / 4**  
**2.3 mile(s)**  
**USF2000 Championship**  
**May 1, 2022**



**Section Data for Car 92 - Frazer, Billy**

Lap	T/SF to I1	I1 to I2	I2 to I3A	I3A to I3	I3 to I4	I4 to I5A	I5A to I5	I5 to I6	I6 to I7	I7 to I8	I8 to SF	Lap	PI to PO	PO to SF	SF to PI	
1	T	7.0052	18.0358	18.1250	8.9714	16.5174	12.9386	8.5156	13.6113	10.1676	12.1057	19.7048	145.6984		157.9217	
	S	43.409	57.537	52.966	44.611	62.826	50.220	64.054	66.272	70.411	49.732	54.048	56.830		50.126	
2	T	3.2660	13.5717	9.2151	7.0391	10.0591	9.7743	5.2835	8.6389	7.7209			108.8792	79.5264		90.7750
	S	93.108	76.463	104.177	56.858	103.163	66.478	103.237	104.417	92.724			76.048	10.991		84.199
3	T			9.0717	6.5590	9.9698	8.5725	5.2823	7.5239	6.9715	6.6649	11.1839	146.9784		85.5562	
	S			105.824	61.020	104.087	75.797	103.261	119.891	102.691	90.331	95.226	56.335		92.523	
4	T	2.4756	11.8674	8.8375	6.3313	9.7754	8.4757	5.2742	7.4148	6.8725	6.5575	11.0721	84.9540			
	S	122.835	87.444	108.628	63.214	106.157	76.663	103.419	121.655	104.170	91.810	96.188	97.465			
5	T	2.4581	11.7196	8.8283	6.3409	9.7377	8.4598	5.2636	7.3710	6.7915	6.4490	11.0547	84.4742			
	S	123.710	88.546	108.741	63.118	106.568	76.807	103.628	122.378	105.413	93.355	96.339	98.018			
6	T	2.4380	11.6380	8.7834	6.2818	9.7189	8.3354	5.2401	7.3568	6.7189	6.3801	11.0606	83.9520			
	S	124.730	89.167	109.297	63.712	106.774	77.953	104.092	122.614	106.552	94.363	96.288	98.628			
7	T	2.4362	11.5245	8.7643	6.2854	9.6648	8.3051	5.2428	7.3656	6.6295	6.3626	11.0201	83.6009			
	S	124.822	90.045	109.535	63.676	107.372	78.238	104.039	122.467	107.988	94.623	96.642	99.042			
8	T	2.4319	11.5590	8.7591	6.2158	9.7075	8.2745	5.2502	7.3518	6.6390	6.3968	10.8802	83.4658			
	S	125.043	89.777	109.600	64.389	106.900	78.527	103.892	122.697	107.834	94.117	97.884	99.202			
9	T	2.4249	11.5202	8.7209	6.2030	9.6622	8.3752	5.2291	7.3197	6.6834	6.5141	10.8609	83.5136			
	S	125.403	90.079	110.080	64.522	107.401	77.583	104.311	123.235	107.117	92.422	98.058	99.146			
10	T	2.4206	11.5547	8.7418	6.2023	9.6818	8.2769	5.2154	7.3142	6.6497	6.3556	10.9476	83.3606			
	S	125.626	89.810	109.817	64.529	107.183	78.504	104.585	123.328	107.660	94.727	97.282	99.328			
11	T	2.4199	11.5274	8.7380	6.2148	9.6354	8.2502	5.1965	7.3214	6.6276	6.3515	10.9103	83.1930			
	S	125.663	90.023	109.865	64.399	107.699	78.758	104.966	123.207	108.019	94.788	97.614	99.528			
12	T	2.4227	11.4651	8.7449	6.2132	9.6426	8.2793	5.2063	7.3157	6.6054	6.3430	10.9093	83.1475			
	S	125.517	90.512	109.778	64.416	107.619	78.482	104.768	123.303	108.382	94.915	97.623	99.582			
13	T	2.4248	11.5429	9.2338	6.2767	9.7299	8.3567	5.2315	7.3528	6.7060	6.3770	10.9032	84.1353			
	S	125.409	89.902	103.966	63.764	106.653	77.755	104.264	122.681	106.757	94.409	97.678	98.413			
14	T	2.4314	11.5816	9.5082	6.1845	9.6962	8.2619	5.2343	7.3203	6.7612	6.3660	10.9481	84.2937			
	S	125.068	89.601	100.965	64.715	107.024	78.647	104.208	123.225	105.885	94.572	97.277	98.228			
15	T	2.4290	11.5311	8.6891	6.1461	9.6639	8.2505	5.2293	7.3267	6.6225	6.3650	10.9148	83.1680			
	S	125.192	89.994	110.483	65.119	107.382	78.756	104.307	123.118	108.103	94.587	97.574	99.558			
16	T	2.4314	11.4974	8.7471	6.2240	9.6648	8.2479	5.2152	7.3216	6.5869	6.4190	10.8562	83.2115			
	S	125.068	90.258	109.751	64.304	107.372	78.780	104.589	123.203	108.687	93.791	98.101	99.505			
17	T	2.4300	11.5152	8.7393	6.1208	9.6672	8.3748	5.2417	7.3203	6.6666	6.4689	10.9278	83.4726			
	S	125.140	90.118	109.849	65.388	107.345	77.587	104.061	123.225	107.387	93.068	97.458	99.194			
18	T	2.5329														
	S	120.056														

**Event:** Cooper Tires Grand Prix of Alabama

**Track:** Barber Motorsports Park

**Report:** Section Data Report

**Session:** Race 2

**Round 3 / 4**

**2.3 mile(s)**

**USF2000 Championship**

**May 1, 2022**



**Section Data for Car**

**Report Support Information**

Section Legend	
Name	Length
SF to I1	0.084470 miles
I1 to I2	0.288258 miles
I2 to I3A	0.266667 miles
I3A to I3	0.111174 miles
I3 to I4	0.288258 miles
I4 to I5A	0.180492 miles
I5A to I5	0.151515 miles
I5 to I6	0.250568 miles
I6 to I7	0.198864 miles
I7 to I8	0.167235 miles
I8 to SF	0.295833 miles
I2 to I3	0.377841 miles
I4 to I5	0.332008 miles
Lap	2.300000 miles
PI to PO	0.242803 miles
PO to SF	2.198864 miles
SF to PI	2.123106 miles
PO to I2	0.280871 miles
I7 to PI	0.302841 miles
PO to PI	2.038636 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

